



REPORT PRODUCTION

Pantallazo ejecución correcta del PIPELINE



Salida de consola con >80% cobertura

Started by upstream project "[PIPELINE-FULL-CD](#)" build number [11](#) originally caused by:

Rubén de Paz Patiño

```
Started by user Rubén de Paz
Obtained pipelines/PIPELINE-FULL-PRODUCTION/Jenkinsfile from git
https://github.com/rubendepaz1/todo-list-aws.git
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/lib/jenkins/workspace/PIPELINE-FULL-PRODUCTION
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
using credential e90f70e7-3f4d-4331-b3d5-e5f36ea278c3
Cloning the remote Git repository
Cloning repository https://github.com/rubendepaz1/todo-list-aws.git
> git init /var/lib/jenkins/workspace/PIPELINE-FULL-PRODUCTION #
timeout=10
Fetching upstream changes from https://github.com/rubendepaz1/todo-list-aws.git
> git --version # timeout=10
> git --version # 'git version 2.17.1'
using GIT_ASKPASS to set credentials
> git fetch --tags --progress -- https://github.com/rubendepaz1/todo-list-aws.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git config remote.origin.url https://github.com/rubendepaz1/todo-list-aws.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/*
# timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 3d6fbf78531f3a6bf2214513c3b5de76bac5b6b3
(refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f 3d6fbf78531f3a6bf2214513c3b5de76bac5b6b3 # timeout=10
Commit message: "Merge pull request #4 from rubendepaz1/develop"
> git rev-list --no-walk 3d6fbf78531f3a6bf2214513c3b5de76bac5b6b3 #
timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (SetUp)
[Pipeline] echo
Setup Virtualenv for testing
[Pipeline] sh
+ bash pipelines/PIPELINE-FULL-PRODUCTION/setup.sh
+ python3.7 -m venv todo-list-aws
+ source todo-list-aws/bin/activate
++ deactivate nondestructive
++ '[' -n '' ']'
++ '[' -n '' ']'
++ '[' -n /bin/bash -o -n '' ']'
++ hash -r
++ '[' -n '' ']'
++ unset VIRTUAL_ENV
++ '[' '!' nondestructive = nondestructive ']'
++ VIRTUAL_ENV=/var/lib/jenkins/workspace/PIPELINE-FULL-PRODUCTION/todo-
list-aws
++ export VIRTUAL_ENV
```

Rubén de Paz Patiño

```
++
_OLD_VIRTUAL_PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/
bin:/usr/games:/usr/local/games:/snap/bin
++ PATH=/var/lib/jenkins/workspace/PIPELINE-FULL-PRODUCTION/todo-list-
aws/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/g
ames:/usr/local/games:/snap/bin
++ export PATH
++ '[' -n '' ']'
++ '[' -z '' ']'
++ _OLD_VIRTUAL_PS1=
++ '[' 'x(todo-list-aws) '!=' x ']'
++ PS1='(todo-list-aws) '
++ export PS1
++ '[' -n /bin/bash -o -n '' ']'
++ hash -r
+ python -m pip install --upgrade pip
Collecting pip
  Using cached
https://files.pythonhosted.org/packages/a4/6d/6463d49a933f547439d6b5b98b46af8742cc03ae83543e4d7688c2420f8b/pip-21.3.1-py3-none-any.whl
Installing collected packages: pip
  Found existing installation: pip 9.0.1
    Uninstalling pip-9.0.1:
      Successfully uninstalled pip-9.0.1
Successfully installed pip-21.3.1
+ python -m pip install awscli
Collecting awscli
  Using cached awscli-1.22.46-py3-none-any.whl (3.8 MB)
Collecting colorama<0.4.4,>=0.2.5
  Using cached colorama-0.4.3-py2.py3-none-any.whl (15 kB)
Collecting rsa<4.8,>=3.1.2
  Using cached rsa-4.7.2-py3-none-any.whl (34 kB)
Collecting botocore==1.23.46
  Using cached botocore-1.23.46-py3-none-any.whl (8.5 MB)
Collecting s3transfer<0.6.0,>=0.5.0
  Using cached s3transfer-0.5.0-py3-none-any.whl (79 kB)
Collecting docutils<0.16,>=0.10
  Using cached docutils-0.15.2-py3-none-any.whl (547 kB)
Collecting PyYAML<5.5,>=3.10
  Using cached PyYAML-5.4.1-cp37-cp37m-manylinux1_x86_64.whl (636 kB)
Collecting jmespath<1.0.0,>=0.7.1
  Using cached jmespath-0.10.0-py2.py3-none-any.whl (24 kB)
Collecting python-dateutil<3.0.0,>=2.1
  Using cached python_dateutil-2.8.2-py2.py3-none-any.whl (247 kB)
Collecting urllib3<1.27,>=1.25.4
  Using cached urllib3-1.26.8-py2.py3-none-any.whl (138 kB)
Collecting pyasn1>=0.1.3
  Using cached pyasn1-0.4.8-py2.py3-none-any.whl (77 kB)
Collecting six>=1.5
  Using cached six-1.16.0-py2.py3-none-any.whl (11 kB)
Installing collected packages: six, urllib3, python-dateutil, jmespath,
pyasn1, botocore, s3transfer, rsa, PyYAML, docutils, colorama, awscli
Successfully installed PyYAML-5.4.1 awscli-1.22.46 botocore-1.23.46
colorama-0.4.3 docutils-0.15.2 jmespath-0.10.0 pyasn1-0.4.8 python-
dateutil-2.8.2 rsa-4.7.2 s3transfer-0.5.0 six-1.16.0 urllib3-1.26.8
+ python -m pip install aws-sam-cli
Collecting aws-sam-cli
  Using cached aws_sam_cli-1.37.0-py3-none-any.whl (5.0 MB)
Collecting regex==2021.9.30
  Using cached regex-2021.9.30-cp37-cp37m-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (747 kB)
```

Rubén de Paz Patiño

```
Collecting docker~=4.2.0
  Using cached docker-4.2.2-py2.py3-none-any.whl (144 kB)
Collecting watchdog==2.1.2
  Using cached watchdog-2.1.2-py3-none-manylinux2014_x86_64.whl (74 kB)
Requirement already satisfied: PyYAML~=5.3 in ./todo-list-aws/lib/python3.7/site-packages (from aws-sam-cli) (5.4.1)
Requirement already satisfied: jmespath~=0.10.0 in ./todo-list-aws/lib/python3.7/site-packages (from aws-sam-cli) (0.10.0)
Collecting tzlocal==3.0
  Using cached tzlocal-3.0-py3-none-any.whl (16 kB)
Collecting requests==2.25.1
  Using cached requests-2.25.1-py2.py3-none-any.whl (61 kB)
Collecting aws-lambda-builders==1.10.0
  Using cached aws_lambda_builders-1.10.0-py3-none-any.whl (102 kB)
Collecting tomlkit==0.7.2
  Using cached tomlkit-0.7.2-py2.py3-none-any.whl (32 kB)
Collecting typing-extensions==3.10.0.0
  Using cached typing_extensions-3.10.0.0-py3-none-any.whl (26 kB)
Collecting chevron~=0.12
  Using cached chevron-0.14.0-py3-none-any.whl (11 kB)
Collecting aws-sam-translator==1.42.0
  Using cached aws_sam_translator-1.42.0-py3-none-any.whl (216 kB)
Collecting boto3==1.*,>=1.18.32
  Using cached boto3-1.20.46-py3-none-any.whl (131 kB)
Collecting click~=7.1
  Using cached click-7.1.2-py2.py3-none-any.whl (82 kB)
Collecting Flask~=1.1.2
  Using cached Flask-1.1.4-py2.py3-none-any.whl (94 kB)
Collecting dateparser~=1.0
  Using cached dateparser-1.1.0-py2.py3-none-any.whl (288 kB)
Collecting cookiecutter~=1.7.2
  Using cached cookiecutter-1.7.3-py2.py3-none-any.whl (34 kB)
Collecting serverlessrepo==0.1.10
  Using cached serverlessrepo-0.1.10-py2.py3-none-any.whl (23 kB)
Requirement already satisfied: six~=1.11 in ./todo-list-aws/lib/python3.7/site-packages (from aws-lambda-builders==1.10.0->aws-sam-cli) (1.16.0)
Requirement already satisfied: setuptools in ./todo-list-aws/lib/python3.7/site-packages (from aws-lambda-builders==1.10.0->aws-sam-cli) (39.0.1)
Collecting wheel
  Using cached wheel-0.37.1-py2.py3-none-any.whl (35 kB)
Collecting jsonschema~=3.2
  Using cached jsonschema-3.2.0-py2.py3-none-any.whl (56 kB)
Requirement already satisfied: botocore<1.24.0,>=1.23.46 in ./todo-list-aws/lib/python3.7/site-packages (from boto3==1.*,>=1.18.32->aws-sam-cli) (1.23.46)
Requirement already satisfied: s3transfer<0.6.0,>=0.5.0 in ./todo-list-aws/lib/python3.7/site-packages (from boto3==1.*,>=1.18.32->aws-sam-cli) (0.5.0)
Collecting certifi>=2017.4.17
  Using cached certifi-2021.10.8-py2.py3-none-any.whl (149 kB)
Collecting chardet<5,>=3.0.2
  Using cached chardet-4.0.0-py2.py3-none-any.whl (178 kB)
Collecting idna<3,>=2.5
  Using cached idna-2.10-py2.py3-none-any.whl (58 kB)
Requirement already satisfied: urllib3<1.27,>=1.21.1 in ./todo-list-aws/lib/python3.7/site-packages (from requests==2.25.1->aws-sam-cli) (1.26.8)
Collecting backports.zoneinfo
```

Rubén de Paz Patiño

```
Using cached backports.zoneinfo-0.2.1-cp37-cp37m-manylinux1_x86_64.whl
(70 kB)
Collecting jinja2-time>=0.2.0
Using cached jinja2_time-0.2.0-py2.py3-none-any.whl (6.4 kB)
Collecting poyo>=0.5.0
Using cached poyo-0.5.0-py2.py3-none-any.whl (10 kB)
Collecting binaryornot>=0.4.4
Using cached binaryornot-0.4.4-py2.py3-none-any.whl (9.0 kB)
Collecting Jinja2<4.0.0,>=2.7
Using cached Jinja2-3.0.3-py3-none-any.whl (133 kB)
Collecting python-slugify>=4.0.0
Using cached python_slugify-5.0.2-py2.py3-none-any.whl (6.7 kB)
Requirement already satisfied: python-dateutil in ./todo-list-
aws/lib/python3.7/site-packages (from dateparser~=1.0->aws-sam-cli) (2.8.2)
Collecting pytz
Using cached pytz-2021.3-py2.py3-none-any.whl (503 kB)
Collecting websocket-client>=0.32.0
Using cached websocket_client-1.2.3-py3-none-any.whl (53 kB)
Collecting Werkzeug<2.0,>=0.15
Using cached Werkzeug-1.0.1-py2.py3-none-any.whl (298 kB)
Collecting itsdangerous<2.0,>=0.24
Using cached itsdangerous-1.1.0-py2.py3-none-any.whl (16 kB)
Collecting Jinja2<4.0.0,>=2.7
Using cached Jinja2-2.11.3-py2.py3-none-any.whl (125 kB)
Collecting MarkupSafe>=0.23
Using cached MarkupSafe-2.0.1-cp37-cp37m-
manylinux_2_5_x86_64.manylinux1_x86_64.manylinux_2_12_x86_64.manylinux2010_
x86_64.whl (31 kB)
Collecting arrow
Using cached arrow-1.2.2-py3-none-any.whl (64 kB)
Collecting pyrsistent>=0.14.0
Using cached pyrsistent-0.18.1-cp37-cp37m-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (117 kB)
Collecting importlib-metadata
Using cached importlib_metadata-4.10.1-py3-none-any.whl (17 kB)
Collecting attrs>=17.4.0
Using cached attrs-21.4.0-py2.py3-none-any.whl (60 kB)
Collecting text-unidecode>=1.3
Using cached text_unidecode-1.3-py2.py3-none-any.whl (78 kB)
Collecting zipp>=0.5
Using cached zipp-3.7.0-py3-none-any.whl (5.3 kB)
Installing collected packages: zipp, typing-extensions, MarkupSafe, text-
unidecode, pyrsistent, Jinja2, importlib-metadata, idna, chardet, certifi,
backports.zoneinfo, attrs, arrow, wheel, Werkzeug, websocket-client,
tzlocal, requests, regex, pytz, python-slugify, poyo, jsonschema, jinja2-
time, itsdangerous, click, boto3, binaryornot, watchdog, tomlkit,
serverlessrepo, Flask, docker, dateparser, cookiecutter, chevron, aws-sam-
translator, aws-lambda-builders, aws-sam-cli
Successfully installed Flask-1.1.4 Jinja2-2.11.3 MarkupSafe-2.0.1 Werkzeug-
1.0.1 arrow-1.2.2 attrs-21.4.0 aws-lambda-builders-1.10.0 aws-sam-cli-
1.37.0 aws-sam-translator-1.42.0 backports.zoneinfo-0.2.1 binaryornot-0.4.4
boto3-1.20.46 certifi-2021.10.8 chardet-4.0.0 chevron-0.14.0 click-7.1.2
cookiecutter-1.7.3 dateparser-1.1.0 docker-4.2.2 idna-2.10 importlib-
metadata-4.10.1 itsdangerous-1.1.0 jinja2-time-0.2.0 jsonschema-3.2.0 poyo-
0.5.0 pyrsistent-0.18.1 python-slugify-5.0.2 pytz-2021.3 regex-2021.9.30
requests-2.25.1 serverlessrepo-0.1.10 text-unidecode-1.3 tomlkit-0.7.2
typing-extensions-3.10.0.0 tzlocal-3.0 watchdog-2.1.2 websocket-client-
1.2.3 wheel-0.37.1 zipp-3.7.0
+ python -m pip install pytest
Collecting pytest
Using cached pytest-6.2.5-py3-none-any.whl (280 kB)
```

Rubén de Paz Patiño

```
Requirement already satisfied: attrs>=19.2.0 in ./todo-list-aws/lib/python3.7/site-packages (from pytest) (21.4.0)
Requirement already satisfied: importlib-metadata>=0.12 in ./todo-list-aws/lib/python3.7/site-packages (from pytest) (4.10.1)
Collecting py>=1.8.2
  Using cached py-1.11.0-py2.py3-none-any.whl (98 kB)
Collecting iniconfig
  Using cached iniconfig-1.1.1-py2.py3-none-any.whl (5.0 kB)
Collecting packaging
  Using cached packaging-21.3-py3-none-any.whl (40 kB)
Collecting pluggy<2.0,>=0.12
  Using cached pluggy-1.0.0-py2.py3-none-any.whl (13 kB)
Collecting toml
  Using cached toml-0.10.2-py2.py3-none-any.whl (16 kB)
Requirement already satisfied: zipp>=0.5 in ./todo-list-aws/lib/python3.7/site-packages (from importlib-metadata>=0.12->pytest) (3.7.0)
Requirement already satisfied: typing-extensions>=3.6.4 in ./todo-list-aws/lib/python3.7/site-packages (from importlib-metadata>=0.12->pytest) (3.10.0.0)
Collecting pyparsing!=3.0.5,>=2.0.2
  Using cached pyparsing-3.0.7-py3-none-any.whl (98 kB)
Installing collected packages: pyparsing, toml, py, pluggy, packaging, iniconfig, pytest
Successfully installed iniconfig-1.1.1 packaging-21.3 pluggy-1.0.0 py-1.11.0 pyparsing-3.0.7 pytest-6.2.5 toml-0.10.2
+ pwd
/var/lib/jenkins/workspace/PIPELINE-FULL-PRODUCTION
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] echo
Package sam application:
[Pipeline] sh
+ bash pipelines/common-steps/build.sh
+ sam validate --region us-east-1
2022-01-29 12:37:33 Loading policies from IAM...
2022-01-29 12:37:33 Finished loading policies from IAM.
/var/lib/jenkins/workspace/PIPELINE-FULL-PRODUCTION/template.yaml is a valid SAM Template
2022-01-29 12:37:33 There are unpublished metrics. Please make sure you call publish after you record all metrics.
2022-01-29 12:37:33 There are unpublished metrics. Please make sure you call publish after you record all metrics.
+ sam build
Building codeuri: /var/lib/jenkins/workspace/PIPELINE-FULL-PRODUCTION/src
runtime: python3.7 metadata: {} architecture: x86_64 functions:
['CreateTodoFunction', 'ListTodosFunction', 'GetTodoFunction', 'GetTranslateTodoFunction', 'UpdateTodoFunction', 'DeleteTodoFunction']
Running PythonPipBuilder:ResolveDependencies
Running PythonPipBuilder:CopySource

Build Succeeded

Built Artifacts   : .aws-sam/build
Built Template    : .aws-sam/build/template.yaml

Commands you can use next
=====
[*] Invoke Function: sam local invoke
```

Rubén de Paz Patiño

```
[*] Test Function in the Cloud: sam sync --stack-name {stack-name} --watch
[*] Deploy: sam deploy --guided

[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploy)
[Pipeline] echo
Initiating Deployment
[Pipeline] sh
+ bash pipelines/common-steps/deploy.sh
+ sort -h
+ du -hs CHANGELOG.md README.md localEnvironment.json pipelines pytest.ini
samconfig.toml src template.yaml test todo-list-aws
4.0K    CHANGELOG.md
4.0K    localEnvironment.json
4.0K    pytest.ini
4.0K    samconfig.toml
8.0K    README.md
8.0K    template.yaml
32K     test
44K     src
60K     pipelines
166M    todo-list-aws
+ sam deploy template.yaml --config-env production --no-confirm-changeset -
-force-upload --no-fail-on-empty-changeset --no-progressbar

    Deploying with following values
    =====
    Stack name           : todo-list-aws-production
    Region               : us-east-1
    Confirm changeset    : False
    Deployment s3 bucket : aws-sam-cli-managed-default-
samclisourcebucket-lpr7vdzmpimqo
    Capabilities         : ["CAPABILITY_IAM"]
    Parameter overrides  : {"Stage": "production"}
    Signing Profiles     : {}

Initiating deployment
=====

Waiting for changeset to be created..
No changes to deploy. Stack todo-list-aws-production is up to date
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Integration Test after deploy)
[Pipeline] script
[Pipeline] {
[Pipeline] sh
+ aws cloudformation describe-stacks --stack-name todo-list-aws-production
--query Stacks[0].Outputs[?OutputKey=='BaseUrlApi'].OutputValue --region
us-east-1 --output text
[Pipeline] echo
https://acyjjldsxi.execute-api.us-east-1.amazonaws.com/Prod

[Pipeline] echo
Initiating Integration Tests
[Pipeline] sh
+ bash pipelines/common-steps/integration.sh https://acyjjldsxi.execute-
```

Rubén de Paz Patiño

```
+ export BASE_URL=https://acyjjldsxi.execute-api.us-east-1.amazonaws.com/Prod
+ BASE_URL=https://acyjjldsxi.execute-api.us-east-1.amazonaws.com/Prod
+ pytest -s test/integration/todoApiTest.py
===== test session starts
=====
platform linux -- Python 3.7.5, pytest-6.2.5, py-1.11.0, pluggy-1.0.0
rootdir: /var/lib/jenkins/workspace/PIPELINE-FULL-PRODUCTION, configfile:
pytest.ini
collected 5 items

test/integration/todoApiTest.py -----
Starting - integration test Add TODO
Response Add Todo: {"id": "4339e02e-8100-11ec-8993-7a2d09977197", "text":
"Integration text example", "checked": false, "createdAt":
"1643459866.9490156", "updatedAt": "1643459866.9490156"}
ID todo:4339e02e-8100-11ec-8993-7a2d09977197
End - integration test Add TODO
.-----
Starting - integration test Delete TODO
Response Add todo: {"id": "4386788a-8100-11ec-8993-7a2d09977197", "text":
"Integration text example - Initial", "checked": false, "createdAt":
"1643459867.4510474", "updatedAt": "1643459867.4510474"}
ID todo:4386788a-8100-11ec-8993-7a2d09977197
Response Delete Todo:<Response [200]>
Response Get Todo https://acyjjldsxi.execute-api.us-east-1.amazonaws.com/Prod/todos/4386788a-8100-11ec-8993-7a2d09977197: <Response
[404]>
End - integration test Delete TODO
.-----
Starting - integration test Get TODO
Response Add Todo: {'statusCode': 200, 'body': '{"id": "44009944-8100-11ec-
8993-7a2d09977197", "text": "Integration text example - GET", "checked":
false, "createdAt": "1643459868.2514186", "updatedAt":
"1643459868.2514186"}'}
ID todo:44009944-8100-11ec-8993-7a2d09977197
Response Get Todo: {'checked': False, 'createdAt': '1643459868.2514186',
'text': 'Integration text example - GET', 'id': '44009944-8100-11ec-8993-
7a2d09977197', 'updatedAt': '1643459868.2514186'}
End - integration test Get TODO
.-----
Starting - integration test List TODO
Response Add Todo: {'statusCode': 200, 'body': '{"id": "44808f50-8100-11ec-
8993-7a2d09977197", "text": "Integration text example", "checked": false,
"createdAt": "1643459869.0900302", "updatedAt": "1643459869.0900302"}'}
ID todo:44808f50-8100-11ec-8993-7a2d09977197
Response List Todo:[{'checked': False, 'createdAt': '1643459716.7902253',
'text': 'Integration text example', 'id': 'e9b9744c-80ff-11ec-8993-
7a2d09977197', 'updatedAt': '1643459716.7902253'}, {'checked': False,
'createdAt': '1643401728.0879638', 'text': 'Integration text example',
'id': 'e5c3b1ea-8078-11ec-9966-8eef2a3bcbf6', 'updatedAt':
'1643401728.0879638'}, {'checked': False, 'createdAt':
'1643459558.4050872', 'text': 'Integration text example', 'id': '8b54bb96-
80ff-11ec-9fd9-f6f32921e4a0', 'updatedAt': '1643459558.4050872'},
{'checked': False, 'createdAt': '1643199804.7771773', 'text': 'Integration
text example', 'id': 'c217a33c-7ea2-11ec-830c-cea093e3a90b', 'updatedAt':
'1643199804.7771773'}, {'checked': False, 'createdAt':
'1643401924.4171398', 'text': 'Integration text example', 'id': '5ac926fa-
8079-11ec-8964-92afd6d24965', 'updatedAt': '1643401924.4171398'},
{'checked': False, 'createdAt': '1643459869.0900302', 'text': 'Integration
text example', 'id': '44808f50-8100-11ec-8993-7a2d09977197', 'updatedAt':
```


Rubén de Paz Patiño

```
'1643459869.0900302'}, {'checked': False, 'createdAt':  
'1643191764.5606787', 'text': 'Integration text example', 'id': '09bff706-  
7e90-11ec-87b2-4299111a857d', 'updatedAt': '1643191764.5606787'}}]  
End - integration test List TODO
```

```
.-----  
Starting - integration test Update TODO  
Response Add todo: {"id": "44d946d6-8100-11ec-8993-7a2d09977197", "text":  
"Integration text example - Initial", "checked": false, "createdAt":  
"1643459869.6714532", "updatedAt": "1643459869.6714532"}  
ID todo:44d946d6-8100-11ec-8993-7a2d09977197  
Response Update todo: {'checked': 'true', 'createdAt':  
'1643459869.6714532', 'text': 'Integration text example - Modified', 'id':  
'44d946d6-8100-11ec-8993-7a2d09977197', 'updatedAt': 1643459869965}  
Response Get Todo: {'checked': 'true', 'createdAt': '1643459869.6714532',  
'text': 'Integration text example - Modified', 'id': '44d946d6-8100-11ec-  
8993-7a2d09977197', 'updatedAt': 1643459869965}  
End - integration test Update TODO  
.
```

```
===== 5 passed in 3.98s  
=====
```

```
[Pipeline] }  
[Pipeline] // script  
[Pipeline] }  
[Pipeline] // stage  
[Pipeline] stage  
[Pipeline] { (Declarative: Post Actions)  
[Pipeline] echo  
Clean env: delete dir  
[Pipeline] cleanWs  
[WS-CLEANUP] Deleting project workspace...  
[WS-CLEANUP] Deferred wipeout is used...  
[WS-CLEANUP] done  
[Pipeline] }  
[Pipeline] // stage  
[Pipeline] }  
[Pipeline] // withEnv  
[Pipeline] }  
[Pipeline] // node  
[Pipeline] End of Pipeline  
Finished: SUCCESS
```