

```

Example: (String x) -> x.toUpperCase()
Function<String, String> toUpper1 = (String x) -> x.toUpperCase();
Function<String, String> toUpper2 = String::toUpperCase;
Method reference type: Class::instanceMethod

A. (Employee e) -> e.getName()
    Function<Employee,String> getName1= (Employee e) -> e.getName();
    Function<Employee,String> getName2 = Employee::getName;
    Method reference type:Class::instanceMethod

B. (Employee e,String s) -> e.setName(s)
    BiConsumer<Employee,String> set1= (e,s) -> e.setName(s);
    BiConsumer<Employee,String> set2=Employee::setName;
    Method reference type:Class::instanceMethod

C. (String s1,String s2) -> s1.compareTo(s2)
    BiFunction<String,String,Integer>
    compare1=(String s1,String s2) -> s1.compareTo(s2)
    Bifunction<String,String,Integer>
    compare2= String::compareTo;
    Method reference type:Class::instanceMethod

D. (Integer x,Integer y) -> Math.pow(x,y)
    BiFunction<Integer,Integer,Double>
    pow1=(Integer x,Integer y) -> Math.pow(x,y);
    BiFunction<Integer,Integer,Double>
    Pow2=Math::pow;
    Method reference type:Class::staticMethod

E. (Apple a) -> a.getWeight()
    Function<Apple,Double> getW1 = (Apple a) -> a.getWeight();
    Function<Apple,Double> getW2 = Apple::getWeight;
    Method reference type:Class::instanceMethod

F. (String x) -> Integer.parseInt(x);
    Function<String,Integer> pInt1 = x -> Integer.parseInt(x);
    Function<String,Integer> pInt2 = Integer::parseInt;
    Method reference type:Class::staticMethod

G. EmployeeNameComparator comp = new EmployeeNameComparator();
    (Employee e1, Employee e2) -> comp.compare(e1,e2)

    EmployeeNameComparator comp = new EmployeeNameComparator();
    Comparator<Employee> cp1 = (e1, e2) -> comp.compare(e1,e2);
    Comparator<Employee> cp2 = comp::compare;Method
    reference type:obect::instanceMethod

```