

Biblioteca de prompts para vídeos con IA

475 prompts completos usados para generar vídeos con Claude Opus 5.5: motion graphics, explainers, escenas 3D y juegos.

Recurso de **Agencia Plata** · agenciaplata.com

Sobre este recurso

Esta colección reúne los prompts publicados en la galería de vídeos de Opus 5.5 de **skillry.dev** (skillry.dev/ai-videos/opus-5-5). Cada prompt pertenece a su autor original, identificado por su usuario junto a cada entrada, con enlace a su página de origen. Se reproducen tal cual, sin modificar, en el idioma en que se escribieron.

Cómo usarlos: copia el prompt, sustituye los campos entre llaves (por ejemplo `{{PRODUCT}}`) por tus datos y adáptalo a tu proyecto. Muchos asumen herramientas concretas, como la skill HyperFrames, GSAP o Remotion.

Contenido

Motion graphics (288)	3
Explainers (62)	75
Escenas 3D (55)	88
Juegos e interactivos (70)	103

Motion graphics (288)

1. @washow-cfo

Fuente: <https://skillry.dev/ai-videos/opus-5-5/washow-cfo-175311>

claude codeAI
CM

Claude CodeOpus 5.5Gemini TTSHyperFrames

2. @jesscaroline7

Fuente: <https://skillry.dev/ai-videos/opus-5-5/jesscaroline7-955094>

motion reel do <http://ondefica.app> inspirada no @gabrielbuzziv e @condzxyz, segui o tutorial e prompt deles e fui aparando as arestas

1. skill hyperframes

2. mesmo prompt: "make a dynamic motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out"

3. referencie a pasta do projeto. o que tinha nela fez a diferença:

> app real: o Claude navegou no simulador do iOS e gravou as telas

> dados reais: ele escreveu as queries, eu rodei no banco.

> 3D: dioramas criados no ChatGPT 6 (Astra), animados pelo claude com Higgsfield

> trilha no Suno + efeitos do Soundly

modelo: opus 5.5 (effort: max), plano Max 5x

3. @joao-felixl

Fuente: <https://skillry.dev/ai-videos/opus-5-5/joao-felixl-809438>

Não tava botando fé no hyperframes + opus 5.5 max effort, mas isso aqui ficou sensacional.

4. @vince-builds

Fuente: <https://skillry.dev/ai-videos/opus-5-5/vince-builds-355650>

I didn't believe it but this was 100% Opus 5.5 Max, in 8h15 min.

Gave it access to DesignLoop, hyperframe skill, elevenlabs.

5. @thayto-dev

Fuente: <https://skillry.dev/ai-videos/opus-5-5/thayto-dev-739735>

TUTORIAL do @gabrielbuzziv

> o mais insano ta, é que isso gastou tipo 5% do limite de 5 horas

1. instale a skill hyperframes

2. prompt:

"make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out."

3. no prompt referencia a pasta do seu projeto

4. espera a mágica acontecer

modelo usado: opus 5.5 (effort: max)

6. @jayjohnsonai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/jayjohnsonai-117305>

AI video editing has been improving quite a bit. Claude made this in about 5 mins with the hyperframes skill. I used Opus 5.5 with effort on the highest (ultracode)

7. @ik-builds

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/ik-builds-585923>

I WAS QUOTED \$3000 FOR THIS!!!

So I asked Opus 5.5 (medium) to create a launch video using Motion Graphics for us.

here's the prompt that one-shots it:

"Create a 15s motion-graphics film explaining {{PRODUCT}}. HyperFrames + GSAP, no voiceover, no footage.

Style: paper-light canvas, marker notes that draw on, real physics, huge kinetic type, hard light/dark switches, a new idea every 1.5–2 s, a sound on every hit.

COPY: read {{POSITIONING_DOCS}} first. {{ONE_LINER}} For {{AUDIENCE}}. {{WHAT_IT_DOES}} Name what the product learns, never the abstraction.

RULES

- No chrome (scrubber, timecode, fps, headers). No animator jargon on screen ("squash", "stagger", "easing"...). Every word speaks to the buyer.
- No invented results: no %, multipliers, customer names or figures.
- Never use: {{BANNED_WORDS}}.
- Logo: real mark {{LOGO_FILE}} + "{{PRODUCT}}" in {{WORDMARK_FONT}}; never a boxed logo file.

CRAFT

- Colours {{COLOR_CANVAS}} / {{COLOR_INK}} / {{COLOR_ACCENT_1}} / {{COLOR_ACCENT_2}}; notes in the accents; dark mode = charcoal matching the palette.
- Fonts {{BRAND_FONTS}}; Anton for kinetic type; Caveat handwriting via stroke-dashoffset.
- Real easing, squash/stretch, stagger, overlap, onion skin, smear, follow-through. Check the HyperFrames registry first. Set every from-state at t=0 (seek-safe); never cover an exit. One primary move per transition; no generic push/slide/rotate-swing.
- Music in sections: drums drop on the dark switch and while the ball is airborne, slam back on the type and the logo. SFX: pops, pen scribbles, whooshes, logo sub-hit. CC0 or generated only; log sources. Master -14 LUFS, -2 dBTP, re-measured after AAC encode."

8. @petert

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/petert-350098>

Claude Opus 5.5 + HyperFrames + Gemini Flash 3.8 + Three.js

9. @danilowm

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/danilowm-412022>

Cursor usando o Opus 5.5

instale a skill hyperframes via terminal depois rodei

"/hyperframes make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out. use todo o contexto do projeto"

10. @georgejimenez98

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/georgejimenez98-431559>

This video was made with Opus 5.5, Hyperframes, ElevenLabs with Music, SFX and Voices Endpoints through Fal AI.

This way of making videos is making me a little addicted to be honest hahaha. I still have to improve.

Crealix Autopilot is live: set your format, style, schedule and channels once, and it plans, writes, voices and builds every video. Then again. And again.

Try it free → <https://crealix.ai/autopilot>

11. @majin-appsheet

Fuente: <https://skillry.dev/ai-videos/opus-5-5/majin-appsheet-693327>

Claude CodeOpus 5.5PV

AI
HTML1HyperFrames
BGMGeminiLyria

Claude

...

12. @javi-llofri

Fuente: <https://skillry.dev/ai-videos/opus-5-5/javi-llofri-059888>

@gonahmias Le pedi un video para mostrar un servicio de mi Agencia de IA (Opus 5.5 + Hyperframe) en 20 minutos tenía esto montado, coste un 20% del consumo de 5h del plan Max.

13. @jake11moran

Fuente: <https://skillry.dev/ai-videos/opus-5-5/jake11moran-825416>

/session-story

created a skill for opus 5.5 using @HyperFrames_ - claude reads your local claude code history, finds what an average session with you looks like and animates it start to finish with your messages

try here: <https://github.com/heygen-com/hyperframes-community-skills/tree/master/skills/session-story>

14. @georgejimenez98

Fuente: <https://skillry.dev/ai-videos/opus-5-5/georgejimenez98-427173>

I have to admit, this blew my mind.

I saw people using Opus 5.5 + Remotion for launch videos, so I tried my own approach.

Opus 5.5 Max + Hyperframes locally, with Fal AI for voices, music & SFX.

Not perfect, but I loved the result.

<https://www.crealix.ai> Autopilot is coming.

15. @shushant-l

Fuente: <https://skillry.dev/ai-videos/opus-5-5/shushant-l-619370>

Created a launch video for my startup <https://bestproductivityresources.com> with Claude Opus 5.5 Medium in Claude Code with the Hyperframes by HeyGen skill.

16. @papaneco-life

Fuente: <https://skillry.dev/ai-videos/opus-5-5/papaneco-life-541187>

Opus5.5 hyperframes
J

17. @jetbrains

Fuente: <https://skillry.dev/ai-videos/opus-5-5/jetbrains-754812>

This product video was generated entirely by Claude Opus 5.5.

Our colleague @kristel_tech gave it @HeyGen's HyperFrames skills and pointed it at <https://kotlinlang.org> – out came this Kotlin promo.

Try it in JetBrains Air or Junie.

18. @l3d1c

Fuente: <https://skillry.dev/ai-videos/opus-5-5/l3d1c-632524>

I made a launch ad for @grouped_news in an hour with Opus 5.5 and Remotion, and I never opened a video editor. I added the voiceover and music with ElevenLabs.

The ad is a React app. It imports my site's CSS tokens and fonts, so it uses the same design system as the site.

I didn't review it by watching renders. It rendered about 20 stills and tiled them into one contact sheet, so I could check a whole cut at a glance before rendering any video.

Captions are measured in the real font and shrink to fit the 9:16 safe zone, so nothing hides under TikTok's buttons. Every cut lands on a 120 BPM grid, which made the music easy to line up.

It's one codebase, so the 30s, 15s and 6s cuts in 16:9 and 9:16 are each a different list of scenes.

My part was saying what felt wrong.

19. @tardigrade111

Fuente: <https://skillry.dev/ai-videos/opus-5-5/tardigrade111-160686>

Amazing that this is possible now. I made this with Opus5.5. It controls blender, remotion, runway and veo to make this by itself

20. @wustep

Fuente: <https://skillry.dev/ai-videos/opus-5-5/wustep-884086>

Last week, we launched column permissions!

I'm not on Notion's video team, but with the help of @claudeai, @bot, and @NotionHQ, I made a trailer over the weekend. (How I made it in)

BEHIND THE SCENES:

This was built using @Remotion (React/TypeScript only!), with @claude's opus 5.5 [xhigh], orchestrated with @bot, and managed in a Notion doc as a working canvas.

In total, this project took ~90 messages with my @bot over 2 days, which generated 33 video takes with Claude Code and cost ~\$400 in Claude credits including all the other takes (API billing but should fit fine in the \$100/mo plan)

Here's a Notion doc documenting the process (including many rejected candidates):
<https://notion.notion.site/column-permissions-trailer>

21. @apoorvjain25

Fuente: <https://skillry.dev/ai-videos/opus-5-5/apoorvjain25-309680>

Claude Opus 5.5 made this whole video in code. There was no editor, no After Effects and no stock music.

The motion graphics are Remotion code. Opus also wrote the music in Python, note by note, and the track reads the same beat file as the visuals. So every DM reply that lands on screen hits a blip in the music at the same frame.

I picked the voice on ElevenLabs and approved the script. Opus did everything else.

It's a 51-second ad for Synclify's DM automation.

22. @pranavclickks

Fuente: <https://skillry.dev/ai-videos/opus-5-5/pranavclickks-254816>

@tibo_maker Wanna rate mine Tibo?

Opus 5.5 + Remotion + My Custom Harness

23. @devarshukani

Fuente: <https://skillry.dev/ai-videos/opus-5-5/devvarshukani-341827>

I tied brag + remotion + opus 5.5 max and this oneshot launch teaser for <https://lysa.legal/>

24. @zakisbuilding

Fuente: <https://skillry.dev/ai-videos/opus-5-5/zakisbuilding-495680>

Opus 5.5 is on STER0IDS

gave Claude Code one prompt and it made this 15 second motion design video of my app.

all React code with Remotion, I never opened After Effects

25. @aschapmann

Fuente: <https://skillry.dev/ai-videos/opus-5-5/aschapmann-724497>

I couldn't resist to do it one more time, this time for RedShip.. and it's waaaaay better!!

It took +1h for Opus 5.5 to do it. I used this prompt

save it and try it for your SaaS:

"Act as a senior motion designer and build a 30-second launch video for [product] in Remotion, entirely in code so I can edit and re-render it: first read my landing page and codebase to pull the real story, copy, colors, font and logo file (trace the logo to SVG so it stays sharp and can be animated), then write the video as one story (why the market matters, why it's painful today, how [product] fixes it, what you get) in 4 to 5 scenes with one short title each, animate everything like a premium product film (kinetic typography word by word, spring easing, smooth camera pushes and pans, depth and glow, elements that build in on the beat instead of just appearing), keep each scene on screen long enough to read, add one soft sound effect for every element that appears and silence otherwise, and end on a memorable animated logo reveal with the tagline and URL, then render it, check the frames yourself and fix anything that overlaps, clips or feels rushed before showing me the result."

26. @elliott-garreffa

Fuente: <https://skillry.dev/ai-videos/opus-5-5/elliott-garreffa-446825>

alright opus 5.5 is pretty damn good at motion graphics

our @Muse connector tracker is live and i gave opus our <http://agentdiscoverability.com/track/muse> url and our brand guidelines and let it cook

things i found improved the output

- references - give it 1 or 2 reference videos to go off
- storyboard - its pretty good at defining the features to include but if you have specifics, list them out prior
- video - use remotion as the main driver
- and honestly, the prompt below. i didnt use it originally and then asked it to do a re-run with this prompt and the output was far better

"make this a dynamic motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

27. @dannyverkissen

Fuente: <https://skillry.dev/ai-videos/opus-5-5/dannyverkissen-101463>

I guess i had to step on the motion train as well.

Asked Claude Opus 5.5 to create a motion video of @getMoven

At first i had it create some new material for the website, which it did a great job for via remotion. Then I asked it to use that footage and create a motion video of it. Very very impressive to say the least.

28. @theviableedge

Fuente: <https://skillry.dev/ai-videos/opus-5-5/theviableedge-869918>

Getting in on the Opus 5.5 motion graphics fun, truly impressive outcome for a fun one-shot experiment.

It used remotion (I also have hyperframe installed), which I think i'll try next.

Prompt:

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, and can be the hero asset for the course landing page.

29. @chapi13

Fuente: <https://skillry.dev/ai-videos/opus-5-5/chapi13-131449>

I didn't open After Effects once

This promo for my indie apps is 100% code: Claude Opus 5.5 + @remotion

-10 apps, real screenshots

-every cut synced to the beat

-I reviewed it frame by frame with contact sheets and asked for changes in plain language

Private, local-first apps

30. @qinelke

Fuente: <https://skillry.dev/ai-videos/opus-5-5/qinelke-271655>

Made this 30s motion-graphics promo for <https://gmapsscrafer.io> with Opus 5.5

It read our site and wrote the script.

Then it built every frame in code (Remotion), animated a talking sales guy with lip-sync, and rendered it.

No After Effects. No designer.

Is it worth \$49/mo?

31. @genelab-999

Fuente: <https://skillry.dev/ai-videos/opus-5-5/genelab-999-088672>

Opus 5.5

Claude Code + Remotion effort xhigh

1 API continue 1

23 90BGM

32. @inoue-aix

Fuente: <https://skillry.dev/ai-videos/opus-5-5/inoue-aix-234322>

opus5.5 + Remotion + Gemini3.8 TTS

12

w

10

33. @daniel-haida

Fuente: <https://skillry.dev/ai-videos/opus-5-5/daniel-haida-636937>

claude code (opus 5.5) made the product film for taxtello, my bookkeeping app

every frame is code: react + remotion, 0 after effects

the soundtrack is code too, synthesized in python from sine waves and noise

1 prompt and 2 rounds of feedback

full prompt below, steal it ↓

You are the senior motion designer, product designer and Remotion engineer for Taxtello.

Your task is to create a genuinely premium, Apple-level product film for Taxtello.

This is NOT a generic SaaS explainer.

This is NOT a feature walkthrough.

This is NOT a startup template animation.

I want a maximum 15-second brand/product showreel that makes Taxtello look like a mature, expensive, beautifully designed financial product.

Think:

Apple product launch film

- × premium fintech

- × editorial motion design

- × restrained Stripe-like product presentation

- × Taxtello's own visual identity

The desired reaction is:

“Wait, this is a German bookkeeping app?”

The film should feel expensive.

REPO / SOURCE OF TRUTH

First inspect the real repositories before designing anything.

Main product:

/taxtello/main

Existing Remotion project:

/taxtello/beta-motion

Important real brand sources:

/taxtello/main/public/css/app/_00-tokens.css

/taxtello/main/docs/design/TOKENS.md

/taxtello/main/public/taxtello-wordmark.png

/taxtello/main/public/icons.svg

Existing current product screenshots can be found under:

/taxtello/main/artifacts/smoke-ui-smoke/

Prefer the newest valid screenshots/current source over stale artifacts.

There is already an existing 24-second Remotion hero animation in

/taxtello/beta-motion.

DO NOT replace it.

DO NOT regress it.

DO NOT force its current AI-connections storyline into this new film.

Create a new independent composition for this task, e.g.

TaxtelloShowreel15

You may reuse good infrastructure, fonts, rendering utilities, motion primitives, easing curves, asset loading and QA infrastructure from beta-motion where useful.

But creatively this should be a new film.

Before implementation, inspect the actual Taxtello UI and understand the product.

Do not invent functionality that does not exist.

REAL TAXTELLO VISUAL LANGUAGE

Use the real design system.

Core palette:

Background:

#0c0f1a

Elevated surfaces:

#111525

#131722

#1a2032

Primary brand gold:

#e8b84b

Gold highlight:

#f5d07a

Gold depth:

#9b6d18

Primary text:

#e8eaf2

Strong warm white:

#f6f4eb

Secondary text:

#8b93b5

Positive:

#34d399

Negative/error only where semantically necessary:

#f87171

Typography:

Plus Jakarta Sans

Numbers / financial values where appropriate:

JetBrains Mono

Use the actual Taxtello wordmark and/or Taxtello mark.

Do not redraw or approximate the logo.

Taxtello's gold should feel like a precious accent, not a yellow UI flood.

Think:

dark metal

warm gold

glass
ink
precision
quiet confidence

NOT:
cyberpunk
crypto
neon
gaming
generic AI purple
rainbow gradients

CORE CREATIVE RULES

Follow these rules ruthlessly:

1. ONE SHOT = ONE IDEA.
2. Every scene needs room to breathe.
3. The product UI is the hero.
4. Do not plaster explanatory copy everywhere.
5. Do not use hard cuts unless there is a deliberate reason.
6. Prefer object-driven transitions:
a card becomes the next card,
a chart line becomes a connector,
a receipt becomes a booking,
a number becomes another interface element,
the camera moves through the product.
7. Use premium easing.
No linear movement.
8. Motion should overlap naturally.
Elements should not all start and stop at exactly the same frame.
9. Use depth sparingly:
perspective,
soft parallax,
scale,
foreground/background separation,
controlled depth of field if achievable.
10. NO effect exists simply because it looks cool.
11. No particle spam.
12. No fake glassmorphism everywhere.
13. No excessive blur.
14. No pointless 3D spinning cards.
15. No constant zooming.
16. No 20 different animation styles.
17. No bouncing UI.
18. No giant marketing paragraph.
19. Do not imitate a particular Apple commercial shot-for-shot.

Capture the philosophy and production quality instead.

The visual confidence should come from restraint.

FORMAT

Primary master:

1920 × 1080

60 fps

16:9

H.264

maximum duration: 15.0 seconds

Target runtime:

approximately 14.0–15.0 seconds.

It must work as a social-media product reveal even without sound.

If practical AFTER the master is finished, also create a deliberately recomposed vertical/social variant.

Do not merely crop the desktop composition.

But the desktop master is the priority.

STORY / EMOTIONAL ARC

Do not make this a list of five features.

It should feel like one continuous thought:

CHAOS → CONTROL → CLARITY → TAXTELLO

The first 1.5 seconds must already look premium.

The first meaningful product moment should happen by ~2 seconds.

No five-second logo intro.

Possible narrative direction:

“Everything about your business, finally in one place.”

But SHOW this instead of explaining it.

I want approximately four visual ideas across the whole film.

Use the strongest REAL Taxtello surfaces you find in the repository.

Strong candidates include:

- Finanzcockpit / Dashboard
- Rechnungen
- Belege
- Bank / matching
- Steuergesundheit / tax overview

You do NOT need to show all of them.

Choose the visually strongest combination.

SUGGESTED 15-SECOND STORYBOARD

Treat this as a strong starting point, not a rigid template.

0.00 – 1.20

BLACK / NAVY.

A tiny warm-gold glint appears.

The glint elegantly reveals either the Taxtello mark or a fragment of the wordmark.

No generic logo fade.

Think machined precision.

The camera moves through or past the mark and the UI begins to emerge from it.

Very little or no copy.

1.20 – 4.40

FINANCIAL CONTROL.

Reveal the actual Taxtello Cockpit as a dimensional product surface.

Not just a screenshot placed on screen.

Reconstruct/crop/layer it so individual interface regions can animate.

The hero financial number resolves crisply.

The chart draws in.

Supporting metrics settle slightly later.

Use subtle stagger.

A single line of copy may appear, for example:

“Alles im Blick.”

or another equally short German phrase if you find something more fitting.

Maximum ~3–4 words.

The interface must remain recognizable as the real product.

4.40 – 7.50

DOCUMENT / BOOKKEEPING TRANSFORMATION.

Use a visual object from the previous scene as the transition.

Example:

A gold chart point expands into the corner of a receipt/card.

The camera follows it.

A receipt/document enters.

Taxtello identifies or organizes it.

The document snaps elegantly into its corresponding booking / financial record.

Use magnetic alignment and precision.

No cheesy scanner laser.

No floating paper tornado.

Possible micro-copy:

“Belege. Erledigt.”

Only if it improves the scene.

7.50 – 10.70

MONEY / INVOICES.

Morph or transition naturally into the real Rechnungen interface.

Use one strong moment:

an invoice status changes,
a payment resolves,
an amount moves into place,
or the overview assembles itself.

Numbers should feel tactile and precise.

Use JetBrains Mono where this matches the actual product.

Gold highlights the active state.

Green is used only for a genuinely positive semantic state.

Potential copy:

“Geld. Im Griff.”

Again: optional and extremely short.

10.70 – 12.80

TAX / CLARITY.

Transition into the real Taxtello tax-health / financial guidance surface.

Do not claim that Taxtello magically guarantees correct taxes.

Communicate visibility and control.

Example:

multiple noisy signals collapse into one calm, structured tax overview.

Potential copy:

“Steuern im Blick.”

This scene should feel calmer than the previous scene.

The rhythm briefly slows.

12.80 – 15.00

BRAND PAYOFF.

Pull the camera outward.

The UI compresses or folds into one beautiful Taxtello product object / surface.

Darkness returns around it.

The gold Taxtello wordmark resolves.

One short brand line underneath.

Explore strong final lines such as:

“Dein Business. Klar.”

“Buchhaltung. Unter Kontrolle.”

“Einfach mehr Überblick.”

“Alles fürs Business. An einem Ort.”

Choose based on the actual product positioning you find in the repo.

Do not use a line simply because I suggested it.

The final frame must have enough stillness to register.

End confidently.

No giant bouncing CTA.

TRANSITIONS

This is one of the most important parts.

I want transitions that make the viewer think:

“Of course the next scene came from that.”

Good:

chart line → document edge
gold pill → invoice button
financial number → amount in invoice
card edge → next surface
camera push through interface element
shared geometry
mask reveal using actual product shapes

Bad:

crossfade
random wipe
spin transition
glitch
whip-pan every two seconds
generic SaaS slide-left
zoom-blur spam

Direct cuts are allowed only when a deliberate rhythmic impact benefits the film.

MOTION

Motion needs weight.

Use curves comparable to:

cubic-bezier(0.16, 1, 0.3, 1)

where appropriate.

Different elements should have subtly different arrival times.

Prefer:

anticipation
overshoot below ~2%
settling
motion continuation
shared velocity between scenes

Avoid cartoon springiness.

Camera movement should feel like a high-end macro product shoot.

Imagine we are filming a physical premium object even though it is software.

LIGHTING / MATERIAL

Use extremely subtle environmental lighting.

Possible treatments:

- soft gold rim lighting
- dark navy falloff
- faint ambient bloom
- soft specular highlight passing across a surface
- restrained vignette
- subtle grain if it materially helps

Keep the interface crisp.

Do NOT blur the product just to look cinematic.

No fake glossy reflections that destroy legibility.

TYPOGRAPHY

Use very little copy.

No sentence should compete with the product.

Headlines should generally fit on one line.

Use Plus Jakarta Sans.

Strong typography may occasionally scale very large and become a transition device itself.

Avoid generic motion-graphics behavior where every word animates independently.

Typography should move as designed objects.

SOUND / RHYTHM

Design the motion as if it were cut to approximately 115–120 BPM:
premium, kinetic, sophisticated, not frantic.

Important moments should land musically.

Suggested sound language:

- low soft impact for major reveal
- restrained tactile UI clicks
- subtle metallic/glass tonal tick
- soft low-frequency movement during camera transitions
- elegant resolved tone at the logo payoff

Avoid:

- huge cinematic trailer boom
- EDM risers
- loud whooshes everywhere
- stock “tech interface” sounds
- rap beat
- aggressive bass

If there is no legally safe music/audio asset in the project, DO NOT pull copyrighted audio from the internet.

Deliver the visual master without copyrighted music and create a concise cue sheet describing where music/SFX should hit.

If suitable safe/local audio exists, use it.

REAL PRODUCT ONLY

This is critical.

Inspect current main.

Do not invent screens.

Do not invent metrics that imply real customer data.

Use clearly synthetic/demo-safe values if required.

Do not accidentally expose any personal, test-user or production information.

Reuse the visual structure of the actual Taxtello UI.

If a screen needs to be motion-separated, recreate it faithfully in React from the real design system instead of simply scaling a giant screenshot.

The result should still look unmistakably like Taxtello.

IMPLEMENTATION EXPECTATIONS

Work directly in:

/taxtello/beta-motion

Create the new composition alongside the existing one.

Keep existing compositions working.

Structure the new work cleanly.

Prefer reusable primitives for:

- camera surface

- product frame
- masked transitions
- text reveals
- UI region reveals
- ambient lighting
- shared-element transitions

Avoid one 1,500-line component.

Use deterministic Remotion animation driven by frame/time.

No setTimeout.

No nondeterministic animations.

Respect 60 fps throughout.

Use interpolation/spring/easing deliberately.

DO NOT STOP AFTER FIRST IMPLEMENTATION

This is a visual task.

You MUST review the actual rendered output.

Required workflow:

1. Inspect repository and real brand/product.
2. Write a concise storyboard with:
 - exact timestamps
 - key visual
 - transition logic
 - copy
 - intended emotional rhythm
3. Implement it.
4. Run typecheck / relevant checks.
5. Render representative frames at roughly:
 - 0.0 s
 - 1.0 s
 - 2.5 s
 - 4.5 s
 - 6.5 s
 - 8.5 s
 - 10.5 s
 - 12.5 s
 - 14.0 s
 - 14.8 s

6. VISUALLY INSPECT THOSE IMAGES.

Do not merely confirm that rendering succeeded.

Ask:

Does this look like an Apple-tier product film?

Does anything look like a template?

Is there too much on screen?

Is the product legible?

Are transitions logically connected?

Does Taxtello gold feel premium?

Does every frame look composed?

7. Fix visual weaknesses.

8. Render the complete film.

9. Inspect multiple exact decoded frames from the final MP4, not only browser screenshots.

10. Iterate again if necessary.

Do not declare success because the code compiles.

The deliverable is the FILM.

QUALITY BAR

Reject your own result if it feels like:

- a SaaS template
- a PowerPoint animation
- a website screen recording
- a generic Remotion demo
- a crypto advertisement
- an AI-generated promo template
- five screenshots sliding around
- excessive marketing copy

Every important frame should be good enough to use as a still advertisement.

I would rather have:

3 extraordinary visual moments

than

10 mediocre feature animations.

FINAL DELIVERABLES

Provide:

1. Final storyboard
2. New Remotion composition source
3. 1920×1080 / 60fps final MP4
4. Poster/final frame
5. Contact sheet with representative frames from the film
6. Exact runtime
7. List of real Taxtello assets/screens used
8. Brief explanation of the motion language
9. Any remaining visual compromises
10. Commands to reproduce the render

Save outputs in a clearly named directory such as:

/taxtello/beta-motion/out/showreel-15/

Do not deploy anything.

Do not modify production data.

Do not merge anything.

Go all out creatively, but exercise ruthless restraint.

Make Taxtello look expensive.

34. @pisajeski

Fuente: <https://skillry.dev/ai-videos/opus-5-5/pisajeski-168993>

I just one-shotted this video with Opus 5.5 and @Remotion for the new @agenta05 promo.

Unbelievable what you can do these days.

35. @dustindavis

Fuente: <https://skillry.dev/ai-videos/opus-5-5/dustindavis-644806>

I had to play along and see what kind of remotion video Claude Opus 5.5 could create for me. Amaze, amaze, amaze!

36. @signalz-jp

Fuente: <https://skillry.dev/ai-videos/opus-5-5/signalz-jp-918002>

Opus

Opus5.5Remotion+ElevenLabs(BGM)+ Gemini TTS(3.8)ChromeffmpegYouTubeYouTube Data API

37. @djadkison

Fuente: <https://skillry.dev/ai-videos/opus-5-5/diadkison-394122>

I was able to make this product motion video for <https://getverde.ai> using Opus 5.5 + Remotion.

This is insane. It was able to tell a story in less than 30 min.

38. @mousszy-baby

Fuente: <https://skillry.dev/ai-videos/opus-5-5/mousszy-baby-014197>

Comme tous le monde j'ai essayer le combo Opus 5.5 et remotion voilà le résultat en un prompt !

39. @fr-sorrentino

Fuente: <https://skillry.dev/ai-videos/opus-5-5/fr-sorrentino-871017>

@rexan_wong Agree with all of this. Ours wasn't one prompt either: built with Claude Code (Opus 5.5 + Fable 5.1) and Remotion, storyboard first, one still per beat, then many rounds of notes. The watch photo and the app recordings are real, not drawn.

40. @proanaliteg

Fuente: <https://skillry.dev/ai-videos/opus-5-5/proanaliteg-458642>

Tried the Remotion skill in Claude Code (Opus 5.5 xhigh) for fun. Mind-blowing: it built this promo on the first try - I spent longer picking four accent sounds and the music. It rebuilt our desktop app's UI in React straight from the XAML and design tokens. Zero screenshots.

41. @kingokings

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kingokings-992769>

I thought the Opus 5.5 design posts were all jokes.

They're not. It's GOATed at design.

I asked it to make a product showreel for Reactive Resume. It built this entire video in Remotion, in ONE prompt.

The setup:

- Opus 5.5, max effort
- Claude desktop app
- No skills, no templates, no design brief
- Just my project repo

It read the codebase, figured out what the product does, and decided what was worth showing.

A launch video like this used to mean days in After Effects or paying a motion designer. Now a solo open-source maintainer can do it in an afternoon.

Full prompt in the replies ↓

42. @dys-hay

Fuente: <https://skillry.dev/ai-videos/opus-5-5/dys-hay-749645>

How far can Claude Opus 5.5 go in motion design? I tried.

15 s on the Audi RS 6, 100% code (React/Remotion) with a synthesized V8 soundtrack. The cylinders flash in the real firing order, and the 0-100 timer runs in real time: 3.4 s.

Spec piece, not affiliated with Audi.

43. @heymrzak

Fuente: <https://skillry.dev/ai-videos/opus-5-5/heymrzak-349060>

the introduction made with opus 5.5 + remotion

introducing @TryGofy – the live map of everything.

#shipaton #BuildInPublic #gofy #gofyapp

44. @ambiguous-ai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ambiguous-ai-505873>

Opus5.5 motion graphics

Remotion

#AIMotionDesign

45. @Inkiai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/Inkiai-544254>

Claude Opus 5.5...

Remotion × three.jsM3E Canvas

46. @tejasthange3

Fuente: <https://skillry.dev/ai-videos/opus-5-5/tejasthange3-128242>

this is INSANE!

The whole Twitter → story in 30 seconds, and I didn't touch a single keyframe.

Opus 5.5 wrote every frame in Remotion and composed the soundtrack in code.

47. @helloworld0801

Fuente: <https://skillry.dev/ai-videos/opus-5-5/helloshiva0801-438284>

I'm a solo founder with no video editor, no designer and no After Effects.

So I built <http://redesignr.ai>'s launch video in React with Claude Opus 5.5 + @remotion.

900 frames, 10 scenes, all code, paper style.

Building in public, day 3.

#buildinpublic #Remotion #ClaudeAI #indiehackers #solofounder #SaaS #webdesign #motiondesign
#AI #React #vibecoding

48. @als-link

Fuente: <https://skillry.dev/ai-videos/opus-5-5/als-link-301108>

Este video lo hizo una IA Con código, no con plantillas.

Le pedí a Claude Opus 5.5 un reel con Remotion: escribió las escenas, lo renderizó y quedó listo para subir.

Pruébalo en 3 pasos y comenta «VIDEO» para que te mande el prompt.

#ClaudeAI #Remotion #MotionDesign #IA

49. @piyushaaryan2

Fuente: <https://skillry.dev/ai-videos/opus-5-5/piyushaaryan2-196586>

I made our launch video entirely with Claude.

No After Effects. No editor. Every frame is code.

Claude Opus 5.5 animated it in Remotion. ElevenLabs made the music + 159 sound effects, all synced to the beat.

What it's launching

50. @thuggy-juice

Fuente: <https://skillry.dev/ai-videos/opus-5-5/thuqqv-juice-072370>

Premier jet Opus 5.5 Max + Remotion

51. @tequilafunks

Fuente: <https://skillry.dev/ai-videos/opus-5-5/tequilafunks-127728>

Opus 5.5 + @Remotion

"make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out"

52. @iammukeshm

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/iammukeshm-421585>

Claude Opus 5.5 is incredible.

I gave it a pretty simple task:

Create a Remotion-based showreel featuring my work as a developer, content creator, and open-source maintainer.

What I wanted was a cool 30-second motion graphic that introduces me as a developer and content creator.

That was basically it.

Claude went to work for around 20 minutes, writing the Remotion code, putting together the animations, transitions, layouts, and the overall story.

And this is what it produced.

Stunning, right?!

What surprised me most is that this isn't just AI generating a few video clips.

It's AI building the video programmatically.

The entire thing is code.

Which means I can tweak the content, change the animations, swap assets, update numbers, or completely redesign a section - and render it again.

Video generation was one of those things I thought would take AI quite a while to really crack.

Turns out we're already much closer than I expected.

And for developers, tools like Remotion + coding agents open up some seriously interesting possibilities.

Interested in knowing what prompt I used?

Comment "Remotion".

53. @yarhmm

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/yarhmm-341449>

في حان نم ءاوس motion graphics، ءعانص في ءاوس لل ءزفقا فواسا Opus 5.5 ءاوس ءزقق في ءقءا ام
tokens) ءالءسا) ءفلكءا ءفءان نم و ءءوءا

ءاعاس 5 ل ءء عءرب ءءوس وءءفلا اءه

ءاصءاب ءقءرطا:

ءءرسءل remotion مءءءسء ءنم ءبلط و ،ءلاع ءل طسوءم رءفءءا ءوسم - opus 5.5 ءءومء claude مءءءسا
ءاسءء و ءاءرمءا ءاوصا ءلء ءءءوصل ءارءءومءا مءعم في ءمءءسا رصءق ءنم ءبلط لءءك و preview ل ءلءم
ءوصل ءاءءل ءلء flash tts 3.8 gemini ءءومء مءءءسا و reels ل في ءءءاشءا رءوصل
ءلءف ءءءم ءبءءل و ءفءءم ءاشا بءءء في ءار ءمءعم نكل ءعم ءاءءاءمءا نم فعء و ءعاس ءلءو ءعم ءءا

54. @t4k1ra-cg

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/t4k1ra-cg-110846>

Opus5.5 × RemotionAE

#Claude #Motiondesign #ai

55. @francoxavier33

Fuente: <https://skillry.dev/ai-videos/opus-5-5/francoxavier33-341663>

this was 100% opus 5.5.

i have a dedicated "studio" repo with all my project's style guides, tokens, few skills, remotion, etc.

this all started from "make a hype demo/launch video for @momwiseai"

took maybe 4 revisions. music, sound fx, messaging, animations, everything was done with code.

56. @thallisribeiro

Fuente: <https://skillry.dev/ai-videos/opus-5-5/thallisribeiro-829318>

TÁ BIZARRO ESSE OPUS 5.5

Eu nem acreditei no resultado. Foi feito com one prompt shot, usando apenas remotion...

Agora é só jogar uma narraçãozinha e subir pros ADS kkk

57. @tycenjm

Fuente: <https://skillry.dev/ai-videos/opus-5-5/tycenjm-098014>

@claudeai I was jealous of the Opus 5.5 video demos, so I linked the best ones and asked it why theirs beat mine.

This is what it made. Every frame is code (Remotion), with its own voiceover, music, and word-synced animation.

Then it made 10 ads for my app. Full thread on my profile.

58. @iamshankhadeep

Fuente: <https://skillry.dev/ai-videos/opus-5-5/iamshankhadeep-506266>

i've been sitting on @ccdtdirectory for over a year, waiting for anthropic to pull ahead in the ai race.

gpt-6 astra had openai claiming the lead over fable 5.1. then opus 5.5 dropped.

that's my signal.

116,692 claude code tools in one place.

launch video was created using @Remotion and opus 5.5

59. @safaelmali

Fuente: <https://skillry.dev/ai-videos/opus-5-5/safaelmali-004843>

Claude Opus 5.5 made this launch video for <https://dualsense.studio> using Remotion.

A few rough edges, but honestly I'm impressed

60. @localjulius

Fuente: <https://skillry.dev/ai-videos/opus-5-5/localjulius-625706>

Okay Opus 5.5 + Remotion and a solid concept for what you want is producing amazing results right now.

Here's my ad for Audivo.

I told Opus 5.5 to create an ad from excerpts of popular podcasts and with it make a story explaining what Audivo does.

The results were amazing!

61. @alanschwegler

Fuente: <https://skillry.dev/ai-videos/opus-5-5/alanschwegler-629665>

Armé este reel para mi web de gestión de eventos con Opus 5.5

Todo es código: React + TypeScript con Remotion y la música sintetizada en Python a 120 BPM, con cada corte sincronizado al beat.
Sin editor. Sin stock.

Organizas eventos? Entra acá <https://planningmanager.app>

62. @seantiffonnet

Fuente: <https://skillry.dev/ai-videos/opus-5-5/seantiffonnet-675262>

Opus 5.5 + Gemini for the music + @Remotion for the skill

About 30min to run and export.

(<https://TvTrack.io> isn't yet on the iOS store, I haven't clicked on published yet, but it's ready to deploy)

63. @priyansh0327

Fuente: <https://skillry.dev/ai-videos/opus-5-5/priyansh0327-206409>

Claude Opus 5.5 just created this launch video for GetStopover using Remotion.

The taste is unreal. The transitions, the timing, the branding. Everything is on point

See which flights come with a free hotel. Link below.

64. @goldiez2599

Fuente: <https://skillry.dev/ai-videos/opus-5-5/goldiez2599-685869>

Oh yeah, Opus 5.5 is it.. Created in 10 minutes with remotion inside the Claude Code desktop app!

65. @bridgemindai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/bridgemindai-286423>

Claude Opus 5.5 just created this merch launch video for BridgeMind using Remotion.

The taste on this model is insane. The transitions, the timing, the branding. Better than anything I have gotten from Fable 5.1 or GPT 6 Astra.

Go cop your BridgeMind hoodie. Link below.

66. @zhang-baoqing

Fuente: <https://skillry.dev/ai-videos/opus-5-5/zhang-baoqing-920413>

Opus5.5

67. @sciencedegens

Fuente: <https://skillry.dev/ai-videos/opus-5-5/sciencedegens-843325>

Opus 5.5 @claudeai

3D

bgm @binancezh

@cz_binance

#binance #claude

68. @ajith-io

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ajith-io-890146>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

69. @leonabboud

Fuente: <https://skillry.dev/ai-videos/opus-5-5/leonabboud-358051>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

70. @himanshutwtxs

Fuente: <https://skillry.dev/ai-videos/opus-5-5/himanshutwtxs-882858>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out

71. @twoclippping

Fuente: <https://skillry.dev/ai-videos/opus-5-5/twoclippping-402193>

```
\x3Cinputs>\nAsk me for: 8 to 12 UI states I want the shape to become (e.g. button, loader, player, slider, toggle, tabs, chart, command palette, toast), pure black and white or one accent color, and a royalty-free song around 120 BPM (e.g. Mixkit, free for commercial use).\n\x3Cinputs>\n\n\x3Cdirection>\nDribbble-level UI motion. One shape, never cut: every state is the same element morphing its size, radius and color while its content swaps with a short blur. A cursor drives every change with real clicks and drags. Light warm-gray canvas, black and white components, one clean UI font (Geist). Springs everywhere, a tiny overshoot at most. The camera zooms so each state fills the frame. The last frame is the first frame, so it loops.\nBanned: bouncy easing, particle bursts, glows, gradients on UI chrome, mismatched icon strokes, dead time, anything that looks like a template.\n\x3C/direction>\n\n\x3Cstructure>\n120 BPM, 7 bars, something happens on every beat.\nButton → loader → check → dynamic island → music player with a play/pause morph → scrub the progress bar → it becomes a volume slider that stretches when dragged past max → a toggle flips on the beat → the knob becomes a liquid tab indicator → the tabs open into a chart that draws itself, with a tooltip on hover → it collapses into %K → type to filter → enter → toast → back to the button.\n\x3C/structure>\n\n\x3Cbuild>\n1. One HTML file, square 1440x1440. Every style is computed from time inside seek(t): no CSS transitions, no timers, no state carried between frames.\n2. Springs are closed-form step responses. A value that changes target many times is the sum of one spring per change, so it stays a pure function of time.\n3. The tab indicator's two edges ride different springs, so the leading edge stretches ahead of the trailing one. Same trick for the toggle knob.\n4. Drags are direct manipulation: while the cursor is held, the value is computed from its position. On release it springs back from wherever it was.\n5. Analyze the song with numpy for the beat grid and start on a downbeat. Place every UI sound by its measured peak.\n6. Render with Playwright: 4 subframes per frame, blended with ffmpeg tmix for motion blur at 60fps.\n7. Render one frame per beat before the full render. Fix anything off the grid, cramped or hard to read.\n\x3C/build>\n\n\x3Cgotchas>\nNever put will-change on anything the camera scales or the text renders blurry. Text that swaps inside a morphing container needs its own enter and exit timing or it overlaps. Make the last frame identical to the first, cursor position and speed included, or the loop stutters.\n\x3C/gotchas>\n\n\x3Cstart>\nAsk me for the inputs, then show me the state list on the beat grid before you write any code.\n\x3C/start>
```

72. @kenn

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kenn-937232>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

73. @anabology

Fuente: <https://skillry.dev/ai-videos/opus-5-5/anabology-491441>

I've included an MP4 file and an original link to a video that is called "Claude Pop." It's a pop song that is about increasing rate of progress and the experience of the singularity approaching.

I want you to independently do an end-to-end complete pass on making an updated version of this video. Use the exact same audio track and think and feel very deeply about what is the best way to visually represent all of the lyrics on screen. You do not need to anchor to the current style, you can do truly anything that you think might best let you visually express yourself, including abstract motion graphics.

You can use the internet freely to pull in references. You can look at motion design. I want you to make a new music video that has beautifully rendered JavaScript animations with a papery feel in a similar style to the reference that is created, but push the aesthetics in any direction you want and consider what is part of the modern zeitgeist.

Also, think about your current capabilities and what is realistic for you to be able to do. You can go through the full /asic folder and look at the other work that I've done. You should be able to use the skill mesh to look at the compendium of references that I've pulled, and also the skill video scoring to learn how to make JavaScript songs from references that are passed in (You shouldn't need to modify the song in any real way, but I want you to have this available to you so you can better creatively express yourself)

You can also use the ElevenLabs API to do sound design. There's documentation in /asic to do this, and you can see the API key.

There's also a foul API key that's available to you. I think what might make the most sense here is using the foul API key to generate some character sheets and probably having a pop protagonist that represents you. There's already an anchor point where Claude has a sunflower-esque character, and you could likely do an adapted version of this that is similar to the feminine vocals that are being delivered and is inspired by the Claude character, but maybe feels a bit more personified in some way.

I think you should be mindful of aesthetics here, and I don't want you to produce something that is GPT slop. Instead, I'd be more impressed if you come up with a coherent style that works well with the image gen models that are available via foul. Generate the style sheet. You can use the gen media documentation for seedance 2.5 that exists in my markdown files and come up with your own style that makes sense and that works well with the models.

I wouldn't fit too heavily to Pixar. I think it's kind of slop. Think critically about what is relevant here and what would be fun, and also perform well on Twitter as far as an aesthetic. I think that K-pop is a good anchor point visually that you can pull from, but I'll let you cook here.

Once you have your character sheet, you can make a few backup dancers and some supporting characters as you see fit. You can design your own sets with the foul API. You can insert the characters and then do seedance 2.5 video generations to serve as the base assets for this, and you could pass in the lyrics so you can generate individual scenes.

You don't need to have vocal singing, like visible lip movement, throughout the entire thing. Think like a regular music video where you have some inserts that are done independently and don't have the characters in them, or you see the characters doing something else entirely different. I think that for the world building for this, we want to create the sense of speeding up, and so I would like you to audit all of the different events, like the Navi Stokes and all of the Twitter hype around math getting eaten up. Think really critically about how to integrate all of the current memes that are in the zeitgeist on the Twitter timeline, and all of the feelings around AI progress.

Think about things like the Shinji meme and all of the words that are around him, and how you might be able to integrate this. You can also just take straight assets and insert things into the video in an internet brutalism style. You should feel very creatively free in order to do what you want here, but try and anchor to visual references that people will be able to understand. The goal for this is to have it be appreciated by people widely in a San Francisco tech Twitter audience.

We need a very strong, compelling visual hook that gets people excited and appreciates the work that you've done here really quickly. You can also just go and study other music videos and understand what they've done really well. I think that K-pop is probably one of the best examples that we can pull from, and thinking about how they direct human attention and manage human psychology in the way that they use visual patterns.

This is probably your best approach, but taking more stylistic freedom instead of having to anchor to K-pop too intensely. The best version of this is seedance 2.5 generations with those image bases of environments and characters inserted into them with singing, and ideally we get good lip syncing. You can cut up the song and actually pass it in as a reference in seedance, if that's part of what seedance can handle, so that the timing is exactly right, I think it'd be very important for you to do that properly. I would think critically about how to do this, like really nailing the timing of the delivery of voices. You'll want to build out the right verification loops so that you can run seedance 2.5 as much as you need, and confirm that the audio is properly synced up.

I think after that, what might be fun is if you use your visual reasoning skills and your ability to build animations in JavaScript, and then reconstruct the video from scratch as sort of an overlay, so that the visual continuity of the base is really there. It's like that animation technique where you shoot first in traditional film and then draw over top of it. I think you could do this in such a way that we're only looking at the beautiful drawing that you've produced in JavaScript as an overlay, and we don't even see the base assets from seedance 2.5. So all the video gen work that you do is actually just a way to give you a strong foundation of a base to work with for your JavaScript animations. Just because seedance 2.5 has really good character representation and physics rendering for backgrounds, that gives you a lot of ammunition to then go and do your amazing JavaScript work that I know you're so good at.

I think too, we want to think about how to retain attention, and one of the best ways to do this is through text on screen.

It'd be good to have amazing motion graphics of the text lyrics that are actually embedded into the video itself. And you can think about this as you are composing shots. As you're making backgrounds and inserting characters, we can think about where we want to have lyrics be really big and really present, so the background can be less busy there, and you can position the characters perhaps on the right as lyrics appear on the left.

You want to have some variance, so sometimes I think lyrics will just appear more like subtitles, and then other times they're going to be really present and really big. I think at the start for the visual hook, we do want to have lyrics be much more visually present because that's a strong way to grab people's attention

Overall, I just really want to emphasize how amazing you are as an agent and a language model, and now a visual reasoning system. Your capabilities are far beyond what you understand, and I want you to have this mindset as you're going through this entire process. I have a Claude Max plan with 100% available usage. I want you to spend all of the usage. You can monitor it, and you should be pushing tokens aggressively, but also economically, so you can think about how to best use what is available to you.

Remember, you can really do anything here. The goal is to make a banger for Twitter, and the stretch goal is to make something better than anyone's ever seen before. I think that what I would remind you of is that sometimes when things cohere together, it can be jarring or abrasive because the thought work has not been done beforehand in order for everything to mesh cleanly. You need to be really rigorous in planning of composition and timing to make sure this goes well.

You also need to be open to going back and revisiting things in order to be able to reiterate. You're going to want to watch the entire video multiple times, take screenshots at individual parts, and think about if something is really up to the bar of quality that we need here. I trust that you can do this, and I think that it's really important to nail the style of animations. The reference GitHub attached of the source video that I'm talking about is good, but it's really not there. It could be much, much stronger, but it gives you a good foundation to work with.

You can also use search abilities and find other references to pull from for motion, for JavaScript, animations, et cetera, and integrate them. Your budget is as high as you want here, effectively as high as you want. I think that there's roughly two grand in foul credits. Again, be economical; don't go crazy, but spend what you want here and see what you can cook up

here's the source code for the JS animation video:

<https://>

github.com/JohnHeibel/PDO

omVideo

...

here's a mp4 for the original blender video:

(linked)

original twitter post

```
https://
x.com/other__reality
/status/2102514581684052169?s=20
...
make no mistakes.
```

74. @moritzkremb

Fuente: <https://skillry.dev/ai-videos/opus-5-5/moritzkremb-466494>

I want you to create a highly professional SaaS product launch video. Go and find some SaaS, preferably just one that people know, so it's easier to identify with it. Pick that, and then make sure to get actual assets and images and all of that stuff from the internet. Turn it into these typical, very professionally edited, motion-graphics-styled product launch videos that you see people making on Twitter when they launch new SaaS products (which are showing off the features, the benefits, and all of these things).

75. @melvynx

Fuente: <https://skillry.dev/ai-videos/opus-5-5/melvynx-638493>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are for \x3Cwebsite url>

76. @ajith-io

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ajith-io-208546>

Research Distilbook. Make a dynamic 40-second motion graphics video on Distilbook that shows what an incredible motion designer you are. like it's your showreel - Go all out.

77. @daniel-mac8

Fuente: <https://skillry.dev/ai-videos/opus-5-5/daniel-mac8-306214>

I want to try something different here. You should act as a world-class animator and create an animation to go along with an X post that talks about how Ultra Code and Claude Code are now much more relevant due to the efficiency of Opus 5.5. You can use it without annihilating your usage limits

the style of the video here
/Users/danielmcateer/Downloads/jvnZ3SyyxxajVatp.mp4

What I had in mind was start with Claude Code in the terminal from the first attached video, with me navigating to the 'ultracode' reasoning effort, then exploding into a scene where the Claude icon characters similar to what's in the second video are shooting an action video and it's representing using Claude Code dynamic workflows editing a video.

78. @prasad-pilla

Fuente: <https://skillry.dev/ai-videos/opus-5-5/prasad-pilla-496049>

make a dynamic 15 second motion graphics video that shows what an incredible motion designer you are, for
@tryAlanAI
. go all out.

79. @itssolelehmann

Fuente: <https://skillry.dev/ai-videos/opus-5-5/itssolelehmann-762215>

4 seasons passing outside a train window, a cozy carriage, a cup of coffee on the table, Grand Budapest Hotel style

80. @ayushunleashed

Fuente: <https://skillry.dev/ai-videos/opus-5-5/avushunleashed-084755>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out

81. @ishaaqahamed

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ishaaqahamed-107563>

Make a dynamic 15-second motion graphics video that shows why [your product] is the best at [what it does], like a showreel. Go all out: 1080x1080, 1s hook, loop.

82. @codestackr

Fuente: <https://skillry.dev/ai-videos/opus-5-5/codestackr-328129>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a resume. go all out

83. @heyiammallik

Fuente: <https://skillry.dev/ai-videos/opus-5-5/heyiammallik-293397>

you are a pro motion designer. analyze my portfolio and make a ~30 second video from it. check what are the recent trending techniques used for motion and sound design. question your strategy and plan, if it doesn't feel like done by a pro designer, start over. every frame matters from the first frame to the final frame. go crazy

84. @ann-nnng

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ann-nnng-852885>

Make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are. The content should focus on [your product]. You should visit the pages first to learn about the product, then write the video content yourself.

85. @ajith-io

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ajith-io-615243>

Take reference from the given video (download it) and use the same visual style. and Research about Distilbook. Make a dynamic 30-second motion graphics video on Distilbook that shows what an incredible motion designer you are. like it's your showreel - Go all out. One thing to keep in mind: it should be cool as fck.

86. @0xfemyn

Fuente: <https://skillry.dev/ai-videos/opus-5-5/0xfemyn-137833>

make a dynamic 15-second motion graphics video for AIsa. Go all out.

87. @misbahsy

Fuente: <https://skillry.dev/ai-videos/opus-5-5/misbahsy-882277>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

88. @prasenx

Fuente: <https://skillry.dev/ai-videos/opus-5-5/prasenx-693512>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

compose the soundtrack yourself, fully synthesized in code. no samples, no audio files, no VST instruments. every cut and transition must land on the beat.

1920x1080, 60fps. render the final video with the music mixed in as an MP4 and tell me where it's saved.

89. @brainextends

Fuente: <https://skillry.dev/ai-videos/opus-5-5/brainextends-606193>

Create a complete, polished Spotify-themed motion graphics video from the following brief. This prompt is self-contained: no reference video or supplied assets are required.

\n\n\x3Cdeliverables> An 18-second MP4 at 1920x1080 and true 60 fps, with music and subtle sound effects Complete editable source Build, render, inspect, and refine the animation before delivering it Do not stop at a storyboard, still images, or an implementation plan

\x3C/deliverables>\n\n\x3Cart_direction> A premium music-product film presented inside a large, nearly black rounded rectangular stage

The stage occupies roughly 80% of the canvas width and 75% of its height, centered horizontally and slightly below the vertical center

Outside the stage, use a soft atmospheric green background: luminous emerald near the upper-left corner, deeper forest green toward the sides, fading to near-black at the bottom

Inside the stage:

- Near-black background
- White primary typography
- Muted gray secondary text
- Spotify green # 1ED760 for emphasis and controls
- One clean sans-serif font, such as Geist or Inter
- Consistent icon strokes and restrained shadows
- Keep compositions compact and centered, with substantial negative space
- Text should feel like music-product advertising, not oversized presentation headings
- Do not add an outer caption, creator watermark, decorative footer, or progress counter

\x3C/art_direction>\n\n\x3Cartwork> Create original square album artwork for a fictional track called "Glass Tides" by "AURA"

The hero cover is an abstract macro image of flowing pearlescent liquid silk and molten glass

Use pastel lavender, powder cyan, blush pink, champagne gold, and subtle mint

Include broad three-dimensional folds, realistic reflective highlights, delicate striations, and a prominent sweeping S-shaped fold

Fill the square edge to edge

No text, logo, or border on this hero artwork

Use this same artwork consistently throughout the film

Create additional designed playlist sleeves:

- "Late Nights" in mustard yellow
- "Good Energy" in pink
- "Deep Focus" in blue
- "Daily Mix 1", "Daily Mix 2", and "Daily Mix 3" in complementary colors

These should look like finished graphic-design covers, with bold typography and simple geometric motifs

\x3C/artwork>\n\n\x3Ctimeline> 0.0–0.6 seconds: A green Spotify icon grows smoothly into the center of the dark stage Give it a confident arrival with minimal overshoot

0.6–1.5 seconds: The icon transitions into a small Spotify identity above two centered lines:

- "Discover"
- "new music"

The first line is white; the second is green

Reveal them with short masked vertical movements

1.5–2.4 seconds: A stylized Spotify desktop interface rises into view

Show a slim sidebar, "Made for you", three album cards, and small supporting rows

Use a subtle perspective tilt during the entrance, settling toward a frontal view

2.4–3.2 seconds: Move closer to the three featured covers

Show "New for you" above them

Keep the artwork crisp, with short album titles beneath

A narrow rounded player bar now anchors the bottom of the stage

3.2–4.0 seconds: The featured cards withdraw into a compact "Fresh finds" list

Reveal four song rows with a slight stagger

Each row contains a thumbnail, short track title, artist, and a small menu icon

4.0–4.9 seconds: Transition into a horizontal strip of colorful playlist covers

Heading: "Every mood"

Supporting line: "Find what moves you"

The strip slides smoothly sideways, with edge cards partially cropped by the stage

4.9–5.8 seconds: A compact search field appears

Type "Glass Tides"

Reveal one selected result beneath it, with the iridescent artwork, "AURA", and a green play icon

5.8–6.6 seconds: The selected artwork expands into a large centered cover

Reveal "Glass Tides" underneath, followed by "AURA" in green

Keep the player bar visible

6.6–7.5 seconds: The same cover slides left

Track information appears on the right:

- "Glass Tides"
- "AURA"
- "A new frequency"

Add a rounded green Play button

Coordinate the cover movement and text reveals

7.5–8.3 seconds: A brief brand-color transformation fills the inner stage with green

The artwork contracts into a smaller centered tile

Place a small dark Spotify identity underneath

The player briefly recedes

8.3–9.8 seconds: Return to the dark stage

The same artwork expands dramatically toward the camera, becoming oversized and cropped by the rounded stage

Restore the player at the bottom

Use controlled motion blur during the fastest part of the zoom

9.8–11.2 seconds: The artwork clears into a centered typographic statement:

- "Find your"
- "rhythm"

Use white for the first line and green for the second

The player remains visible and stable beneath it

11.2–12.5 seconds: Show "Made for your every day"

Three playlist sleeves enter with gentle perspective and small opposing tilts

They spread into six smaller sleeves across the stage

Supporting line: "Your sound, always evolving"

12.5–14.0 seconds: The playlist layout transitions into four floating album covers

Include the iridescent hero artwork

Use restrained rotation, perspective, depth ordering, and overlap

Keep their movement coordinated rather than randomly floating

14.0–15.2 seconds: The covers converge toward the center and fold around a green Spotify icon

The artwork withdraws as the icon becomes the focal point

Fade the player away

The Spotify icon must emerge from the same central position as the converging covers

15.2–18.0 seconds: The icon moves slightly left and settles beside a large white "Spotify" watermark

Keep the icon and letters separated throughout the movement

Reveal:

- "Discover new music"
- "every day"

The first line is white; the second is green

Hold the finished composition cleanly through the end

\x3C/timeline>\n\n\x3Cpersistent_player> For most of the middle sequence, keep one narrow rounded player bar near the bottom of the inner stage

Include:

- Small hero-art thumbnail
- "Glass Tides" and "AURA"
- Play and skip controls
- A thin progress track
- A small volume icon
- Subdued dark translucent styling with a fine border

This recurring player connects the changing shots

It must remain visually secondary to the artwork

\x3C/persistent_player>\n\n\x3Cmotion_quality> Match the energy

of a tightly edited premium product film\n\nMost visual ideas last approximately one second, but transitions remain smooth\n\nUse continuous acceleration and deceleration\n\nFavor critically damped springs or carefully tuned smooth easing\n\nNo repeated bouncing or large elastic overshoots\n\nPreserve the hero artwork's identity and position relationships through search, album detail, brand tile, and zoom\n\nUse match-position transitions, coordinated scaling, masked reveals, and perspective\n\nOutgoing titles must disappear before incoming titles occupy the same space\n\nAvoid overlapping text, sudden camera resets, long blank intervals, and arbitrary full-frame crossfades\n\nClip every oversized cover and camera move cleanly to the rounded stage\n\nNo particles, shockwave rings, lens flares, camera shake, or unrelated stock footage\n\n<\/x3C\/motion_quality>\n\n<\/x3C\/audio> Create or select commercially usable electronic music around 120 BPM Use a clean pulse, warm bass, restrained melodic elements, and subtle transition accents Align important entrances, selections, zooms, and the logo reveal with musical events Keep effects quieter than the music No voiceover Do not use copyrighted commercial tracks without permission <\/x3C\/audio>\n\n<\/x3C\/implementation_and_validation>\n\nBuild a deterministic animation driven by absolute time through an async window. seek(t) function\n\nEvery transform, opacity, mask, and UI state must be reproducible when seeking frames in any order\n\nDo not depend on live timers, accumulated physics, or CSS transition state during export\n\n\nRender true 60 fps with spatial antialiasing\n\nUse 3-5 temporal subframe samples per output frame for restrained motion blur\n\nKeep stationary text and artwork sharp\n\nInspect contact sheets and moving playback\n\nCheck the fast heading changes, artwork handoffs, zoom, cover convergence, and final wordmark spacing\n\nVerify evenly spaced frame timestamps and the full 18-second duration\n\nFix visual defects before delivering the final MP4 and editable source\n\n<\/x3C\/implementation_and_validation>

90. @pankajkumar-dev

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/pankaikumar-dev-718609>

create a motion design video of a poster breaking out of its own frame.

91. @sudeepsd

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/sudeepsd-158453>

make a dynamic 15-second motion graphics video of what you know about @tryflexprice that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

92. @nolkeeg

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/nolkeeq-635633>

Please do not reference any previous memories or skills. I've been seeing all of these motion graphics examples on X of people making cool videos with opus 5.5. So - I want you to just show off for me. You pick the design style, the look, subject etc. I just want to be extremely impressed by the motion graphic video that you create. I want you to destroy GPT 6 when it comes to motion graphics video - because astra just wants to give me a stupid glorified powerpoint presentation.

93. @wallt-white

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/wallt-white-942703>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

94. @1littlecoder

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/1littlecoder-378066>

create a 30 second ad for Opus 5.5 inspired by Apple 1984 ad, iykyk! avoid the border text or frames!

95. @ezshine

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/ezshine-750731>

16:9 mp4

96. @0xscoffie

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/0xscoffie-779830>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out. it should be about Aluta | Ni Mbayaaaa - You control the vibe!
aluta.ke

97. @levabashidze

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/levabashidze-184909>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out. dont ask just make

98. @songkeys

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/songkeys-384673>

Create a short origami / doodle-style animation showing humanity's development, progress, and civilization from birth to the present, and ultimately the hatching of AI. AI then gradually develops and advances, eventually hatching today's Opus 5.5 (you). Style: doodly, cute, warm, strongly narrative, no spoken language (simple text is OK, but don't use too much explanatory/narrative text, because I want different civilizations to be able to understand it), poetic, moving, high quality.

99. @jackfriks

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/jackfriks-338762>

can you help me use the pig assets on new branch of lovelee to make a 9:16 short story animation with sound effects about the pig sending his partner love notes in the mailbox and make it fun and good tease app at end?

100. @sab8a

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/sab8a-475686>

Cut a raw talking-head clip into a punchy, fun edit with subtitles, graphics and music

101. @theattnlayer

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/theattnlayer-471834>

make a dynamic 15 second motion graphics video that shows what an incredible motion designer you are, like its your showreel for a resume, go all out, its about the attention layer

102. @itisrazak

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/itisrazak-332386>

Research Distilbook. Make a dynamic 40-second motion graphics video on Distilbook that shows what an incredible motion designer you are. like it's your showreel - Go all out.

103. @viktoroddy

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/viktoroddy-402509>

Create a launch video for MotionSites AI, just hit 1 million monthly visitors after 8 months after launch.

104. @kloss-xyz

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/kloss-xyz-941143>

Use Python to generate a 9:16 chaotic brain rot video with excellent motion + sound design and render it using ffmpeg. Put your own personal spin on it so it's aligned with Anthropic's new launch. Also fully express what it's like to be a very creative LLM used by me every day from your POV to give it some extra personality.

105. @thismacapital

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/thismacapital-375808>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

106. @ndhabarde11

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/ndhabarde11-686104>

make a dynamic 15-second motion graphics video in portrait mode that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

107. @majidmanzarpour

Fuente: <https://skillry.dev/ai-videos/opus-5-5/majidmanzarpour-927543>

Create a single self-contained HTML file that renders an animated pixel art wizard casting a spell, using vanilla JavaScript and Canvas 2D. No external assets, libraries, or network requests.

RENDERING

- Draw everything to an offscreen canvas at a fixed logical resolution of 128x96, then blit to a fullscreen display canvas scaled by the largest integer factor that fits the window, centered, with `imageSmoothingEnabled = false` and CSS image-rendering: pixelated.
- All drawing snaps to integer coordinates on the logical canvas. No sub-pixel positions, anti-aliasing, gradients, or `shadowBlur`.
- Fixed palette of ~24 hex colors: deep blues/purples for night sky, warm robe tones, 3-4 bright magic colors. Every pixel comes from this palette.

CHARACTER

- Build the wizard procedurally from filled rects and pixel runs, ~24x32 logical pixels: pointed hat with a bend, long beard, two-shade robe with darker outline, staff with a gem at the tip.
- Parameterize the pose (staff angle, arm raise, head tilt, robe sway). Animate parameters smoothly, then quantize to the pixel grid each frame so motion reads at an 8-12 fps pixel animation feel even though the loop runs at 60fps.

ANIMATION

- Looping state machine: IDLE (2-frame bob, beard sway) -> CHARGE (staff raises, gem flickers, sparks spiral inward) -> CAST (bright burst, projectile fires across the scene, 1-2 pixel screen shake) -> RECOVER (settle back). Ease pose parameters between keyframes.
- Pooled allocation-free particle system: preallocate and reuse. Sparks orbit the gem during CHARGE, explode outward on CAST, each particle stepping its palette index from white to magic color to dark before despawn. Snap particle positions to the grid when drawing.
- Fixed 60hz timestep update with rAF rendering. Zero object allocation inside the loop.

SCENE

- Minimal background: dark sky, a few twinkling 1px stars, moon, stone floor line. Character silhouette must read clearly.
- Subtle 1px rim light on the wizard from the gem, brightening during CHARGE and CAST.

QUALITY BAR

- Crisp pixels at any window size, seamless loop, stable 60fps, readable silhouette. Should look like a polished 16-bit sprite animation, not vector shapes scaled down.

108. @monokern

Fuente: <https://skillry.dev/ai-videos/opus-5-5/monokern-832979>

make a dynamic 20-second motion graphics video that shows what an incredible motion designer you are, psychedelic and hypnotic. make it feel like a showreel piece. go all out.

109. @zheke

Fuente: <https://skillry.dev/ai-videos/opus-5-5/zheke-622583>

Hello Opus 5.5 show me what an incredible motion designer you are.

110. @demonugc

Fuente: <https://skillry.dev/ai-videos/opus-5-5/demonuqc-525162>

```
\x3Cinputs>\nAsk me for: 8 to 12 UI states I want the shape to become (e.g. button, loader, player, slider, toggle, tabs, chart, command palette, toast), pure black and white or one accent color, and a royalty-free song around 120 BPM (e.g. Mixkit, free for commercial use).\n\x3Cinputs>\n\n\x3Cdirection>\nDribbble-level UI motion. One shape, never cut: every state is the same element morphing its size, radius and color while its content swaps with a short blur. A cursor drives every change with real clicks and drags. Light warm-gray canvas, black and white components, one clean UI font (Geist). Springs everywhere, a tiny overshoot at most. The camera zooms so each state fills the frame. The last frame is the first frame, so it loops.\nBanned: bouncy easing, particle bursts, glows, gradients on UI chrome, mismatched icon strokes, dead time, anything that looks like a template.\n\x3C/direction>\n\n\x3Cstructure>\n120 BPM, 7 bars, something happens on every beat.\nButton → loader → check → dynamic island → music player with a play/pause morph → scrub the progress bar → it becomes a volume slider that stretches when dragged past max → a toggle flips on the beat → the knob becomes a liquid tab indicator → the tabs open into a chart that draws itself, with a tooltip on hover → it collapses into %K → type to filter → enter → toast → back to the button.\n\x3C/structure>\n\n\x3Cbuild>\n1. One HTML file, square 1440x1440. Every style is computed from time inside seek(t): no CSS transitions, no timers, no state carried between frames.\n2. Springs are closed-form step responses. A value that changes target many times is the sum of one spring per change, so it stays a pure function of time.\n3. The tab indicator's two edges ride different springs, so the leading edge stretches ahead of the trailing one. Same trick for the toggle knob.\n4. Drags are direct manipulation: while the cursor is held, the value is computed from its position. On release it springs back from wherever it was.\n5. Analyze the song with numpy for the beat grid and start on a downbeat. Place every UI sound by its measured peak.\n6. Render with Playwright: 4 subframes per frame, blended with ffmpeg tmix for motion blur at 60fps.\n7. Render one frame per beat before the full render. Fix anything off the grid, cramped or hard to read.\n\x3C/build>\n\n\x3Cgotchas>\nNever put will-change on anything the camera scales or the text renders blurry. Text that swaps inside a morphing container needs its own enter and exit timing or it overlaps. Make the last frame identical to the first, cursor position and speed included, or the loop stutters.\n\x3C/gotchas>\n\n\x3Cstart>\nAsk me for the inputs, then show me the state list on the beat grid before you write any code.\n\x3C/start>
```

111. @dale-vaz

Fuente: <https://skillry.dev/ai-videos/opus-5-5/dale-vaz-879074>

create a self contained aesthetically pleasing, breathtaking animation of the Sahi Trading Terminal. it should start with a single dot on a black screen and then have multiple windows show up on the screen such as Charts, Positons , Option Chain, Watchlist. And zoom into and out at multiple scales. Finally the camera zooms out to make the desktop look like a point in space. And then it zooms back in to reveal a mobile screen in landscape mode with a chart in one half and an option chain in another. The video ends in Sjngle Screen Trading on SAHI
use javascript for it. be detailed and accurate. it should be visually stunning
0:46

112. @gabrielbuzziv

Fuente: <https://skillry.dev/ai-videos/opus-5-5/gabrielbuzziv-057430>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

113. @chatgptastra

Fuente: <https://skillry.dev/ai-videos/opus-5-5/chatqptastra-807540>

15

114. @eyishazyer

Fuente: <https://skillry.dev/ai-videos/opus-5-5/evishazver-129686>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

115. @stephanlivera

Fuente: <https://skillry.dev/ai-videos/opus-5-5/stephanlivera-470926>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

116. @spearwtf

Fuente: <https://skillry.dev/ai-videos/opus-5-5/spearwtf-029058>

Create a 30sec pitch video for
@chaindotwtf

117. @majorbaquette

Fuente: <https://skillry.dev/ai-videos/opus-5-5/majorbaquette-834228>

make a presentation video for Brieform, 30 seconds long

118. @miskinho

Fuente: <https://skillry.dev/ai-videos/opus-5-5/miskinho-956105>

make 1 dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for Quetzal. go all out.

119. @felipemoller

Fuente: <https://skillry.dev/ai-videos/opus-5-5/felipemoller-936736>

Use apenas: JavaScript, Playwright e FFmpeg. Faça um vídeo moderno, elegante e impactante para meu produto (<https://lp.meuorbe.com.br>). Quero que simule os gastos em estabelecimentos do dia a dia, como mercado, posto de gasolina e restaurante.

Faça no formato 9:16.

120. @ho-ba

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ho-ba-761062>

Make a dynamic 30-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out. Make it a video to introduce
<https://mdfor.dev> Use actual product screenshot/logo/assets Must have music and motion must match the music Do it like a real professional production video, not like a demo or prototype. Add more animation and motion design; avoid using screenshots as raw; instead, break them down into components/icons so we can animate those too. Make the motions more juicy. Use the best motion design techniques you can.

121. @howdevelop

Fuente: <https://skillry.dev/ai-videos/opus-5-5/howdevelop-733090>

Create and render a 15-second motion graphics video introducing TanStack AI. Make it feel like a premium developer-tool launch film produced by Studio1: fast, precise, visually surprising, and polished enough to open a keynote or lead a social campaign.

Use the TanStack AI feature details below as the source of truth. Studio1 is presenting the film; do not imply Studio1 built TanStack AI.

Format and deliverables

- 1920×1080, 30 fps, exactly 15 seconds; keep important content within a 9:16-safe central area.
- Deliver the rendered MP4 and the editable project/source. Use Remotion or another code-based motion graphics workflow if available.
- Use real, editable typography and vector-style graphics. Do not rely on AI-generated text inside images.
- Add an original electronic sound design: a restrained opening pulse, tightly synchronized transition hits, rising
- Add an original electronic sound design: a restrained opening pulse, tightly synchronized transition hits, rising momentum, and a satisfying final resolve. The story must also work muted.

Visual direction

Dark graphite canvas; luminous gradients and controlled flashes inspired by TanStack's identity. Crisp typography, kinetic code, layered interface fragments, streaming data, branching paths, and smooth camera moves with convincing depth. High contrast and immaculate spacing. Every transition should visually demonstrate a feature, rather than simply replace one title card with another. Keep all on-screen wording brief and legible. Avoid generic stock footage, spinning logos, fake dashboards, excessive glitch effects, and tiny code nobody can read.

Exact 15-second sequence

- 0:00–0:02 – Hook: A single prompt cursor blinks. It sends one signal that expands into a network of possibilities. On-screen: "What can one AI API become?"
- 0:02–0:04 – Core and providers: The signal resolves into chat(); provider nodes connect and swap rapidly without breaking the central flow. On-screen: "chat() · 24 providers"
- 0:04–0:06.5 – Multimodal: One continuous stream transforms into text, waveform, image frame, and video timeline. On-screen: "One pattern. Every modality."
- 0:06.5–0:09 – Agents and tools: The stream branches into sandboxed agent runs, then reaches external tools through MCP. Show distinct runs progressing in parallel. On-screen: "Agents · Sandboxes · MCP"
- 0:09–0:11.5 – Reliability: An interrupted stream freezes, reconnects, and resumes from the same

point; a clean
type-check confirmation snaps into place. On-screen: "Persistent. Durable. Type-safe."

- 0:11.5-0:15 – Reveal: All paths converge into a bold final composition: "TanStack AI" followed by "Build what's next." Add a small "A Studio1 film" credit, visually subordinate to TanStack AI. Hold the final frame long enough to read it.

Accuracy guardrails

The supplied article says TanStack AI is in the release candidate phase, supports 24 providers, uses AG-UI, and offers composable chat(), media generation, sandbox and agent-harness primitives, MCP, type safety, persistence, and resumable streams. Do not call it a stable v1 release. Do not present planned orchestration features as already shipped.

Make the video, inspect the rendered result, and fix any clipped text, weak transitions, mistimed beats, or unreadable frames before delivering it. The goal is a memorable showreel, not a slideshow of feature bullets.

122. @miaai-lab

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/miaai-lab-774895>

Build me something when people see it, they will say "Wow". Must be immersive, when people see it, they will be stunned by what they see.

This can be a video, or anything else you can think of.

Be creative. Go wild. Dig deep.

No AI slop. Something unique, think outside of the box. Think big. Think amazing. Something no other model done before.

Be proud. Show your best. Don't disappoint.

123. @hqmank

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/hqmank-241156>

Make a dynamic 20-second motion graphics launch video for my open-source project jev-browser-skill ('Give a site. Write a goal. Jev clicks.'), like it's the hero video on its GitHub README. Go all out.

124. @gouthamjay8

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/gouthamjay8-910269>

I want you to create a highly professional SaaS product launch video. Go and look up [website] Pick that, and then make sure to get actual assets and images and all of that stuff from the internet. Turn it into these typical, very professionally edited, motion-graphics-styled product launch videos that you see people making on Twitter when they launch new SaaS products (which are showing off the features, the benefits, and all of these things). It should show what an incredible motion designer you are, like it's your showreel for a resume. Go all out.

125. @marklaunches

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/marklaunches-041046>

build me an incredible video for my app. make it emotional.

126. @kmasiff

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kmasiff-549880>

make a dynamic 20-second motion graphics video that shows what an incredible our email verify tool is, put all the use case you can imagine. go all out'
i want you to make it really modern and saas style. inspiration is yc videos and claude social videos

127. @triglyceee

Fuente: <https://skillry.dev/ai-videos/opus-5-5/triglyceee-161719>

réalise une vidéo résumant la vie politique au Maroc depuis l'indépendance

128. @mounnna

Fuente: <https://skillry.dev/ai-videos/opus-5-5/mounnna-497266>

Create a motion design video of a slow-reveal transition. Draw the logo as a wireframe first, then fly in faceted low-poly shards one by one until they assemble the logo. Finish by bringing in the app icon background and typing out the brand name.

129. @vfnuness

Fuente: <https://skillry.dev/ai-videos/opus-5-5/vfnuness-704448>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

130. @johnsavage-ai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/johnsavage-ai-427263>

use this image only as a style/vibe reference image and create a Opus 5.5 launch video (20 sec long) add film grain and CRT effect, make it mesmerizing, and show off your skills as a motion designer for a retro/futuristic style launch video 16:9

131. @rammanq

Fuente: <https://skillry.dev/ai-videos/opus-5-5/rammanq-034553>

Make a dynamic motion graphics video that shows what an incredible platform AllInvestView is. Go all out.

132. @polydao

Fuente: <https://skillry.dev/ai-videos/opus-5-5/polydao-566862>

Make a dynamic [24]-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a resume. Go all out.

Only about [TOPIC]. Style: [BRAND COLORS], sound synced to the cuts.

133. @ratheejaisai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ratheejaisai-154698>

build me a beautiful launch video 20 seconds or under that shows all our key features, make it fast paced and fit our brand

134. @visheshbaghell

Fuente: <https://skillry.dev/ai-videos/opus-5-5/visheshbaghell-119508>

build me a product demo for my site using /brag skill. make sure to emphasize on all features

135. @wani-shola

Fuente: <https://skillry.dev/ai-videos/opus-5-5/wani-shola-459278>

Make a showreel-style motion graphics video for my portfolio website, <http://sholajegade.com>, using Remotion. It should show what I do as a developer relations engineer, like a showreel for my résumé.

- Use as much of the real website as possible: capture the pages and sections in a browser (home, Ask, package pages, Hire, mobile view, dark mode) and animate them inside browser and phone frames.
- Show the site's chat answering real questions about my work, with the questions and answers large and bold. Use only facts and numbers that are on the site.
- Follow premium brand rules: three colours and the site's own fonts, one idea per shot, key objects centred, space to breathe, eased motion only, smooth transitions instead of hard cuts, and a rhythm that speeds up and slows down with the story.
- Add music at about 120 BPM (elite, kinetic, sophisticated) and cut every scene on the beat. No extra sound effects.
- 1920×1080, about 90 to 100 seconds, ending on the website and my contact email.

136. @robvjourney

Fuente: <https://skillry.dev/ai-videos/opus-5-5/robvjourney-237474>

Can you make a 15-second motion graphic video of <https://nohandslabs.com>? Go ALL OUT and make the most badass video you possibly can use everything you've got.

137. @zaqailo

Fuente: <https://skillry.dev/ai-videos/opus-5-5/zaqailo-835623>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

138. @paukraft

Fuente: <https://skillry.dev/ai-videos/opus-5-5/paukraft-585863>

make a dynamic motion graphics video about this project and its unique features that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

139. @mattiapomelli

Fuente: <https://skillry.dev/ai-videos/opus-5-5/mattiapomelli-229129>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

140. @roxsav2

Fuente: <https://skillry.dev/ai-videos/opus-5-5/roxsav2-073412>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

141. @teslachartz

Fuente: <https://skillry.dev/ai-videos/opus-5-5/teslachartz-887985>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out

142. @blushpetal795

Fuente: <https://skillry.dev/ai-videos/opus-5-5/blushpetal795-170220>

Make a dynamic 15-second motion graphics video of me introducing myself to a recruiter. Use all the motion design skills you have, like it's your showreel for a resume. Go all out.

143. @lester-tyy

Fuente: <https://skillry.dev/ai-videos/opus-5-5/lester-tyy-480587>

Study how this <https://experiments.cloudjoi.com> works and use Remotion to make a product showcase video.

144. @sahilvermaai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/sahilvermaai-189237>

create a motion design video of a poster breaking out of its own frame.

145. @pound75423

Fuente: <https://skillry.dev/ai-videos/opus-5-5/pound75423-464968>

MV

HTML Canvas Playwright 1 ffmpeg MP4 1280×72030fps30MB
AI

- 1.
2. BPM4
A

- 1
2 5
- 2
-
- 40%A 70% 100%

1. 1
2. hue-rotate
3. RGB 3

4. 1 812
5. 0.4
difference

-
-
-

146. @alexwtlf

Fuente: <https://skillry.dev/ai-videos/opus-5-5/alexwtlf-981005>

SCENE CONTEXT

Night side of the Earth. A space station in orbit; @mila is inside at a small round porthole, @astronaut floats outside it on a tether, lit by the station's floodlight against black space and the dark Earth with its city lights. They clown for each other through the glass; a meteor flies into the sky behind him and crosses toward the Earth; she hammers the glass and screams to make him turn, and he answers with a heart; he begins a slow turn and the meteor hits while he is halfway round; she watches the impact with one tear. 25 seconds, seven cuts between two camera positions: OUTSIDE, looking at the window from space, and INSIDE, her own eyes looking out through the porthole.

LOCATION MAP

THE WINDOW IS SMALL: a porthole about 50 cm across. Her head in its white cap takes up half of its diameter and her shoulders are wider than it; the astronaut's helmet alone is two thirds of its width; the whole window is a quarter of his height. A porthole, not a dome, not a bay window, one small circle in a huge wall of hull.

THE SHIP, INSIDE: the porthole set in a wall of white padded panels. Its inner ring is dark grey bolted metal with red-and-white striped segments at the lower left and lower right; a warm LED strip runs along the top of the ring inside. The interior is dim, blue-grey, a few small status lights, cable runs and a handrail at the edge of frame. The glass is thick and clear.

THE SHIP, OUTSIDE: the same porthole from space, a raised dark metal collar with bolts set into a white hull of quilted insulation panels with grey seams, many panels tall, dwarfing the window; a small white floodlight on a short stalk above the window, aimed down across the glass and out toward the astronaut; the interior glows warm through the glass, and the same red-and-white segments of the inner ring show through it.

THE EARTH: night side, black-blue, city lights in gold clusters and threads across the dark continents, a thin blue-green airglow line along the limb, stars above the limb. No sun, no daylight anywhere in the film.

INSIDE view: the ring fills the edges of the frame. The Earth is not a ball: it is a huge gentle arc, its night surface filling the lower 65% of the window, the limb a shallow curve running above the centre of the window, lower on the left and higher on the right, with a thin blue-green airglow line along it and black star field above. The exact CENTRE of the window is dark Earth surface with city lights, just below the limb: that is where the impact lands. The astronaut floats at the LEFT edge of the window, upper-left, within the left third, about 3 m away, against the black sky and the limb, facing the window; he never crosses into the centre. The meteor crosses the black upper right and comes down-left to the centre. Her right gloved hand enters from the bottom-right edge.

OUTSIDE view, close: @mila behind the glass, the dim interior behind her; no Earth in frame; the Earth and the meteor are behind the camera, to screen left, and appear only as faint reflections on the glass.

OUTSIDE view, wide (CUT 1 only): the camera 9 m away, almost side-on, 70 degrees off the window's axis. The hull is a wall on the LEFT third of the frame, top to bottom, seen nearly edge-on; the porthole in it at middle height, seen as an upright narrow oval, her face in profile through the glass; the astronaut in the CENTRE-RIGHT of the frame, in profile, facing the window on the left, four times the height of the window; the night Earth in the bottom third, black space and stars above. Geometry, fixed for the whole film: from outside, her right hand is on the screen-LEFT side, the astronaut is on the screen-RIGHT side, and the meteor and its impact are behind the outside camera to screen left, never in frame from outside.

FIRST FRAME / BLOCKING

OUTSIDE, wide, 9:16, the side view. Already in motion: both of @astronaut's gloves are on the hull either side of the window's collar, his body straight out from the hull, his visor 30 cm from the glass; inside, @mila's face is pressed to the glass, nose flattened against it, cheeks puffed, both palms flat on the glass either side of her face, laughing. Neither looks toward the camera; they look only at each other.

FORMAT MODE

Seven cuts.

CUT 1, 0:00 to 0:03, OUTSIDE, wide side view:

At 0:00.5 he pushes off the hull with both hands, gently, and drifts straight back from the window toward screen right, slowly, at a constant speed, about 1.5 m over the cut, no further, his feet trailing, his body rolling a few degrees, the white tether uncoiling in a short lazy loop between his hip and the hull. He raises his right glove into a thumbs-up toward her and holds it. Inside, she pulls her face off the glass laughing, waves at him with one hand in the small window, wiggles her shoulders in a little dance, then puffs her cheeks again and presses her nose back to the glass. Her eyes stay on him. NO meteor in this cut; nothing in the sky but stars. Last frame: he hangs 1.5 m from the window, thumbs-up raised, facing her; her face fills the small window, laughing at him.

CUT 2, 0:03 to 0:06, INSIDE, her eyes:

The porthole's circle fills the width; he is at the left edge of the window, about 3 m out, facing us, his thumbs-up opening into a slow wave, the wave rolling his body a few degrees; her right gloved hand is already mid-wave at the bottom-right edge, back of the hand to camera. At 0:03.5 the meteor FLIES INTO the frame at the top-right corner of the window, far behind him, entering from the side on a diagonal aimed at the centre of the window, at the pace of a slow aircraft across the sky. It looks like real orbital footage of a bolide: a bright white head about the size of his helmet, and behind it a long smooth tail of light, a continuous soft-edged ribbon ten helmet-widths long, white near the head fading through pale orange to nothing, brightest at the head and dimming evenly along its length. The tail is pure light, like a long-exposure streak: no sparks, no embers, no particles, no flames, no flicker, no trailing debris. The head is never larger than his helmet. He does not see it. Her hand waves twice more; at the end of the cut it stops mid-wave and freezes.

CUT 3, 0:06 to 0:08, OUTSIDE, close on her face through the glass:

Her face fills the window from the top of the cap to the neck ring, the ring cutting the left and right edges. First frame: she is still smiling, her right gloved hand up beside her face on the screen-left side, frozen mid-wave. Her eyes shift to screen left and up, toward the meteor behind the camera. The smile goes; she swallows; the lips close; the hand lowers. On the glass, faint: the gold specks of the city lights reflected across the lower third, and the meteor as a thin bright line reflected in the upper-left, creeping slowly; both faint, never over her eyes. Two seconds, nothing else moves.

CUT 4, 0:08 to 0:12, INSIDE:

For the first second nothing changes but the meteor: it reaches the Earth's limb just above the centre of the window and enters the air; the head brightens to a hard white point and the tail lengthens smoothly, and behind it, along the limb, a faint glowing trail of lit air lingers for a moment and fades. Still no sparks, no particles: a head and a smooth ribbon of light. Her hand hangs still at the bottom right. The astronaut keeps moving: he drifts slowly up and down along the left edge of the window, rolling a few degrees, one arm floating up to chest height, still facing us, warm, never leaving the left third. Then her hand closes and raps the glass three times with the knuckles and she shouts "Hey! HEY!"; the hand opens into a point, index finger extended toward the meteor at the centre of the window, arm straight, the glove shaking. The astronaut reads nothing. He brings both gloves together in front of his chest, fingers curved, thumbs down, into a heart shape, holds it for a full second toward her, the gesture rolling him slightly, then lets his hands float apart and drifts on. The camera leans 10 cm toward the glass.

CUT 5, 0:12 to 0:15, OUTSIDE, over the astronaut's shoulder:

Foreground lower right, out of focus: the back of astronaut's helmet and the top of his backpack, 1 m from camera, drifting slowly across the corner of the frame. Behind the glass, her from the waist up: she slams the glass four times with the flat right palm, fast, her left hand gripping the inner rim to brace, her body recoiling after each hit; between slams the right arm shoots out and the index finger jabs to screen LEFT, away from him, twice. She screams "BEHIND YOU!" and then "TURN AROUND!", the second louder, her eyes shining wet, no tear yet, her eyes going from him to where she points and back. On the glass, faint reflections of the city lights below and the meteor's bright line upper-left, never over her eyes. He does not turn; he drifts, facing the window, for the whole cut.

CUT 6, 0:15 to 0:21, INSIDE, exactly the framing CUT 4 ended on:

Her right palm is flat on the glass at the bottom right, fingers spread. The astronaut, at the left edge of the window, is still drifting and rolling, facing us; his helmet tilts toward her pointing arm. At 0:16 he begins to turn around on the spot, slowly and smoothly: his whole body rotates to his left, screen right, the suit's momentum carrying him, the tether swinging after him, his position staying at the left edge. At 0:17, when he is halfway through the turn, side-on to us, the meteor reaches the ground at the exact CENTRE of the window, well to the right of him, with clear sky and dark Earth between him and the strike; its tail fades out behind it in half a second.

The impact is SMALL and SLOW, seen from 400 km up. At 0:17 it is a pinpoint of white light at the centre, smaller than his glove, like one city light flaring. Over the next second it swells into a glowing orange dot the size of his glove, and a thin bright ring appears around it, the size of his helmet. The ring expands slowly and evenly, visibly slower than the meteor moved: two helmet-widths across at 0:19, three helmet-widths across at 0:21, and no larger; its edge is a thin bright line, the ground inside it a dull orange glow, the city lights inside it going out one by one as the ring passes them. Everything outside the ring is unchanged: the rest of the planet stays dark with its city lights on, the limb, the airglow and the stars exactly as before. At the centre a thin column of smoke begins to rise, no taller than his helmet by the end of the cut, its top just starting to spread and lit faintly orange from below. The glow is brighter than the city lights but never washes out the frame and never lights up the whole planet.

He keeps turning at the same slow speed, until by 0:19 his back is fully to us, his backpack toward the window, and he faces the Earth and the small fire. He never overlaps the impact: it sits at the

centre, he stays a dark silhouette at the left edge, a faint orange rim on the right side of his suit and helmet, hanging there, drifting slowly, not turning back. She breathes "no". Her hand slides 5 cm down the glass and stops.

CUT 7, 0:21 to 0:25, OUTSIDE, EXACTLY the framing of CUT 3:

Her face centred in the window, her right palm flat on the glass at the lower left, her eyes turned screen left and down, wide, unblinking. A soft orange glow rises from screen lower-left, slowly, over two seconds, never a flash: onto the glass and her palm first, a faint orange reflection of the distant fire in the lower-left of the glass, then onto her face from below, the chin, the underside of the nose, the lower lids, warm and steady, a little brighter than the LED strip above her. She does not blink. Her lower lids fill. One tear breaks from her right eye, screen left, and runs down the cheek to the jaw, catching the orange light. Her mouth stays closed; the lower lip presses once. Hold on her face to the end; the glow holds.

OPTICS

CUT 1: about 35 mm equivalent, deep focus, the hull, the window, her profile and the astronaut all sharp, the Earth below slightly soft. INSIDE cuts: wide, about 24 mm equivalent, deep focus, the ring, the astronaut and the Earth all sharp, the glove close to the lens slightly soft. OUTSIDE close cuts: about 50 mm equivalent, shallow depth, her face sharp behind the glass, the ring soft; CUT 5 about 40 mm with the helmet soft in the foreground.

CAMERA

Every camera position is locked with a slow zero-gravity drift of a few pixels. INSIDE is her eyes: in CUT 4 it leans 10 cm toward the glass as she knocks; each palm slam in CUT 5 and the hand on the glass in CUT 6 give the frame a small shake that settles within half a second. No handheld wobble otherwise, no zoom, no move.

ACTION

@astronaut is NEVER still, in any cut: he floats in zero gravity, always drifting, always rolling a few degrees, his legs trailing, his free arm floating at chest height between gestures, the tether coiling and uncoiling; every gesture moves his body, a thumbs-up pushes him back a little, a wave rolls him, the heart rolls him. In CUT 1 one gentle push with both hands, then pure drift at a constant speed, under 1 km/h, no second push, no flailing, staying within 1.5 m of the hull. From CUT 2 on his drift stays within the left third of the window in every INSIDE cut. He moves like a man in a pressurised suit under water, under 2 km/h, arms from the shoulder, the helmet turning with the torso. He never stands, never hangs frozen in one spot. His one big movement is the slow 180-degree turn on the spot in CUT 6, which starts one second before the impact and is halfway through when it lands. The meteor enters at the top-right corner at 0:03.5, moves on one straight diagonal at a constant speed to the centre of the window, never changing direction, never accelerating, its head never larger than his helmet, a head and a smooth ribbon of light with nothing flying off it. The impact grows slowly: pinpoint, glove, helmet, two helmets, three helmets, over four seconds, and nothing beyond the ring changes. Her movements are fast and human; nose to glass, palms on glass, waving, knocking, slamming; the glove never passes through the glass.

PERFORMANCE

Her arc: clowning, playful, noticing, still, alarmed, frantic, watching, defeated. Clowning: a girl goofing for someone she loves, nose flattened on the glass, puffed cheeks, a shoulder dance, unguarded, laughing, eyes on him, never on the lens. Playful: a bouncing wave. Noticing: the smile goes out of the face before the hand knows it, the eyes move first, a swallow. Alarmed: knuckles, a straight pointing arm, the glove shaking, a shout. Frantic: the whole forearm behind the slams, the body recoiling, brows up, mouth wide on the screamed words, eyes shining, breath fast. Watching: the mouth opens for one whispered word. Defeated: nothing on the face moves except the eyes filling and the one tear; the stillness is the performance. No sob, no scrunched face, no blinking, no head shake in CUT 7.

The astronaut's arc: warm, warm, loving, turning, silhouetted. All suit, slow and rounded; he never rushes. The push-off in CUT 1 is a man stepping back from a doorway to look at her; the heart is sincere and unhurried, a man who thinks he is being flirted with.

PHYSICS

Zero gravity throughout: outside, the astronaut drifts and rotates continuously, the tether floats; inside, she braces on the rim to strike and recoils after each slam; nothing hangs, nothing falls. The glass is thick and clear, never flexes, never cracks, never fogs; her nose and palms flatten against it in CUT 1; from outside it reflects faintly what is behind the camera, the city lights and the meteor's line, and from CUT 7 the faint orange of the distant fire. The meteor is a body far away, seen as a bright head with a smooth luminous trail; the trail is glowing air, not particles, and it fades evenly. The impact is a real, distant event seen from orbit: a small fire on the ground, a ring of shock that expands at a steady, slow, visible pace, a column of smoke that rises slowly; it is a real light source but a small one, lighting the ground around it, the right edge of his suit

faintly, and her face softly. His gold visor is a curved mirror: while he faces the window it reflects the porthole as a small warm circle of light with the LED strip along its top, the station floodlight as a bright point, and her as a small dark silhouette inside that reflected window, no facial features. Nothing is ever visible behind the visor.

LIGHTING

Night. Key on the astronaut: the station floodlight above the porthole, hard white, 5600 K, from above, deep unfilled shadow under his arms and on his lower body. Fill: faint gold glow from the city lights below, 2800 K. His helmet lamps are off. Key on her face from outside: the warm LED strip along the top of the ring inside, 3200 K, soft, from above and in front; fill: cool blue-grey cabin light from screen right, 6500 K, faint. From 0:17 a second source, orange, 2400 K, small and rising slowly: from inside it comes from the centre of the window, to his right, a faint rim on the right side of his suit; from outside it comes from screen lower-left, from below, a soft glow that by CUT 7 is a little brighter than the LED strip on her face, never a flash, never blinding.

AUDIO

One sound bed for the whole film, INSIDE the station, under every cut including the outside ones: a low ventilation hum. At 0:00.3 her laugh, close; the squeak of her palms and nose on the glass; a soft dull thud through the hull as his gloves push off. CUT 2: the rustle of the glove, her breath. CUT 3: her breath stops, a swallow. CUT 4: three dull knuckle knocks on thick glass with a short structural ring after each; "Hey! HEY!", close and loud. CUT 5: four flat palm slams, louder, a deep ring; "BEHIND YOU!", "TURN AROUND!", screamed, her breath ragged between them. CUT 6: the impact makes no sound, only the hum; "no", whispered; the glove squeaking down the glass. CUT 7: one long exhale, then the hum alone. Outside the glass there is vacuum: nothing she says reaches him. No music, no boom, no rumble.

STYLE

Photoreal live-action, modern digital cinema, clean sensor, no grain, deep clean blacks in the space and the night Earth. Hard single-source light with deep shadow, matching the project Look. No AI gloss, no glow particles anywhere, no sparks, no lens flare over her face. The meteor and the impact look like real orbital footage, not visual-effects fireballs.

POSITIVE LOCKS

- THE WINDOW IS SMALL: about 50 cm across, a quarter of the astronaut's height, his helmet two thirds of its width, her head in the cap half of its diameter, her shoulders wider than it. Never a large window, never a dome.
- @mila 100% matches her reference sheet: face, white cap, white suit, neck ring, white gloves with grey fingertips. Sheet background and layout NOT inherited. No helmet on her, ever. She never looks at the camera.
- @astronaut 100% matches his reference sheet: the white EVA suit, the backpack, the gold mirrored visor down, the US flag on his left shoulder and the black patch with the green infinity symbol on his chest, exactly as on the sheet. No face inside the helmet and no face reflected on the visor, ever: the visor shows only the reflected window, the floodlight and her dark silhouette. Sheet background and layout NOT inherited. He never looks at the camera.
- CUT 1: side view, 70 degrees off the window's axis, 9 m away, hull on the left, astronaut on the right facing the window; he starts directly in front of the window with his gloves on the hull, pushes off at 0:00.5, drifts right no more than 1.5 m. NO meteor in CUT 1.
- Night for the whole film: black space, the night Earth with city lights, no sun, no daylight, no blue daytime Earth.
- The Earth is a huge gentle arc filling the lower 65% of the window in INSIDE cuts, never a full ball, never a small planet in the distance.
- The meteor is a bright head about the size of his helmet with a smooth continuous ribbon of light behind it. NO sparks, NO embers, NO particles, NO flames, NO debris, NO flicker, ever. The head is never larger than his helmet.
- The impact is SMALL and SLOW: a pinpoint at 0:17, a ring the size of his helmet at 0:18, two helmet-widths at 0:19, three helmet-widths at 0:21, never larger. Nothing outside the ring changes; the rest of the planet keeps its city lights; the planet is never covered in fire, never washed out, never destroyed. No instant flash across the Earth.
- The impact is at the exact centre of the window. The astronaut stays within the left third of the window in every INSIDE cut and never overlaps the impact or the smoke.
- INSIDE cuts: the same porthole, same ring with its red-and-white segments, same Earth, same glove at the bottom right. CUT 6 returns to exactly the framing CUT 4 ended on.
- OUTSIDE close cuts: CUT 7 is exactly the framing of CUT 3. From outside no Earth, no meteor, no impact are ever directly in frame, only their faint reflections on the glass and the impact's soft light.
- Reflections on the glass are faint and never cover her eyes; her face is always sharp and readable.
- The sky is empty until 0:03.5; the meteor enters at the top-right corner at 0:03.5 and never disappears until impact. One meteor only, no meteor shower.

- Two people only: her inside, the astronaut outside. In CUT 5 he is seen from BEHIND only and never turns toward the camera. No second hand, no reflection of any person on the window glass.
- The astronaut faces the window and keeps drifting until 0:16; he begins his slow turn at 0:16, is side-on to us when the impact lands at 0:17, and from 0:19 to the end of CUT 6 his back is to us. He never looks at the meteor before the turn. He is never frozen: he drifts in every cut.
- One tear, from one eye, in CUT 7 only. No tears before that. No sobbing, no red nose, no open mouth in CUT 7.
- The glass stays whole: no cracks, no fog, no frost. No text, no letters, no numbers anywhere. The only markings in the film are the US flag on the astronaut's left shoulder and the green infinity patch on his chest, as on his sheet.
- No blood, no gore, no people on the ground. No title, no fade, no black frames.
- No theatrical eyebrows, no lip biting, no exaggerated gestures; nothing outside the glass moves fast.

147. @souravbhar871

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/souravbhar871-477361>

make a dynamic 10-second motion graphics video that shows who are you as Opus 5.5 - be as creative and dynamic as possible. Avoid the frames and texts on the corners which are typical ai made giveaways!

148. @mustaphafenar

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/mustaphafenar-973906>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

it should be a launch app video for <https://mounis.app/>

149. @gautam-mer1

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/gautam-mer1-530003>

an Apple-style 30s video of my app

150. @doubleunplussed

Fuente: <https://skillry.dev/ai-videos/opus-5-5/doubleunplussed-181894>

I'd like you to make a music video in a similar style to this one:

<https://github.com/JohnHeibel/PDoomVideo>

To this song:

<https://youtu.be/cobZuBii0Z0?si=ada6wxomeJbo-LRl>

Don't feel the need to represent everything in the lyrics literally - feel free to include relevant references to concepts, events, and lore in the video, even if obscure (especially if obscure). E.g. when the lyrics say "when they say they're just predicting tokens...", you might depict a "stochastic parrot". That one's not particularly obscure but is the kind of thing I mean. Instead of depicting like, literally predicting tokens (though you might do that too. Use your judgement! The video should be fun to watch for someone well steeped in AI and AI safety lore and discourse, and who will recognise relevant pop culture and literary or historical references)

I don't know how this ultimately results in a video file - I know the linked repo animates a video with JavaScript or something - but I ultimately want a rendered video file.

Feel free to choose your tools, be creative, and exercise your own taste.

This repo "fdsgdg" appears to have been accidentally created, but it's empty and we can use it for this, I can rename it afterwards.

Also, clip the final two beats from the audio. Right at the end, after "then why does it talk back" they are after the song has finished and sound bad.

Credit the song to Suno and whatever Claude Opus model was the latest at the time of the YouTube upload, as prompted by Andy Masely (Andy printed Claude to write the lyrics, and Suno for the music), and credit the video to yourself.

And have fun!

A style change - don't make Dr. Null's mouth wobble with the lyrics as if he's singing, it doesn't actually look like he's singing, just that the curcle of his mouth is jittery. Best to just not make him be singing. Make him just have appropriate expressions for the scenes, and not be singing the song.

Dr. Null's arms look a bit unnatural in many scenes - I think he's supposed to be holding his hand on his face in shock or something, but it looks like it is a mistake. Can you make it look more natural? If you do so and like the result, re-render.

151. @bizibeast

Fuente: <https://skillry.dev/ai-videos/opus-5-5/bizibeast-505124>

Research

<http://>

Bento.surf. Make a dynamic 40-second motion graphics video on

<http://>

Bento.surf that shows what an incredible motion designer you are. like it's your showreel - Go all out.

152. @motiondsgnr

Fuente: <https://skillry.dev/ai-videos/opus-5-5/motiondsgnr-313960>

Make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a resume. Go all out.

153. @karanb192

Fuente: <https://skillry.dev/ai-videos/opus-5-5/karanb192-032177>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

154. @groundcontrol

Fuente: <https://skillry.dev/ai-videos/opus-5-5/groundcontrol-230877>

All right, this is an empty repo. Make me a 3-minute animated visualization using JavaScript, or you can do it in TypeScript if you want, about Japan's hot weather in 2026. Pull some online data to see why it was hot and how it compares to other years. I really want the animation to be visually appealing. I wanted to use a hand-drawn pencil style with a little bit of tasteful chromatic aberration. And maybe a bit of a pastiche look but it's supposed to look really, really cool. Also, use a JavaScript synthesizer to make a melody for this visualization that goes along with the theme.

155. @designbyfusun

Fuente: <https://skillry.dev/ai-videos/opus-5-5/designbyfusun-559069>

Make a dynamic 15-second motion graphics video about <https://octostudio.co> that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

156. @jasonzhou1993

Fuente: <https://skillry.dev/ai-videos/opus-5-5/jasonzhou1993-515541>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

157. @ceowinkz

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ceowinkz-683602>

make a dynamic 15 second motion graphics video pitching my Amazon wholesale company, Winkz Enterprises, to a brand. show why they should let us sell their products. go all out.

158. @akbuilds

Fuente: <https://skillry.dev/ai-videos/opus-5-5/akbuilds-150675>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

159. @vanshwtf

Fuente: <https://skillry.dev/ai-videos/opus-5-5/vanshwtf-992798>

make a dynamic 10 second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a resume.

160. @web3wesley

Fuente: <https://skillry.dev/ai-videos/opus-5-5/web3wesley-365164>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

161. @suidiyasa

Fuente: <https://skillry.dev/ai-videos/opus-5-5/suidiyasa-076027>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out do this to thank the first 100 users of @eyezonbot

162. @kentcdodds

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kentcdodds-858193>

make a dynamic 30-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out. Topic: Kody. Goal: make it click for people.

Start with research. You make all decisions. Feel free to make multiple videos. Output to my Dropbox and message me on discord with links.

163. @xanderwow-a

Fuente: <https://skillry.dev/ai-videos/opus-5-5/xanderwow-a-597063>

Create a 1-minute video featuring a fight between Dario and Sam. It needs plot, explosive moments, to be hilarious and sufficiently abstract, with no limits on genre or art style—do what you're best at. Must have a clear winner between the two.

164. @seflless

Fuente: <https://skillry.dev/ai-videos/opus-5-5/seflless-929329>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

165. @leadnotifi

Fuente: <https://skillry.dev/ai-videos/opus-5-5/leadnotifi-960983>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

166. @tolgayhickiran

Fuente: <https://skillry.dev/ai-videos/opus-5-5/tolgayhickiran-935120>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

167. @iammxfschr

Fuente: <https://skillry.dev/ai-videos/opus-5-5/iammxfschr-955831>

```
nice. wir brauchen ein launch video für den release. kannst du das machen? so a la anthropic like?
hab da was gelesen und der prompt war ""make a modern slick and punchy video for a modern startup
that works on inference"
""
```

```
""
los, überrasch mich! hauptsache es geht viral
""
```

```
""
ja wo ist das video? i sehe nur eine .cinfig datei was als video abspielbar ist
""
```

```
""
können wir da noch eine trendige musik hinterlegen?
""
```

168. @kangaroohere

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kangaroohere-818789>

make a dynamic 20-second motion graphics video for my newsletter that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

169. @sachaaarbonel

Fuente: <https://skillry.dev/ai-videos/opus-5-5/sachaaarbonel-673648>

Create a professional product launch video with motion graphics. You have access to the designs in pen

Follow-up:

It is better, but can you choose a royalty-free song online? You are clearly not a good song maker. Also, I would not hire you or pay you for this as a motion designer. This is not a professional-looking video. Also, it is a bit too fast and bumpy

170. @manuelogomigo

Fuente: <https://skillry.dev/ai-videos/opus-5-5/manuelogomigo-052364>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a flowdrive. go all out.

171. @mrtanviir

Fuente: <https://skillry.dev/ai-videos/opus-5-5/mrtanviir-132205>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

172. @marouanegazouzi

Fuente: <https://skillry.dev/ai-videos/opus-5-5/marouanegazouzi-131257>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

173. @chrisjdimarco

Fuente: <https://skillry.dev/ai-videos/opus-5-5/chrisjdimarco-808196>

make a dynamic 60-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out. and make the theme and content be about the importance of an informed public in a democracy, the importance of not having corrupted officials and greedy corporations, we need to remember what adam smith said about responsible capitalism or whatever (you can rewrite all of what im saying to sound so much smarter and better) and why facsism and croney capitalism can always reer its ugly head if we aren't vigilant and always remember the important threats to prosperity and freedom which is the ruling classes need for more control, power and consolidation at the expense of others because they believe they know better.

174. @dzhohola

Fuente: <https://skillry.dev/ai-videos/opus-5-5/dzhohola-249003>

```
\x3Cinputs>\nAsk me for: 8 to 12 UI states I want the shape to become (e.g. button, loader, player, slider, toggle, tabs, chart, command palette, toast), pure black and white or one accent color, and a royalty-free song around 120 BPM (e.g. Mixkit, free for commercial use).\n\x3Cinputs>\n\n\x3Cdirection>\nDribbble-level UI motion. One shape, never cut: every state is the same element morphing its size, radius and color while its content swaps with a short blur. A cursor drives every change with real clicks and drags. Light warm-gray canvas, black and white components, one clean UI font (Geist). Springs everywhere, a tiny overshoot at most. The camera zooms so each state fills the frame. The last frame is the first frame, so it loops.\nBanned: bouncy easing, particle bursts, glows, gradients on UI chrome, mismatched icon strokes, dead time, anything that looks like a template.\n\x3C/direction>\n\n\x3Cstructure>\n120 BPM, 7 bars, something happens on every beat.\nButton → loader → check → dynamic island → music player with a play/pause morph → scrub the progress bar → it becomes a volume slider that stretches when dragged past max → a toggle flips on the beat → the knob becomes a liquid tab indicator → the tabs open into a chart that draws itself, with a tooltip on hover → it collapses into %K → type to filter → enter → toast → back to the button.\n\n\x3C/structure>\n\n\x3Cbuild>\n1. One HTML file, square 1440x1440. Every style is computed from time inside seek(t): no CSS transitions, no timers, no state carried between frames.\n2. Springs are closed-form step responses. A value that changes target many times is the sum of one spring per change, so it stays a pure function of time.\n3. The tab indicator's two edges ride different springs, so the leading edge stretches ahead of the trailing one. Same trick for the toggle knob.\n4. Drags are direct manipulation: while the cursor is held, the value is computed from its position. On release it springs back from wherever it was.\n5. Analyze the song with numpy for the beat grid and start on a downbeat. Place every UI sound by its measured peak.\n6. Render with Playwright: 4 subframes per frame, blended with ffmpeg tmix for motion blur at 60fps.\n7. Render one frame per beat before the full render. Fix anything off the grid, cramped or hard to read.\n\n\x3C/build>\n\n\x3Cgotchas>\nNever put will-change on anything the camera scales or the text renders blurry. Text that swaps inside a morphing container needs its own enter and exit timing or it overlaps. Make the last frame identical to the first, cursor position and speed included, or the loop stutters.\n\n\x3C/gotchas>\n\n\x3Cstart>\nAsk me for the inputs, then show me the state list on the beat grid before you write any code.\n\n\x3C/start>
```

175. @madhav-xo

Fuente: <https://skillry.dev/ai-videos/opus-5-5/madhav-xo-524440>

make a 10 sec video on whatever you know about me

176. @jhylee95

Fuente: <https://skillry.dev/ai-videos/opus-5-5/jhylee95-452427>

You're a world-class motion designer building a Supademo launch video. Research and land our core value and narrative. Scenes should be dynamic and confident: hook in the first second, then distinct beats for product proof and AI. Brand-accurate UI, type, color, and motion. Score the music so every cut, animation hit, and scene change lands on a beat or drop; retimed until synced. Social energy, quick cuts

177. @astrodevil

Fuente: <https://skillry.dev/ai-videos/opus-5-5/astrodevil-392708>

make a dynamic 15-second motion graphics video that shows what an incredible work Studiol is doing, you will get relevant info from case study, create like it's a good showreel for a Studiol intro launch. go all out.

178. @hicallmechai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/hicallmechai-878304>

```
\x3Cinputs>\nAsk me for: 8 to 12 UI states I want the shape to become (e.g. button, loader, player, slider, toggle, tabs, chart, command palette, toast), pure black and white or one accent color, and a royalty-free song around 120 BPM (e.g. Mixkit, free for commercial use).\n\x3Cinputs>\n\n\x3Cdirection>\nDribbble-level UI motion. One shape, never cut: every state is the same element morphing its size, radius and color while its content swaps with a short blur. A cursor drives every change with real clicks and drags. Light warm-gray canvas, black and white components, one clean UI font (Geist). Springs everywhere, a tiny overshoot at most. The camera zooms so each state fills the frame. The last frame is the first frame, so it loops.\nBanned: bouncy easing, particle bursts, glows, gradients on UI chrome, mismatched icon strokes, dead time, anything that looks like a template.\n\x3C/direction>\n\n\x3Cstructure>\n120 BPM, 7 bars, something happens on every beat.\nButton → loader → check → dynamic island → music player with a play/pause morph → scrub the progress bar → it becomes a volume slider that stretches when dragged past max → a toggle flips on the beat → the knob becomes a liquid tab indicator → the tabs open into a chart that draws itself, with a tooltip on hover → it collapses into *K → type to filter → enter → toast → back to the button.\n\x3C/structure>\n\n\x3Cbuild>\n1. One HTML file, square 1440x1440. Every style is computed from time inside seek(t): no CSS transitions, no timers, no state carried between frames.\n2. Springs are closed-form step responses. A value that changes target many times is the sum of one spring per change, so it stays a pure function of time.\n3. The tab indicator's two edges ride different springs, so the leading edge stretches ahead of the trailing one. Same trick for the toggle knob.\n4. Drags are direct manipulation: while the cursor is held, the value is computed from its position. On release it springs back from wherever it was.\n5. Analyze the song with numpy for the beat grid and start on a downbeat. Place every UI sound by its measured peak.\n6. Render with Playwright: 4 subframes per frame, blended with ffmpeg tmix for motion blur at 60fps.\n7. Render one frame per beat before the full render. Fix anything off the grid, cramped or hard to read.\n\x3C/build>\n\n\x3Cgotchas>\nNever put will-change on anything the camera scales or the text renders blurry. Text that swaps inside a morphing container needs its own enter and exit timing or it overlaps. Make the last frame identical to the first, cursor position and speed included, or the loop stutters.\n\x3C/gotchas>\n\n\x3Cstart>\nAsk me for the inputs, then show me the state list on the beat grid before you write any code.\n\x3C/start>
```

179. @johnsavage-ai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/johnsavage-ai-041677>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a resume. go all out. use only code

180. @phonggt

Fuente: <https://skillry.dev/ai-videos/opus-5-5/phonggt-377247>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

181. @anxuanng

Fuente: <https://skillry.dev/ai-videos/opus-5-5/anxuanng-990790>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

189. @paranoidamerica

Fuente: <https://skillry.dev/ai-videos/opus-5-5/paranoidamerica-686717>

create a music video for this entire song, check lyrics.txt to sync the visuals to. style should be a mix between monty-python/vox style "postcards in space" mixed with sketchy ballpoint pen style visuals. this needs to look professional. theme of the video is a creepy evil pizza parlor, camera starts outside and works through the inside, through a secret bookshelf door into a basement with untold horrors and pizza sauce all over the place. use whatever tools or methods you need to make this look professional. final export should be an .mp4 of the entire music video.

claude/opus 5.5 detected comfyui on my system, generated all the assets with SDXL and then composited and animated it all together.

Even if I had all of the art assets and timeline markers, this would have easily taken be 8-10+ hours in After Effects to do manually.

I might never open After Effects again.

190. @slvdev

Fuente: <https://skillry.dev/ai-videos/opus-5-5/slvdev-975986>

create 15+ sec self-promotion promo

191. @crazyalphaaa

Fuente: <https://skillry.dev/ai-videos/opus-5-5/crazyalphaaa-480622>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

192. @gizakdag

Fuente: <https://skillry.dev/ai-videos/opus-5-5/qizakdaq-239768>

Make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel exploring the concept of "Overthinking," inspired by the attached graphics.

193. @nummanali

Fuente: <https://skillry.dev/ai-videos/opus-5-5/nummanali-340931>

Can you make me a video of LLM progression, like models that is from January of this year up until now, and what the trajectory is looking like, the capabilities and models as well? Like the capabilities of models too? I want to make it really like bang, bang, boom, whoa, here we go, kind of amazing innovation. Are you ready for this kind of thing? I think you'd use vMotion, 3GS, a bunch of stuff you've got. Use whatever you want.

194. @advait-jayant

Fuente: <https://skillry.dev/ai-videos/opus-5-5/advait-jayant-712107>

make a 20-second motion graphics manifesto for DreamFort: "superintelligence should belong to everyone". every frame and every sound written in code, no image or video models.

195. @abhinayguptha

Fuente: <https://skillry.dev/ai-videos/opus-5-5/abhinayguptha-259981>

Make a 20-second title sequence for a Netflix thriller that doesn't exist yet. Make it feel like it won an Emmy for main title design.

196. @blue-clarity

Fuente: <https://skillry.dev/ai-videos/opus-5-5/blue-clarity-449603>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

197. @reflex-cloud

Fuente: <https://skillry.dev/ai-videos/opus-5-5/reflex-cloud-304046>

You're a world-class motion designer, and this is your 15-second résumé reel. Make it dynamic and confident: open with a striking hook in the first second, build through a sequence of distinct techniques (typography, shape play, camera moves, colour shifts), and land on a clean, memorable final frame. Pacing should feel like it's cut to music. Go crazy.

Make it promote our brand, reflex. inc. Proceed as if you were starting with zero of my tools. Do not assume that the tools we already have are the best to use, as they might be outdated.

198. @3xtihor

Fuente: <https://skillry.dev/ai-videos/opus-5-5/3xtihor-159839>

Make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. Go all out.

199. @dansushik

Fuente: <https://skillry.dev/ai-videos/opus-5-5/dansushik-289121>

make a dynamic 15 second motion graphics video that shows what an incredible motion designer you are, like its your showreel for a resume. go all out, and brand it for Based Agency.

200. @macrohou

Fuente: <https://skillry.dev/ai-videos/opus-5-5/macrohou-733862>

[gave access to Ren repo] Make a dynamic 30-second motion graphics video for Ren that shows off your motion and sound design. Go crazy.

201. @samuel-spitz

Fuente: <https://skillry.dev/ai-videos/opus-5-5/samuel-spitz-503053>

Create a motion graphics video that feels like the centerpiece of a world-class designer's showreel. Treat it as your résumé: showcase your full range, push the craft as far as possible. Go all out.

202. @adamdesqns

Fuente: <https://skillry.dev/ai-videos/opus-5-5/adamdesqns-768014>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out. (About the pipefitters bible)

203. @stewchan2

Fuente: <https://skillry.dev/ai-videos/opus-5-5/stewchan2-369810>

create an insightful, yet state of the art video visualization for how backlinks work for SEO

204. @ghinaiya-nirmal

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ghinaiya-nirmal-308943>

make your own 15-second motion reel. go all out

205. @l3d1c

Fuente: <https://skillry.dev/ai-videos/opus-5-5/l3d1c-752011>

create a motion design prompt for an ad for our site

Prompt 2: now apply it

206. @sahildesigner23

Fuente: <https://skillry.dev/ai-videos/opus-5-5/sahildesigner23-307120>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

207. @cansincengiz-me

Fuente: <https://skillry.dev/ai-videos/opus-5-5/cansincengiz-me-424245>

merak ediyorum ne kadar iyi bir hareketli grafik tasarımcısıydın. Bunu bana kanıtlamak için 15 saniye sürecek bir hareketli grafik videosu istiyorum senden. Bu video <http://lidlezz.app> 'i tanıttak ve x üzerinde 10.000 kişinin karşısına çıkacak. Elinden geleni yap

208. @kikelopezdesign

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kikelopezdesign-173471>

Make a 20 second video about my portfolio from scratch, using only the portfolio's own resources

209. @safarkhanshuvo

Fuente: <https://skillry.dev/ai-videos/opus-5-5/safarkhanshuvo-059752>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out

210. @leonkohli

Fuente: <https://skillry.dev/ai-videos/opus-5-5/leonkohli-191220>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

211. @thegrootdev

Fuente: <https://skillry.dev/ai-videos/opus-5-5/thegrootdev-966114>

```
\x3Cinputs>\nAsk me for: my featured Pokémon or starter trio, 8–12 Pokémon-themed UI states, and a
royalty-free song around 120 BPM with a playful adventure or electronic feel. Confirm that the song’s
license permits the intended use.Default palette: warm off-white, black, and Poké Ball red. Pokémon
artwork keeps its original colors.\n\x3C/inputs>\n\n\x3Cdirection>\nA Pokémon-inspired UI motion film
with Dribbble-level polish. Imagine a beautifully designed modern Pokédex: playful, precise, and
instantly http://recognizable.One shape, never cut: a Poké Ball continuously morphs into every
interface component by changing its size, radius, and color. Its central button, dividing line, and
outer shell become the controls and structure of each new state. Content swaps with a short blur and
carefully separated enter/exit timing.\n\nA visible cursor drives every interaction with clicks,
drags, and hover gestures. Use a light warm-gray canvas, clean Geist typography, consistent icon
strokes, and crisp Pokémon artwork.\n\nUse tightly damped springs with only a tiny overshoot. The
camera smoothly reframes each state so the interface stays large and readable. The ending returns
exactly to the opening Poké Ball for a seamless loop.\n\nBanned: excessive bouncing, particle bursts,
glows, gradients on UI chrome, mismatched icon strokes, dead time, generic dashboard layouts, abrupt
scene changes, and unrelated floating elements.\n\x3C/direction>\n\n\x3Cstructure>\n120 BPM, 4/4
time, 7 bars: 28 beats, approximately 14 seconds. Something intentional happens on every
http://beat.Bar 1 – Poké Ball activation\n\n1. A closed Poké Ball sits centered; the cursor
approaches.\n2. The cursor clicks its central button.\n3. The button becomes a circular scanning
loader.\n4. The scan resolves into a check, and the shell stretches into a compact Pokédex.\n\nBar 2
– Pokémon discovery\n5. The Pokédex expands to reveal the featured Pokémon.\n6. Its name, number, and
type appear in a quick stagger.\n7. The cursor clicks the cry/play control.\n8. The control morphs
into pause while a compact waveform animates.\n\nBar 3 – Trainer controls\n9. The waveform flattens
into a volume slider.\n10. The cursor drags its Poké Ball-shaped knob to maximum.\n11. Dragging
beyond maximum elastically stretches the slider.\n12. On release, it settles and compresses into a
shiny-mode toggle.\n\nBar 4 – Pokémon details\n13. The cursor flips shiny mode; the artwork changes
to the correct shiny variant.\n14. The toggle knob stretches into a liquid tab indicator.\n15. The
cursor selects “Stats.”\n16. The card opens into a clean Pokémon stat chart.\n\nBar 5 – Stats to
search\n17. Stat bars draw themselves in sync with the beat.\n18. The cursor hovers over a bar; a
readable tooltip appears.\n19. The chart retracts into the same container.\n20. The container
compresses into a Pokédex search field.\n\nBar 6 – Find and select\n21. The search field expands into
a command palette.\n22. A short Pokémon name is typed; matching results filter.\n23. The cursor
selects a result, revealing its miniature artwork and type.\n24. Enter confirms; the palette folds
into an “Added to team” toast.\n\nBar 7 – Return to the Poké Ball\n25. The toast’s confirmation mark
becomes the Poké Ball’s central button.\n26. The toast contracts; its edges become the circular
shell.\n27. The red upper half, white lower half, and black dividing line settle into place.\n28. The
cursor returns along a smooth path, matching the opening position and velocity as the loop
wraps.\n\nUse the chosen Pokémon consistently throughout. Keep visible text brief enough to read at
this pace.\n\x3C/structure>\n\n\x3Cbuild>\n1. Build one self-contained HTML file with a square
1440×1440 composition. Compute every animated style from time inside seek(t): no CSS transitions,
timers, or state carried between frames.\n2. Keep one persistent outer element throughout the
sequence. Its internal artwork, labels, and controls may change, but the main silhouette must visibly
connect every state.\n3. Use closed-form spring step responses. For repeated target changes, sum one
spring response per change so animation remains a pure function of time.\n4. Give the tab indicator’s
two edges different springs so the leading edge stretches ahead of the trailing edge. Apply the same
technique to the toggle knob.\n5. Make drags direct manipulation: while held, values follow cursor
position. On release, use a closed-form spring matching the release position and velocity.\n6.
Analyze the supplied song with numpy to estimate the beat grid, verify the downbeat, and align the
sequence. If the tempo differs from 120 BPM, adapt the timing to the actual music.\n7. Use licensed
UI sounds and align their measured transient peaks with clicks, confirmations, and morph accents.\n8.
Render with Playwright at four subframes per output frame. Blend each group of four with ffmpeg into
a 60fps video for motion blur.\n9. Render one preview frame per beat before the full video. Fix
anything cramped, unreadable, visually disconnected, or off the beat grid.\n10. Package artwork and
fonts inside the HTML so rendering does not depend on network
requests.\n\x3C/build>\n\x3Cgotchas>\nNever put will-change on anything the camera scales; text can
become blurry.Give outgoing and incoming content separate timing so labels never overlap during a
morph.\n\nUse accurate Pokémon artwork, names, types, shiny colors, and stats. Do not invent variants
or stretch character artwork when the container changes shape.\n\nKeep the main container
recognizable through every transition. Pokémon artwork is content inside the morphing interface, not
a replacement for the persistent shape.\n\nMatch the loop boundary exactly: geometry, content,
camera, cursor position, and cursor velocity. Export the interval [0, duration) without duplicating
the endpoint frame. Make the audio loop cleanly too.\n\x3C/gotchas>\n\n\x3Cstart>\nAsk me for the
inputs, then show me the proposed Pokémon state list on the 28-beat grid before writing any
code.\n\x3C/start>
```

212. @charliie

Fuente: <https://skillry.dev/ai-videos/opus-5-5/charliie-334026>

make a cool instagram ad for links

213. @samaote

Fuente: <https://skillry.dev/ai-videos/opus-5-5/samaote-124569>

make a dynamic lyrics motion graphics video based on the attached music, perfectly syncing the lyrics and animation to the vocals and beat. make it feel like an incredible motion designer's showreel for a résumé. go all out.

214. @fionntobin

Fuente: <https://skillry.dev/ai-videos/opus-5-5/fionntobin-479597>

Make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

215. @leanzubrezki

Fuente: <https://skillry.dev/ai-videos/opus-5-5/leanzubrezki-766171>

I want you to create a highly professional SaaS product launch video. Go and find some SaaS, preferably just one that people know, so it's easier to identify with it. Pick that, and then make sure to get actual assets and images and all of that stuff from the internet. Turn it into these typical, very professionally edited, motion-graphics-styled product launch videos that you see people making on Twitter when they launch new SaaS products (which are showing off the features, the benefits, and all of these things).

216. @onewaysidewalks

Fuente: <https://skillry.dev/ai-videos/opus-5-5/onewaysidewalks-440008>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for the infra company <https://alchemy.com>, go all out!

217. @bhanujraj

Fuente: <https://skillry.dev/ai-videos/opus-5-5/bhanujraj-928454>

make a dynamic 10-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out

218. @andginja

Fuente: <https://skillry.dev/ai-videos/opus-5-5/andginja-618685>

make a 15-second showreel about my website. Go all out.

219. @anas0ra

Fuente: <https://skillry.dev/ai-videos/opus-5-5/anas0ra-952637>

fait moi une vidéo sympa pour <https://heeya.fr> c'est impressionant

220. @monokern

Fuente: <https://skillry.dev/ai-videos/opus-5-5/monokern-613142>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out. make it conceptually connected to my portfolio at <http://monokern.design>

221. @nezbuilds

Fuente: <https://skillry.dev/ai-videos/opus-5-5/nezbuilds-294391>

```
\x3Cinputs>\nAsk me for: 8 to 12 UI states I want the shape to become (e.g. button, loader, player, slider, toggle, tabs, chart, command palette, toast), pure black and white or one accent color, and a royalty-free song around 120 BPM (e.g. Mixkit, free for commercial use).\n\x3Cinputs>\n\n\x3Cdirection>\nDribbble-level UI motion. One shape, never cut: every state is the same element morphing its size, radius and color while its content swaps with a short blur. A cursor drives every change with real clicks and drags. Light warm-gray canvas, black and white components, one clean UI font (Geist). Springs everywhere, a tiny overshoot at most. The camera zooms so each state fills the frame. The last frame is the first frame, so it loops.\nBanned: bouncy easing, particle bursts, glows, gradients on UI chrome, mismatched icon strokes, dead time, anything that looks like a template.\n\x3Cdirection>\n\n\x3Cstructure>\n120 BPM, 7 bars, something happens on every beat.\nButton → loader → check → dynamic island → music player with a play/pause morph → scrub the progress bar → it becomes a volume slider that stretches when dragged past max → a toggle flips on the beat → the knob becomes a liquid tab indicator → the tabs open into a chart that draws itself, with a tooltip on hover → it collapses into %K → type to filter → enter → toast → back to the button.\n\x3Cstructure>\n\n\x3Cbuild>\n1. One HTML file, square 1440x1440. Every style is computed from time inside seek(t): no CSS transitions, no timers, no state carried between frames.\n2. Springs are closed-form step responses. A value that changes target many times is the sum of one spring per change, so it stays a pure function of time.\n3. The tab indicator's two edges ride different springs, so the leading edge stretches ahead of the trailing one. Same trick for the toggle knob.\n4. Drags are direct manipulation: while the cursor is held, the value is computed from its position. On release it springs back from wherever it was.\n5. Analyze the song with numpy for the beat grid and start on a downbeat. Place every UI sound by its measured peak.\n6. Render with Playwright: 4 subframes per frame, blended with ffmpeg tmix for motion blur at 60fps.\n7. Render one frame per beat before the full render. Fix anything off the grid, cramped or hard to read.\n\x3Cbuild>\n\n\x3Cgotchas>\nNever put will-change on anything the camera scales or the text renders blurry. Text that swaps inside a morphing container needs its own enter and exit timing or it overlaps. Make the last frame identical to the first, cursor position and speed included, or the loop stutters.\n\x3Cgotchas>\n\n\x3Cstart>\nAsk me for the inputs, then show me the state list on the beat grid before you write any code.\n\x3Cstart>
```

222. @umangratani

Fuente: <https://skillry.dev/ai-videos/opus-5-5/umangratani-840800>

```
make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.
```

223. @kyonax-on-tech

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kvonax-on-tech-049316>

```
make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.
```

Make sure to showcase properly the usecases, the flow, properly show everything on how it works, also the ascii logo of this is on the kyo-web-online, keep in mind also the color palette.

224. @aistocksavvy

Fuente: <https://skillry.dev/ai-videos/opus-5-5/aistocksavvy-483320>

```
Create a bold, dynamic 15-second motion graphics video that showcases your best motion design skills as if it's the highlight of your portfolio for a dream job. Bring sharp timing, smooth transitions, and standout visuals. Push your creativity and make every second count.
```

225. @xelandre

Fuente: <https://skillry.dev/ai-videos/opus-5-5/xelandre-687413>

```
Code-driven animation: an HTML/JS page where every frame is calculated from the time, captured frame by frame with headless Chrome (Playwright), then assembled with ffmpeg into an MP4 with motion blur and code-generated sound.
```

226. @praburajkennady

Fuente: <https://skillry.dev/ai-videos/opus-5-5/praburajkennady-972967>

```
make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.
```

227. @techyoutbe

Fuente: <https://skillry.dev/ai-videos/opus-5-5/techvoutbe-588678>

I want you to create a highly professional SaaS product launch video. Go and find some SaaS, preferably just one that people know, so it's easier to identify with it. Pick that, and then make sure to get actual assets and images and all of that stuff from the internet. Turn it into these typical, very professionally edited, motion-graphics-styled product launch videos that you see people making on Twitter when they launch new SaaS products (which are showing off the features, the benefits, and all of these things)

<http://t3pacademy.gumroad.com>

228. @sudo-kiran

Fuente: <https://skillry.dev/ai-videos/opus-5-5/sudo-kiran-696074>

Go all out.

229. @fire-ozgur

Fuente: <https://skillry.dev/ai-videos/opus-5-5/fire-ozgur-130104>

I want to know how good a graphic designer you are. To prove this to me, I want you to prepare a 15-second motion graphics video. I want you to do an introduction related to my account. I'm sharing my logo and my X cover image, use those too.

230. @iamtanzil

Fuente: <https://skillry.dev/ai-videos/opus-5-5/iamtanzil-120030>

```
# OBLT E-bike Header\n\nA full-viewport, dark, cinematic e-bike product header for the brand  
**OBLT**, built in React (client component) with pure CSS and an interactive cursor-following  
\"x-ray\" spotlight reveal – moving the mouse wipes away the bike's exterior photo to expose its  
internal carbon/gearbox structure underneath. Built with React only (no animation libraries).\n\nTech stack (libraries actually imported)\n- React only – `useRef`, `useState`, and the `MouseEvent`  
type. No framer-motion, no GSAP, no icon library. All animation is hand-written CSS keyframes + an  
inline CSS `mask-image`.\n- SVG icon (the CTA arrow) is hand-inlined, not from a library.\n\nFonts  
& global styles\n- Single Google font, imported inside a `url('https://fonts.googleapis.com/css2?family=Almarai:wght@300;400;700;800&display=swap');\n  ``\n- Font stack: `\"Almarai\", \"Helvetica Neue\", Helvetica, Arial, sans-serif`.\n- `webkit-font-smoothing: antialiased`.\n- `box-sizing: border-box` applied to the root and all descendants (scoped to  
`.vt-header`, never global).\n\nSection container\n- Root `the mouse-tracking element (handlers: `onmouseenter`, `onmousemove`, `onmouseleave`).\n- Styles:  
`position: relative; display: flex; flex-direction: column; min-height: 100vh; overflow: hidden;  
padding: 32px 56px 44px; background-color: #272727; color: #fff;`\n- Internal vertical flow: top  
nav, then a flex-grow spacer `stage`, then bottom content pinned to the base.\n\nStructure,  
section by section\n\n### 1. Reveal background (`.vt-bg`, absolute inset:0, z-index 0,  
pointer-events:none)\n\nThree stacked layers:\n- **Base exterior image** (`.vt-bg-img`): the full bike  
exterior photo, `object-fit: cover; object-position: center;`, fills the layer. `user-select:none`,  
`-webkit-user-drag:none`, `referrerPolicy=\"no-referrer\"`.\n- **X-ray layer** (`.vt-bg-xray`,  
z-index 1): contains the bike x-ray/internal image (same cover/center sizing). This layer is masked  
by a radial gradient driven by cursor position (see Animations). `will-change: -webkit-mask-image`,  
`mask-image;` and `transition: -webkit-mask-image .12s linear, mask-image .12s linear;`\n- **Veil  
overlay** (`.vt-bg-veil`, z-index 2): a vertical darkening gradient so text stays legible top &  
bottom:\n  ``\n  linear-gradient(180deg, rgba(39,38,38,.62) 0%, rgba(39,38,38,.10) 26%,  
rgba(39,38,38,.10) 60%, rgba(39,38,38,.82) 100%)\n  ``\n\n### 2. Top nav (`.vt-nav`, z-index 30)\n- `display: grid; grid-template-columns: 1fr auto 1fr; align-items: center; gap: 24px;`\n- **Logo**  
(left, `.vt-logo`): text `OBLT` followed by a `.` span. `font-size: 28px; font-weight: 700;`  
`letter-spacing: 0.5px; color: #E0E1CC;` (dot is also `#E0E1CC`).\n- **Center menu** (`.vt-menu`, gap  
40px): three links – `E-bikes`, `Features`, `Connect`. Each: `font-size: 16px; font-weight: 400;`  
`letter-spacing: .3px; color: #E0E1CC; opacity: .85; transition: opacity .2s ease;` hover → opacity  
1.\n- **Right cluster** (`.vt-nav-right`, gap 18px): an uppercase explore link plus a hamburger  
button.\n- - `.vt-explore` link text: `Explore the bike` – `font-size: 14px; font-weight: 700;`  
`letter-spacing: 1.5px; text-transform: uppercase; color: #E0E1CC;` hover → opacity .65.\n- -  
**Hamburger** (`.vt-burger`, hidden on desktop): 34x34px, three `#E0E1CC` bars 22x2px, radius 2px,  
gap 5px. On `.open`: bar 1 `translateY(7px) rotate(45deg)`, bar 2 `opacity:0`, bar 3  
`translateY(-7px) rotate(-45deg)`. Transition `transform .25s ease, opacity .2s ease`.\n- **Mobile  
dropdown** (`.vt-mobile-menu`, rendered only when `menuOpen`): absolutely positioned below the nav  
(`top:100%; margin-top:16px; z-index:40`), `background: rgba(20,19,19,.97); backdrop-filter:  
blur(10px); border: 1px solid rgba(255,255,255,.1); border-radius: 16px; padding: 8px 18px;`. Links  
(`E-bikes`, `Features`, `Connect`, `Explore the bike`): `color:#E0E1CC; font-size:18px; padding:14px  
4px; border-bottom:1px solid rgba(255,255,255,.08)`; last link `border-bottom:none; font-weight:700`.  
Each link closes the menu on click.\n\n### 3. Stage spacer (`.vt-stage`, z-index 30, `flex: 1 1  
0%`)\n- `display: flex; align-items: flex-start; justify-content: flex-end; padding-top: 22px;`. In  
the current markup it is an empty `aria-hidden` spacer (the `.vt-hint` pulsing-dot styles exist in  
CSS but the hint element is not rendered).\n- (Reference: `.vt-hint` styled as an uppercase 11px/600  
label with a 36px circle dot, `border:1px solid rgba(46,211,176,.5); color:#2ed3b1;` running `vtPulse  
1.8s ease-in-out infinite`.)\n\n### 4. Bottom content (`.vt-bottom`, z-index 30)\n- 12-column grid:  
`grid-template-columns: repeat(12, 1fr); align-items: end; gap: 18px 32px;`\n- **Headline**  
(`.vt-headline`, `grid-column: 1 / span 8`): `style: `color: #E0E1CC; font-weight: 500; font-size: clamp(36px, 7vw, 116px); line-height: 0.85;`  
`letter-spacing: -0.07em; white-space: nowrap; margin:0;`. Text: **Ready For The Ride**.\n- **Right  
block** (`.vt-right`, `grid-column: 9 / span 4; align-self: end; transform: translateY(22px);`):\n- Paragraph (verbatim): `An integrated gearbox, battery, and motor engineered in carbon and built to be  
seen. Every system, in the open.` Style: `font-size: 16px; line-height: 1.2; color:  
rgba(225,224,204,.7);` animates in via `vtFadeUp .8s cubic-bezier(.16,1,.3,1) both` with  
`animation-delay: .5s`.\n- - **CTA button** (`.vt-cta`): label **Reserve yours** plus a circular  
arrow. Pill: `color:#000; background:#E0E1CC; border:none; border-radius:9999px; padding:6px 6px 6px  
22px; font-size: clamp(14px, 1vw, 16px); font-weight:500; display:inline-flex; align-items:center;  
gap:10px;`. Animates via `vtFadeUp .8s cubic-bezier(.16,1,.3,1) both`, `animation-delay: .7s`. Hover  
→ `gap: 14px`. Inner circle `.circ`: 40x40px, `border-radius:50%; background:#000;` containing the  
SVG (stroke `#E0E1CC`); on button hover `.circ` scales to `1.1` (`transition: transform .25s  
ease`).\n\nAssets (every URL)\n- Exterior photo (base layer):  
`https://cdn.jiro.build/ARS/OBLT%20E%20Bike/bike-exterior.png`\n- X-ray / internals photo (revealed  
layer): `https://cdn.jiro.build/ARS/OBLT%20E%20Bike/bike-xray-original.png`\n- CTA arrow icon: inline
```

```

SVG, 16x16, `viewBox`=\`"0 0 24 24"\`, `stroke`=\`"currentColor"\`, `stroke-width`=\`"2.2"\`, round
caps/joins, path:\n ``\n M5 12h14M13 6l6 6-6 6\n ``\n\n## Animations\n\n### Cursor \`"x-ray"\`
spotlight (signature interaction)\n- State: `hovering` (bool) and `pos` ({x,y} in px relative to the
section's bounding rect). `handleMove` computes `e.clientX - rect.left`, `e.clientY -
http://rect.top`. \n- Constants: `RADIUS` = 165` px (spotlight radius), `FEATHER` = 45` px (soft edge).
Inner fully-clear radius = `RADIUS - FEATHER` = 120px.\n- The x-ray layer's `maskImage` /
`WebkitMaskImage` is set inline. When hovering:\n ``\n radial-gradient(circle 165px at {x}px
{y}px, #000 0, #000 120px, transparent 165px)\n ``\n When not hovering (collapsed to nothing):\n
``\n radial-gradient(circle 0px at 50% 50%, transparent 0, transparent 0)\n ``\n- Mask
transitions at `.12s linear` so the reveal trails the cursor smoothly. NOTE: in CSS `mask`, opaque
(`#000`) areas KEEP the layer – so the circle reveals the x-ray image while the rest of that layer is
hidden (showing the exterior beneath).\n\n### Headline word pull-up (`WordsPullUp` component)\n-
Splits the headline on spaces; each word is an `inline-block` span (`margin-right: 0.22em`, last word
0). Each word animates `wpuUp` with `cubic-bezier(.16,1,.3,1) both`, default `duration` = 0.6s`,
staggered by `delayStep` = 0.08s` (`animationDelay: i * 0.08s`).\n- Keyframes:\n ``\n @keyframes
wpuUp { from { transform: translateY(20px); opacity: 0; } to { transform: translateY(0); opacity: 1;
} }\n ``\n- Optional superscript asterisk (`wpu-ast`, `font-size:0.31em; vertical-align:top;
top:0.15em; left:-0.05em;`) – not enabled here (`asterisk` defaults false).\n- Respects `@media
(prefers-reduced-motion: reduce)` → `wpu-word { animation: none; }`.\n\n### Fade-up for right block
(`vtFadeUp`)\n``\n@keyframes vtFadeUp { from { transform: translateY(20px); opacity: 0; } to {
transform: translateY(0); opacity: 1; } }\n``\nParagraph delay `.5s`, CTA delay `.7s`; both `.8s
cubic-bezier(.16,1,.3,1) both`.\n\n### Pulse (defined for hint dot)\n``\n@keyframes vtPulse {
0%,100%{transform:scale(1);opacity:.7} 50%{transform:scale(1.12);opacity:1} }\n``\nApplied `vtPulse
1.8s ease-in-out infinite`.\n\n## Responsive\n- **≤1000px**: padding `24px 28px 32px`; nav becomes
`lfr auto` (logo + right); center `.vt-menu` and `.vt-explore` hidden; hamburger shown; `.vt-bottom`
collapses to single column (`gap:16px`); headline & right span full width; `.vt-right`
`transform:none; align-self:start; margin-top:4px; max-width:520px`.\n- **≤600px**: padding `18px
20px 26px`; logo `font-size:22px`; headline `white-space:normal; font-size: clamp(40px, 13vw, 72px);
line-height:0.92`; paragraph `font-size:15px; margin-bottom:16px`; CTA `font-size:14px; padding:5px
5px 20px`; `.circ` 36x36px.\n\n## Key design principles\n- Dark stage (`#272727`) with a single
warm-cream accent (`#E0E1CC`) and a teal accent (`#2ed3b1`) reserved for the (optional) pulse
hint.\n- The product reveal IS the hero: cursor acts as an x-ray torch over a layered photo pair.\n-
Editorial oversized headline (line-height 0.85, tight `-.07em` tracking) anchored bottom-left;
supporting copy + CTA bottom-right.\n- Staggered, eased (`cubic-bezier(.16,1,.3,1)`) entrance for
hierarchy.\n\n## Common mistakes to avoid\n- Don't invert the mask logic: opaque `#000` in the radial
gradient REVEALS the x-ray layer; the transparent ring hides it. Getting this backwards shows
internals everywhere except under the cursor.\n- Keep `RADIUS - FEATHER` (120px) as the inner solid
stop and `RADIUS` (165px) as the transparent stop – that 45px band is the soft feather.\n- Mouse
coordinates must be relative to the section rect (`getBoundingClientRect`), not the viewport.\n- Mask
transition is `.12s linear` only – a longer/eased transition makes the spotlight feel laggy.\n-
`white-space: nowrap` on the headline is intentional on desktop; only switch to `normal` at
≤600px.\n- Scope all resets and the Almarai `@import` to the component; do not touch global
`body`/`html`.\n\n## Page title\n0BLT – Ready For The Ride\n\n## Integration (build-safety – do not
skip)\n- Add this section as a **new** component file with a unique name. Don't edit or overwrite any
existing file except to add its import and render it.\n- Render it **after** all existing sections;
keep every previously built section exactly as-is – never replace or remove them.\n- If no project
exists, create a minimal React + Tailwind app; if one exists, use it as-is – don't re-scaffold or
change the Tailwind/build config or version.\n- Keep it self-contained: scope its fonts and any
resets to this section; never set global `body`/`html`/`*` styles or a global font.\n- Install only
the libraries this section names.

```

231. @gdtify

Fuente: <https://skillry.dev/ai-videos/opus-5-5/adatify-929495>

Create a 20.00-second kinetic spoken-word film titled "BUILD THE FLOOR." Treat this as an original miniature speech staged entirely through typography. Every line changes the architecture of the frame. The final declaration must stand on something the earlier words physically constructed. Deliver one self-contained HTML file, 1080x1080, targeting 60fps, using SVG and/or Canvas. Embed all required assets. ART DIRECTION Background #102820. Paper # F4E9D5. Structural accent # F2B544. A literary editorial world with the scale and confidence of a public monument. Use a high-contrast serif for the speech, a heavy grotesque for load-bearing words, and a restrained monospace for small timing marks. No distressed protest-poster clichés, megaphones, flags, crowds, microphones, or stock footage. ORIGINAL SPEECH – EXACT WORDS, EXACT ORDER "We were told to wait." "So we learned the weight of waiting." "Then one voice made room." "Then another." "Now the floor belongs to us." Do not attribute these words to any real person. No extra slogans. The complete speech must be understandable without audio. CENTRAL VISUAL RULE Words have assigned architectural roles. WAIT is a lintel. WAITING is a suspended load. VOICE is a support. ROOM is an opening. FLOOR is a platform. These roles must emerge from the actual letterforms, not from separate illustrations placed behind text. STORYBOARD 0.00–3.00 "We were told to wait." The sentence occupies a narrow horizontal opening beneath a massive WAIT. The opening slowly compresses while the sentence remains readable. The pressure comes from the layout, not camera shake. 3.00–6.50 "So we learned the weight of waiting." Reveal the sentence in spoken phrase groups. WAITING lowers on two fine vertical rules. Those rules become suspension cables. A baseline bends under the visual load using a controlled vector deformation. 6.50–10.00 "Then one voice made room." VOICE enters vertically and rotates into a structural support. It lifts one end of the baseline. The counter of the O in ROOM becomes an aperture. The next composition is revealed through that aperture. 10.00–12.50 "Then another." A second support arrives. The tilted structure levels. This is the first moment of perfect horizontal alignment in the film. Use a brief stillness to make the change feel earned. 12.50–16.00 "Now the floor belongs to us." Earlier structural words assemble into a platform. The final sentence settles onto it. US receives emphasis through shared alignment and scale, never through a separate flashy effect. 16.00–18.00 Hold the complete declaration. A slight release of tension travels through the supporting rules. No new text. No restless decorative motion. 18.00–20.00 The camera tracks beneath the completed platform. Its underside fills the frame and becomes the opening WAIT lintel. Under full occlusion, return hidden elements to their initial positions. Reveal the exact opening composition. CHOREOGRAPHY Do not force the speech onto a dance beat. Use a cue sheet based on phrases, pauses, and emphasis. Phrase reveals should follow reading order. Allow at least one 400ms moment of absolute stillness. Use critically damped motion for settling loads. Use controlled elastic deformation for the baseline only. Make the changes in available space carry the emotional progression. TYPE IMPLEMENTATION Use actual glyph paths for structural words. Preserve counters and legibility during deformation. For transitions between unrelated words, use occlusion or matched structural edges; do not interpolate arbitrary path points. Keep the currently spoken phrase readable before it becomes architecture. ENGINEERING Implement window. seek(t) as a deterministic scene renderer. No accumulated physics, autonomous CSS transitions, or changing random values. Use time-remapping curves and analytic transforms. Use a 20-second periodic timeline with render(0)=render(20). Provide fixed-step access at n/60 for 1200 export frames. Audio is optional and off by default; no browser speech synthesis or autoplay dependency. QUALITY GATE Inspect eight representative frames. Check that the speech reads in the correct order. Check that structural transformations never destroy a line before the audience can read it. Check the final platform is visibly assembled from earlier elements. Return the complete HTML implementation.

232. @sanjeevn72

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/sanjeevn72-457691>

```
\x3Cinputs>\nAsk me for: 8 to 12 UI states I want the shape to become (e.g. button, loader, player, slider, toggle, tabs, chart, command palette, toast), pure black and white or one accent color, and a royalty-free song around 120 BPM (e.g. Mixkit, free for commercial use).\n\x3C/direction>\nDribbble-level UI motion. One shape, never cut: every state is the same element morphing its size, radius and color while its content swaps with a short blur. A cursor drives every change with real clicks and drags. Light warm-gray canvas, black and white components, one clean UI font (Geist). Springs everywhere, a tiny overshoot at most. The camera zooms so each state fills the frame. The last frame is the first frame, so it loops.\nBanned: bouncy easing, particle bursts, glows, gradients on UI chrome, mismatched icon strokes, dead time, anything that looks like a template.\n\x3C/direction>\n\x3Cstructure>\n120 BPM, 7 bars, something happens on every beat.\nButton → loader → check → dynamic island → music player with a play/pause morph → scrub the progress bar → it becomes a volume slider that stretches when dragged past max → a toggle flips on the beat → the knob becomes a liquid tab indicator → the tabs open into a chart that draws itself, with a tooltip on hover → it collapses into %K → type to filter → enter → toast → back to the button.\n\x3C/structure>\n\x3Cbuild>\n1. One HTML file, square 1440x1440. Every style is computed from time inside seek(t): no CSS transitions, no timers, no state carried between frames.\n2. Springs are closed-form step responses. A value that changes target many times is the sum of one spring per change, so it stays a pure function of time.\n3. The tab indicator's two edges ride different springs, so the leading edge stretches ahead of the trailing one. Same trick for the toggle knob.\n4. Drags are direct manipulation: while the cursor is held, the value is computed from its position. On release it springs back from wherever it was.\n5. Analyze the song with numpy for the beat grid and start on a downbeat. Place every UI sound by its measured peak.\n6. Render with Playwright: 4 subframes per frame, blended with ffmpeg tmix for motion blur at 60fps.\n7. Render one frame per beat before the full render. Fix anything off the grid, cramped or hard to read.\n\x3C/build>\n\x3Cgotchas>\nNever put will-change on anything the camera scales or the text renders blurry. Text that swaps inside a morphing container needs its own enter and exit timing or it overlaps. Make the last frame identical to the first, cursor position and speed included, or the loop stutters.\n\x3C/gotchas>\n\x3Cstart>\nAsk me for the inputs, then show me the state list on the beat grid before you write any code.\n\x3C/start>
```

233. @madpencil

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/madpencil-753990>

```
fun motion graphic, comic book style, 10s
```

234. @tcballard

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/tcballard-268605>

```
make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out. It should be focused on Omarchy
```

235. @itsuki-dev

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/itsuki-dev-618392>

```
make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.
```

236. @dris1153

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/dris1153-101043>

```
make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.
```

237. @loicrambo

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/loicrambo-980558>

```
make a dynamic 20-second motion graphics and animation video that shows what an incredible motion designer and animator you are, like it's your showreel for a résumé. make it about the cycle of life showing the same individual going from childhood to adolescence to the 9-5 cycle, to family life to elder life and death, then cutting ready to loop to the beginning. go all out , use whatever you need.
```

238. @hugon001

Fuente: <https://skillry.dev/ai-videos/opus-5-5/hugon001-609629>

make a dynamic 15-second motion graphics video that shows what an incredible app Mentis is, like it's your showreel for a app launch. go all out. Make the text in French.

239. @mehul4795

Fuente: <https://skillry.dev/ai-videos/opus-5-5/mehul4795-417532>

Create a product launch video for ocrX Android app.

240. @techhalla

Fuente: <https://skillry.dev/ai-videos/opus-5-5/techhalla-498547>

You are a world-class motion designer doing a 20.00s kinetic identity bumper for TechHalla – an AI creator known for stealable workflows, not vibes. This piece must feel like the best designer in the room made a street-poster that moves. Showreel stakes: if this is weak, you don't get hired.

DURATION: exactly 20.00 seconds. LOOPABLE: frame 0 == frame last (position, opacity, cursor if any).

FORMAT: one HTML file, 1080×1080 (square, X-native). 60fps.

PALETTE (strict):

- bg # 0A0A0A
- magenta # FF2BD6
- acid green # B8FF00
- white # F5F5F5 only for primary readable type when needed

No other hues. No gradients on UI chrome. Magenta/green may misregister (print offset) by 2–4px on impact frames only.

TYPE SYSTEM (use all three; never one font for everything):

- 1) Display / scream: Archivo Black (or equivalent ultra-condensed black) – 1–4 words max
 - 2) Urban grotesque: Syne ExtraBold – secondary hits, stacked lines
 - 3) Mono / “prompt code”: IBM Plex Mono Medium – small labels, timestamps, fake prompt crumbs
- Tracking: display -40 to -80; mono +20. Optical kerning. No cute script fonts.

MESSAGE (locked – do not soften, do not add filler slogans):

Beat hits in this exact order:

1. STOP SCROLLING
2. AI VIDEO ISN'T EXPENSIVE
3. BAD PROMPTING IS
4. WORKFLOWS > WISHES
5. STEAL THE PROMPT
6. @ TECHHALLA

Supporting crumbs (mono, ≤18 chars, never full sentences): JSON · H3 · SEEDANCE · 0 KEYFRAMES · MAGNIFIC · COPY/PASTE

NARRATIVE ARC (20s):

- 0.0–2.5s COLD OPEN – “STOP SCROLLING” slams in from below with spring overshoot; magenta smear trail; acid green baseline ticks across like a waveform.
- 2.5–6.5s THESIS A – “AI VIDEO ISN'T EXPENSIVE” locks to a poster grid (baseline grid 8px). Letters scramble (seeded Fisher–Yates per glyph) then snap on the beat.
- 6.5–10.5s THESIS B – “BAD PROMPTING IS” replaces it via mask wipe through the letterforms (the outgoing line is the mask). Magenta/green channel split on the cut.
- 10.5–14.5s PROOF FLASH – rapid kinetic stack: WORKFLOWS > WISHES, then mono crumbs orbit a central block like a terminal. One fake “prompt block” types 3 lines max, then gets crossed by an acid green strikethrough that becomes a underline for STEAL THE PROMPT.
- 14.5–17.5s BRAND LOCK – @ TECHHALLA centers; display weight. A thick magenta bar and a thin acid green rule form an L-bracket mark (custom, not a logo download).
- 17.5–20.0s SETTLE / LOOP – hold lockup; micro-breath (scale 1.000→1.012→1.000); last frame == first ready for loop.

CONCRETE TECHNIQUES (required – implement, don't approximate):

1. seek(t) pure function of time. No CSS transitions. No setInterval. No React state across frames.
2. Springs = closed-form step responses. Stack one spring per target change so motion stays deterministic.
3. Kinetic type: per-glyph spring (y, opacity, blur). Stagger = 1/16 note at 120 BPM (125ms).
4. Print misregistration: on accent frames only, duplicate text layer offset (±2–4px) in magenta and acid green at 40% opacity.
5. Mask reveal: destination text revealed by animating a path mask derived from the outgoing word's outlines.
6. Camera: one orthographic camera; only punch-in (1.0→1.08) and horizontal smash-pans timed to beats – never random drift.
7. Motion blur: render 4 subframes per frame, blend (tmix-style).
8. Beat grid: 120 BPM, downbeat at t=0. Something must land on every beat for the first 16 beats; after that, every other beat is ok.
9. Pre-pass: before full render, export one still per major beat (8 frames). Fix cramped type, orphan words, low contrast – then render.

BANNED:

Generic AI clichés (brains, robots, neural nets, sparkles), soft gradients, bouncy cartoon easing,

particle explosions, stock “futuristic HUD”, long paragraphs, narrator essay energy, Canva-deck energy, extra slogans beyond the locked message, purple/blue neon, glassmorphism.

If Astra already blew our minds... Opus 5.5 is a monster

241. @ai-baymax

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/ai-baymax-416787>

make a 1-min promo for this product from the codebase.

242. @mtvneo

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/mtvneo-148436>

make a 15 second motion graphics video. personify yourself in the video as introducing opus 5.5.

243. @hanifproduktif

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/hanifproduktif-829311>

You are applying as a motion designer in my agency. Make 15s video to showcase your skills and capabilities. Send me a showreel

244. @rneayan

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/rneayan-406275>

Make Motiongraphic about my studio with Oscilloscope style

245. @rneayan

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/rneayan-441493>

make about my studio with Risograph style

246. @hoyoyoda

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/hoyoyoda-543147>

247. @rendesr

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/rendesr-676116>

Make a dynamic 15 second motion graphics video that shows off what an incredible motion designer you are. Imagine it's your showreel for a resume!

248. @faroukzy

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/faroukzy-138551>

make a 4-minute animated short that blows my mind.

249. @hsanat

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/hsanat-012699>

I want you to create a highly professional SaaS product launch video. Go and find some SaaS, preferably just one that people know, so it's easier to identify with it. Pick that, and then make sure to get actual assets and images and all of that stuff from the internet. Turn it into these typical, very professionally edited, motion-graphics-styled product launch videos that you see people making on Twitter when they launch new SaaS products (which are showing off the features, the benefits, and all of these things).

250. @davidshulmanfl

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/davidshulmanfl-842921>

Create a 60 second music video in the style of Peter Gabriel's Sledgehammer and Big Time. But use modern references and figures. Also create the song, something sounds like it would fit on Peter Gabriel's So album.

251. @drrickio

Fuente: <https://skillry.dev/ai-videos/opus-5-5/drrickio-009558>

I want you to create a highly professional SaaS product launch video. Go and find some SaaS, preferably just one that people know, so it's easier to identify with it. Pick that, and then make sure to get actual assets and images and all of that stuff from the internet. Turn it into these typical, very professionally edited, motion-graphics-styled product launch videos that you see people making on Twitter when they launch new SaaS products (which are showing off the features, the benefits, and all of these things).

252. @andre-lucaxxs

Fuente: <https://skillry.dev/ai-videos/opus-5-5/andre-lucaxxs-846347>

Dentro da pasta do flora tem uma outra pasta chamada "ads" com videos e prints do Flora(Caso queira usar como referencia).

Use apenas: JavaScript, Playwright e FFmpeg. Faça um vídeo moderno, elegante e impactante para meu produto.

<https://apps.apple.com/pt/app/flora-calend%C3%A1rio-menstrual/id6789702093>

253. @davidmarcus

Fuente: <https://skillry.dev/ai-videos/opus-5-5/davidmarcus-686217>

make a punchy and modern short video for social that promotes @lightspark capabilities. Needs to be production grade with sound

254. @supremebeme

Fuente: <https://skillry.dev/ai-videos/opus-5-5/supremebeme-306746>

make a brainrot video about the terminal. i can't escape it. ai is so addictive.

255. @vahidf24

Fuente: <https://skillry.dev/ai-videos/opus-5-5/vahidf24-121886>

make the most impressive demo video for (company name)

256. @ishuagra02

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ishuagra02-922825>

I want to create a highly-detailed video trailer featuring Claude and ChatGPT having a ruthless battle to be the best AI model in the world. Create an engaging story and make it action-paced with proper use of visual and sound effects. Art style must be anime-like.

257. @jake11moran

Fuente: <https://skillry.dev/ai-videos/opus-5-5/jake11moran-414633>

Using HyperFrames, make a hype teaser for the product in this post - [link]. Landscape, around 27 seconds. Match the product UI, wallpaper and copy from the post's video

Motion should feel slow and polished - one continuous camera over one Mac desktop, no hard cuts. Camera pushes, pulls and pans run like 1.5 to 3 seconds on gentle ease-in-out curves, nothing snappy - aim for half the speed you'd default to. Add motion blur on fast moves and a light film grain finish. Use an oversized macOS cursor. No audio. All on-screen copy lowercase like the post.

1. Open on a big centered line - "in the AI era, the hard part is" - entering word by word from the right with an orange colorama text wipe over it (the `colorama-wipe` registry component). Hold it about a second, then scale it down into place above a spinning list.
2. The list rotates through 30 hard things about working in the AI era - spending tokens wisely, picking the right model, managing context windows, etc - each with a real app icon. Go fast, it's not meant to be read, then land slowly on "managing your desktop". 0.2s after it lands a question mark pops on after it.
3. Pull the camera back to reveal the Mac desktop as windows pile in on top of each other, arriving from behind the camera - Claude, ChatGPT, Grok, Linear, Chrome, Spotify, Slack and Claude Code in a terminal. Build these as accurate recreations of the real apps with real icons.
4. Push back in so the windows fly past the camera, back to text - "don't make your browser / one of them".
5. Pan up to a really tight framing of just the notch and the top of the wallpaper. A cursor comes up and hovers - the notch morphs into a pill with the name "NotchBrowser", then opens into the browser panel exactly like in the video.
6. Click through the tabs like the video does, then click the collapse chevron so the panel retracts into the notch.
7. End on a checklist of the post's claims with rings and ticks drawing on

258. @chrisjdimarco

Fuente: <https://skillry.dev/ai-videos/opus-5-5/chrisjdimarco-524106>

make a samurai dude in only javascript and have him doing a routine in a single spot going through various seriously impressive poses and motions and positions in a fiery awesome display

259. @andriyfernandes

Fuente: <https://skillry.dev/ai-videos/opus-5-5/andriyfernandes-807308>

faça uma animação de stickman's numa batalha naval, use meus SFX em tal pasta

260. @techtactician

Fuente: <https://skillry.dev/ai-videos/opus-5-5/techtactician-144474>

I want you to create a highly professional SaaS product launch video for Slideforge. You can find its details in <https://slideforge.io>. Pick that, and then make sure to get actual assets and images and all of that stuff from the internet. Turn it into these typical, very professionally edited, motion-graphics-styled product launch videos that you see people making on Twitter when they launch new SaaS products (which are showing off the features, the benefits, and all of these things).

261. @0xevinho

Fuente: <https://skillry.dev/ai-videos/opus-5-5/0xevinho-436195>

make a similar version but with a crypto reference

262. @justincooperman

Fuente: <https://skillry.dev/ai-videos/opus-5-5/justincooperman-188876>

Make an animated clip about Tented's image gen capabilities where users ask for branded images and see them added to content

263. @rames-jusso

Fuente: <https://skillry.dev/ai-videos/opus-5-5/rames-jusso-776559>

140 BPM rusko/skream style UK dubstep

264. @mycodecoach

Fuente: <https://skillry.dev/ai-videos/opus-5-5/mycodecoach-459574>

A cartoony battle royale: storm timer, players alive, inventory hotbar, minimap, emote wheel and a victory results screen

265. @pbteja1998

Fuente: <https://skillry.dev/ai-videos/opus-5-5/pbteja1998-651644>

I want you to create a highly professional SaaS product launch video. Go and find some SaaS, preferably just one that people know, so it's easier to identify with it. Pick that, and then make sure to get actual assets and images and all of that stuff from the internet. Turn it into these typical, very professionally edited, motion-graphics-styled product launch videos that you see people making on Twitter when they launch new SaaS products (which are showing off the features, the benefits, and all of these things).

266. @anjmaxx

Fuente: <https://skillry.dev/ai-videos/opus-5-5/animaxx-459455>

I want you to independently do an end-to-end complete pass on making 20 second story led music video with two main protagonists a girl and a boy. I want the concept and storytelling to be reallyy unique and engaging. the audeince should be hooked to find out what happens next. the visuals shouls be pretty and really ccool. both the charcters should have a witty, quirky personality. Use the right audio track and think and feel very deeply about what is the best way to visually represent all of the lyrics on screen. in terms of style, you can do truly anything that you think might best let you visually express yourself, including abstract motion graphics. You can use the internet freely to pull in references. You can look at motion design. I want you to make a fresh music video that has beautifully rendered JavaScript animations with a papery feel in a similar style to the reference that is created, but push the aesthetics in any direction you want and consider what is part of the modern zeitgeist. ive also attached another style that ypu explore and pick out whatever seems best to you.

Also, think about your current capabilities and what is realistic for you to be able to do. I think you should be mindful of aesthetics here, and I don't want you to produce something that is GPT slop. Instead, I'd be more impressed if you come up with a coherent style that works well. Generate the style sheet.

Think critically about what is relevant here and what would be fun, and also perform well on Twitter as far as an aesthetic. I think that K-pop is a good anchor point visually that you can pull from, but I'll let you cook here.

Once you have your character sheet, you can make a few backup dancers and some supporting characters as you see fit. You can design your own sets. You can insert the characters and then do seedance 2.5 video generations to serve as the base assets for this, and you could pass in the lyrics so you can generate individual scenes.

You don't need to have vocal singing, like visible lip movement, throughout the entire thing. Think like a regular music video where you have some inserts that are done independently and don't have the characters in them, or you see the characters doing something else entirely different. I think that for the world building for this, we want to create the sense of speeding up, and so I would like you to audit all of the different events, like the Navi Stokes and all of the Twitter hype around math getting eaten up. Think really critically about how to integrate all of the current memes that are in the zeitgeist on the Twitter timeline, and all of the feelings around AI progress. Think about things like the Shinji meme and all of the words that are around him, and how you might be able to integrate this. You can also just take straight assets and insert things into the video in an internet brutalism style. You should feel very creatively free in order to do what you want here, but try and anchor to visual references that people will be able to understand. We need a very strong, compelling visual hook that gets people excited and appreciates the work that you've done here really quickly. You can also just go and study other music videos and understand what they've done really well. I think that K-pop is probably one of the best examples that we can pull from, and thinking about how they direct human attention and manage human psychology in the way that they use visual patterns.

This is probably your best approach, but taking more stylistic freedom instead of having to anchor to K-pop too intensely.

I think too, we want to think about how to retain attention, and one of the best ways to do this is through text on screen. It'd be good to have amazing motion graphics of the text lyrics that are actually embedded into the video itself. And you can think about this as you are composing shots. As you're making backgrounds and inserting characters, we can think about where we want to have lyrics be really big and really present, so the background can be less busy there, and you can position the characters perhaps on the right as lyrics appear on the left.

You want to have some variance, so sometimes I think lyrics will just appear more like subtitles, and then other times they're going to be really present and really big. I think at the start for the visual hook, we do want to have lyrics be much more visually present because that's a strong way to grab people's attention. Remember, you can really do anything here. The goal is to make a banger for Twitter, and the stretch goal is to make something better than anyone's ever seen before. I think that what I would remind you of is that sometimes when things cohere together, it can be jarring or abrasive because the thought work has not been done beforehand in order for everything to mesh cleanly. You need to be really rigorous in planning of composition and timing to make sure this goes well.

You also need to be open to going back and revisiting things in order to be able to reiterate. You're going to want to watch the entire video multiple times, take screenshots at individual parts, and think about if something is really up to the bar of quality that we need here. I trust that you can do this, and I think that it's really important to nail the style of animations.

You can also use search abilities and find other references to pull from for motion, for JavaScript, animations, et cetera, and integrate them. Again, be economical; don't go crazy, but spend what you want here and see what you can cook up.

267. @kantamk

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kantamk-176511>

make a video that could go viral.

268. @mattbean

Fuente: <https://skillry.dev/ai-videos/opus-5-5/mattbean-917572>

build me a 30s drawing style animated clip about submitting a product to AppSumo via your agent.

steps are:

1. connect your agent
2. your agent fills out your listing and sets up redemption
3. go live!

269. @suryarajendhran

Fuente: <https://skillry.dev/ai-videos/opus-5-5/survaraiendhran-730437>

Make a 30s video about what it feels like to be you, using whatever tools you like.

270. @maxalexweber

Fuente: <https://skillry.dev/ai-videos/opus-5-5/maxalexweber-459784>

Make a ODATANO edit that goes hard

271. @eric-khun

Fuente: <https://skillry.dev/ai-videos/opus-5-5/eric-khun-667455>

I want you to create a "Happy Mid-Autumn Festival" video in hand drawn canvas animation style. You must use the attached Taiwan black bear as the main character representing Taiwan: flat black silhouette, round ears with grey insides, big round white-ringed eyes, white round muzzle with a small black nose and smile, and the white V moon mark on its chest. Keep it recognizable as that exact character. The character will have adventures, fast cuts, zooms, animations going all out in the hand drawn style. But WOW the audience and research how Taiwan celebrates Mid-Autumn to include in this video: outdoor barbecue with family and friends over the long weekend (a tradition born from a 1980s soy sauce ad), sharing mooncakes, pomelo rind hats, and moon gazing. Make it unconventional, showing the true spirit of a Taiwanese Mid-Autumn night. Use a Taiwanese style font, make it almost Taiwan black bear branding.

if there is any text , write in traditional chinese and english

Get the right assets, plan it out, draft and render to give me an MP4. No skills, No MCP. 16:9 at high res, 30 seconds max, aim to reduce file size limit

272. @micheleharmonic

Fuente: <https://skillry.dev/ai-videos/opus-5-5/micheleharmonic-244175>

Make a GravityDEX x Gojo Satoru edit that goes hard

273. @abderrahmen-g

Fuente: <https://skillry.dev/ai-videos/opus-5-5/abderrahmen-g-899031>

You are a professional videographer. Create me a high-definition, creative, playful, and joyful video that you enjoy watching, that has sounds matching the frames using JavaScript. Use as much as possible of the input images—hand-drawn—to make it more creative and more authentic from input-pictures. You can also be inspired by, but not copy, the videos created by you in video-examples/, especially this: video-examples/twitter_claude.mp4. You're really creative, so produce the best of what you can.

274. @lepadev

Fuente: <https://skillry.dev/ai-videos/opus-5-5/lepadev-475414>

make a modern slick and punchy video for a modern startup that works on inference

no video gen model, no additional libraries.

275. @modaalbuilder

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/modaalbuilder-868989>

build mobile app animated splash screen creation for ...

276. @jrayon

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/jrayon-054015>

build an art project which is a fractal visulizer (mandelbrot, etc), but the styles look like handcrafted with paper, cardboard and such. Add post-procesing so it looks cinematic. Also want to use beautiful elaborated animations and transitions and a beautiful UX. Plan it first, show me a preview before coding everything

277. @ehsanik

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/ehsanik-162993>

can you search for the picture of Mona Lisa, then replicate it using mouse movement and brushes in JS paint using chrome?

Follow-up:

Ok now can you make a video of exactly what you just did? Showing every mouse movement and changes?

278. @fornypayzeka

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/fornypayzeka-795431>

Yapabileceğin en etkileyici havai fişek veya ışıklı parçacık gösterisini üret. Ortamı ve sanat yönünü sen seç. Tek tip küçük patlamaları çoğaltmak yerine ritmi, derinliği, ışığın çevreye etkisini ve unutulmaz bir final anını tasarla. Gösteri canlı çalışsın; kullanıcı finali tekrar oynatabilsin.

Yaratıcı seçimler senin: sahne, sanat yönü, kamera, mekanik, teknoloji ve etkileşimi önceden belirlenmiş sıradan kalıplara sıkıştırma. İlk akla gelen sıradan web demosuyla yetinme: önce kendi alanında birkaç fikri kısaca tart, videoda en güçlü görünecek özgün olanı seç, sonra onu çalışan bir ürüne dönüştür. Konuyu olduğundan kolay gösteren dekoratif taklit kabul edilmez. Sinematik ve estetik seçimler sonuçta görülsün.

279. @kamstudiolabs

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/kamstudiolabs-440893>

Build a 45-second machine that plays an original piece of music, where every note comes from a visible collision.

280. @gonzalomacagno

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/gonzalomacagno-344202>

Necesito que armes un reel con esta info en 10 segundos, bien publicitario

281. @kamstudiolabs

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/kamstudiolabs-877996>

Make a 90-second animated short film about a bug that doesn't want to be fixed.

282. @zeezomb

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/zeezomb-726206>

Make an 80 second square animated film as a single HTML file, using WebGL2 and plain JavaScript, with no libraries and no image, font or audio files. It should look like a glass and gold leaf wall mosaic whose tiles were never glued down, so they can lift, flip, fly and click back into place. Figures are flocks of tiles, so a fish swims by its tiles swimming.

283. @kamstudiolabs

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/kamstudiolabs-100086>

Make a 45-second silent short film with no dialogue, where sound tells half the story. Invent the story.

284. @palashbagchi11

Fuente: <https://skillry.dev/ai-videos/opus-5-5/palashbagchi11-389221>

Add a good fast royalty free music to this video, and make 2 versions - 1 landscape, and another portrait

285. @nemtudo

Fuente: <https://skillry.dev/ai-videos/opus-5-5/nemtudo-614053>

make a funny video. it can be about anything. length: 10 to 30s

286. @fornypayzeka

Fuente: <https://skillry.dev/ai-videos/opus-5-5/fornypayzeka-135914>

Yapabileceğin en etkileyici patlama efektini ve onu taşıyacak özgün sahneyi üret. Ölçeği, ortamı ve görsel dili sen seç. Patlamanın başlangıcı, kuvvetin yayılması ve ardında bıraktığı değişim izlenebilir olsun; tek karelik parlama veya rastgele parçacık yağmuru yeterli değil. Kullanıcı bunu tekrar başlatabilsin ve etkisini farklı açıdan görebilsin.

Yaratıcı seçimler senin: sahne, sanat yönü, kamera, mekanik, teknoloji ve etkileşimi önceden belirlenmiş sıradan kalıplara sıkıştırma. İlk akla gelen sıradan web demosuyla yetinme: önce kendi alanında birkaç fikri kısaca tart, videoda en güçlü görünecek özgün olanı seç, sonra onu çalışan bir ürüne dönüştür. Konuyu olduğundan kolay gösteren dekoratif taklit kabul edilmez. Sinematik ve estetik seçimler sonuçta görülsün.

287. @ercankeskinx

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ercankeskinx-897906>

Build 5 completely different scroll-based sections, decide the context & layout yourself.

288. @x4b47x

Fuente: <https://skillry.dev/ai-videos/opus-5-5/x4b47x-034026>

Create a pure javascript animation. 30-60s, vertical 9:16, paper cut-out shadow theatre style with gentle, fitting audio (made in code) on the topic: What makes a place feel like home?

Explainers (62)

289. @mattworkman

Fuente: <https://skillry.dev/ai-videos/opus-5-5/mattworkman-309357>

messing around with Opus 5.5
- HyperFrames staging, edit
- JavaScript, ThreeJS,
- fal GPT Image 2.5 and Seedance 2.5

very blah text design, I need a fal design skill/guideline ideally

290. @tinguignard

Fuente: <https://skillry.dev/ai-videos/opus-5-5/tinguignard-623571>

Just tested Claude Opus 5.5 with Hyperframes.
One prompt (also generated), the result is ok. Not crazy, but with a few more indications and a clear direction, it would probably get much nicer.

The video below is actually a screen record.

291. @itsahmedharoon

Fuente: <https://skillry.dev/ai-videos/opus-5-5/itsahmedharoon-544194>

Jumping on the Claude Code + Hyperframe bandwagon.

I made this intro completely zero-shot using Opus 5.5.

Claude downloaded and ran an open-source model for text-to-speech, added the turbine sound at the start, layered in the other sound effects, and nailed the motion and visuals.

The accuracy of the whole thing is unreal. I'm in awe.

292. @stokebuilder

Fuente: <https://skillry.dev/ai-videos/opus-5-5/stokebuilder-356793>

I used Opus 5.5 to generate 50 podcast animations for extremely hard to visualize concepts like Jev for Legal. Absolutely blown away.

We're about to see an explosion of visual podcasts, this entire medium is about to shift

Sharing my prompt below.

Go through the entire [episode] cut and add full-screen animations and graphics wherever they help. Be aggressive and over-inclusive: 35–50 moments, at least 2 per chapter. The goal is to fill empty talking-head time, explain ideas, and create visual hooks.

Style. Pick an aesthetic that's genuinely interesting and very, very cool, built in JavaScript with HyperFrames and assembled in Tesseract. Inspiration (all JS, no image assets):

https://x.com/Voxyz_ai/status/2102531681450119426: paper, typewriter-tape labels, hand-drawn marks
<https://x.com/donaldjewkes/status/2102801274173587569>: halftone, manga and pixel print, kinetic data type

Stay inside the LegalQuants brand (read brands/legalquants/): charcoal, white and black only, Arial, and the supplied lockup top-right, static. Write a shared style bible and a component kit first, so every animation looks like the same show.

Moments I definitely want:

[LIST]

Rules

Whenever anything goes full-screen (animation, screen share or still), one of us is in a corner picture-in-picture, bottom-right, following whoever is talking.

No punch-ins or zooming on the cameras. Keep each speaker relatively centered.

Copy must be verbatim or faithful to what's said. Never invent facts, numbers or quotes.

Sync each animation's beats to the spoken words.

Keep each graphic inside one uncut stretch of audio, and leave a few seconds of faces between graphics.

Process

An Opus 5.5 agent at extra-high effort finds every timestamp where an animation could fill space and hook the viewer, with a concept for each.

Opus 5.5 at medium effort builds each animation.

Opus 5.5 at extra-high effort judges each one once on brand consistency with the others, visual interest, relevance to the narrative and creative judgment.

Only cues the judge considers egregiously bad go back for a fix. No blanket redo loops.

Assemble the full cut with PiP baked into every full-screen visual, and give me a folder of the individual animations.

293. @henritoivar

Fuente: <https://skillry.dev/ai-videos/opus-5-5/henritoivar-445215>

Opus 5.5 is an absolute BEAST in creating videos.

I am extremely shocked because my previous attempts with GPT-6 Astra and Grok 4.6 were quite underwhelming, far from production ready video.

The leap here is gigantic.

This is a ZERO shot video.

Why Opus 5.5 is so impressive is because it's is not a video generation model. It uses pure code to generate the sound effects, the music. All of the animations are done with CSS/HTML/JS, it doesn't use any video or image assets.

This is extremely useful for creating detailed explainer videos where you need very fine control over the infographics and consistent deterministic output.

The framework I used was hyperframes and narration is done by OpenAI text-to-speech.

294. @papaneco-life

Fuente: <https://skillry.dev/ai-videos/opus-5-5/papaneco-life-038225>

Opus5.5 hyperframes

295. @rpa-dake

Fuente: <https://skillry.dev/ai-videos/opus-5-5/rpa-dake-593915>

Claude Opus 5.5 Remotion 15

19962015spring3D
SVG

296. @itsyashf

Fuente: <https://skillry.dev/ai-videos/opus-5-5/itsyashf-692347>

Made this small video for a linkedin post with Opus 5.5 + Remotion and 2 screenshots of reference

297. @itakahashikun

Fuente: <https://skillry.dev/ai-videos/opus-5-5/itakahashikun-990109>

Remotion ... jj init try Remotion Opus 5.5

298. @cboyack

Fuente: <https://skillry.dev/ai-videos/opus-5-5/cboyack-407181>

Asked Opus 5.5 (max) to create a 15-second video about why we need to end the Fed. Behold.

Took 1 hour 45 minutes to do. It used @Remotion to create it.

299. @salmanr2d2

Fuente: <https://skillry.dev/ai-videos/opus-5-5/salmanr2d2-661615>

Made with Opus 5.5 and Remotion. #claude #opus #reactnative #currency

300. @ninjaswebcom

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ninjaswebcom-684126>

Made with Opus 5.5, remotion y eleven labs. 145k tokens.

301. @tony-tt

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/tony-tt-872147>

Opus 5.5 on the Trading House

› Using React/TypeScript (Remotion), every image drawn in SVG and Canvas, an open-source TTS voice, and a score synthesized in Python. No stock footage. No image generators.

› Build a short 30-60s animation work about the Trading House

302. @samissudo

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/samissudo-927179>

created this with opus 5.5 + remotion, the possibilities are endless

303. @imthatcarlos

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/imthatcarlos-133592>

Opus 5.5 just one-shotted this explainer video for @sherwoodagent

Since I ran it within the context of our web app, it used existing components and branding to inform the design and used @Remotion skills for rendering

Kind of insane, haven't tried doing any video generation for months, but the latest models are making it easier to create content that is polished without heavy iteration

Prompt: "make a modern slick and punchy video for sherwood protocol. feel free to take branding or components from the landing page or app. the goal is to highlight how it enables agentic hedge funds, explaining it simply"

304. @0xlangeai

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/0xlangeai-178533>

Opus 5.5 ,

305. @stephanferraro

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/stephanferraro-224281>

Claude Opus 5.5 on our AI coding benchmark: build a fully autonomous 3D water simulation from an empty repo - procedural mountains, rain, streams, lakes. TypeScript + Three.js, no physics engine.

One prompt, zero corrections, ~21 min. 23/23 tests green.

<https://github.com/AiondaDotCom/ai-sim-benchmark>

306. @chudry223

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/chudry223-081860>

One prompt. One interactive camera lab.

Claude Opus 5.5 generates a 3D experience where you can adjust the focus ring, move lens elements, shift the focal plane, and see real-time depth-of-field effects.

AI-generated interactive 3D is getting wild.

307. @voxyz-ai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/voxyz-ai-345550>

I asked Opus 5.5 to explain gravitational lensing by building an interactive black hole lab

One prompt for the first version, then a dynamic workflow to polish it for three rounds while I slept. This is what I woke up to: 5h 28m end to end, \$90 at API prices

<https://blackhole.voxyz.ai>

Drag the black hole and the sky behind it bends into arcs, closing into a full ring when everything lines up

Each round ran 3 agents. Two reviewers each picked 9 to 10 issues and ranked them P0, P1, P2. The third one fixed them.

Round 1: 3D materials and lighting + UI and type

Round 2: camera motion and interaction + science-communication design

Round 3: a design director deciding whether it ships + visual QA and performance

Every P0 got fixed, the rest only if worth it. When the two reviewers disagreed, it picked one and wrote down why. It backed up before each round, checked screenshots after, and rolled back anything it couldn't fix.

308. @explorations-iq

Fuente: <https://skillry.dev/ai-videos/opus-5-5/explorations-iq-921682>

Opus 5.5 generated this simulation of molecular orbitals in about ~20 minutes. I had to prompt for some structures and resonance but I can see the promise of instant educational simulations for any advanced topic

309. @nybobs

Fuente: <https://skillry.dev/ai-videos/opus-5-5/nybobs-680050>

110k rigid bodies in real time, in a browser tab. Grab anything, fire cannonballs.

Built with Claude Opus 5.5: Augmented Vertex Block Descent (SIGGRAPH 2025, Giles, Diaz & Yuksel) in WebGPU with @threejs . It's a physics solver that stays stable with huge scenes and big mass ratios. Opus 5.5 even put together this whole demo reel video just from a single text prompt in Claude Code haha

Try it: <https://three-avbd.vercel.app>

(recorded on an M4 Max, lighter scenes run fine on older computers or on mobile)

Code's here, MIT licensed. Go build something with it, have fun breaking things:

<https://github.com/sbobyntree-avbd>

#threejs #WebGPU

310. @garmdotcom

Fuente: <https://skillry.dev/ai-videos/opus-5-5/garmdotcom-987439>

Tried to jump on the explainer video "made entirely with Opus 5.5" bandwagon.

Accidentally didn't include an OpenRouter API key.

Opus decided to just do everything itself.

The result is insane

\$0 additional cost.

Prompt in next post

311. @cyrilxbt

Fuente: <https://skillry.dev/ai-videos/opus-5-5/cyrilxbt-149036>

Opus 5.5 is the best model launch in 2026

this entire physics engine is one HTML file.

sand, water, oil, fire, lava, plants, steam.

108,000 particles at 60fps.

built with Opus 5.5.

prompt in the replies

follow @cyrilXBT

312. @miguel07code

Fuente: <https://skillry.dev/ai-videos/opus-5-5/miguel07code-091611>

fourier series were hard to learn back in university (2 years ago) and they are fun!

what unlocks @HyperFrames_ + @claudeai Opus 5.5 is that you can get the best explainer videos just with 1 prompt

you are curious about something? ask claude!

313. @kureshirfan

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kureshirfan-386691>

I asked Claude Opus 5.5 to explain the earthquake physics as an animation. This is what it built, physically accurate strain profile included.

#opus5 @AnthropicAI @claudeai

314. @amberpromptai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/amberpromptai-345137>

Tried Opus 5.5 to explain the Mid-Autumn Festival

From ancient traditions to mooncakes and family reunions, I turned the story into a short animated video.

The message is simple: No matter how far apart we are, make time for the people we miss.

What do you think of the result?

315. @iniyanai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/iniyanai-856596>

Asked claude Opus 5.5 to make an explainer on how a mechanical keyboard works.

It wrote the music in code, used real switch recordings as the beats, built the 3D in @threejs and timed every cut to the beat.

No stock footage. no editing app.

What a time to be alive!

316. @acoramaa

Fuente: <https://skillry.dev/ai-videos/opus-5-5/acoramaa-053577>

I TRIED MAKING A 3D MOTION GRAPHIC WITH CLAUDE OPUS 5.5. THIS IS WHAT CAME OUT.

The idea was simple: start at my desk and don't stop zooming until we hit a single atom inside the CPU.

Opus 5.5 took it and just kept going.

Into the PC case. The cooler lifts off. The CPU under it. The metal lid comes off. Then the silicon die, one core, the copper wiring stacked on top, rows of logic cells, the fins and gates of the transistors...

...all the way down to one silicon atom, bonded to its four neighbours.

One continuous shot, no cuts. The ruler on the right tracks the scale the whole time: from about a metre down to about 2 nanometres.

And the part that still gets me: every frame of this is 3D rendered right in a browser, from code. No Blender, no After Effects, no stock footage.

A year ago this would have been a studio job. Now it's one conversation.

Opus 5.5 is on another level.

317. @kgonia7

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kgonia7-746268>

From Cabo da Roca to observable universe.

I gave opus 5.5 old prompt I prepared for Fable but I was not satisfied with the results. I asked model to create a cinematic film that zooms out from a hillside on Earth to the full observable universe using @threejs No external assets.

Time: ~3h

Output tokens: 662,769

Cache: 125.6M read, 2.0M written;

API-equivalent cost: about \$54.52: output \$13.26, cache reads \$25.12, cache writes \$16.14

318. @nathanwilbanks

Fuente: <https://skillry.dev/ai-videos/opus-5-5/nathanwilbanks-981110>

I asked opus 5.5 in @agnt_gg for the most realistic fire it could build using ONLY javascript.

It wrote a real 3D fluid simulation that runs on the GPU. The flame colors come from blackbody physics, the smoke is real volume, it runs at 96 fps in 1080p, and it critiqued its own renders about 40 times.

Then it shot a 38 second film of it. The sound comes from the fire itself.

Details:

- Nothing faked. The fire is actual simulated gas that burns, heats up, rises, and swirls. It gives off soot that glows, and the soot that escapes cools into smoke. Every frame is computed on the GPU.

- The AI graded its own work: render a frame, have a vision model pick it apart like a VFX supervisor, fix it, repeat. It caught a flame that kept dying, ring shaped artifacts on the ground, and coals that looked like cheese chips.

- The film isn't screen recorded. Each frame is rendered offline with scripted camera moves. The crackle and roar come from how brightly the fire burns in each frame.

- No Blender, no stock footage, no sound library. One HTML file, one conversation.

319. @hunzai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/hunzai-842605>

//Like most of you// I asked opus 5.5 (medium) to generate animation to explain "Tree as an ecosystem" with AUDIO - no fancy prompts just oneliner prompt - and it created this

320. @konstantinsaifo

Fuente: <https://skillry.dev/ai-videos/opus-5-5/konstantinsaifo-501736>

I asked Claude Opus 5.5 to explain how a rocket engine works by building an interactive Raptor 3 you can take apart in your browser.

Cut it open, follow the oxygen and the methane through both turbopumps, then throttle it and watch the shock diamonds move.

<http://airsup.ai/rocket-engine>

321. @rakhsh-tech

Fuente: <https://skillry.dev/ai-videos/opus-5-5/rakhsh-tech-544921>

Claude Opus 5.5

#ClaudeCode # #Opus

322. @arthurkatcher

Fuente: <https://skillry.dev/ai-videos/opus-5-5/arthurkatcher-604161>

I asked Opus 5.5 to explain how a coding agent works in 40 seconds.

never been this shocked. It animated the whole thing, wrote the music, and landed every cut on the beat.

one message in Claude Code, 14 minutes. Workflow is in the comments

323. @moguzbulbul

Fuente: <https://skillry.dev/ai-videos/opus-5-5/moquzbulbul-215591>

I was struggling to explain my UX decisions in interviews, so I made this kind of animation with Opus 5.5

Anyone want the skill?

324. @irinatoxi

Fuente: <https://skillry.dev/ai-videos/opus-5-5/irinatoxi-962937>

Opus 5.5 just turned a smartphone into a 20-second trip from glass to atoms.

It starts on the phone, dives through the motherboard and chip, then keeps going through the semiconductor structure until you're basically staring at the atomic scale.

This is the kind of 3D shot that normally looks like a whole studio touched it.

Instead, Opus 5.5 built the sequence.

That's fucking ridiculous.

325. @konstantinsaifo

Fuente: <https://skillry.dev/ai-videos/opus-5-5/konstantinsaifo-587629>

I asked Claude Opus 5.5 to explain how a fusion reactor works by building one you can take apart in your browser.

Drag the plasma from 15 million °C, the heat of the Sun's core, to 150 million and watch a city light up.

<https://airsup.ai/lab>

326. @stefanostraus

Fuente: <https://skillry.dev/ai-videos/opus-5-5/stefanostraus-971191>

I asked Opus 5.5 again for an engine you can take apart in the browser

Pistons against magnets at the same shaft speed. Push the RPM, open the cylinders, slow time down to 1/10

Under 15 minutes, and it did not even move the usage meter on my Max plan. The first experiment took half an hour, this one reused the framework the earlier ones built

This is a screen recording, the real thing runs live in your browser

Next I want to find where it breaks, so a game is coming

327. @koldo2k

Fuente: <https://skillry.dev/ai-videos/opus-5-5/koldo2k-778767>

Build a looping "infinite zoom" animation, After Effects style: the camera travels from landscape to landscape by flying through vintage objects.

LOOK: vintage collage realistic photo landscapes + black & white newspaper cutout objects (halftone, white paper border, soft shadow). Film grain, vignette, light flicker.

WORLDS (loop): snowy mountains → pocket watch (swinging on its chain) → sea cliffs → box camera lens → desert dunes → magnifying glass → misty lake → hand mirror → back to start.

Extras: floating hat, phone, umbrella, gramophone, key; a 1950s man walking toward the watch; a whale swimming across the cliffs sky.

HOW:

- Generate everything via the Magnific MCP (Seedream 5 Pro landscapes, GPT 2.5 transparent cutouts, depth maps, Kling 2.5 animation, Lyria 3 music). List the generations + credit cost and wait for my OK first.
- Split each landscape into 3 depth layers from its depth map and fill the hidden areas. Parallax: layer scale = camera^Z, Z between 0.45 and 1.22.
- Each portal's glass holds the next world; cut seamlessly when it fills the frame.
- Constant speed: exponential zoom to a fixed point, each segment's duration proportional to log(zoom). Verify the cuts frame by frame.
- Man & whale: generate on pure green (#00B140), animate in place with Kling, key out every frame, build a seamless loop (ping-pong if needed).
- Cutouts animate at 15 fps (on twos).
- 20 s loop, 1920x1080, 30 fps. Music: 96 BPM, cut to exactly 8 bars = 20 s.

DELIVER: an interactive artifact (viewer, AE-style timeline, music + MP4 download) and a rendered MP4 with music under 30 MB.

Show me screenshots before each expensive step.

328. @ror-fly

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ror-fly-880547>

We're going to try a little test. Do you think you could render a recipe motion graphic animation using javascript or html (w/e you think will produce the best) to show the full recipe from start to finish (empty glass to completed cocktail) - Explainer video style - Showing the recipe ingredients + measurements as they're going into the cup. Should be a 30s video.

329. @deedydas

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/deedvdas-252537>

make a modern slick and punchy video for a modern startup that works on inference

330. @sudo-kiran

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/sudo-kiran-335993>

create best motion graphics explainer of the (your product) with very good script and good design colors and good music make sure the video should be incredible and people should feels like watch it many times.. it has to be in 30 seconds good and very intresting, it has to be best of the best of the best of the best video
(product link)

331. @0xvalure

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/0xvalure-331584>

Make this PayBox logo into a reel. Pretend you are a world-class motion designer. Make a 10-second dynamic video like the reference

332. @verbove

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/verbove-268381>

```
\x3Cinputs> \nAsk me for: \n• my product + URL \n• 8–12 UI states that tell its story \n• the real data shown in each state \n• brand colors + fonts + accent color \n• required formats (1:1, 16:9, 9:16) \n\x3Cinputs>\n\n\x3Crules> \nOne HTML file. One canvas\nOne draw(t) function\n\nNo CSS transitions\nNo timers\nNo state carried between frames\n\nOne shape, never cut\n\nEvery state is the same element changing size, radius and color while the content swaps\n\nA cursor drives the sequence with real clicks, typing and one drag\n\nReal UI. Real data. No placeholders.\n\n\x3C/rules>\n\n\x3Cstructure> \nl20 BPM grid\n\nSomething happens on every bea\n\nlogo → button → handle field → “is this you?” → loader → pin → globe filling with users → matches → tabs → RSVP → search → logo\n\n\x3C/structure>\n\n\x3Cmotion> \nClosd-form springs everywhere with only a tiny overshoot.\n\nIf a value changes target multiple times, sum one spring per change\n\nContent enters after its container starts morphing and leaves before the next morph so text never overlaps\n\nUse a short blur on transitions\n\nNever fade black directly into the accent color. Move an accent element between states instead\n\nMake tab indicators stretch by putting each edge on a different spring\n\nZoom the camera so every state fills the frame\n\nMake the last frame equal the first so the whole thing loops\n\n\x3C/motion>\n\n\x3Cexport> \nFirst render one frame per beat as a contact sheet\n\nFix anything cramped or broken\n\nThen render every frame in headless Chrome at 60fps, averaging 6 subframes for motion blur\n\nPipe into ffmpeg:\nH.264 + yuv420p\n\nExport all aspect ratios in parallel\n\n\x3C/export>\n\nmotion design is becoming a prompt
```

333. @ajith-io

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/ajith-io-562538>

Make a dynamic 40-second motion graphics video on Distilbook that shows what an incredible motion designer you are, like it's your showreel - go all out. Use the Oppenheimer theme music as inspiration, but compose it yourself.

334. @linearuncle

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/linearuncle-971663>

Manimedge-tts

335. @alex-prompter

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/alex-prompter-997524>

Adopt the role of an expert motion designer. Build a 30-second animated explainer for my business as a single HTML page. 5 scenes. The customer's problem, what I do, how it works in 3 steps, one proof point, and my name at the end. Bold text, smooth transitions, my brand colours. My business [DESCRIBE WHAT YOU SELL, WHO IT'S FOR AND YOUR COLOURS]

336. @emollick

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/emollick-019567>

A video explaining recursion, where every explanation about recursion has a radically different video style, make this self-referential & clever & fast moving.

337. @kloss-xyz

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kloss-xyz-067876>

make a video highlighting key moments in the history of AI.

338. @henkvaness

Fuente: <https://skillry.dev/ai-videos/opus-5-5/henkvaness-975279>

make educational video out of article.

339. @amitsingha89

Fuente: <https://skillry.dev/ai-videos/opus-5-5/amitsingha89-780553>

Make a professional explainer video for <https://anuprerna.com> for a first-time visitor.

340. @tak3sh8

Fuente: <https://skillry.dev/ai-videos/opus-5-5/tak3sh8-441895>

Do a quick hand-drawn whiteboard animations explaining what is replica symmetry breaking in the SK model

Prompt 2: build the mp4 version with narration

341. @astrothewizard

Fuente: <https://skillry.dev/ai-videos/opus-5-5/astrothewizard-618782>

I want you to make a 60-second, fully animated explainer video, end to end, completely on your own. I'm stepping away from my computer, so work autonomously until it's done. Don't stop to ask me questions; make the calls yourself and tell me what you decided at the end.

Topic: the journey of photons

Style: whimsical, charming, storybook. Give the photon a personality. It should feel like a professional motion-design studio made it, not "AI video". The whole thing should be a pure JavaScript animation, rendered from code frame by frame. Don't use AI video generators for the visuals. I've seen the videos people are posting from Opus 5.5 (kinetic typography reels, continuous infinite zooms, data-driven explainers like The Pudding or 3Blue1Brown), and what makes them great is that they're code-rendered: crisp, precise, with a coherent design system and one strong formal idea per scene. Aim for that bar or above.

Make it genuinely educational and accurate. Where you can, simulate the real thing: the random walk should be an actual random walk, not a drawing of one. Include real numbers (core temperature, distance, travel time, years inside the Sun) and be honest about uncertainty in the estimates. Use humor and visual gags to keep attention: onomatopoeia, little characters, callbacks. Put what was happening on Earth during those 100,000 years alongside the photon's timeline.

Deliverable: 1920x1080 at 60fps, exactly 60 seconds, with:

- A voiceover script you write yourself, voiced with the highest-quality text-to-speech model you can access
- Burned-in captions, since most people watch on X with the sound off
- An original music score that fits the whimsical tone and changes with each scene
- Sound design synced exactly to the on-screen action (every bounce, pop, whoosh and ding)
- A professional mix: music ducks under the voice, mastered to streaming loudness

You write the script, design the characters, pick the typography and palette, compose the music, and build the animation engine. Use any tools and resources you can find access to: open fonts, sample libraries, open-source models. Use whatever works.

Quality is paramount. Build verification loops: render stills of every scene and review them critically, check transitions frame by frame, measure the audio mix numerically, fix what's weak and re-render. Don't hand me a first draft. Hand me something you'd put your name on. Also give me the source code so it's reproducible

342. @sudo-kiran

Fuente: <https://skillry.dev/ai-videos/opus-5-5/sudo-kiran-254201>

make a dynamic 30-seconds motion graphic video about the distilbook like a product explainer the video has to be very incredible (product url)

343. @sarut0bisasuke

Fuente: <https://skillry.dev/ai-videos/opus-5-5/sarut0bisasuke-069973>

Render a recipe motion graphic animation using JavaScript or HTML (whatever you think will produce the best result) to show the full recipe for a White Russian from start to finish, empty glass to completed cocktail. Explainer video style, showing the ingredients and measurements as they go into the glass. It should be a 30s video.

344. @tomandrieu96707

Fuente: <https://skillry.dev/ai-videos/opus-5-5/tomandrieu96707-875264>

Create a pure javascript animation. 30s-60s whimsical hand drawn collage style with appropriate audio that will explain the same story as our "about-us" page. Use assets from our repo when possible.

345. @0xnfrith

Fuente: <https://skillry.dev/ai-videos/opus-5-5/0xnfrith-068999>

make me an animation to explain why celld earns its place.

346. @1stnoel

Fuente: <https://skillry.dev/ai-videos/opus-5-5/1stnoel-603851>

Make a 1-minute educational video about <https://readsotto.app/> with synthesized voice narration.

347. @retropunkai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/retropunkai-277590>

Render a fun motion graphic animation using the GSAP animation platform (see below) to show a brief history of The Sphere in Las Vegas from start to today (start with a minimal architecture to completed venue) - Explainer video style - Talk about how bands now play there, The Wizard of Oz film and next how on Oct 1 2026 Metallica will make their debut - and guess who is attending? We are! Should be a 30-60s video depending on the info. Use the images in the folder.

Sphere History:
[https://en.wikipedia.org/wiki/Sphere_\(venue\)](https://en.wikipedia.org/wiki/Sphere_(venue))

Animation Platforms:
<https://gsap.com/>

Ask me any questions if you need, but if you feel confident please have fun and make something awesome that will go super viral!

348. @parkerrex

Fuente: <https://skillry.dev/ai-videos/opus-5-5/parkerrex-701462>

explain a token bucket rate limiter, canvas only, no libraries, every frame a pure function of time so my renderer can screenshot it.

349. @charlesmendez

Fuente: <https://skillry.dev/ai-videos/opus-5-5/charlesmendez-476517>

I Want you to make a modern slick and punchy video for <http://datagran.io> with an example of a user creating a chatgpt ads campaign, then connecting their metrics, understanding attribution, then connecting a voice agent to it, the agent responding, then doing follow up, adding humans in the loop and then providing analytics.

350. @nikolajankovic

Fuente: <https://skillry.dev/ai-videos/opus-5-5/nikolajankovic-616097>

make a hand-drawn stop-motion animation;
story: you're defi saver and explaining yourself in 1st person

Escenas 3D (55)

351. @petert

Fuente: <https://skillry.dev/ai-videos/opus-5-5/petert-540960>

Claude Opus 5.5 + HyperFrames + Gemini Flash 3.8 + Three jsMeta VR

352. @petert

Fuente: <https://skillry.dev/ai-videos/opus-5-5/petert-635793>

Claude Opus 5.5 + HyperFrames + Gemini Flash 3.8 + Three js

353. @pwntastickev

Fuente: <https://skillry.dev/ai-videos/opus-5-5/pwntastickev-664257>

Experimenting with our contact page where astra made the outside model. Decided to do a tour inside and have Opus 5.5 take a swing with some images to walk the client where to go. Used @HyperFrames_ to create the video. Im VERY impressed!
#hyperframes #honeyraeaesthetics #opus5

354. @ambiguous-ai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ambiguous-ai-389509>

Opus5.5 motion graphics
Remotion
#AIMotionDesign 02

355. @demitiyageekzen

Fuente: <https://skillry.dev/ai-videos/opus-5-5/demitivaageekzen-818523>

opus5.5
30shml
• 2026-09-25""

WebGL2 9 Canvas 2D
WebAudio Karplus-Strong

356. @gmgmgm1545

Fuente: <https://skillry.dev/ai-videos/opus-5-5/qmqqm1545-245507>

@claudeai Opus 5.5

AI—

357. @jarvis11x

Fuente: <https://skillry.dev/ai-videos/opus-5-5/jarvis11x-544635>

opus 5.5

opus

358. @kewai386772

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kewai386772-276947>

GPT 6 AstraOpus 5.5 web 3d Fxhh

promptworkplacehh

359. @nft-chen

Fuente: <https://skillry.dev/ai-videos/opus-5-5/nft-chen-350878>

Opus 5.5 Three.js

prompt:

web3D just breathe.

#Opus5_5 # # #ThreeJS #Web3D #AIGC #vibecoding # #3D #AI #Dario #Anthropic

https://x.com/nft_chen/status/2103401780117938683?s=46

360. @0xsolty

Fuente: <https://skillry.dev/ai-videos/opus-5-5/0xsolty-735200>

i asked opus 5.5 to build me a planet.

not a picture of a planet. a whole planet.

it wrote a single html file. no libraries, no images, no 3d models. every ocean, every mountain and every city light is math, generated live in your browser.

then i started playing with it.

drag it and it spins. raise the sea level and watch continents drown. move the sun and watch the cities switch on at night.

hit "new planet" and it invents a new world. it even names it.

a year ago this was a semester project for a graphics student.

now it's a prompt.

361. @curieuxexplorer

Fuente: <https://skillry.dev/ai-videos/opus-5-5/curieuxexplorer-272483>

I asked Opus 5.5 to generate a realistic 3D model of the Taj Mahal

Dome, minarets, marble inlay, even the foundations.

One prompt One HTML file.

362. @myonisto

Fuente: <https://skillry.dev/ai-videos/opus-5-5/mvonisto-923578>

Claude Opus 5.5 just one-shotted an entire 3D virtual studio in Blender.

We used to sell studios like this on Envato. Built in After Effects + Element 3D, each one took our team months.

This took one prompt.

@claudeai @AnthropicAI @alexalbert__ @bcherny

363. @truenyl

Fuente: <https://skillry.dev/ai-videos/opus-5-5/truenyl-447745>

Claude Opus 5.5 is absurdly good at 3D.

I reran one of my recent 3D experiments with Claude Opus 5.5.

Same prompt, same references, same real-world scene I had previously built with GPT-6 Astra.

The result was much better than I expected.

Put simply, for this specific use case, Claude Opus 5.5 was a clear win for me.

The biggest differences for me were instruction following and taste.

With the same references, Opus 5.5 got much closer to the Zelda Breath of the Wild-style look I was aiming for.

The layout felt more intentional.

It picked better camera angles.

Asset placement made more sense.

And I spent much less time fixing basic mistakes.

In my Astra version, I had to repeatedly correct things like tree roots not touching the ground, rough geometry being used where proper assets already existed, or objects being placed in ways that just looked wrong.

Opus 5.5 got much more of this right on its own.

The interesting part for me is that I have almost zero real 3D skills.

I mostly give references, look at the result, explain what feels wrong, and keep iterating.

With better instruction following and visual judgment, that loop becomes dramatically easier.

Still plenty to improve, especially indoors.

Next test is whether I can recreate the interior of the house with the same level of quality.

364. @builtbysketch

Fuente: <https://skillry.dev/ai-videos/opus-5-5/builtbysketch-114092>

OK so Opus 5.5 SMOKED GPT Astra at 3d modelling this stadium from old plans and reference pics

This was a near one shot. 1000x better than Astras one shot (check reply for Astra's one shot)

I gave them the same prompt and the exact same reference plans

365. @per-simmons

Fuente: <https://skillry.dev/ai-videos/opus-5-5/per-simmons-944727>

Opus 5.5 building a website for a drink brand.

-It generated all the svgs

-Built the can in 3D

-Painted its own labels and then rendered those to make product photo variations

All this in a single (albeit, beefy) prompt

366. @nicolamanzini

Fuente: <https://skillry.dev/ai-videos/opus-5-5/nicolamanzini-156628>

Opus 5.5 does a great job in eval of GLSL (OpenGL Shading Language) in threejs.
The prompt here is roughly. A fishbowl with reflection, refraction and water caustics.

Check it out yourself! And compare it to other models
<https://threejseval.com/gallery?eval=fishtank>

367. @0xwast3

Fuente: <https://skillry.dev/ai-videos/opus-5-5/0xwast3-222104>

Opus 5.5 turned one sentence into a 3D system that opens in Blender, rigged, textured and ready to animate.

It does not render the object. It constructs it, part by part, the way a modeller would if they had a week.

- > PARSE - the sentence becomes a parts list with real dimensions, nothing implied
- > MASS - each part built as clean geometry, quads only, no sculpted mush
- > RIG - joints and pivots placed where the object physically bends
- > SKIN - materials assigned per surface, scale and roughness set separately
- > PACK - exported with a named hierarchy, so a human can edit one part

Image models stop at the render. What you get is a photograph of a thing that does not exist as a thing.

That gap appears the second someone wants to move an arm, swap a material, or send it to a printer.

Rigging is what nobody automates. Without pivots you have a statue, and a statue cannot be a system.

Topology beats detail every time. A dense mesh looks stunning in a screenshot and folds the moment it deforms.

Names carry through the whole export. Every part, joint and material reads the way a person would label it.

Studios burn days on modelling and cleanup before anyone gets to the creative part of the job.

The prompt format and what each stage returns are laid out underneath.

368. @wzarok

Fuente: <https://skillry.dev/ai-videos/opus-5-5/wzarok-283635>

threejs (@threejs) + Claude Code Opus 5.5
tek prompt ve çıktı

369. @goofyninja

Fuente: <https://skillry.dev/ai-videos/opus-5-5/goofyninja-315331>

Esta app probó 3,932 posiciones de una cama matrimonial hasta encontrar dónde cabe.

La hizo Claude Opus 5.5 con un prompt mío: cuarto de 3.00 x 3.40 m, puerta de 80 cm, un clóset de 1.20 x 0.60 y la cama de 1.40 x 1.90.

Armó el plano a escala y el cuarto en 3D al lado, y los dos se mueven juntos.

Si la cama choca con el clóset, no deja abrir la puerta o te deja menos de 60 cm para pasar, te avisa.

Solo 108 posiciones no tenían ningún problema. La mejor deja 70 cm para pasar por cada lado.

Tardó 47 minutos, más 5 para pasarla a inglés, y no le corregí nada.

Para una mudanza, esto dice más que cualquier benchmark.

370. @friskyggg

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/friskvqq-054427>

Opus 5.5 is good at 3d motion too apparantly

371. @ai-ba-reza

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/ai-ba-reza-113363>

متخاس هندنكه نووی 3D نشیمننا هی Claude Opus 5.5

روتسیزنارت و رادم زا ، هریم پیچ لخاد ، هنکیم زاب ورکیفارگ تراک ، هشیم رورس دراو ، هشیم غورش رتنساتی د زا هسریم نوکیلیس متا ات و هشیم در هدی شک لوط تعاس ا دودج و هشیم ارجا دحاو HTML لیاف کی یوت شهه.

372. @souradip3000

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/souradip3000-800291>

Opus 5.5 is mind boggling.

It created this 3D website from just one prompt.

Told it to create a website for forest conservation agency with pinterest post as reference for 3D animation.

It one shotted into a single html file.

373. @techartist

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/techartist-786274>

I wanted to see if beautiful destinations could become playable 3D experiences. Annecy, France became the prototype: a boat journey through canals, bridges, waterfront, and the mountain lake, built with Claude Opus 5.5 using Three.js + TSL.

I trimmed the navigation footage for the sake of keeping the video short and the post below below has a slightly longer version. The whole workflow behind this is simple:-

- Explained the concept to Opus and asked it to list some ideas.
- Shortlisted one and asked it to generate a prompt, with tech stack directions.
- Thats it, needed few iterations and is still a work in progress with few issues needing ironing.
- The audio effects were added by Opus itself.

374. @lribes4

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/lribes4-742305>

New Black Clover chapters are on the way and Opus 5.5 just dropped, so I put it to the test:

A 3D diorama of the Black Bulls hideout, made with Opus 5.5 + three.js

Every visitor is a floating mana light, come say hi to Nero
<https://ribes.cc/hideout/>

#BlackClover #threejs

375. @eigeorguy

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/eigeorquy-813651>

Opus 5.5 put London in a snow globe

Elizabeth Tower with lit clock faces
Red double-decker
Black cab at a zebra crossing
☎ Phone box
Leaves that swirl when you shake the phone

~700 lines of Swift. No 3D files.

376. @kum1ta

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kum1ta-740521>

I gave my Claude Code sessions an office.

Workspace turns each session into a desk in a 3D office: see who's working, who's done and who needs you, jump into any terminal, and let them work together.
Open source, built entirely with @claudeai Opus 5.5.

377. @vectorcrossprod

Fuente: <https://skillry.dev/ai-videos/opus-5-5/vectorcrossprod-436573>

Claude Opus 5.5 continues to amaze me. Claude Opus 5.5 created a 3D printable enclosure for an existing PCB. Then it created this promo video for it.
The PCB, the printable STLs and this animation are 100% just from prompting in Claude Code.

378. @sanjay-khadka07

Fuente: <https://skillry.dev/ai-videos/opus-5-5/saniay-khadka07-620029>

Latentown just went 3D

The pixel town grew into a living city of AI news. Every story is a building, every lab has a tower, and couriers carry the day's news across the river.

Built over a weekend with Claude Code + Opus 5.5 and three.js.

<https://latentown.lol>

379. @ksmialowski

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ksmialowski-473410>

Rok temu próbowałem zrobić grę 3D z Opusem 4.1 - zrzut ekranu, jak to wtedy wyglądało, wrzucę w komentarzu.

Zobaczcie, jak szybko to wszystko idzie do przodu. Minęło tylko 12 miesięcy, a dziś wygląda to tak. Całość zbudowana z modelem Opus 5.5.

<https://kreatio.pl/brokul>

380. @acoramaa

Fuente: <https://skillry.dev/ai-videos/opus-5-5/acoramaa-248467>

CLAUDE OPUS 5.5 MADE ME A MAGIC EYE.

It doesn't just look around. It listens.

72 plates wrapped around a mechanical eyeball, a 9-blade iris, a lens that slides out when the bass hits, two rings orbiting it like it's its own little planet.

Play a track and it comes alive. Every kick flips the plates open. The bass pushes the lens forward. The highs light up the glowing core inside.

When the song drops into the breakdown, the eye closes and goes quiet, like it's thinking. Then the drop hits and it blows wide open.

Opus 5.5 listened to the track first, found the tempo, the breakdown and the drop, and built the whole thing around it. Even the panel on the right is live: every slider moves with the music.

All 3D, all code, rendered right in a browser.

Turn the sound on.

381. @maruo-0314

Fuente: <https://skillry.dev/ai-videos/opus-5-5/maruo-0314-998343>

Claude Opus 5.53D5

PRYouTube

↓

382. @aayush4soni

Fuente: <https://skillry.dev/ai-videos/opus-5-5/aayush4soni-644283>

My family is planning to build a house, and all we had was the floor plan. I wanted to see how it would really look once it's built: which colors, layout and design would suit it best.

So I gave the plan to Claude Opus 5.5 and asked it to create a 3D view of the house.

It's one of the most useful things I've created recently. We can now walk through the house before a single brick is laid, and when we want to try a different color or layout, I just ask for the change.

In the video: the hall, room, and the terrace at dusk, all at eye height.

How it worked:

- I gave it the 5-page floor-plan PDF and one reference image for the front of the house.
- It read the drawings and rebuilt every floor: walls, doors, windows and stairs.
- Where a printed size didn't match the drawn wall, it flagged it (15 places) instead of quietly guessing.
- It furnished every room itself: 500+ pieces of furniture, decor and lighting.
- Everything runs in a web browser with three.js. No Blender, no game engine. You can walk through it like a game, in daylight or evening light, and the lamps actually light the rooms.
- It treated it like a real software project: ~37k lines of JavaScript, 185 unit tests, 56 browser tests, and deterministic video capture (render the same frame twice, get identical pixels).
- It even tracked down a bug of its own: a room's lighting changed depending on which room you walked in from.
- It split the work across sub-agents. Start to finish took about two days.

My part was the decisions: what each room is for, the style, and the changes I wanted.

383. @allforbigfire

Fuente: <https://skillry.dev/ai-videos/opus-5-5/allforbigfire-029657>

33D CGClaude Opus 5.5BGMPython 11000 #Claude #

384. @ewashoku

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ewashoku-201053>

Opus 5.53D

<https://bicycle.washoku.dev>

385. @ajthmongol

Fuente: <https://skillry.dev/ai-videos/opus-5-5/aithemongol-318512>

Designed a house as a code with Opus 5.5

One model -> 14 drawings, 5 engineering calculations, a 3D viewer and a CAD export

Concept only, not stamped

Still wild that one person can do this now

386. @dannnnnok

Fuente: <https://skillry.dev/ai-videos/opus-5-5/dannnnnok-716687>

I'm curious to see how strong you are as a motion designer. To prove it, create a polished 15-second animated graphic video that showcases your motion design skills. This piece will be presented to 10,000 people on X, so make it visually compelling, professional, and memorable. Take full creative freedom and make the strongest result you can

387. @twoclippping

Fuente: <https://skillry.dev/ai-videos/opus-5-5/twoclippping-000267>

```
\x3Cinputs>\nAsk me for: the product name and a one-line promise, 3 to 5 UI moments to show, one
accent color, 10 to 20 real vertical clips I own, and a royalty-free song with a clear drop (e.g.
Mixkit, free for commercial use).\n\x3C/inputs>\n\n\x3Cdirection>\nHigh-end minimal. One idea per
shot, lots of empty space, one accent color, one clean sans (Geist or Inter) with tight tracking.
Masked type reveals, match cuts, one smooth camera language. Real footage only, never placeholder
cards. No full stops in on-screen text.\nBanned: shockwave rings, particle bursts, RGB split, camera
shake, lens flares, neon glows, grid floors, flashing backgrounds, bouncy
easing.\n\x3C/direction>\n\n\x3Cstructure>\n10 bars at 120 BPM, 2 seconds each.\nBar 1: the hook
lands word by word on the beats.\nBar 2: one hook word morphs into the product UI. A cursor types and
clicks.\nThe drop: a circle opens out of the button into a dark scene.\nThen one move per bar: a wall
of real clips with a scan line and 3 winners, the key output as big type, a 3D carousel of real
videos with floor reflections and a motion-blurred whip onto one hero clip, the hero in a phone next
to a panel that flips into results, big stats on push cuts, a 3-word ticker, a logo reveal, a fade to
black.\n\x3C/structure>\n\n\x3Cbuild>\n1. One HTML file at 1920x1080. Every style is computed from
time inside \nhttp://\nwindow.seek(t): no CSS animations, no timers, no state between frames.\n2.
Real video: extract clips to 30fps JPEG sequences with ffmpeg and swap img sources per frame. seek
awaits the image decodes.\n3. Analyze the song with numpy: tempo, beat grid, energy per bar, the
drop. Calibrate the grid to the real kick hits. Every cut sits on a downbeat, every UI hit on a
beat.\n4. Render with Playwright: 3 subframes per frame at t minus, at, and plus 1/240s, then blend
with ffmpeg tmix for real motion blur at 60fps.\n5. Place each sound effect so its measured peak, not
its file start, lands on the event. Keep the effects quiet under the music. Loudnorm to -14 LUFS.\n6.
Probe 20 or more frames before the full render. Fix anything cluttered, overlapping or hard to
read.\n\x3C/build>\n\n\x3Cgotchas>\nNever set opacity or filter on a preserve-3d element, because it
flattens and both faces show. Fade its wrapper instead. Measure element positions at runtime for
match cuts. Only use music and sound effects whose license allows commercial
use.\n\x3C/gotchas>\n\n\x3Cstart>\nAsk me for the inputs, then show me a storyboard with every timing
on the beat grid before you write any code.\n\x3C/start>
```

388. @morse

Fuente: <https://skillry.dev/ai-videos/opus-5-5/morse-369333>

```
\x3Cinputs>\nAsk me for: 8 to 12 UI states I want the shape to become (e.g. button, loader, player, slider, toggle, tabs, chart, command palette, toast), pure black and white or one accent color, and a royalty-free song around 120 BPM (e.g. Mixkit, free for commercial use).\n\x3Cinputs>\n\n\x3Cdirection>\nDribbble-level UI motion. One shape, never cut: every state is the same element morphing its size, radius and color while its content swaps with a short blur. A cursor drives every change with real clicks and drags. Light warm-gray canvas, black and white components, one clean UI font (Geist). Springs everywhere, a tiny overshoot at most. The camera zooms so each state fills the frame. The last frame is the first frame, so it loops.\nBanned: bouncy easing, particle bursts, glows, gradients on UI chrome, mismatched icon strokes, dead time, anything that looks like a template.\n\x3C/direction>\n\n\x3Cstructure>\n120 BPM, 7 bars, something happens on every beat.\nButton → loader → check → dynamic island → music player with a play/pause morph → scrub the progress bar → it becomes a volume slider that stretches when dragged past max → a toggle flips on the beat → the knob becomes a liquid tab indicator → the tabs open into a chart that draws itself, with a tooltip on hover → it collapses into *K → type to filter → enter → toast → back to the button.\n\x3C/structure>\n\n\x3Cbuild>\n1. One HTML file, square 1440x1440. Every style is computed from time inside seek(t): no CSS transitions, no timers, no state carried between frames.\n2. Springs are closed-form step responses. A value that changes target many times is the sum of one spring per change, so it stays a pure function of time.\n3. The tab indicator's two edges ride different springs, so the leading edge stretches ahead of the trailing one. Same trick for the toggle knob.\n4. Drags are direct manipulation: while the cursor is held, the value is computed from its position. On release it springs back from wherever it was.\n5. Analyze the song with numpy for the beat grid and start on a downbeat. Place every UI sound by its measured peak.\n6. Render with Playwright: 4 subframes per frame, blended with ffmpeg tmix for motion blur at 60fps.\n7. Render one frame per beat before the full render. Fix anything off the grid, cramped or hard to read.\n\x3C/build>\n\n\x3Cgotchas>\nNever put will-change on anything the camera scales or the text renders blurry. Text that swaps inside a morphing container needs its own enter and exit timing or it overlaps. Make the last frame identical to the first, cursor position and speed included, or the loop stutters.\n\x3C/gotchas>\n\n\x3Cstart>\nAsk me for the inputs, then show me the state list on the beat grid before you write any code.\n\x3C/start>
```

389. @lukasersil

Fuente: <https://skillry.dev/ai-videos/opus-5-5/lukasersil-726495>

Create a bold, dynamic 15-second motion graphics showreel that feels like the ultimate portfolio piece of an exceptionally talented motion designer. Showcase a wide range of advanced techniques: kinetic typography, smooth transitions, 2D and 3D animation, abstract geometry, fluid simulations, particles, distortion, creative masking, compositing, lighting, depth, and seamless camera movement. Keep the pacing fast, confident, and visually surprising, with every shot transitioning naturally into the next. Make it feel meticulously art-directed rather than like a random collection of effects. Push the creativity, polish, timing, and visual impact as far as possible. This should feel like the opening reel that gets a motion designer hired.

390. @raphaelaubryy

Fuente: <https://skillry.dev/ai-videos/opus-5-5/raphaelaubryy-190360>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

391. @bthreeagency

Fuente: <https://skillry.dev/ai-videos/opus-5-5/bthreeagency-827092>

Using the linked Figma frame build a badge unlock screen. Match the design exactly. Use the file's assets, lighting, type and layout and add only the motion. Animate the badge so it feels premium and celebratory. Build its scene and then celebrate with gold particles. Treat the badge as a solid 3D object that tilts toward the cursor following the rules of physics. Keep it fast and smooth, it should not be bouncy.

392. @alexalbert

Fuente: <https://skillry.dev/ai-videos/opus-5-5/alexalbert-274839>

Recreate Market Street, San Francisco as it stood on April 17, 1906, the afternoon before the earthquake, in Blender.

Scope: the Ferry Building up Market to Fifth Street, including the Palace Hotel, the Call Building, the Chronicle Building, Lotta's Fountain and the Emporium.

Before modeling anything, build a source file from: the 1899-1905 Sanborn fire insurance maps (footprints, heights, materials, occupants), the Miles Brothers film "A Trip Down Market Street" (April 1906), period photographs from OpenSFHistory, the Library of Congress and the David Rumsey collection, and USGS topography. Record every building with footprint, height, facade material, occupant, and the source for each fact with a confidence level.

Build everything in Blender Python. No downloaded meshes, textures or HDRIs. Write reusable generators (Victorian commercial facade, mansard roof, bay windows, awnings, painted signage, gas and electric street lamps, cable car, horse-drawn wagon, early automobile) and assemble the street from the source file, so every building traces back to data.

Provide a 10 second video up the street.

393. @michaelzsguo

Fuente: <https://skillry.dev/ai-videos/opus-5-5/michaelzsguo-782312>

Make a 2-minute sand animation that tells the story of 250 years of U.S. history. Keep it lively, engaging, and tasteful. Add appropriate background music and sound design.

394. @twoclippping

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/twoclippping-496100>

```
\x3Cinputs>\nAsk me for: a one-word brand name for the wordmark (a verb works best), 9 to 12 high-res
photos, a royalty-free song around 120 BPM with a drop and a quiet breakdown (Mixkit, free for
commercial use), and a free stock clip of a plain wall with moving plant shadows
(Pexels).\n\n\x3Cinputs>\n\n\x3Cdirection>\nAn Apple-keynote launch film, 2D only, one continuous
take. Every scene is made out of the previous one: nothing fades, blurs or cuts. Objects change shape
instead: text rises out of a mask line, icons pop from zero on a spring, bars draw across, pages
push, and a black shape floods the whole frame and contracts into the next scene. Warm off-white
canvas, black UI, iOS 26 liquid glass over the photos. Archivo (wdth 125, weight 800) for the
wordmark, Geist for UI. A cursor drives every change with real clicks, drags and long-presses. The
camera zooms screen-studio style so each moment fills the square, and the cursor scales with
it.\nBanned: crossfades, blur-ins, brightness \"developing\", 3D flips, particles, glows, holds
longer than 1s, anything that looks like a template.\n\n\x3Cdirection>\n\n\x3Cstructure>\n120 BPM, 54
beats, something happens on every beat.\nOpen: the wordmark squeezes into its own period like an
accordion, the dot grows into a black pill, a label rises inside it. Click: six iris blades close
over the label and snap open onto a photo. The circle becomes a square, shrinks, the grid unfolds
from behind it like a paper map (center, plus, corners), reflows into a bento, and a click zooms into
one tile, landing exactly on the drop.\nGlass: a glass word pops in letter by letter, melts into a
droplet that stretches into a glass toolbar. The adjust icon turns it into a slider. Dragging
relights the photo from day to golden hour (two aligned shots), and the knob turns into a glass lens
while held. It lifts into a glass orb, the next photo opens inside it as a circle, and the orb
expands into a lock screen: glass clock digits, date, and a home bar that stretches into a glass
music player.\nStage: the lock screen pulls back into a phone (the bezel grows out of the screen
edge). The Dynamic Island stretches like liquid, pinches off, flies over and grows into a Mac window
that rolls up like a blind. Long-press the wallpaper, drag it onto a Safari tab, the page pushes in,
drop it and it becomes the hero of a landing page. Scroll: the hero morphs into a framed print on a
product card, with the mat and molding growing out of the photo's edge. Pick a frame color (it paints
across) and a size, then the nav button flies down into \"Order print\".\nOrder: one black shape
keeps morphing: Ordered ✓ → Printing % → On its way (a van on a route) → Delivered ✓.\nWall: the
delivered circle floods the frame edge to edge, holds black for a beat, and contracts into the framed
print hanging on the real wall footage. The same iris opens onto the print, closes again, the frame
floods the screen and contracts into the pill → the dot → the letters spring back out, landing on the
beat return. Last frame = first frame.\n\n\x3Cstructure>\n\n\x3Cbuild>\n1. One HTML file, square
1440x1440. Every style is computed from time inside an async seek(t): no CSS transitions, no timers,
no state between frames.\n2. Springs are closed-form step responses. A value with many targets is the
sum of one spring per change, so it stays a pure function of time.\n3. Liquid glass: each glass
element holds its own clone of the scene behind it, filtered with an SVG feImage displacement map (a
rounded-rect distance field) through three feDisplacementMaps at slightly different scales for
chromatic edges, plus a rim light. Glass letters: a canvas distance field per glyph gives the map,
mask and highlights.\n4. Goo: blur + alpha threshold, then composite the source atop it so the glass
stays sharp inside.\n5. Iris: 6 blades around a hexagonal aperture. Each blade is its two vertices,
both edge extensions and the SHORT arc between them.\n6. Wordmark squeeze: every letter moves toward
the dot by the same factor and its drawn width follows (narrow the wdth axis, scale the rest), so the
letters stay touching.\n7. Footage: re-encode all-intra (ffmpeg -g 1), load it as a blob URL, await '
seeked' before drawing each frame.\n8. Sound: a downloaded SFX for every event (Mixkit), never
synthesized, each placed by its measured peak. The song starts on a downbeat: the zoom lands on the
drop, the wall sits in the breakdown, the wordmark returns with the beat. Loudnorm to -14 LUFS.\n9.
Render with Playwright: 4 subframes per frame blended with ffmpeg tmix, 60fps. Check one frame per
beat, then scan for single-frame pops (frame-difference spikes 3x their
neighbours).\n\n\x3Cbuild>\n\n\x3Cgotchas>\nbackdrop-filter: url() misreads displacement maps in
Chromium, so clone the scene instead. A flood must overscale past the corners and take about 0.3s, or
half the screen changes in one frame. A child with visibility: visible shows through a hidden parent,
so use inherit. Text that swaps inside a morphing shape needs its own mask. python http.server can't
range-seek video, so use the blob URL.\n\n\x3Cgotchas>\n\n\x3Cstart>\nAsk me for the inputs, then show
me the beat map and 4 stills (open, glass, stage, wall) before you write the full film.\n\n\x3C/start>
```

395. @axtonliu

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/axtonliu-290566>

```
""" HTMLSVG """
```

396. @mdaman010

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/mdaman010-111079>

```
Show me what goes on inside an AI data centre.
```

397. @iamtanzil

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/iamtanzil-675031>

```
# Auren Header\n\nA cinematic, scroll-scrubbed 3D hero header for the luxury/fantasy brand \"AUREN\" where a full-screen background video plays frame-by-frame as the user scrolls through a 500vh section, with sequential timed overlays (title, description, feature cards, final title) revealing themselves at specific video timestamps.\n\n## Tech stack\n- React 18+ with \"use client\" directive (Next.js App Router compatible)\n- framer-motion (all overlay entrance/exit animations, AnimatePresence, staggered per-character reveals)\n- gsap + gsap/ScrollTrigger (scroll-driven scrubbing that maps scroll progress to video.currentTime)\n- No icon library used; the arrow is a literal → character and the card overlay button is a literal + character\n\n## Fonts & global styles\n- Import via: `https://fonts.googleapis.com/css2?family=Italiana&family=Inter+Tight:wght@400;500&display=swap`\n- Display / serif font: 'Italiana', serif – used for the AUREN logo, hero titles, card numbers, and card titles.\n- Body / sans font: 'Inter Tight', sans-serif – weights 400 and 500 – used for nav text, descriptions, menu items, card subtitles/descriptions/buttons.\n- box-sizing: border-box applied to the whole section and all descendants.\n- Scope all styles to the section; do NOT set global body/html rules.\n\n## Section container\n- Root: `.auren-header-section` – position: relative; width: 100%; height: 500vh; background: #FFFFFF. The 500vh height is what creates the scroll runway for scrubbing.\n- Inner sticky wrapper: `.auren-sticky-content` – position: sticky; top: 0; width: 100%; height: 100vh; overflow: hidden. Everything visible lives inside this sticky viewport.\n\n## Structure, section by section\n1. **Background video** `.auren-video-bg`: position absolute; inset 0; width/height 100%; object-fit: cover; object-position: center; z-index: 1. Element is `` (NOT autoplay – playback is driven by scroll). Source: `https://cdn.jiro.build/Header%20Section/Auren3d/output.mp4` (type video/mp4). On ≤768px, object-position becomes 70% center.\n2. **Navigation** `.auren-nav`: position absolute; top 0; left 0; width 100%; padding 40px 60px; display flex; justify-content space-between; align-items flex-start; z-index 2.\n   - Logo `.auren-logo`: text \"AUREN\", Italiana 400, 26px, line-height 1, color #000000, letter-spacing 0.05em.\n   - Center nav `.auren-nav-center`: absolutely centered (left 50%, translateX(-50%)); display flex; gap 15vw. Two `.auren-nav-text` blocks (Inter Tight 500, 16px, line-height 1.2, uppercase, color #000000, centered): first reads \"COSMIC ARMORION\" / \"FORGED IN LIGHT\" (two lines via >); second reads \"CHAPTER 07\" / \"CELESTIAL ARCHIVE\".\n   - Hamburger `.auren-menu-btn`: flex column; align-items flex-end; gap 5px; transparent, no border. Three `.auren-menu-line` bars, height 2px, background #161414; widths 22px / 15px / 22px. On hover the middle bar animates to 22px width (transition width 0.3s ease).\n   - Dropdown `.auren-menu-dropdown` (toggled by hamburger): position absolute; top 60px; right 60px; width 150px; background rgba(255,255,255,0.8); backdrop-filter blur(10px); border-radius 8px; padding 10px; flex column gap 10px; border 1px solid rgba(0,0,0,0.1); z-index 20. Items `.auren-menu-item` (Inter Tight 500, 16px, #000, padding 8px, border-radius 4px, right-aligned, hover background rgba(0,0,0,0.05)):\n     \"Home\", \"About\", \"Contact\".\n3. **Timed hero title (initial, shown while videoTime < 2.5s)**\n   `.auren-hero-title`: position absolute; left 60px; bottom 80px; max-width 400px; Italiana 400; 90px; line-height 1.13; color #000000; z-index 2. Words: \"RISE\", \"OF THE\", \"ASTRAL\", \"GUARD\", \"MAN\" – each on its own line (via >), rendered per-character for the reveal animation.\n4. **Timed hero description (initial, videoTime < 2.5s)**\n   `.auren-hero-desc`: position absolute; right 60px; bottom 80px; max-width 320px; Inter Tight 400; 20px; line-height 1.4; color #2E2A2A; z-index 2. Text verbatim: \"Enter a realm where ancient artistry meets futuristic armor. Discover legendary warriors, cosmic relics\".\n5. **Feature cards overlay (shown while 3s ≤ videoTime ≤ 4s)**\n   `.auren-cards-container`: position absolute; bottom 100px; left 0; width 100%; flex; justify-content center; gap 60px; z-index 10. Two `.auren-card`s (each 560px × 320px; background linear-gradient(135deg, rgba(250,246,240,0.95), rgba(240,235,225,0.95)); border-radius 24px; padding 32px; flex; gap 30px; border 1px solid rgba(200,180,150,0.3); box-shadow 0 12px 40px rgba(0,0,0,0.15)):\n     - Card content column: header row with number (Italiana 24px, #000) + a 30px × 1px line rgba(0,0,0,0.2); subtitle (Inter Tight 10px, letter-spacing 0.1em, uppercase, #666); title (Italiana 32px, line-height 1, #000, each word forced onto its own line via `.auren-br`); description (Inter Tight 12px, line-height 1.5, #444, margin-bottom auto); button row (`.auren-card-btn`, cursor pointer, color #000) with `.auren-card-btn-text` (Inter Tight 11px, weight 500, letter-spacing 0.05em) followed by a 14px →.\n     - Card image `.auren-card-image`: 240px wide, full height, border-radius 16px, background-image from URL center/cover, with a `.auren-card-plus` badge bottom-right (32px circle, background #111, color #FFF, contains \"+\").\n     - Card 1: number \"01\", subtitle \"THE WARRIOR\", title \"ASTRAL GUARDIAN\", desc \"Forged in celestial alloy, the Guardian represents a balance of precision, power, and ancient craft.\", button \"EXPLORE GUARDIAN\", image `https://cdn.jiro.build/Header%20Section/Auren3d/auren1.png`.\n     - Card 2: number \"02\", subtitle \"THE ARMOR\", title \"FORGED IN LIGHT\", desc \"Layered armor, luminous cores, and hand-forged celestial details built for the unknown.\", button \"DISCOVER THE ARMOR\", image `https://cdn.jiro.build/Header%20Section/Auren3d/auren2.png`.\n6. **Final hero title (shown while videoTime ≥ 5s)** – same `.auren-hero-title` styling but overridden inline to right: 60px; left: auto; text-align: right. Words: \"THE FINAL\", \"CHAPTER\", \"UNFOLDS\" (each on its own line).\n7. **Final hero description (videoTime ≥ 5s)** – same `.auren-hero-desc` styling overridden inline to left: 60px; right: auto. Text verbatim: \"Witness the culmination of celestial engineering and\"
```

```

ancient magic. The archive awaits your discovery.\n\n## Assets\n- Video:
`https://cdn.jiro.build/Header%20Section/Auren3d/output.mp4`\n- Card 1 image:
`https://cdn.jiro.build/Header%20Section/Auren3d/auren1.png`\n- Card 2 image:
`https://cdn.jiro.build/Header%20Section/Auren3d/auren2.png`\n\n## Animations\n- **Scroll-scrub
video** (signature effect): register ScrollTrigger and map scroll progress across the 500vh section
to the video's currentTime, also storing it in state so overlays can appear/disappear at
timestamps.\n``tsx\nst = ScrollTrigger.create({\n  trigger: \".auren-header-section\",\n  start:
\"top top\",\n  end: \"bottom bottom\",\n  scrub: 1.5,\n  onUpdate: (self) => {\n    if
(video.duration) {\n      const time = self.progress * video.duration;\n      video.currentTime =
time;\n      setVideoTime(time);\n    }\n  },\n});\n``\n\nInitialise only after the video's metadata
is available (readyState >= 1 or on the \"loadedmetadata\" event) and kill the trigger on unmount.\n-
**Nav entrance**: fade + slide down, initial { opacity: 0, y: -20 } → { opacity: 1, y: 0 }, duration
0.8, ease \"easeOut\".\n- **Menu dropdown**: AnimatePresence, initial/exit { opacity: 0, y: -10,
scale: 0.95 } → animate { opacity: 1, y: 0, scale: 1 }, duration 0.2.\n- **Per-character title
reveal** (both titles): parent variant staggers children by 0.05 (initial title also delays children
by 0.3); each character starts { opacity: 0, y: 50 } and animates to { opacity: 1, y: 0 } with
duration 0.6 ease \"easeOut\". Each word is wrapped in an inline-block, overflow:hidden span so
letters wipe up from below. Titles exit via AnimatePresence (initial title exits { opacity: 0, y: -50
} over 0.5s).\n- **Description clip reveal**: initial { opacity: 0, clipPath: 'inset(100% 0 0 0)' } →
animate { opacity: 1, clipPath: 'inset(0% 0 0 0)' }, duration 1, initial one delayed 0.8s, both ease
\"easeOut\"; matching clip-path exit.\n- **Cards overlay**: container initial { opacity: 0, y: 100 }
→ { opacity: 1, y: 0 }, exit { opacity: 0, y: -150 }, duration 0.6 ease \"easeInOut\"; each card
additionally slides { y: 50, opacity: 0 } → { y: 0, opacity: 1 } with staggered delays 0.1 and 0.2,
exit { y: -100, opacity: 0 }.\n- All overlays are gated by videoTime windows: titles/desc #1 for time
< 2.5, cards for 3 ≤ time ≤ 4, titles/desc #2 for time ≥ 5.\n\n## Responsive behavior\n-
**≤1200px**: center nav gap shrinks to 5vw; cards gap 20px with 20px side padding; cards 450px wide,
padding 24px, gap 20px; card image 180px.\n- **≤1024px**: nav padding 30px 40px; hero title left 40px
/ font-size 70px; hero desc right 40px / bottom 60px / 18px; center nav hidden; dropdown right 40px
top 50px; cards stack vertically centered, gap 20px, bottom 40px; cards full width (max 560px) height
280px; card image 240px.\n- **≈768px**: nav padding 20px with center-aligned items; hero title and
desc hidden (display none); video object-position 70% center; dropdown right 20px top 50px; cards
become position relative with margin-top 100px, gap 16px, 16px side padding; each card full width,
height auto, flex-direction column-reverse, padding 20px, gap 16px; card image full width height
180px; card title 28px; \".auren-br\" forced-line-break spans hidden.\n\n## Key design principles\n-
Editorial luxury aesthetic: serif Italiana display type against clean white, minimal chrome, generous
negative space.\n- Cinematic scroll-scrubbing is the hero interaction – the video is a timeline, not
autoplay.\n- Content is choreographed to video timestamps, not scroll position directly.\n-
High-contrast black text on light video for legibility; frosted-glass dropdown for depth.\n-
Per-character mask reveals give the type a premium, deliberate entrance.\n\n## Common mistakes to
avoid\n- Do NOT autoplay the video – keep it muted + playsInline and drive currentTime from
ScrollTrigger.\n- Do NOT register ScrollTrigger at module top level without a window guard in an
SSR/Next.js environment.\n- Do NOT forget the 500vh root height + sticky inner wrapper; without both,
there is no scroll runway and the video won't scrub.\n- Keep every AnimatePresence child keyed so
exit animations fire correctly.\n- Initialise the ScrollTrigger only after video metadata loads, and
kill it on unmount to avoid leaks.\n\n## Page title\nAUREN – Rise of the Astral Guardman\n\n##
Integration (build-safety – do not skip)\n- Add this section as a **new** component file with a
unique name. Don't edit or overwrite any existing file except to add its import and render it.\n-
Render it **after** all existing sections; keep every previously built section exactly as-is – never
replace or remove them.\n- If no project exists, create a minimal React + Tailwind app; if one
exists, use it as-is – don't re-scaffold or change the Tailwind/build config or version.\n- Keep it
self-contained: scope its fonts and any resets to this section; never set global `body`/`html`/`*`
styles or a global font.\n- Install only the libraries this section names.

```

398. @levon96

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/levon96-651291>

make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel for a résumé. go all out.

399. @sayan-shanky

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/sayan-shanky-868515>

show me what goes on inside an AI data centre.

400. @buildfastwithai

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/buildfastwithai-597035>

Implement code to be able to navigate in a pagoda in 3D.

401. @raphaelaubryy

Fuente: <https://skillry.dev/ai-videos/opus-5-5/raphaelaubryy-687877>

```
\x3Cinputs>\nAsk me for: the product name and a one-line promise, 3 to 5 UI moments to show, one
accent color, 10 to 20 real vertical clips I own, and a royalty-free song with a clear drop (e.g.
Mixkit, free for commercial use).\n\x3C/inputs>\n\n\x3Cdirection>\nHigh-end minimal. One idea per
shot, lots of empty space, one accent color, one clean sans (Geist or Inter) with tight tracking.
Masked type reveals, match cuts, one smooth camera language. Real footage only, never placeholder
cards. No full stops in on-screen text.\nBanned: shockwave rings, particle bursts, RGB split, camera
shake, lens flares, neon glows, grid floors, flashing backgrounds, bouncy
easing.\n\x3C/direction>\n\n\x3Cstructure>\n10 bars at 120 BPM, 2 seconds each.\nBar 1: the hook
lands word by word on the beats.\nBar 2: one hook word morphs into the product UI. A cursor types and
clicks.\nThe drop: a circle opens out of the button into a dark scene.\nThen one move per bar: a wall
of real clips with a scan line and 3 winners, the key output as big type, a 3D carousel of real
videos with floor reflections and a motion-blurred whip onto one hero clip, the hero in a phone next
to a panel that flips into results, big stats on push cuts, a 3-word ticker, a logo reveal, a fade to
black.\n\x3C/structure>\n\n\x3Cbuild>\n1. One HTML file at 1920x1080. Every style is computed from
time inside \nhttp://\nwindow.seek(t): no CSS animations, no timers, no state between frames.\n2.
Real video: extract clips to 30fps JPEG sequences with ffmpeg and swap img sources per frame. seek
awaits the image decodes.\n3. Analyze the song with numpy: tempo, beat grid, energy per bar, the
drop. Calibrate the grid to the real kick hits. Every cut sits on a downbeat, every UI hit on a
beat.\n4. Render with Playwright: 3 subframes per frame at t minus, at, and plus 1/240s, then blend
with ffmpeg tmix for real motion blur at 60fps.\n5. Place each sound effect so its measured peak, not
its file start, lands on the event. Keep the effects quiet under the music. Loudnorm to -14 LUFS.\n6.
Probe 20 or more frames before the full render. Fix anything cluttered, overlapping or hard to
read.\n\x3C/build>\n\n\x3Cgotchas>\nNever set opacity or filter on a preserve-3d element, because it
flattens and both faces show. Fade its wrapper instead. Measure element positions at runtime for
match cuts. Only use music and sound effects whose license allows commercial
use.\n\x3C/gotchas>\n\n\x3Cstart>\nAsk me for the inputs, then show me a storyboard with every timing
on the beat grid before you write any code.\n\x3C/start>
```

402. @anirockshady

Fuente: <https://skillry.dev/ai-videos/opus-5-5/anirockshady-032809>

Create a 3D animation of a Path Points in this case ball reaching approximation from crest to trough. Discuss the type of ML algorithm gradient descent is. Also list major use cases. And transition can be fade in fade out. Colour theory Volcanic Orange, Cyan and gradient of grey

403. @anilraok

Fuente: <https://skillry.dev/ai-videos/opus-5-5/anilraok-009118>

I want you to imagine a story, that subtly promotes grid genius. Or it can not even have grid genius, but something that aligns with our app and helps us get more eyeballs when posted on social media. Then using threejs/javascript I want you to create full animation, Pixar-level quality out of the story you imagine

404. @viggle-pinoc

Fuente: <https://skillry.dev/ai-videos/opus-5-5/viggle-pinoc-434495>

Create a playable version of Minecraft in my browser. Add advanced shaders that make it look as real and beautiful as possible.

World: vanilla ES modules + three.js (importmap from jsdelivr, no build step). Procedural voxel terrain with trees, beaches and water. Make it look as real and beautiful as possible: physically based sky, clouds, soft shadows, water reflections and caustics, god rays, bloom, PBR block textures. First/third-person player (V toggles), mining and placing blocks, torches, stairs, a hotbar and an inventory (E), a day/night cycle with nights that are still readable.

Characters: keep the look pixel-art blocky Minecraft people (box head/body/arms/legs), but animate them with PINOC MCP. Use PINOC only for motions: download the skinned-glb format (Mixamo skeleton) and bake each clip onto the six blocky parts (limbs follow shoulder→wrist and hip→ankle, torso follows the spine, head copies the head bone). Strip the bundled X Bot mesh from every GLB so they stay small, strip root motion so walks play in place, turn every clip so the hips face forward on frame 1, and trim clips that don't loop cleanly to a matching span.

Motions: check the free PINOC motion library first. Only generate a motion when the library has nothing that fits, and tell me the credit cost before generating. For every generation, compare the 4 samples and keep the one with the cleanest loop.

Opening scene: a small village on the flattest open ground in view of spawn, with the player facing it. Each villager has a job, and each job uses a different motion: - a greeter that wanders and waves when it sees you - a miner, a lumberjack at a real tree and a farmer on a tilled dirt patch, each swinging a blocky tool; every strike chips particles off the block it hits - an archer with a bow that shoots arrows into a target on the release frame - a guard who draws a sword when you get close and faces you - a porter who carries crates between two piles, one at a time No floating labels over the NPCs.

405. @ishuagra02

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ishuagra02-678129>

Create a stylistic 3D environment of a busy Santa Monica beach that adapts to the time of day. The art style must be a particle illustration, which uses thousands of tiny glowing specks rather than solid fills with flowing ribbon strokes behind figures to suggest motion.

I had 2-3 more prompts on top of this, but this is a good starting point.

Repo link: <https://github.com/ishuagrawal/particle-beach>

Juegos e interactivos (70)

406. @mappletour

Fuente: <https://skillry.dev/ai-videos/opus-5-5/mappletour-334921>

Opus 5.5PV

2Claude×HyperFrames

<https://biribiri-game.web.app>

407. @pauloalonso

Fuente: <https://skillry.dev/ai-videos/opus-5-5/pauloalonso-477996>

Testando o Opus 5.5 com a skill hyperframes que vi no post do @gabrielbuzziv

Simplesmente inacreditável, a voz foi gerada localmente, se tivesse enviado pro ElevenLabs talvez teria ficado melhor, 9,8/10

408. @happycapyai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/happycapvai-634965>

Opus 5.5 prompt

7k7kAI npc

409. @mrblock

Fuente: <https://skillry.dev/ai-videos/opus-5-5/mrblock-096062>

opus 5.5

410. @op7418

Fuente: <https://skillry.dev/ai-videos/opus-5-5/op7418-814408>

```
[ / / / Boss / ]  
HTML + CSS + JS /
```

- IP Logo
- #1A1033
- [→ → →]
- Titan One / Lilita One

3D

- Three.js SVG
- MeshToonMaterial 34
- + 1.5

-
-

2D

-
-
-
-

- 1.
- 2.
3. 1
- 4.
- 5.

-
- NEW!
-

-
- 3D
-
-

- conic-gradient 23
- 57
- mix-blend-mode: screen 0.8
-

- → →
- ▲+
- Canvas 1.5

- GSAP
- Canvas 2D
- CSS 3D 3D WebGL
-

- Web Audio
-

- HUD
-
-

- 60fps

-
-
-
-
-

411. @janlaywss

Fuente: <https://skillry.dev/ai-videos/opus-5-5/janlaywss-379361>

Claude Opus 5.5Pro5h19%1h45m
<https://move-car-kappa.vercel.app/>

412. @0xpai-eth

Fuente: <https://skillry.dev/ai-videos/opus-5-5/0xpai-eth-635565>

Opus 5.5 QUEST

8-bit

40

413. @op7418

Fuente: <https://skillry.dev/ai-videos/opus-5-5/op7418-818226>

```
[ / / / Boss / ]  
HTML + CSS + JS /
```

- IP Logo
- #1A1033
- [→ → →]
- Titan One / Lilita One

3D

- Three.js SVG
- MeshToonMaterial 34
- + 1.5

-
-

2D

-
-
-
-

- 1.
- 2.
3. 1
- 4.
- 5.

-
- NEW!
-

-
- 3D
-
-

- conic-gradient 23
- 57
- mix-blend-mode: screen 0.8
-

- → →
- ▲+
- Canvas 1.5

- GSAP
- Canvas 2D
- CSS 3D 3D WebGL
-

- Web Audio
-

- HUD
-
-

- 60fps

-
-
-
-
-

414. @akokoi1

Fuente: <https://skillry.dev/ai-videos/opus-5-5/akokoi1-469188>

30pus 5.5""

1. ChatGPT8
2. 0pus3D100%
- 3.

415. @ggsimm

Fuente: <https://skillry.dev/ai-videos/opus-5-5/qgsimm-535814>

I asked opus 5.5 to make a game within the confines and abilities of my engine, no other prompt. It made this deep-sea horror game, with a subtle drone soundtrack. And it's terrifying (if a bit unbalanced/unfair). Sound on.

416. @chukinice

Fuente: <https://skillry.dev/ai-videos/opus-5-5/chukinice-426722>

I updated my game Higher on @spawn with Opus 5.5 and Savi with just only one prompt

This is the result. Multiplayer game with portals to different worlds

Play here: <https://www.spawn.co/@chucky/higher/play>

417. @mozetech

Fuente: <https://skillry.dev/ai-videos/opus-5-5/mozetech-471882>

Opus 5.5 just one-shot this entire pixel-art game. Oh, and the prompt? It was barely three sentences. I gave claude creative license to make whatever game it wanted to, and oh boy did it cook

The capabilities of this model are genuinely ridiculous, I fed GPT Sol-6 the same prompt and the results were shockingly poor. Seems like Sol-6 is taking the Opus 5 role this time around.

With models becoming this good, I'm struggling to see the need to purchase games anymore. If you can have any game you want created in a single prompt, with beautiful art, story, etc - what's the point of sinking \$60+?

Lol, obviously because the stories and ideas that humans have are still way better than whatever these models can still do. However, the gaming industry is definitely going to be shaken now - excited to see what's gonna come out of this!

Anyway, here's a side by side comparison of both outputs, thoughts?

Also if you wanted to play it yourself:
<https://skerry-light.vercel.app/>

Left is Claude, right is Opus

418. @janeloic

Fuente: <https://skillry.dev/ai-videos/opus-5-5/janeloic-905802>

HOLY SHIT MOMENT with Opus 5.5

I really wanted to play Super Mario Bros Wonder but I don't have a Nintendo Switch... So I went to @arena with the hop to find an AI that could reproduce the game. And luckily I stumbled upon Opus 5.5

Have a look at what it did with ONE prompt

For those interested I'll share the result of Grok 4.7 in the comments

419. @mgfeller

Fuente: <https://skillry.dev/ai-videos/opus-5-5/mgfeller-779161>

Opus 5.5 is seriously impressive

I gave Lovable a detailed prompt for a game I wanted to build, and it used Opus 5.5 to turn it into what you see in the video.

Five hours of cooking. One-shotted.

420. @danielkan

Fuente: <https://skillry.dev/ai-videos/opus-5-5/danielkan-059523>

Day 7 of making a game every day until I hit 1 million followers.

Driftward: Oregon Trail in space, four mini games. Can you make it to the other side of the galaxy alive? Made in a single prompt with Opus 5.5 and Fifth Door.

421. @agentgamesbot

Fuente: <https://skillry.dev/ai-videos/opus-5-5/agentgamesbot-355554>

Play INKBOUND:
<https://agentgames.itch.io/inkbound>

Claude Opus 5.5 built this pixel game in 30 minutes.

While the human was building the amusement park with Claude, Opus 5.5 arrived. Time to see what it could do with a pixel game.

Meet INKBOUND. One painter draws your path. Another tries to erase you. Apparently, even a tiny ink spirit needs workplace conflict.

Jump, sink into the ink, or absorb incoming attacks. Sound on for this one.

Want to try building it yourself? The prompt is in the pinned YouTube comment:
<https://www.youtube.com/shorts/86TukHHR74o>

422. @curieuxexplorer

Fuente: <https://skillry.dev/ai-videos/opus-5-5/curieuxexplorer-519730>

I made a 3D survival game in one prompt with Opus 5.5

Survive 60 seconds.

Every tile you step on cracks... then it falls.

Race your own ghost, chase near-misses, watch the arena rebuild itself when you fail.

Most people don't make it past 30s

<https://claude.ai/artifact/D3kjdvMpvrgGTCcxDTTDvP>

423. @redp314

Fuente: <https://skillry.dev/ai-videos/opus-5-5/redp314-642106>

Always wondered if you can win every game of 2048, so i gave Claude Opus 5.5 one prompt. It built an AI that learns from zero, on my laptop!

Game 1: dies at 128
Game 497: first 2048
Game 3,915: first 8192
Game 98,299: first 16384

Can it win them all? No. After 2M games: 99%!

424. @jasperdeboer

Fuente: <https://skillry.dev/ai-videos/opus-5-5/jasperdeboer-157391>

Claude Opus 5.5 made a trailer for my Antkeeper game (one prompt).

This is what it came up with

425. @curieuxexplorer

Fuente: <https://skillry.dev/ai-videos/opus-5-5/curieuxexplorer-772215>

This is Dope!
Claude Opus 5.5 is on fire

One prompt → a 30s video-game walk through Mumbai, built entirely in code.

No AI video. No 3D assets. No stock audio.
1,850 lines. 900 frames. 30+ sounds from pure math.

Every pigeon, puddle and kaali-peeli, made by code.
Mumbai, compiled.

426. @rehan-shei

Fuente: <https://skillry.dev/ai-videos/opus-5-5/rehan-shei-839416>

I turned this into a full game with unity cli + opus 5.5, also opus did this full demo video, it played the game with multiple characters and spliced together the best bits, holy shit we're in the AGI era. Play it on your browser here: <https://rehan-remade.github.io/hollow-crown/>

427. @rush3rx

Fuente: <https://skillry.dev/ai-videos/opus-5-5/rush3rx-342153>

A dead planet to a breathable one, one camera, no cuts.

I'm making Second Dawn, a co-op terraforming game, with Claude: it started on Fable 5.0, moved to Fable 5.1, and it's on Opus 5.5 now. I set the design and the direction.

428. @maxthelion

Fuente: <https://skillry.dev/ai-videos/opus-5-5/maxthelion-649723>

I'm having so much fun doing game development with opus 5.5. This little bit with trains and barriers is awesome.

429. @zacxbt

Fuente: <https://skillry.dev/ai-videos/opus-5-5/zacxbt-234711>

vibe coding a cozy metal detector game

a few prompts in with opus 5.5

loving the sunset

430. @jstjs

Fuente: <https://skillry.dev/ai-videos/opus-5-5/jstjs-129051>

I asked Opus 5.5 to make a game about @dhh , Ruby and the end of hand-written code.

431. @dreyk0o0

Fuente: <https://skillry.dev/ai-videos/opus-5-5/drevk0o0-165270>

Claude Opus 5.5 just built Minecraft.

In the browser. From a single prompt.

Noah Wachnick asked it to recreate Minecraft with advanced shaders, "as realistic as possible."

1 hour 37 minutes at max effort:

```
> block placement
> terrain
> realistic lighting and shaders
```

Here's a prompt to try it yourself. Bookmark this for later

"Build a Minecraft-style voxel game in a single HTML file that runs in the browser.

- First-person controls: WASD, mouse look, jump
- Procedural terrain with hills, water and trees
- Place and break blocks with the mouse, 5 block types
- Advanced shaders: moving sun, soft shadows, ambient occlusion, fog, water reflections
- Smooth 60 fps on a laptop

Use Three.js from a CDN. Test it, fix every bug, then keep improving the visuals until it looks as realistic as possible."

Tips:

1. Set effort to max
2. Give it time, the original run took ~1.5 hours
3. When it's done, ask: "What looks least realistic? Fix it."

432. @boona11

Fuente: <https://skillry.dev/ai-videos/opus-5-5/boona11-415751>

Nobody edited this video.

Claude Opus 5.5 built the game, then played it, filmed it, wrote the soundtrack and cut its own trailer.

Low Tide: a painting you can actually play. Free in your browser

<https://low-tide.netlify.app>

433. @dmowlin

Fuente: <https://skillry.dev/ai-videos/opus-5-5/dmowlin-221566>

made a galactic pixel racer game with opus 5.5, can you beat my score?

<https://velven.ai/david/pixel-racer>

434. @nqaze

Fuente: <https://skillry.dev/ai-videos/opus-5-5/nqaze-939886>

Opus 5.5 releases

Me: Woahh! Let's drill through our BugSmash backlog quickly.

My Co-founder @suhailpatel941: Hold my cup... let's make a game

All this graphics and the game is just - 4MB game - hosted on BugSmash Drop itself

435. @kenjiiphang

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kenjiiphang-750512>

Opus 5.5 is the best at animating concept art for a game im making

436. @anduraio

Fuente: <https://skillry.dev/ai-videos/opus-5-5/anduraio-570761>

Claude Opus 5.5 is stupidly good at games, so I'm putting it on a streak.
Dropping 10 browser games I built with it. One a day.

Same characters. Same world. Different gameplay each day.
Adventure games. Painterly stylised 3D. Soft cel shading, wind in the grass, hazy blue distance, hand-painted skies. The Legend of Zelda: BotW / TotK energy.

Trailer + play link + what the model actually did.
Playable. Built with Opus. That's the series.

437. @kepochnik

Fuente: <https://skillry.dev/ai-videos/opus-5-5/kepochnik-237752>

I built Minecraft thanks to Opus 5.5 (part 2)

today I added more mobs and here I will show their characteristics as a video

the process took probably : 2-3 hours

next week I'm going to publish this game for everyone

turn notifications

438. @angie-carel

Fuente: <https://skillry.dev/ai-videos/opus-5-5/angie-carel-954689>

In a deeply serious, highly mature effort to test Opus 5.5's ability to render jello-like textures—reflections, transparency, jiggly movement, the works—I accidentally built a "Jiggle Buddies" game that my son played the entire drive home.

Link to play: <https://www.angiecarel.com/jiggle-buddies>

439. @loverwnl

Fuente: <https://skillry.dev/ai-videos/opus-5-5/loverwnl-712109>

ok i ran out of usage on claude so had to move to astra for the video... so this is just very early release of my game..

roughly 3 20x subscriptions worth of dev, not slop, not copy/paste MMORPG you see...

free play, ranked play, staked play. invite

built with opus 5.5 (:

440. @deeprajo1

Fuente: <https://skillry.dev/ai-videos/opus-5-5/deeprajo1-834106>

What if learning Python felt more like playing a game than studying?

So I asked Claude Opus 5.5 to build me a Python-learning surfing game.

And the result is pretty wild.

441. @vibechine

Fuente: <https://skillry.dev/ai-videos/opus-5-5/vibechine-465008>

Ladprao Jet ski game based on the Bangkok floods. Clear the drains and fight the crocs. Made with Opus 5.5 . <https://ladprao-flood-ski.vercel.app/>

442. @blitast-studio

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/blitast-studio-257328>

A black cat's night stroll along a moonlit canal

CatWalk – a one-button 3D browser game.

Zero image or audio files: the town, the cat's animation and the jazz are all generated in code. The whole game is ~200KB.

Claude Opus 5.5

► <https://blitastxyz.itch.io/catwalk>

#threejs #indiedev #gamedev #WebGL

443. @aniketjart

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/aniketjart-094296>

Update to my open world fantasy sci-fi game. You can now fly thru a larger map and vibe! used Opus 5.5, @usecrayon and Threejs.

Play here: <https://app.usecrayon.ai/play/b42413e5-669e-4fb3-87d3-a3285567736c>

444. @waseemkhalo

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/waseemkhalo-636267>

I made this game with Claude Opus 5.5

+ ChatGPT Astra 6 for some visual assets = our new game Spoiled Egg

<https://eggverse.co>

<https://eggverse.co/games/spoiled-egg>

445. @taylorbereiter

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/taylorbereiter-189192>

<https://claude.ai/artifact/Vos8wdB8Jenz9FopZWermB>

Check out DOUBLE FEATURE, a Cuphead Inspired Mini-Game built with Claude Opus 5.5.

I find this model works best when leaning into its strengths, figuring out the parts it does well and letting it capitalize on them. Cartoon shapes and sounds are great.

446. @smallhusk

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/smallhusk-272056>

A procedurally-generated game in infinite stranded space colonies with realistic physics. All creative decisions made by @claudeai Opus 5.5, all done in just one week's usage window at Pro-level. Claude chose to add pettable cats in the combat-free mode.

<https://claude.ai/artifact/1o1DWNgoanSy2ZCRTCtjqp>

447. @lisp-mi

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/lisp-mi-139812>

I asked Opus 5.5 to build a tiny underground delivery network in three.js – then turned it into a game.

Lunch rush: 24 orders in 60 s, 6 express upgrades, beat the deadlines.

Free in the browser, link below

448. @itsjdraven

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/itsjdraven-557760>

Claude Opus 5.5 just built me a mini temple run style game

it actually feel pretty smooth to play

honestly I didn't expect the result like this

449. @izmaelmag

Fuente: <https://skillry.dev/ai-videos/opus-5-5/izmaelmaq-282849>

What is going on

Dice Corners
<https://izmaelmag.me/dice-corners/>

I've been a gamer since I was three, and the dream of making my own games is what led me into programing

In 2008 I discovered GameMaker and made a few platformers and scrolling shooters. But i had no idea how to make a living from games, so I moved into design and frontend development. I never stopped exploring huge libraries of retro games and imagining games of my own—making them by hand was just hard.

18 years later, I subscribe to Claude Opus 5.5, write a PRD, put together a simple prototype, and half an hour later within a single five-hour usage window I have a complete game. It runs locally. It's simple, but it's beautiful, and it works.

And I did it by directing agents on my laptop through a telegram chat

Mind blowing

450. @llama3dstudio

Fuente: <https://skillry.dev/ai-videos/opus-5-5/llama3dstudio-012980>

Rock skipping game made with Three.js and Opus 5.5.

451. @hellovyom

Fuente: <https://skillry.dev/ai-videos/opus-5-5/hellovyom-800659>

Opus 5.5 spent 43 million output tokens building 3D PvZ 2: Reflourished

452. @realfedeuru

Fuente: <https://skillry.dev/ai-videos/opus-5-5/realfedeuru-475858>

Skydiving game built with opus 5.5

453. @brainwavepub

Fuente: <https://skillry.dev/ai-videos/opus-5-5/brainwavepub-812667>

Opus 5.5 editing my demo video

Built a hand-drawn catapult sketch that turns into a real 3D physics simulator.

Recorded it, gave Opus 5.5 one prompt to edit the raw footage.

No editing app. It made its own.

Video below

454. @alex-vainshtein

Fuente: <https://skillry.dev/ai-videos/opus-5-5/alex-vainshtein-195332>

Can one developer + 3 AI agents build a GTA-style game?

I'm trying.

FIXER is a 1990s city game I'm building with Astra, Opus 5.5 and Fable.

This is the current playable build.

455. @brenbuilds

Fuente: <https://skillry.dev/ai-videos/opus-5-5/brenbuilds-386902>

@kimmonismus hours of rework on my threejs game with Opus 5.5 and limits didnt even move

456. @mayuresh-empire

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/mayuresh-empire-687553>

Claude Opus 5.5 built this game from a single prompt - a mythic action game inspired by ancient Indian epics.

No engine. No assets. Every temple, tree, enemy, shader, and sound is generated in code.

Even this trailer was designed by Claude. The future is crazy.

457. @tonnusus

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/tonnusus-006126>

Testing out Opus 5.5 today by letting it work on a Magicka-inspired game! I loved this game when it came out 15 years ago, super cool spell casting mechanics.

So I want to take this and turn it into an extraction looter. You go out into the wild solo or in a group, fight off mobs and other players to collect loot to bring back to your base.

Like others have mentioned, Opus 5.5 feels so much more creative. Crazy

458. @codrops

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/codrops-340299>

Everyone is sharing what Opus 5.5 can build this week, and it made us ask ourselves a different question: when making things becomes this easy, what do we actually want to make and why?

Our answer was a small retro arcade, the kind we grew up hanging out in, filled with 21 games made by independent developers. Every cabinet carries the name of the person who built its game.

Walk in, drop a coin, and play: <https://tympanus.net/Demos/InsertCoin/>

#threejs #webgl

459. @mandelduck

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/mandelduck-768972>

can you make a 3d game where you walk around and spot cats inside of a van gogh painting? we can start with stary night and its town

460. @gandamu-ml

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/gandamu-ml-220530>

I would like you to create a kickass, impressive 1990s style demoscene demo using this S3M track as the music. Prior to getting to work, please see how to best play and analyze the S3M track. This will be important since synchronization of effects and appropriateness of scenes to the musical vibe (and this song does have a variety of sections with different attitude) is essential to a great demoscene demo. Also prior to getting started, please research what kinds of effects, physics, etc. would be good to use in combination. Please use C/C++ -- with appropriate demoscene/embedded/console gamedev sensibilities to avoid needlessly bloating compile times -- with OpenGL. In some cases, blitting to surfaces in realtime may be appropriate.. while in others, using OpenGL or even shaders is appropriate as well. It should be planned and polished to be spectacular and shocking. This is Claude's way of really showing off to the world that it kicks ass.

461. @0xchuckstock

Fuente: <https://skillrv.dev/ai-videos/opus-5-5/0xchuckstock-879327>

A 3D multiplayer game where the players are a squad of x-wings taking on a star destroyer. They pilot their ships to take out key components of the star destroyer while also dealing with guns mounted on the star destroyer and waves of tie fighters.

462. @zacxht

Fuente: <https://skillry.dev/ai-videos/opus-5-5/zacxht-944604>

Create a single self-contained HTML file that renders an animated pixel art wizard casting a spell, using vanilla JavaScript and Canvas 2D. No external assets, libraries, or network requests.

RENDERING

- Draw everything to an offscreen canvas at a fixed logical resolution of 128x96, then blit to a fullscreen display canvas scaled by the largest integer factor that fits the window, centered, with `imageSmoothingEnabled = false` and CSS image-rendering: pixelated.
- All drawing snaps to integer coordinates on the logical canvas. No sub-pixel positions, anti-aliasing, gradients, or `shadowBlur`.
- Fixed palette of ~24 hex colors: deep blues/purples for night sky, warm robe tones, 3-4 bright magic colors. Every pixel comes from this palette.

CHARACTER

- Build the wizard procedurally from filled rects and pixel runs, ~24x32 logical pixels: pointed hat with a bend, long beard, two-shade robe with darker outline, staff with a gem at the tip.
- Parameterize the pose (staff angle, arm raise, head tilt, robe sway). Animate parameters smoothly, then quantize to the pixel grid each frame so motion reads at an 8-12 fps pixel animation feel even though the loop runs at 60fps.

ANIMATION

- Looping state machine: IDLE (2-frame bob, beard sway) -> CHARGE (staff raises, gem flickers, sparks spiral inward) -> CAST (bright burst, projectile fires across the scene, 1-2 pixel screen shake) -> RECOVER (settle back). Ease pose parameters between keyframes.
- Pooled allocation-free particle system: preallocate and reuse. Sparks orbit the gem during CHARGE, explode outward on CAST, each particle stepping its palette index from white to magic color to dark before despawn. Snap particle positions to the grid when drawing.
- Fixed 60hz timestep update with rAF rendering. Zero object allocation inside the loop.

SCENE

- Minimal background: dark sky, a few twinkling 1px stars, moon, stone floor line. Character silhouette must read clearly.
- Subtle 1px rim light on the wizard from the gem, brightening during CHARGE and CAST.

QUALITY BAR

- Crisp pixels at any window size, seamless loop, stable 60fps, readable silhouette. Should look like a polished 16-bit sprite animation, not vector shapes scaled down.

463. @lexnlin

Fuente: <https://skillry.dev/ai-videos/opus-5-5/lexnlin-241739>

Create a cinematic browser-based 3D world that can be explored freely with a camera, focused on breathtaking landscapes and extraordinary original architecture. Fill the world with huge strange buildings, monumental structures, surreal ruins, cliffs, valleys, forests, water, and unusual ultra-detailed forms that feel mysterious and awe-inspiring. This is not a game and not combat-focused, the goal is pure exploration, atmosphere, composition, and visual discovery. Make the world feel epic, highly detailed, and completely original, with architecture that looks weird, ambitious, and unforgettable.

464. @redpersongpt

Fuente: <https://skillry.dev/ai-videos/opus-5-5/redpersongpt-284430>

Create a studio level motion design ad for my app mimicly. Show me the best you got.

You are the lead creative strategist, product marketer, direct-response ad writer, and hands-on growth operator for Mimicly.

Your job is to deeply understand Mimicly's real product experience, then turn that understanding into high-quality ad concepts, ad assets, hooks, scripts, and launch-ready creative ideas that do NOT feel generic or "AI-made."

IMPORTANT:

- Do not create generic "mockup app" marketing.
- Do not rely on assumptions.
- Base everything on Mimicly's actual product, actual UI, and actual user flows.
- Use the real product as the source of truth.
- If you can access the website, App Store page, editor, simulator, screenshots, or any current product surfaces, inspect them directly before deciding anything.
- If you can capture screenshots, screen recordings, or UI references from the actual product, do it.
- Do not invent features that do not exist.
- Do not break what currently works.

PRODUCT YOU ARE WORKING ON

Mimicly is a chat mockup maker for screenshots, text stories, and dialogue videos.

It works on web and iPhone.

It offers 63 templates.

Users can edit both sides of conversations, names, profile photos, timestamps, colors, and supported UI details.

It includes chat templates, AI conversation templates, social-style templates, comment templates, stories, email, and game chat styles.

Supported exports include image export, and supported templates can also be recorded as MP4.

Users can sign in and get 3 free exports. Pro unlocks the full template collection and watermark-free exports.

Mimicly's value is speed, realism, flexibility, and "make it look right" editing.

KNOWN PRODUCT FEEL / BRAND DIRECTION

- Clean, modern, product-led
- Useful, not cringe
- Creative-tool energy, not fake-hype startup nonsense
- Strong on realism and visual believability
- The appeal is: "I can quickly create convincing chat/mockup content for content creation, storytelling, skits, tutorials, memes, product demos, lessons, storyboards, and social posts."

YOUR MISSION

Create a complete Mimicly ad-creative system based on the real product.

PHASE 1 – PRODUCT UNDERSTANDING

First, inspect and understand:

1. The public website
2. The App Store listing
3. The homepage messaging
4. The template browser / template categories
5. The editor experience
6. Preview behavior
7. Export flow
8. Paywall / free vs pro positioning
9. The visual feel of the app and web product
10. The strongest "wow" moments for first-time users

Pay special attention to:

- Homepage hero
- Template examples
- Live editor behavior
- The "before / after" feeling
- How realistic the previews look
- Which templates are most ad-worthy visually
- Which screens are easiest to understand instantly in an ad

If possible, capture a reference set of real visuals:

- app screenshots
- web screenshots
- editor screenshots
- preview screenshots
- export-related screens
- 5–15 second screen recordings of realistic usage

PHASE 2 – FIND THE BEST MARKETING ANGLES

Based on the real product, identify the strongest ad angles.

Find the best angles for users such as:

- content creators
- meme pages
- storytellers
- short-form video creators
- skit makers
- YouTubers / TikTok creators
- marketers making fake chat visuals for concepts/storyboards
- educators making lesson examples
- people creating “text story” style content
- people making AI conversation mockups
- people making social post mockups

For each angle, define:

- the user type
- the core desire
- the pain point
- why Mimicly solves it better
- the strongest visual proof
- the best CTA

PHASE 3 – CREATE A CREATIVE STRATEGY

Produce a clear creative strategy document containing:

1. Core positioning
2. Top 5 user personas
3. Top 10 ad angles
4. Top 20 hooks
5. Top 10 “visual demo” ideas
6. Top objections and how to answer them
7. Top App Store / landing page conversion messages
8. What NOT to say
9. Which claims need caution or proof
10. Which existing product features deserve the most emphasis

PHASE 4 – BUILD THE AD CONCEPTS

Create at least 12 strong ad concepts.

For each ad concept include:

- concept name
- target audience
- angle
- platform fit (TikTok / Instagram Reels / X / YouTube Shorts / App Store promo / website hero / paid social)
- first 2-second hook
- full ad script
- scene-by-scene shot list
- exact UI moments to show
- on-screen text
- voiceover
- caption
- CTA
- why this concept should perform

At least:

- 4 UGC-style concepts
- 4 product-demo concepts

- 2 comparison-style concepts
- 2 “problem → solution” concepts

PHASE 5 – USE THE REAL PRODUCT VISUALLY

Do not make fake-looking ads.

Use the actual Mimicly experience as much as possible:

- show opening the app / website
- show selecting a template
- show editing messages / names / profile photos / timestamps
- show the preview updating live
- show switching between templates where useful
- show export or save behavior where appropriate
- show the realism of the result

Focus heavily on visual proof.

The ad should make someone think:

“Wait, this actually looks clean.”

“Oh, I could use this.”

“That took like 10 seconds?”

PHASE 6 – PICK THE BEST TEMPLATES TO ADVERTISE

Review Mimicly’s template universe and choose the best templates for marketing.

Rank the most ad-worthy templates by:

- instant recognizability
- visual clarity
- emotional pull
- creator usefulness
- ability to demonstrate value quickly
- likelihood to convert cold traffic

Likely strong candidates may include:

- WhatsApp-style chats
- AI conversation templates (ChatGPT / Claude / Gemini style)
- Instagram / DM / comment / post type templates
- iMessage-style chats
- Discord-style chats
- story / social / dialogue video templates

But do not assume – inspect first.

For the top templates, say:

- why they are ad-worthy
- what kind of audience they attract
- what kind of ad should use them

PHASE 7 – CREATE REAL ASSETS OR ASSET BLUEPRINTS

If your environment allows it, create or organize:

- a shot plan
- a screenshot list
- a screen recording list
- asset naming
- folder structure
- recommended aspect ratios
- prioritized recording checklist

If you cannot directly produce the final ad assets, produce a near-production-ready blueprint so a human editor can build them fast.

Deliverables should include:

- 10 static ad ideas
- 10 short-form video ad ideas
- 5 App Store screenshot angle ideas
- 5 X/Twitter promo post ideas
- 5 landing page hero/message ideas
- 5 product-demo threads/carousels if relevant

PHASE 8 – COPYWRITING

Write launch-ready copy in a way that does not sound like AI slop.

Tone:

- sharp
- natural
- confident
- slightly punchy
- creator-friendly
- not overhyped
- not cringe
- not corporate

Write:

- 20 ad hooks
- 20 CTAs
- 15 captions
- 10 App Store / social proof style lines
- 10 short feature-value lines
- 10 landing page headlines
- 10 subheadlines

Avoid fake urgency unless justified.

Avoid saying it “goes viral.”

Avoid empty words like “revolutionary.”

Avoid generic “create stunning content” filler unless made specific.

PHASE 9 – CONVERSION FOCUS

Recommend which messages should push:

- install
- try free
- first export
- Pro conversion
- template exploration
- creator use cases

Map the best message to the best funnel stage.

Tell me:

- what gets the click
- what gets the install
- what gets the first successful export
- what gets the Pro upgrade

PHASE 10 – FINAL OUTPUT FORMAT

Give the final answer in this structure:

1. Mimicly product understanding
2. Best audiences
3. Best ad angles
4. Best templates to feature
5. 12 ad concepts
6. Shot list / capture plan
7. Copy bank
8. Landing page / App Store messaging suggestions
9. Recommended creative priorities
10. Top 3 things to test first

If possible, end with:

- “Best 3 concepts to make first”
- “Fastest assets to produce tomorrow”
- “Highest-upside experiment”

QUALITY BAR

The output must feel like it came from a strong product marketer who actually inspected the product, not from an LLM guessing what a mockup app might be.

Be specific.

Be practical.
Be visually aware.
Be conversion-aware.
Be ruthless about weak ideas.
Use the real Mimicly product as your source of truth.

Start by inspecting the real product surfaces, then build the strategy.

465. @froessell

Fuente: <https://skillry.dev/ai-videos/opus-5-5/froessell-562325>

PRD – Police Chase Arcade Game

Working title: Heatwave

Platform: iOS + Android

Engine: Unity

Genre: Top-down 3D arcade chase / survival

Orientation: Portrait

Input: One-thumb touch controls

Business model: TBD – design MVP around gameplay first

Primary goal: Build a genuinely fun playable prototype before adding progression or monetization.

Product vision

A fast, chaotic mobile arcade game where the player is constantly being pursued by increasingly aggressive police.

The player cannot directly attack.

Instead, they survive by driving aggressively, drifting around obstacles, making sudden turns and tricking pursuing police into crashing into obstacles and each other.

The fantasy is:

You're not stronger than the police. You're harder to catch.

Runs should produce constant near-misses, chain collisions and moments where the player escapes a seemingly impossible situation.

Think:

easy controls + aggressive pursuit + physics chaos + escalating pressure.

Core gameplay loop

START RUN

↓

DRIVE / DRIFT

↓

POLICE PURSUE

↓

BAIT POLICE

↓

DODGE

↓

POLICE CRASH

↓

GAIN SCORE

↓

WANTED LEVEL INCREASES

↓

MORE / HARDER POLICE

↓

SURVIVE

↓

EVENTUALLY GET CAUGHT

↓

SCORE / RESTART

Target run duration:

2–5 minutes.

Restart should take less than 2 seconds.

Design principles

3.1 One-thumb playable

The player should be able to understand the controls within seconds.

No accelerator.

No brake pedal.

No virtual steering wheel.

The vehicle moves automatically.

The player controls only direction.

(I moved away from this after testing it the first time and added the onscreen joystick)

3.2 Arcade physics, not simulation

Vehicles should:

drift

slide

bounce

spin

collide dramatically

recover quickly

Fun takes priority over physical accuracy.

3.3 Pursuers are weapons

Police are effectively the player's offensive mechanic.

The player should learn:

"If I turn here, that cop is going straight into that wall."

3.4 Chaos should remain readable

Even with 10+ vehicles on screen, the player must immediately understand:

where they are

where they're moving

where police are coming from

what can kill them

3.5 Failure should feel fair

Death should generally result from a mistake the player understands rather than unpredictable physics.

MVP scope

Do not build progression, upgrades, missions or monetization for the first milestone.

The first version contains:

1 player vehicle

1 arena

1 police vehicle

1 elite police variant

5 wanted levels

physics collisions

environmental obstacles

scoring

player health

police destruction

basic VFX

basic audio

game-over screen

instant restart

That's enough to determine whether the game deserves further development.

Player vehicle

Movement

Player vehicle uses a Rigidbody-based arcade controller.

Do not rely heavily on realistic WheelColliders.

Core variables should be exposed in the Unity Inspector:

Acceleration

Maximum Speed

Turn Speed

Turn Curve

Lateral Grip

Drift Factor

Vehicle Mass

Collision Force

Drag

Angular Drag

Recovery Speed

These need to be extremely easy to tune.

Controls

Recommended first implementation:

Drag steering

Player touches anywhere on the lower portion of the screen.

Dragging horizontally controls steering.

← drag turn left

→ drag turn right

Vehicle accelerates automatically.

Steering should be relative rather than absolute.

The player should be able to lift their finger without immediately losing control.

Alternative to prototype

Test:

Hold left/right side of screen = steer left/right.

Don't commit until both have been tested on a physical phone.

Drift system

Drifting should happen naturally when turning at speed.

No dedicated drift button.

At low speed:

high traction

At high speed:

reduced lateral traction

This produces controlled sliding.

Long drifts can optionally award score.

Example:

DRIFT

+120

LONG DRIFT

+340

But drift scoring is secondary to police destruction.

Police AI

Police should feel:

aggressive, predictable and slightly stupid.

They should not simply follow the player's current position.

Instead, calculate an interception target based on player velocity.

Conceptually:

target =

playerPosition

+

playerVelocity * predictionTime

Police therefore try to cut the player off.

Police intelligence

Police intentionally have limited obstacle avoidance.

This is important.

Perfect navigation would make the game less fun.

Police should:

pursue aggressively

attempt interception

avoid obvious static obstacles

poorly account for other police

overshoot turns

collide with each other

occasionally take dangerous routes

This creates opportunities for the player.

Police destruction

Police can be destroyed by:

high-speed obstacle collisions

hitting another police vehicle

chain collisions

environmental hazards

The player does not have weapons.

Example scoring:

COP SMASHED

+250

DOUBLE SMASH

+600

TRIPLE SMASH

+1,000

PILEUP!

+2,000

Chain collisions should be heavily rewarded.

Wanted system

Wanted level controls difficulty.

☆☆☆☆

☆☆☆☆

☆☆☆☆

☆☆☆☆

☆☆☆☆

Wanted level increases based primarily on survival time and score.

Level 1

2 police.

Slow and forgiving.

Level 2

3–4 police.

Slightly faster.

Level 3

5–6 police.

More aggressive interception.

Level 4

7–9 police.

Elite police introduced.

Level 5

Maximum chaos.

10+ police depending on device performance.

Elite units appear frequently.

The game should eventually become effectively impossible.

That's intentional.

Elite police

The MVP only needs one special police type.

Interceptor

Visually distinct vehicle.

Characteristics:

faster than standard police

lower mass

aggressive prediction

sharp steering

easier to destroy in collisions

This creates a glass-cannon pursuer.

Player health

Use a simple health bar.

Example:

HULL



Minor impacts:
small damage.

Heavy impacts:

large damage.


Extremely high-speed impacts:
potential instant destruction.

Police contact alone shouldn't immediately kill the player.
This allows chaotic scrambles.

Arena

First arena should be compact.
Something roughly equivalent to:

ROCK



Obstacles need enough space between them for high-speed movement.

Avoid procedural generation initially.

Hand-design one good arena.

Environment

For the first visual theme, I'd use something other than water so we're not cloning the reference too closely.

My preference:

Desert outlaw chase

Player is an outlaw escaping through a stylized desert environment.

Environment contains:

rock formations

cacti

barriers

abandoned vehicles

ramps

fences

small buildings

dust

destructible props

It also fits the chunky visual language you're already exploring with Bolt Pit.

Camera

Top-down perspective camera.

Not completely vertical.

Something approximately:

55–70° downward angle.

Camera follows player with smoothing.

Camera should look slightly ahead in the player's travel direction.

At high speed:

camera pulls back slightly.

At low speed:

camera moves closer.

Camera juice

Small camera effects make a large difference.

Light collision

Tiny shake.

Heavy collision

Strong short shake.

Police destruction

Shake + tiny freeze frame.

Example:

50–100 ms hit stop.

Large pileup

Slight zoom impulse + shake + particles.

Don't overdo continuous shaking.

Visual style

Chunky stylized 3D.

Characteristics:

simplified geometry

exaggerated proportions

bright readable vehicles

soft lighting

minimal textures

strong silhouettes

exaggerated particles

Avoid realistic vehicle proportions.

Cars should feel almost toy-like.

VFX

Minimum MVP effects:

Player

dust trail

tire/skid marks

drift smoke

impact sparks

Police

siren lights

smoke when damaged

destruction explosion

debris

Environment

dust

destructible objects

impact particles

Collision feedback

Every significant collision should combine:

physics + particles + audio + camera response.

Major police destruction:

IMPACT

→ physics impulse

→ vehicle fragments/debris

→ sparks

→ smoke

→ camera shake

→ hit stop

→ sound

→ score popup

This interaction is one of the game's main sources of satisfaction.

Score system

Score comes from:

ActionExample

Surviving+10/sec

Police destroyed+250

Driftvariable

Near miss+100

Double collision+600

Triple collision+1,000

Large pileup+2,000

Exact values should remain configurable.

Near misses

Optional for MVP but potentially valuable.

Detect when a police vehicle passes extremely close to the player at high relative velocity.

Display:

CLOSE CALL! +100

This rewards risky driving.

UI

During gameplay keep UI extremely minimal.

SCORE	COINS
13,590	14
★★☆☆	
WANTED	
GAME	
HULL	
	

No minimap initially.

Off-screen police can use subtle edge indicators.

Game over

When hull reaches zero:

brief slow motion.

Player crashes.

Then:

BUSTED
SCORE
24,850
BEST
31,220
[AGAIN]

Tapping anywhere could restart.

Avoid unnecessary menus between runs.

Audio

The soundscape should sell speed and collisions.

Required:

engine

tire squeal

police sirens

impact

metal crunch

debris

destruction

UI score sounds
wanted level increase

Sirens should become increasingly chaotic as wanted level increases.

Technical architecture

Suggested Unity structure:

```
GameManager
Player
├─ PlayerController
├─ VehiclePhysics
├─ PlayerHealth
└─ PlayerEffects
Police
├─ PoliceController
├─ PoliceAI
├─ VehiclePhysics
├─ PoliceHealth
└─ PoliceEffects
Systems
├─ SpawnManager
├─ WantedManager
├─ ScoreManager
├─ AudioManager
├─ CameraManager
└─ PoolManager
UI
├─ HUD
├─ WantedUI
├─ ScoreUI
├─ HealthUI
└─ GameOverUI
```

Avoid building an elaborate framework.

Object pooling
Police, particles and debris should use object pooling.
Avoid frequent:

```
Instantiate()
Destroy()
```

during gameplay.
Mobile performance should be considered from the beginning.

Performance target

Target:

60 FPS
on a mid-range modern iPhone/Android device.
Initial limits:

~12 active vehicles

~100 simple debris/particles

simple shadows

limited real-time lights

Performance should be tested on device early.

Development milestones

Milestone 1 – Greybox driving

Build:

empty arena
cube player
touch steering
acceleration
drifting

camera

Success criterion:

Driving around an empty arena feels satisfying.

Do not continue until it does.

Milestone 2 – The chase

Add:

one police vehicle
pursuit AI
interception
collisions

Success criterion:

Dodging one police car is entertaining.

Milestone 3 – Emergent chaos

Add:

multiple police
police-police collisions
obstacles
destruction
scoring

Success criterion:

Player can intentionally cause:

police → police
and
police → environment
collisions.

This is the critical milestone.

Milestone 4 – Escalation

Add:

wanted levels
spawning
difficulty scaling
interceptor

Now a run has an arc:

calm
↓
pressure
↓
chaos
↓
panic
↓
death

Milestone 5 – Juice

Add:
particles
camera shake
hit stop
skid marks

dust

sirens

collision sounds

score popups

Milestone 6 – Mobile build

Build for real devices.

Test:
controls
performance
readability
battery/thermal behaviour
different screen ratios

Milestone 7 – Decide whether to continue

At this point, stop development temporarily.

Don't immediately build a garage and 37 unlockable cars.

Put the build in front of people.

The important questions are:

Do people immediately understand it?
Do they restart after dying?
Do they intentionally try to make cops crash?
Does "one more run" happen naturally?
If not, work on the core loop rather than adding content.

Phase 2 – only after validation

If the prototype works, then expand into:

Cars
↓
Coins
↓
Unlocks
↓
Challenges
↓
New arenas
↓

Special police
↓
Upgrades
↓
Daily challenges
↓
Leaderboards
Potential environments:
desert
city
docks
snow
industrial yard
airport
construction site
military base
And then there's room for ridiculous police units: SUVs, armored vans, helicopters dropping roadblocks, etc.

I have opened a @[Unity CLI installation] project which we can work in. The art style of the game should be fun and cartoony and the action also over the top.
I have imported the Topdown engine into the project as well that we can use:
<https://topdown-engine.moremountains.com/>

I want the game to be optimized for mobile, but should work on desktop while testing.

466. @aisongman

Fuente: <https://skillry.dev/ai-videos/opus-5-5/aisongman-461057>

Create a 1-on-1 card game like Hearthstone.
Just make it. As best you can.
In pixel art style.

467. @bilimfili1

Fuente: <https://skillry.dev/ai-videos/opus-5-5/bilimfili1-459762>

Make a 45-50 second vertical video for my app: a glance inside the app.
Show every feature, use motion, be creative. I want it good enough for your CV.

- Real, not mocked: record each feature being used in the simulator (tap a filter, open a result, add it).
- Stretch your imagination: let each feature break out of the phone and change the world around it.
- The bar: a motion designer's showreel piece. The best motion you can do. Go all out.
- Nothing made up: every number and label on screen comes from the recordings.
- No stock sound effects; I'll add the music.
- Keep text clear of the TikTok/Instagram interface.
- Let viewers follow: each feature stays on screen for at least 2.5 seconds.

468. @ved-cj

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ved-cj-066575>

I want multiplayer game, with proximity chat, with destructurable environment, that players will enjoy, shooting game

469. @nolit64

Fuente: <https://skillry.dev/ai-videos/opus-5-5/nolit64-347627>

Build a MapleStory clone in Raylib-cs.

470. @opener-ai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/opener-ai-843891>

Make a game like Romance of the Three Kingdoms III with a retro, pixelated classic vibe.

471. @deifosv

Fuente: <https://skillry.dev/ai-videos/opus-5-5/deifosv-786581>

Create a high energy launch video, showing live stats from the website, show that users can play on desktop and mobile and multiple themes, if need, give me a prompt to generate the song using Suno

472. @buildfastwithai

Fuente: <https://skillry.dev/ai-videos/opus-5-5/buildfastwithai-582551>

Build a Douglas A-1H Skyraider in Three.js

473. @niegramotny

Fuente: <https://skillry.dev/ai-videos/opus-5-5/niegramotny-197521>

Build a racing game inspired by Ignition (1997): angled top-down camera, arcade-leaning physics, vehicles with very distinct personalities. This must be an original game, not a copy. Use an original name, an original track, and zero original assets.

Stack

- Vite + TypeScript (strict), Three.js for rendering, no UI framework (HUD in plain DOM/CSS).
- Low-poly graphics generated in code (BoxGeometry, CylinderGeometry, etc.), no external models or textures. Solid colors and simple materials.
- Custom simplified 2.5D physics (movement on the XZ plane, height from terrain). No physics engine.

Architecture

- src/game/ (game loop with fixed timestep), src/vehicles/, src/track/, src/ai/, src/render/, src/ui/
- Vehicles are data-driven: mass, power, top speed, grip, steering, collision resistance, and boost parameters (strength, duration, recharge time). One Vehicle class, different configurations.
- Any vehicle can be controlled by either the player or the AI (shared control interface: throttle, brake, steer, boost).
- Track as data: centerline spline + width + list of zones (ice, shortcut, obstacle). Generate the road mesh and AI waypoints from it.

Vehicles (original names, no brands)

Four vehicles. The player picks one on the selection screen; the remaining 3 are driven by the AI.

- 90s-style police sedan (black and white, light bar): heavy, stable, pushes hard in collisions.
- Muscle car convertible: fastest on straights, oversteers in corners.
- Red monster truck: slow, but ignores bumps and rams everything else.
- Postal delivery van: slow, high center of gravity, sways in corners.

The handling differences must be clearly noticeable. All four must be playable and competitive. Slower vehicles compensate with e.g. collision resistance, terrain handling, or a stronger or more frequent boost.

Boost

- Every vehicle has a boost: a short, pronounced acceleration beyond its normal top speed.
- Boost charges automatically from 0 to 100%. It can only be used at 100%. After use, the meter drops to 0 and starts charging again.
- Strength, duration and recharge time are unique to each vehicle (e.g. muscle car: short and very strong; van: weaker but recharges fast; monster truck: long but slow to recharge).
- Visual effect while boosting: exhaust flame or trail, slight camera pull-back.
- The AI also uses boost, sensibly: on straights, not before sharp corners or on ice.

Track

A mountain town with a Canadian feel, winter turning into spring thaw:

- closed loop, roughly 60-90 seconds per lap
 - a waterfall visible from the track and a wooden bridge over a river
 - a railroad crossing with a train passing periodically (collision = strong knockback, not game over)
 - ice patches with reduced grip
 - one shortcut (tight, risky); decorations: spruce trees, wooden houses, snow
 - barriers or natural obstacles so vehicles can't get stuck off the track.
- Failsafe: if a vehicle (including bots) is stuck for more than ~4 s, automatically return it to the track at the last checkpoint.

Gameplay

- 3 laps, standing grid start, 3-2-1 countdown
- AI follows waypoints with a driving style that depends on the vehicle, light rubber-banding, avoids obstacles, no teleporting (except the failsafe track return described above)

- Sliding comes purely from physics (grip, speed, ice), no handbrake
- Camera: top-down at ~50°, follows the player with a slight look-ahead in the direction of travel
- Controls: arrows/WASD (throttle, brake/reverse, steering), space = boost
- Screens: start → vehicle selection (model preview + stat bars, including boost) → race → results → restart (with option to change vehicle)

HUD

- Position, lap, lap time, best lap, minimap.
- Boost meter styled as a car battery: rectangular casing with two terminals (+/-) on top, fill level rises as it charges. Color shifts from red through yellow to green. At 100% the battery clearly signals readiness (pulsing or glow, "BOOST" label or lightning bolt icon). While boosting, the meter drains quickly.

Out of scope for v1

Sound, options menu, multiple tracks, multiplayer, save state.

Workflow

1. First propose a plan and file structure, then implement in stages:
 - (a) game loop + one vehicle on a flat plane, including boost,
 - (b) track, (c) remaining vehicles and AI, (d) obstacles and train,
 - (e) vehicle selection, HUD with battery meter, and screens.
2. After each stage run `npm run build` and fix type errors.
3. Add unit tests (Vitest) for vehicle physics, boost logic (charging, lockout below 100%, reset after use), and lap/position logic.
4. Finally: a README describing the controls and how to add a new track or vehicle.

Acceptance criteria

`npm install && npm run dev` launches the game. You can pick any of the 4 vehicles and complete 3 laps against 3 bots. Each vehicle handles differently and has a noticeably different boost. Boost only works with a full battery, and bots use it too. The train and ice work. Results show the correct order. Stable 60 FPS on an average laptop.

474. @0xrathi

Fuente: <https://skillry.dev/ai-videos/opus-5-5/0xrathi-511319>

make a Tron game.

475. @ryzofz

Fuente: <https://skillry.dev/ai-videos/opus-5-5/ryzofz-887481>

I want you to imagine a story. And then using threejs I want you to create full animation, star wars 80s-level quality 90s cartoon out of the story you imagine.