

Certificate Customer Measurement

Generated on: 11/02/2025 16:20

Parameter	Value
Measurement ID	1
Public ID	Z6OI-4Z2W-1174-TMAK
Date	11/02/2025
Customer ID	12
Customer	Zoilo Ríos
Supplier ID	1233
Supplier	Ruben-Vasile M. Ungureanu
Location	Gasolinera Aragón
Notes	Sin incidentes
Water	HO
Water ISO Threshold	5
Water Measurement Method	OFCEAS
Water Measurement Range	0 - 5 µmol/mol
Water Probability	2 µmol/mol)
Methane	CH
Methane ISO Threshold	2
Methane Measurement Method	GC-PDHID
Methane Measurement Range	0 - 5 µmol/mol
Methane Probability	0 - 10 µmol/mol
Non-CH4 Hydrocarbons	NoCH4
Non-CH4 Hydrocarbons ISO Threshold	2
Non-CH4 Hydrocarbons Measurement Method	2 µmol/mol
Non-CH4 Hydrocarbons Measurement Range	0 - 10 µmol/mol
Non-CH4 Hydrocarbons Probability	0,01 µmol/mol
Oxygen	O
Oxygen ISO Threshold	5
Oxygen Measurement Method	GC-TCD
Oxygen Measurement Range	0 - 10 µmol/mol
Oxygen Probability	*
Helium	*

Helium ISO Threshold	2
Helium Measurement Method	*
Helium Measurement Range	*
Helium Probability	*
Nitrogen	+
Nitrogen ISO Threshold	2
Nitrogen Measurement Method	*
Nitrogen Measurement Range	*
Nitrogen Probability	*
Argon	*
Argon ISO Threshold	2
Argon Measurement Method	*
Argon Measurement Range	*
Argon Probability	*
Carbon Dioxide	*
Carbon Dioxide ISO Threshold	2
Carbon Dioxide Measurement Method	*
Carbon Dioxide Measurement Range	*
Carbon Dioxide Probability	*
Carbon Monoxide	*
Carbon Monoxide ISO Threshold	2
Carbon Monoxide Measurement Method	*
Carbon Monoxide Measurement Range	*
Carbon Monoxide Probability	*
Sulphur Compounds	*
Sulphur Compounds ISO Threshold	2
Sulphur Compounds Measurement Method	*
Sulphur Compounds Measurement Range	*
Sulphur Compounds Probability	*
Formaldehyde	*
Formaldehyde ISO Threshold	2
Formaldehyde Measurement Method	*
Formaldehyde Measurement Range	*
Formaldehyde Probability	*

Formic Acid	*
Formic Acid ISO Threshold	2
Formic Acid Measurement Method	*
Formic Acid Measurement Range	*
Formic Acid Probability	*
Ammonia	*
Ammonia ISO Threshold	2
Ammonia Measurement Method	*
Ammonia Measurement Range	*
Ammonia Probability	*
Halogenated Compounds	2
Halogenated Compounds ISO Threshold	2
Halogenated Compounds Measurement Method	*
Halogenated Compounds Measurement Range	*
Halogenated Compounds Probability	*
Hydrocarbons	*
Hydrocarbons ISO Threshold	2
Hydrocarbons Measurement Method	*
Hydrocarbons Measurement Range	*
Hydrocarbons Probability	*

SHA-256: 36f22a3fde62cb35e06d320a4c9a2e272ed2eac888bf659bbb9cd7d9367e618a