2024 4th International Conference on Pervasive Computing and Social Networking (ICPCSN) | 979-8-3503-8634-9/24/$31.00 ©2024 IEEE | DOI: 10.1109/ICPCSN62568.2024.00030

Face Recognition For Exam Hall Seating Arrangement Using Deep Learning Algorithm

Dharanya C,
Assistant Professor,
Department of IT,
K S R College of Engineering,
Tirchengode - 637215,
Tamil Nadu.
cdharanya@ksriet.ac.in

Saravanan N,
Professor,
Department of IT,
K S R College of Engineering,
Tirchengode - 637215,
Tamil Nadu.
n.saran78@ksriet.ac.in

Hemalatha T,
Final year,
Department of IT,
K S R Institute for Engineering and
Technology, Tiruchengode - 637215,
Tamil Nadu.
hemalathaatr@ ksriet.ac.in

Dinesh K,
Final year,
Department of IT,
K S R Institute for Engineering and
Technology, Tiruchengode - 637215,
Tamil Nadu. 06gkdinesh@ksriet.ac.in

Jagan M,
Final year,
Department of IT,
K S R Institute for Engineering and
Technology, Tiruchengode - 637215,
Tamil Nadu. lamivjagan@ksriet.ac.in

Corresponding Author: cdharanya@ksriet.ac.in

Abstract— **This research study aims to develop and implement an advanced examination Authentication system using automated face Detection and recognition, leveraging deep learning techniques, to address challenges associated with fraud, impersonation, and inefficiencies in traditional examination processes. The present work has involved two groups. Group1 Refers to the innovative Support Vector Machine (SVM) that is essential for student face identification during exam Verification. Using SVMs to quickly separate visual traits into different classes helps ensure that real student faces are accurately identified. Group 2 This method uses Region Proposal Networks (RPN) and Deep Convolutional Neural Networks (D-CNN) to create customized face Models. Deep learning Model that stops impersonation in the test system by automatically detecting and recognizing faces. Modules for identity Authentication, seating arrangements, hall number Verification, fraud Detection, and attendance monitoring are integrated. The development and implementation of the research represent a significant advancement in the realm of examination security and administration.**

Keywords: Face Recognition, Deep Learning, Exam, Detection, Neural Network, Verification, Model, Authentication.

I. INTRODUCTION

Exam hall seating arrangements using Deep learning algorithms, automate the process of allocating seats to students in Exam halls according to their facial features through the use of sophisticated artificial intelligence techniques. Through the use of computer vision, this technology analyzes students' facial features that are taken by cameras placed in the Exam room to identify and authenticate them. The system is able to precisely match students with their allotted seats by using Deep learning Models that have been trained on massive datasets of facial photos. This makes the process of seating arrangements more efficient and improves the security and integrity of Exams [1]. This study explores biometric recognition systems for identification Verification in educational settings, finding that while unimodal facial and fingerprint systems show efficiency and accuracy, multimodal and semi-multimodal techniques offer even higher accuracy, albeit with slightly longer processing times, providing valuable insights for educational applications [2]. This study employs Support Vector Machine (SVM) and Eigenface algorithms to enhance the accuracy of Face recognition systems, aiming to facilitate efficient monitoring of online Exams amid the shift to distance learning, thus addressing the need for reliable evaluation in virtual educational settings [3]. This system, which has undergone extensive testing in a variety of settings, combines cutting-edge methods like Gabor filters, KNN, CNN, SVM, Generative Adversarial Networks, and Haar classifiers to produce a reliable and accurate facial recognition system for tracking student attendance. It also increases productivity, lowers human error, and proves to be economical and efficient for use in classrooms. [4]. Surgical face masks significantly impair both human and Face recognition system performance in perceptual face matching tasks, regardless of familiarity, with biases towards accepting familiar faces and rejecting unfamiliar ones, according to the findings of a study cautioning against relying on identification decisions for masked faces [5].

II. LITERATURE SURVEY

In order to overcome the drawbacks of manually constructed feature-based techniques, this study offers an extensive overview of current developments in Deep learning-based Face Anti-Spoofing (FAS). In addition to exploring cutting-edge methods like multi-modal sensor integration, domain generalization, and pixel-wise supervision, it also identifies unresolved research questions and promising avenues for future development in the field [6]. This article evaluates occluded Face recognition (OFR) and masked Face recognition (MFR) techniques, recognizing that MFR has become a critical area of research due to the COVID-19 epidemic. Through the analysis of several algorithms on occluded and masked face datasets, it demonstrates the interoperability of MFR techniques for OFR scenarios and suggests potential cross-

979-8-3503-8634-9/24/$31.00 ©2024 IEEE
DOI 10.1109/ICPCSN62568.2024.00030

Authorized licensed use limited to: VIT University. Downloaded on February 26,2025 at 01:51:12 UTC from IEEE Xplore. Restrictions apply.

domain applications of solutions. [7]. In order to meet the need for masked Face recognition during the COVID-19 epidemic, this study uses optimized lightweight CNNs to provide a real-time Detection service and mobile application. The suggested system outperforms current state-of-the-art methods and achieves significant performance improvement, reaching 80.40 % validation accuracy through the generation of unique datasets and testing [8].In order to solve the scarcity of annotated data, this research proposes TA-AVN, an end-to-end Neural network that combines temporal audio and video data for emotion recognition. By using a natural augmentation strategy, TA-AVN achieves state-of-the-art performance on the CREMA-D and RAVDESS datasets. [9]. This study presents a hybrid face forensics framework that uses convolutional Neural networks to improve the identification of manipulated faces. The framework achieves better accuracy and robustness across a range of compression rates, and it has been verified on both custom DeepFake datasets and the public Face2Face dataset. [10]. This article describes a Face recognition attendance system that uses real-time video processing. It achieves an accuracy rate of 82% and reduces absenteeism by approximately 60%, demonstrating the system's effectiveness in improving class management and expediting attendance procedures. [11].

III. MATERIALS AND METHODS

Investigating Face Cognition Mechanisms using Deep Learning and Partial Face Stimuli served as the foundation for this project. The sample size was determined using the findings of earlier research. [12]. Present Analysis carried out the student Verification in Examination settings through the integration of advanced machine learning techniques, specifically focusing on automated face Detection and recognition, the system extends its functionality to streamline Examination processes [13]. It facilitates automatic Hall Name identification, Seating Number assignment, identity Verification, and real-time attendance monitoring, contributing to the overall efficiency of Examination management.

Two groups have participated in the current effort. The cutting-edge Support Vector Machine (SVM), which is crucial for student face identification during Exam Verification, is referred to in Group 1. Real student faces are more reliably recognized when visual characteristics are swiftly divided into distinct classes using Support Vector Machines (SVMs).

Group 2 refers to a system that implements a two-step framework. During enrolment, a custom Face Detection Model is built and trained using DCNN and RPN algorithm the system extends its functionality to streamline Examination processes. It facilitates automatic Hall Name identification, Seating Number assignment, identity Verification, and real-time attendance monitoring, contributing to the overall efficiency of Examination management.

Fig.1: Image processing involves preprocessing, where noise reduction and enhancement are applied, followed by segmentation to partition the image into meaningful regions. Finally, various techniques such as filtering, feature extraction, and classification are employed for analysis and interpretation.




Fig.1 Face recognition process

IV. FACE RECOGNITION FOR EXAM HALL SEATING ARRANGEMENT

In order to improve Examination Authentication, this research presents automatic face identification and recognition using Convolutional Neural Networks (CNNs). Its approach is reliable, effective, and guarantees integrity and fairness. It uses trained CNN-based Models such as Region Proposal Networks (RPN) to identify candidates quickly and accurately. Using a two-step structure for enrollment and Authentication, this technology uses powerful machine learning to revolutionize Examination Verification. Exam efficiency is increased by integrating automatic Face Detection and recognition, which streamlines procedures like real-time attendance tracking, seating number assignment, and hall name identification. Fig.1 Image processing involves preprocessing, where noise reduction and enhancement are applied, followed by segmentation to partition the image into meaningful regions. Finally, various techniques such as filtering, feature extraction, and classification are employed for analysis and interpretation. Fig.2 A Model or algorithm's accuracy can be used to determine how well it is doing and whether it is being taught correctly. Accuracy in the context of this thesis indicates how well it is doing Face Detection. The following formula is used to determine accuracy. (T P + T N) / (T P + T N + F P + F N) equals accuracy. 98.53% accuracy. Figure 3 It is the proportion of projected positive cases to actual positive cases. Recall, as used in this thesis, determines the card Holder and quantifies the portion of Face that are projected to be Face. The following formula is used to calculate recall. Memorandum = T P/(T P + F N) Please remember: 0.9964285714285714.Fig.4 Face ++recognition in segmentation involves detecting and isolating human faces within images or video frames using techniques like Deep learning. It includes steps like Face Detection, alignment, and feature extraction, integrated into the broader process of image segmentation for accurate identification and analysis. Face Detection: Use methods such as MTCNN, YOLO, SSD, Haar cascades, or YOLO to detect faces. Face Alignment: Use methods such as landmark detection or affine transformation to align faces to a standard orientation. Normalization: Use methods like mean normalization or histogram equalization to bring facial images into a common size, resolution, and color space. Noise Reduction: Use methods like wavelet denoising, median filtering, or Gaussian

Authorized licensed use limited to: VIT University. Downloaded on February 26,2025 at 01:51:12 UTC from IEEE Xplore. Restrictions apply.

blurring to reduce noise in your photos. Feature extraction: Take preprocessed photos and extract features from them, such as deep embeddings, texture patterns, and face landmarks. Feature Normalization: To guarantee consistent scales and distributions among images, normalize derived features. Quality Control: Take steps to guarantee that the features and photos are of the highest caliber; eliminate any that have bad lighting, blur, or occlusion.

V. RESULTS

This study aims to compare the accuracy of the proposed Deep Convolutional Neural Network (DCNN) system for Face recognition with several statistical approaches, including Combined Radial Basis Function (CRBF),Linear Discriminant Analysis (LDA), Principal Component Analysis (PCA), Multi-Layer Perceptron (MLP), Support Vector Machine (SVM), Deep Belief Neural Nets (DBNN) and Deep Restricted Boltzmann Machine (DRBM).The findings demonstrate that, in comparison to alternative methods, the suggested DCNN achieves superior accuracy. Table. 1. by the proposed DCNN (Deep Convolutional Neural Networks) Model outperforms the existing methods with an increased accuracy of 99.43%, compared to 94.8% from previous approaches. Both Models exhibit high precision scores of 0.9, indicating their ability to accurately detect the face.

Table. 1. comparison of Existing and Proposed DCNN

Model	Accuracy	Precision	Recall
Existing	94.8	0.9	0.95
Proposed DCNN	99.43	0.9	0.99

Fig. 2. A Model or algorithm's accuracy can be used to determine how well it is doing and whether it is being taught correctly. Accuracy in the context of this thesis indicates how well it is doing Face Detection. The following formula is used to determine accuracy. 99.43% accuracy.





Fig.2 Accuracy curves are graphical representations of the performance of Training accuracy and validation accuracy.

Fig. 3. The ratio of actual positive cases to those that are expected to be positive is what matters. Recall determines the card Holder and quantifies the portion of Face that are projected to be Face in the context of this thesis. The formula below is used to calculate recall.



iFig.3 The recall graphs for train and value.

Fig. 4. Face recognition in segmentation involves detecting and isolating human faces within images or video frames using techniques like Deep learning. It includes steps like face Detection, alignment, and feature extraction, integrated into the broader process of image segmentation for accurate identification and analysis.



Fig.4 Face Segmentation process

VI. DISCUSSION

The Patch-Attention Generative Adversarial Network (PA-GAN) reduces computing costs and increases accuracy for unconstrained surveillance Face recognition. [14]. It achieves competitive accuracy on frequently used datasets and dramatically improves face representation discriminative ness by integrating enhanced center loss with unlabeled surveillance faces. This contrasts with Face Biometrics-Based Exam Hall Authentication System, which uses facial recognition technology to deliver trustworthy and efficient Authentication in Exam scenarios [15]. With real-time surveillance and adjustable notifications, it addresses Examinee impersonation, fraud, and technical disturbances with an intuitive user interface catered to educational purposes. It uses MySQL, Flask, Python, and Bootstrap [16].The Novel aims to overcome important obstacles in order to further comparable facial recognition. Provide a unique fine-grained feature extraction method and a large-scale Similar Face Dataset (SFD)[17]. SFD, which is divided into five similarity grades, increases the diversity

Authorized licensed use limited to: VIT University. Downloaded on February 26,2025 at 01:51:12 UTC from IEEE Xplore. Restrictions apply.

of datasets, which is essential for strong training. Strategy integrates Internal and External features by leveraging attention mechanisms, which resulted in significant gains in recognition accuracy. Experiments conducted on other datasets demonstrate notable improvements, demonstrating how well method works for similar Face recognition problems [18]. Multi-view Face recognition has recently evolved with the introduction of face frontalization algorithms based on the 3D Morphable Model (3DMM) and Generative Adversarial Networks (GAN). [19]. However, because of restrictions in single-domain training and unexpected input profile faces, problems with facial feature analysis and identification discrimination still exist. In light of these problems, present the Well-advised Pose Normalization Network (WAPNN), which cleverly makes use of several domains and extracts features while taking into account the frontalization properties of those features . When strategy is implemented via an end-to-end facial position normalization network with customizable weights, it demonstrates significant improvements in multi-view Face recognition accuracy. Test results demonstrate that approach greatly enhances identity preservation and reduces the impact of changing postures on face identification in a variety of scenarios by fostering intra-class compactness and inter-class separability via quality-aware feature fusion. For the past 20 years, Face recognition (FR) has been the most popular biometric method for reliable person identification. It offers practical advantages over other modalities. FR still has issues in bad circumstances because to variations in lighting, posture, and facial expression, even with its widespread deployment. Propose a novel feature extraction method, Local Binary Pattern and Wavelet Kernel PCA (LWKPCA), to overcome these problems and extract robust and discriminant information with the goal of reducing recognition errors. Using a Three-Level decomposition of Discrete Wavelet Transform (2D-DWT) and Local Binary Pattern (LBP), LWKPCA combines the Color Local Binary Pattern and Wavelet Descriptor for the optimal feature representation. The following experimental findings from four benchmark datasets show how effective LWKPCA is YouTube stars, ORL, GT, and LFW. Recognition accuracy based on these findings was 86.74%.The proposed project, Enrollment and Authentication within a Two-Step Framework system applies a two-phase architecture. To provide flexibility to a range of facial emotions and appearances, a unique Deep Model is generated and trained throughout enrollment using the CNN algorithm. The trained model quickly and correctly detects students during the authentication step by utilizing Deep Convolutional Neural Networks (D-CNN) and RPN.

VII. CONCLUSION

To sum up, the research's creation and execution mark a substantial breakthrough in the fields of Exam administration and security. Improved security and flexibility are benefits of the suggested two-step enrollment and Authentication system that uses customized Deep Convolutional Neural Networks (D-CNN) and (RPN). The initiative intends to promote an atmosphere that is safe, effective, and easy to use in order to help establish an academic climate that is both ethical and legitimate.

REFERENCES

[1] Carragher, Daniel J., and Peter J. B. Hancock. 2020. "Surgical Face Masks Impair Human Face Matching Performance for Familiar and Unfamiliar Faces." Cognitive Research: Principles and Implications 5 (1): 59.

[2] Chanpornpakdi, Ingon, and Toshihisa Tanaka. 2023. "The Role of the Eyes: Investigating Face Cognition Mechanisms Using Machine Learning and Partial Face Stimuli." IEEE Access: Practical Innovations, Open Solutions 11: 86122–31.

[3] Dev, Samridhi, and Tushar Patnaik. 2020. "Student Attendance System Using Face Recognition." In 2020 International Conference on Smart Electronics and Communication (ICOSEC). IEEE. https://doi.org/10.1109/icosec49089.2020.9215441.

[4] Geetha, M., R. S. Latha, S. K. Nivetha, S. Hariprasath, S. Gowtham, and C. S. Deepak. 2021. "Design of Face Detection and Recognition System to Monitor Students during Online Examinations Using Machine Learning Algorithms." In 2021 International Conference on Computer Communication and Informatics (ICCCI). IEEE. https://doi.org/10.1109/iccci50826.2021.9402553.

[5] Kim, Eunji, and Sungzoon Cho. 2021. "Exposing Fake Faces through Deep Neural Networks Combining Content and Trace Feature Extractors." IEEE Access: Practical Innovations, Open Solutions 9: 123493–503.

[6] Kocacinar, Busra, Bilal Tas, Fatma Patlar Akbulut, Cagatay Catal, and Deepti Mishra. 2022. "A Real-Time CNN-Based Lightweight Mobile Masked Face Recognition System." IEEE Access: Practical Innovations, Open Solutions 10: 63496–507.

[7] Li, Nianfeng, Xiangfeng Shen, Liyan Sun, Zhiguo Xiao, Tianjiao Ding, Tiansheng Li, and Xinhang Li. 2023. "Chinese Face Dataset for Face Recognition in an Uncontrolled Classroom Environment." IEEE Access: Practical Innovations, Open Solutions 11: 86963–76..

[8] Liu, Ming, Jinjin Liu, Ping Zhang, and Qingbao Li. 2020. "PA-GAN: A Patch-Attention Based Aggregation Network for Face Recognition in Surveillance." IEEE Access: Practical Innovations, Open Solutions 8: 152780–89.

[9] Maafiri, Ayyad, Ahmed Bir-Jmel, Omar Elharrouss, Fouad Khelifi, and Khalid Chougdali. 2022. "LWKPCA: A New Robust Method for Face Recognition under Adverse Conditions." IEEE Access: Practical Innovations, Open Solutions 10: 64819–31.

[10] Pedro Neto, Pedro C., Joao Ribeiro Pinto, Fadi Boutros, Naser Damer, Ana F. Sequeira, and Jaime S. Cardoso. 2022. "Beyond Masks: On the Generalization of Masked Face Recognition Models to Occluded Face Recognition." IEEE Access: Practical Innovations, Open Solutions 10: 86222–33.

[11] Radoi, Anamaria, Andreea Birhala, Nicolae-Catalin Ristea, and Liviu-Cristian Dutu. 2021. "An End-to-End Emotion Recognition Framework Based on Temporal Aggregation of Multimodal Information." IEEE Access: Practical Innovations, Open Solutions 9: 135559–70.

[12] Rukhiran, Meennapa, Sethapong Wong-In, and Paniti Netinant. 2023. "IoT-Based Biometric Recognition Systems in Education for Identity Verification Services: Quality Assessment Approach." IEEE Access: Practical Innovations, Open Solutions 11: 22767–87.

[13] S, Ajithkumar, Dr M. Somu, Dr N. Saravanan, and Dr A. Rajivkannan. 2020. "A Survey on Efficient Crop Yield Prediction Using Random Forest Algorithm," December. https://doi.org/10.2139/ssrn.4198857.

[14] Shao, Xiaohu, Xiangdong Zhou, Zhenghao Li, and Yu Shi. 2020. "Multi-View Face Recognition via Well-Advised Pose Normalization Network." IEEE Access: Practical Innovations, Open Solutions 8: 66400–410.

[15] Dinesh, Paidipati, and Kalyanasundaram. 2022. "Medical Image Prediction for Diagnosis of Breast Cancer Disease Comparing the Machine Learning Algorithms: SVM, KNN, Logistic Regression, Random Forest, and Decision Tree to Measure Accuracy." ECS Transactions 107 (1): 12681–91.

[16] Song, An-Ping, Qian Hu, Xue-Hai Ding, Xin-Yi Di, and Zi-Heng Song. 2020. "Similar Face Recognition Using the IE-CNN Model." IEEE Access: Practical Innovations, Open Solutions 8: 45244–53.

[17] Wardana, I. N. K. 2022. "Design of Mobile Robot Navigation Controller Using Neuro-Fuzzy Logic System." Computers & Electrical Engineering 101 (July): 108044.

[18] Yang, Hao, and Xiaofeng Han. 2020. "Face Recognition Attendance System Based on Real-Time Video Processing." IEEE Access: Practical Innovations, Open Solutions 8: 159143–50.

[19] Yu, Zitong, Yunxiao Qin, Xiaobai Li, Chenxu Zhao, Zhen Lei, and Guoying Zhao. 2023. "Deep Learning for Face Anti-Spoofing: A Survey." IEEE Transactions on Pattern Analysis and Machine Intelligence 45 (5): 5609–31.

Authorized licensed use limited to: VIT University. Downloaded on February 26,2025 at 01:51:12 UTC from IEEE Xplore. Restrictions apply.