1 SOLUTIONS Linux Admin 1 EXERCISES

- 1. xxx octal binary \Rightarrow xxx xxx xxx Subtrack 777-xxx \Rightarrow 111 111 111 -xxx xxx xxx \Rightarrow 111 111 111 = rwx rwx rwx xxx xxx xxx \Rightarrow 000 000 000.
 - Or simply: umask $\Rightarrow 000$
- 2. sudo chmod 777 directory_name sudo chmod a+rwx directory_name sudo chmod u=rwx,g=rwx,o=rwx directory_name
- 3. adduser new adduser new2
- 4. sudo cat /etc/shadow | grep -En ^.*:\!:
- 5. I am going to add personal name to new2 user:
 sudo chfn -f pepito new2
 sudo cat /etc/passwd | grep -En ^new2:
 finger new2
- 6. (a) $cat > a.txt \Rightarrow write 3 words and Ctrol +D The same with b.txt$
 - (b) sort a.txt sort b.txt
 - (c) sort -m a.txt b.txt > ab.txt
- 7. ls -F
- 8. (a) sudo chmod u=r a.txt b.txt ab.txt
 - (b) sudo chmod g-rwx,o-rwx a.txt b.txt ab.txt
 - (c) sudo chmod u+wx a.txt b.txt ab.txt