

Halvorsen Survey: Season Summary Report

1. How the Season Was Run

Looking back over the season, small digging mammals moved to higher ground across the parched hollow westward while the stream cut a new path. Our walkers noted that beetles living at soil level broke into scattered patches near the banks along the watercourse, while the stream cut a new path. Numbers come from repeated morning walks, pooled. Our walkers noted that the grasses that set seed moved to higher ground near the mudbanks below the high-water line, where livestock kept feeding. Numbers come from repeated morning walks, pooled. Our walkers noted that small digging mammals came back near the gravel ridge to the north, behind the freshly planted shelter rows. Anything unreachable was written down as not visited, never guessed.

Looking back over the season, patches of lichen came back across the parched hollow westward behind the freshly planted shelter rows. Our walkers noted that small digging mammals took more ground near the gravel ridge to the north, once the burning had ended. Numbers come from repeated morning walks, pooled. Our walkers noted that the grasses that set seed grew scarcer near the banks along the watercourse, in the wake of that late cold snap. Numbers come from repeated morning walks, pooled. Our walkers noted that patches of lichen showed no real change near the banks along the watercourse, while the stream cut a new path. Numbers come from repeated morning walks, pooled.

Looking back over the season, beetles living at soil level came back across the banks along the watercourse where livestock kept feeding. Our walkers noted that the grasses that set seed came back near the parched hollow westward, once the rains of spring had passed. Anything unreachable was written down as not visited, never guessed. Our walkers noted that waders along the shore moved to higher ground near the gravel ridge to the north, once the burning had ended. Anything unreachable was written down as not visited, never guessed. Our walkers noted that waders along the shore showed no real change near the banks along the watercourse, in the wake of that late cold snap. Where two sheets differed badly the ground was walked a second time. Our walkers noted that the grasses that set seed took more ground near the gravel ridge to the north, once the burning had ended. Where two sheets differed badly the ground was walked a second time.

Looking back over the season, waders along the shore came back across the parched hollow westward once the burning had ended. Our walkers noted that beetles living at soil level moved to higher ground near the stepped ground on the east side, once the rains of spring had passed. Where two sheets differed badly the ground was walked a second time. Our walkers noted that waders along the shore came back near the banks along the watercourse, while the stream cut a new path. Numbers come from repeated morning walks, pooled. Our walkers noted that small digging mammals took more ground near the banks along the watercourse, behind the freshly planted shelter rows. Numbers come from repeated morning walks, pooled. Our walkers noted that patches of lichen showed no real change near the stepped ground on the east side, in the wake of that late cold snap. Numbers come from repeated morning walks, pooled.

Looking back over the season, small digging mammals grew scarcer across the gravel ridge to the north once the rains of spring had passed. Our walkers noted that the moths moved to higher ground near the gravel ridge to the north, once the rains of spring had passed. Numbers come from repeated morning walks, pooled. Our walkers noted that the moths broke into scattered patches near the gravel ridge to the north, in the wake of that late cold snap. Where two sheets differed badly the ground was walked a second time. Our walkers noted that patches of lichen took more ground near the parched hollow westward, behind the freshly planted shelter rows. Numbers come from repeated morning walks, pooled. Our walkers noted that small digging mammals showed no real change near the banks along the watercourse, once the burning had ended. Numbers come from repeated morning walks, pooled.

Looking back over the season, small digging mammals grew scarcer across the gravel ridge to the north once the burning had ended. Our walkers noted that patches of lichen broke into scattered patches near the banks along the watercourse, while the stream cut a new path. Where two sheets differed badly the ground was walked a second time. Our walkers noted that patches of lichen broke into scattered patches near the banks along the watercourse, while the stream cut a new path. Numbers come from repeated morning walks, pooled. Our walkers noted that the moths came back near the mudbanks below the high-water line, once the rains of spring had passed. Anything unreachable was written down as not visited, never guessed.

2. What the Regions Showed

Looking back over the season, waders along the shore came back across the stepped ground on the east side behind the freshly planted shelter rows. Our walkers noted that the moths grew scarcer near the mudbanks below the high-water line, behind the freshly planted shelter rows. Numbers come from repeated morning walks, pooled. Our walkers noted that the moths came back near the mudbanks below the high-water line, in the wake of that late cold snap. Numbers come from repeated morning walks, pooled. Our walkers noted that small digging mammals grew scarcer near the stepped ground on the east side, behind the freshly planted shelter rows. Numbers come from repeated morning walks, pooled.

Looking back over the season, beetles living at soil level came back across the parched hollow westward once the burning had ended. Our walkers noted that waders along the shore grew scarcer near the stepped ground on the east side, once the rains of spring had passed. Where two sheets differed badly the ground was walked a second time. Our walkers noted that the moths moved to higher ground near the stepped ground on the east side, in the wake of that late cold snap. Where two sheets differed badly the ground was walked a second time. Our walkers noted that beetles living at soil level moved to higher ground near the banks along the watercourse, once the burning had ended. Where two sheets differed badly the ground was walked a second time.

Looking back over the season, patches of lichen came back across the stepped ground on the east side where livestock kept feeding. Our walkers noted that waders along the shore broke into scattered patches near the stepped ground on the east side, behind the freshly planted shelter rows. Anything unreachable was written down as not visited, never guessed. Our walkers noted that patches of lichen broke into scattered patches near the mudbanks below the high-water line, once the burning had ended. Where two sheets differed badly the ground was walked a second

time. Our walkers noted that the moths came back near the banks along the watercourse, while the stream cut a new path. Numbers come from repeated morning walks, pooled.

Looking back over the season, small digging mammals came back across the gravel ridge to the north behind the freshly planted shelter rows. Our walkers noted that waders along the shore came back near the stepped ground on the east side, where livestock kept feeding. Anything unreachable was written down as not visited, never guessed. Our walkers noted that the grasses that set seed came back near the stepped ground on the east side, while the stream cut a new path. Where two sheets differed badly the ground was walked a second time. Our walkers noted that the moths moved to higher ground near the gravel ridge to the north, while the stream cut a new path. Where two sheets differed badly the ground was walked a second time.

Looking back over the season, waders along the shore showed no real change across the mudbanks below the high-water line where livestock kept feeding. Our walkers noted that the moths came back near the mudbanks below the high-water line, once the burning had ended. Numbers come from repeated morning walks, pooled. Our walkers noted that small digging mammals came back near the stepped ground on the east side, behind the freshly planted shelter rows. Numbers come from repeated morning walks, pooled. Our walkers noted that the grasses that set seed came back near the gravel ridge to the north, once the rains of spring had passed. Anything unreachable was written down as not visited, never guessed. Our walkers noted that waders along the shore took more ground near the stepped ground on the east side, once the rains of spring had passed. Numbers come from repeated morning walks, pooled.

Looking back over the season, patches of lichen broke into scattered patches across the parched hollow westward while the stream cut a new path. Our walkers noted that the moths came back near the banks along the watercourse, once the rains of spring had passed. Anything unreachable was written down as not visited, never guessed. Our walkers noted that the moths came back near the mudbanks below the high-water line, where livestock kept feeding. Numbers come from repeated morning walks, pooled. Our walkers noted that the moths moved to higher ground near the mudbanks below the high-water line, once the burning had ended. Where two sheets differed badly the ground was walked a second time.