


Evidencia pe6








```
ruby@[redacted]:~/rubylial/aws-streaming-data-platform$ python3 sql/pe6_producer.py
Enviando 50 eventos a streaming-data-platform-events-dev...
  [1/50] merchant_005 $3082.95 -> shardId-000000000000 (seq: 49680169779207745402...)
  [2/50] merchant_003 $2918.98 -> shardId-000000000001 (seq: 49680169779230046147...)
  [3/50] merchant_001 $3009.04 -> shardId-000000000000 (seq: 49680169779207745402...)
  [4/50] merchant_001 $1860.30 -> shardId-000000000000 (seq: 49680169779207745402...)
  [5/50] merchant_003 $2056.67 -> shardId-000000000001 (seq: 49680169779230046147...)
  [6/50] merchant_004 $3731.76 -> shardId-000000000000 (seq: 49680169779207745402...)
  [7/50] merchant_002 $2981.66 -> shardId-000000000000 (seq: 49680169779207745402...)
  [8/50] merchant_005 $2123.54 -> shardId-000000000000 (seq: 49680169779207745402...)
  [9/50] merchant_003 $1891.14 -> shardId-000000000001 (seq: 49680169779230046147...)
  [10/50] merchant_001 $791.32 -> shardId-000000000000 (seq: 49680169779207745402...)
  [11/50] merchant_004 $3437.83 -> shardId-000000000000 (seq: 49680169779207745402...)
  [12/50] merchant_001 $3902.87 -> shardId-000000000000 (seq: 49680169779207745402...)
  [13/50] merchant_005 $4373.44 -> shardId-000000000000 (seq: 49680169779207745402...)
  [14/50] merchant_002 $2335.00 -> shardId-000000000000 (seq: 49680169779207745402...)
  [15/50] merchant_005 $2106.15 -> shardId-000000000000 (seq: 49680169779207745402...)
  [16/50] merchant_004 $2019.43 -> shardId-000000000000 (seq: 49680169779207745402...)
  [17/50] merchant_003 $4362.90 -> shardId-000000000001 (seq: 49680169779230046147...)
  [18/50] merchant_002 $344.02 -> shardId-000000000000 (seq: 49680169779207745402...)
  [19/50] merchant_003 $3215.68 -> shardId-000000000001 (seq: 49680169779230046147...)
  [20/50] merchant_003 $1991.58 -> shardId-000000000001 (seq: 49680169779230046147...)
  [21/50] merchant_001 $3769.60 -> shardId-000000000000 (seq: 49680169779207745402...)
  [22/50] merchant_002 $4154.96 -> shardId-000000000000 (seq: 49680169779207745402...)
  [23/50] merchant_003 $2990.88 -> shardId-000000000001 (seq: 49680169779230046147...)
  [24/50] merchant_001 $3186.31 -> shardId-000000000000 (seq: 49680169779207745402...)
  [25/50] merchant_005 $3640.64 -> shardId-000000000000 (seq: 49680169779207745402...)
  [26/50] merchant_005 $3669.94 -> shardId-000000000000 (seq: 49680169779207745402...)
  [27/50] merchant_005 $4860.89 -> shardId-000000000000 (seq: 49680169779207745402...)
  [28/50] merchant_004 $3151.65 -> shardId-000000000000 (seq: 49680169779207745402...)
  [29/50] merchant_001 $2008.40 -> shardId-000000000000 (seq: 49680169779207745402...)
  [30/50] merchant_002 $2667.62 -> shardId-000000000000 (seq: 49680169779207745402...)
  [31/50] merchant_003 $4186.22 -> shardId-000000000001 (seq: 49680169779230046147...)
  [32/50] merchant_005 $852.00 -> shardId-000000000000 (seq: 49680169779207745402...)
  [33/50] merchant_005 $4516.93 -> shardId-000000000000 (seq: 49680169779207745402...)
  [34/50] merchant_004 $457.29 -> shardId-000000000000 (seq: 49680169779207745402...)
  [35/50] merchant_005 $507.80 -> shardId-000000000000 (seq: 49680169779207745402...)
  [36/50] merchant_002 $1157.23 -> shardId-000000000000 (seq: 49680169779207745402...)
  [37/50] merchant_004 $1195.69 -> shardId-000000000000 (seq: 49680169779207745402...)
  [38/50] merchant_002 $3091.58 -> shardId-000000000000 (seq: 49680169779207745402...)
  [39/50] merchant_005 $1619.98 -> shardId-000000000000 (seq: 49680169779207745402...)
  [40/50] merchant_002 $3406.48 -> shardId-000000000000 (seq: 49680169779207745402...)
  [40/50] merchant_002 $3406.48 -> shardId-000000000000 (seq: 49680169779207745402...)
  [41/50] merchant_004 $4028.70 -> shardId-000000000000 (seq: 49680169779207745402...)
  [42/50] merchant_004 $4299.52 -> shardId-000000000000 (seq: 49680169779207745402...)
  [43/50] merchant_002 $3610.40 -> shardId-000000000000 (seq: 49680169779207745402...)
  [44/50] merchant_002 $2900.70 -> shardId-000000000000 (seq: 49680169779207745402...)
  [45/50] merchant_005 $4442.97 -> shardId-000000000000 (seq: 49680169779207745402...)
  [46/50] merchant_005 $3508.26 -> shardId-000000000000 (seq: 49680169779207745402...)
  [47/50] merchant_002 $2893.23 -> shardId-000000000000 (seq: 49680169779207745402...)
  [48/50] merchant_003 $2470.56 -> shardId-000000000001 (seq: 49680169779230046147...)
  [49/50] merchant_004 $4791.70 -> shardId-000000000000 (seq: 49680169779207745402...)
  [50/50] merchant_005 $4278.08 -> shardId-000000000000 (seq: 49680169779207745402...)


Resultado: 50 enviados, 0 errores
```



Editor
Queries
Notebooks
Charts
History
Scheduled queries
Redshift query editor v2
Create
Load data
Filter resources
streaming-pe6-cluster
native databases (2)
external databases (2)
Query in Amazon SageMaker Unified Studio
Use your IAM role to analyze and build with your existing AWS resources in a single data and AI development environment.
Query
Untitled 1
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
Schedule
1 CREATE EXTERNAL SCHEMA kinesis_streaming
2 FROM KINESIS
3 IAM_ROLE default;
Row 3, Col 18, Chr 73
Result 1
Export
Chart
Summary
Returned rows: 0
Elapsed time: 254ms
Result set query:
/* 558a3c8a-a4f0-42ad-bd6b-8418de94943e-v3 */
CREATE EXTERNAL SCHEMA kinesis_streaming
FROM KINESIS
IAM_ROLE ''



Redshift query editor v2
Create
Load data
Filter resources
streaming-pe6-cluster
native databases (2)
external databases (2)
Query in Amazon SageMaker Unified Studio
Use your IAM role to analyze and build with your existing AWS resources in a single data and AI development environment.
Query
Untitled 1
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
Schedule
sequence_number,
JSON_EXTRACT_PATH_TEXT(
from_varbyte(kinesis_data, 'utf-8'), 'event_id'
) AS event_id,
JSON_EXTRACT_PATH_TEXT(
from_varbyte(kinesis_data, 'utf-8'), 'event_time'
) AS event_time,
JSON_EXTRACT_PATH_TEXT(
from_varbyte(kinesis_data, 'utf-8'), 'merchant_id'
) AS merchant_id,
CAST(JSON_EXTRACT_PATH_TEXT(
from_varbyte(kinesis_data, 'utf-8'), 'amount'
) AS DECIMAL(18,2)) AS amount,
JSON_EXTRACT_PATH_TEXT(
from_varbyte(kinesis_data, 'utf-8'), 'currency'
) AS currency,
JSON_EXTRACT_PATH_TEXT(
from_varbyte(kinesis_data, 'utf-8'), 'status'
) AS status
FROM kinesis_streaming."streaming-data-platform-events-dev";
Result 1
Export
Chart
Summary
Returned rows: 0
Elapsed time: 1.3s
Result set query:
/* ae6c5a7d-882c-4842-8fb7-1cc8a9f80d6b-v3 */
CREATE MATERIALIZED VIEW mv_kinesis_transactions
AUTO REFRESH YES
AS
SELECT
approximate_arrival_timestamp,
partition_key,
shard_id,
sequence_number,
JSON_EXTRACT_PATH_TEXT(
from_varbyte(kinesis_data, 'utf-8'), 'event_id'
) AS event_id,
JSON_EXTRACT_PATH_TEXT(
from_varbyte(kinesis_data, 'utf-8'), 'event_time'
) AS event_time,
JSON_EXTRACT_PATH_TEXT(
from_varbyte(kinesis_data, 'utf-8'), 'merchant_id'



Redshift query editor v2
Create
Load data
Filter resources
streaming-pe6-cluster
native databases (2)
dev
public
sample_data_dev
tickit
tpcds
tpch
external databases (2)
Editor
Queries
Notebooks
Charts
History
Scheduled queries
Query in Amazon SageMaker Unified Studio
Use your IAM role to analyze and build with your existing AWS resources in a single data and AI development environment.
Query
Untitled 1
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
Schedule
1 REFRESH MATERIALIZED VIEW mv_kinesis_transactions;
Row 1, Col 51, Chr 50
Result 1
Export
Chart
Summary
Info:
Materialized view mv_kinesis_transactions was incrementally updated successfully. Stream returned no new data.
Returned rows: 0
Elapsed time: 2.2s
Result set query:
/* df21bdd1-2e0b-4740-8cb2-59b52a79e7e8-v3 */
REFRESH MATERIALIZED VIEW mv_kinesis_transactions;



Redshift query editor v2
Create
Load data
Filter resources
streaming-pe6-cluster
native databases (2)
dev
public
sample_data_dev
tickit
tpcds
tpch
external databases (2)
Editor
Queries
Notebooks
Charts
History
Scheduled queries
Query in Amazon SageMaker Unified Studio
Use your IAM role to analyze and build with your existing AWS resources in a single data and AI development environment.
Query
Untitled 1
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
Schedule
1 SELECT COUNT(*) AS total_events FROM mv_kinesis_transactions;
Row 1, Col 62, Chr 61
Result 1 (1)
Export
Chart
total_events
50



Filter resources
streaming-pe6-cluster
native databases (2)
external databases (2)
Untitled 1
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
Schedule
SELECT
merchant_id,
COUNT(*) AS event_count,
SUM(amount) AS total_amount,
ROUND(AVG(amount), 2) AS avg_amount
FROM mv_kinesis_transactions
GROUP BY merchant_id
ORDER BY total_amount DESC;
Row 8, Col 28, Chr 210
Result 1 (5)
Export
Chart
merchant_id
event_count
total_amount
avg_amount
merchant_005
14
43583.57
3113.11
merchant_002
11
29542.88
2685.71
merchant_004
9
27113.57
3012.61
merchant_003
9
26084.61
2898.29
merchant_001
7
18527.84
2646.83


Filter resources
streaming-pe6-cluster
native databases (2)
external databases (2)
Untitled 1
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
Schedule
1 CREATE EXTERNAL SCHEMA lakehouse
2 FROM DATA CATALOG
3 DATABASE 'streaming_data_platform_dev'
4 IAM_ROLE default;
Row 4, Col 18, Chr 110
Result 1
Export
Chart
Summary
Returned rows: 0
Elapsed time: 208ms
Result set query:
/* ea99f491-c945-48bd-a8d7-1bfcfa0e9741-v3 */
CREATE EXTERNAL SCHEMA lakehouse
FROM DATA CATALOG
DATABASE 'streaming_data_platform_dev'
IAM_ROLE ''






Filter resources
streaming-pe6-cluster
native databases (2)
external databases (2)
Untitled 1
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
Schedule
1 SELECT COUNT(*) AS iceberg_events FROM lakehouse.transactions;
Row 1, Col 63, Chr 62
Result 1 (1)
Export
Chart
iceberg_events
0



Filter resources
streaming-pe6-cluster
native databases (2)
external databases (2)
Untitled 1
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
Schedule
SELECT
COALESCE(s.merchant_id, i.merchant_id) AS merchant_id,
s.streaming_count,
s.streaming_total,
COALESCE(i.iceberg_count, 0) AS iceberg_count
FROM (
SELECT
merchant_id,
COUNT(*) AS streaming_count,
SUM(amount) AS streaming_total
FROM mv_kinesis_transactions
GROUP BY merchant_id
) s
FULL OUTER JOIN (
SELECT
merchant_id,
COUNT(*) AS iceberg_count
FROM lakehouse.transactions
GROUP BY merchant_id
) i ON s.merchant_id = i.merchant_id
ORDER BY merchant_id;
Row 21, Col 22,
Result 1 (5)
Export
Chart
merchant_id
streaming_count
streaming_total
iceberg_count
merchant_001
7
18527.84
0
merchant_002
11
29542.88
0
merchant_003
9
26084.61
0
merchant_004
9
27113.57
0
merchant_005
14
43583.57
0



streaming-pe6-cluster
native databases (2)
external databases (2)
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
SELECT
COUNT(*) AS total,
MIN(DATEDIFF(millisecond, CAST(event_time AS TIMESTAMP), approximate_arrival_timestamp)) AS min_latency_ms,
ROUND(AVG(DATEDIFF(millisecond, CAST(event_time AS TIMESTAMP), approximate_arrival_timestamp)), 0) AS avg_latency_ms,
MAX(DATEDIFF(millisecond, CAST(event_time AS TIMESTAMP), approximate_arrival_timestamp)) AS max_latency_ms
FROM mv_kinesis_transactions;
Result 1 (1)
total
min_latency_ms
avg_latency_ms
max_latency_ms
50
57
68
335



streaming-pe6-cluster
native databases (2)
external databases (2)
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
SELECT
MAX(approximate_arrival_timestamp) AS latest_arrival,
DATEDIFF(second, MAX(approximate_arrival_timestamp), GETDATE()) AS freshness_seconds,
COUNT(*) AS total_records
FROM mv_kinesis_transactions;
Result 1 (1)
latest_arrival
freshness_seconds
total_records
2026-11-13 03:14:59.888
642
50


streaming-pe6-cluster
native databases (2)
external databases (2)
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
Schedule
1 SELECT * FROM STL_MV_STATE
2 WHERE mv_name = 'mv_kinesis_transactions'
3 ORDER BY xid DESC
4 LIMIT 10;
Row 4, Col 10, Chr 99
Result 1
Export
Chart
Summary
Returned rows: 0
Elapsed time: 812ms
Result set query:
/* 86dd6feb-f087-4eeb-b1e4-b7b5512e3f75-v3 */
SELECT * FROM STL_MV_STATE
WHERE mv_name = 'mv_kinesis_transactions'
ORDER BY xid DESC
LIMIT 10;


streaming-pe6-cluster
native databases (2)
external databases (2)
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
Schedule
1 SELECT schemaname, databasename, esoptions
2 FROM svv_external_schemas
3 ORDER BY schemaname;
Row 3, Col 21, Chr 91
Result 1 (2)
Export
Chart
schemaname
databasename
esoptions
kinesis_streaming
ks_default_db
{"IAM_ROLE":"default-aws-iam-role"}
lakehouse
streaming_data_platform...
{"IAM_ROLE":"default-aws-iam-role"}


streaming-pe6-cluster
native databases (2)
external databases (2)
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
1 SELECT * FROM SYS_MV_REFRESH_HISTORY
2 WHERE mv_name = 'mv_kinesis_transactions'
3 ORDER BY start_time DESC
4 LIMIT 10;
Result 1 (3)
user_id
session_id
transaction_id
database_name
schema_name
mv_id
mv_name
refresh_type
100 1073922623 2848 dev public 107306 mv_kinesis_transactions ... Manual
100 1073914375 2776 dev public 107306 mv_kinesis_transactions ... Auto
100 1073897999 2766 dev public 107306 mv_kinesis_transactions ... Auto


Create
Load data
Filter resources
streaming-pe6-cluster
native databases (2)
external databases (2)
Use your IAM role to analyze and build with your existing AWS resources in a single data and AI development environment.
Untitled 1
Run
Limit 100
Explain
Isolated session
streaming-pe...
dev
1 SELECT event_id, event_time, merchant_id, amount, currency, status
2 FROM mv_kinesis_transactions
3 LIMIT 10;
Result 1 (10)
event_id | event_time | merchant_id | amount | currency | status
b4f54e7d-effe-400a-8f40-... | 2026-11-13T03:14:46.221... | merchant_003 | 2918.98 | EUR | refunded
856568e3-fd74-414d-854... | 2026-11-13T03:14:47.083... | merchant_003 | 2056.67 | EUR | declined
503ea5dd-8fa4-4a7a-913... | 2026-11-13T03:14:48.190... | merchant_003 | 1891.14 | EUR | pending
30454820-880c-464a-ab... | 2026-11-13T03:14:50.484... | merchant_003 | 4382.9 | EUR | approved
2e9f0acd-f2c6-40bb-b678... | 2026-11-13T03:14:51.054... | merchant_003 | 3215.68 | USD | declined
6d823f14-20a0-45e3-aa1... | 2026-11-13T03:14:51.337... | merchant_003 | 1991.58 | EUR | refunded
04779690-2e3d-41cf-869... | 2026-11-13T03:14:52.177... | merchant_003 | 2990.88 | EUR | approved
1bae0a82-8ec9-4db8-b3... | 2026-11-13T03:14:54.441... | merchant_003 | 4186.22 | USD | pending
1d8c2867-ebcb-4acb-9a5... | 2026-11-13T03:14:59.269... | merchant_003 | 2470.56 | USD | declined
92d3b831-8a55-4c3c-94a... | 2026-11-13T03:14:45.666... | merchant_005 | 3082.95 | EUR | declined


aws
Search
[Alt+S]
United States (N. Virginia)
Account ID:
Ruby_Lileth_Alvarez_Rodriguez
Amazon Redshift / Clusters / streaming-pe6-cluster
Amazon Redshift
Redshift Serverless
Provisioned clusters dashboard
Clusters
Query editor
Query editor v2
Amazon SageMaker Unified Studio New
Query and database monitoring
Datashares
Integrations
Zero-ETL integrations
S3 event integrations
System table integrations New
Identity and Permissions
IAM Identity Center connections
Configurations
Simplify Redshift permissions management across multiple warehouses by registering Redshift warehouse cluster or namespace with AWS Glue Data Catalog.
Learn more
Notifications 3 0 1 2 0
streaming-pe6-cluster
Actions
Edit
Add partner integration
Query data
General information Info
Cluster identifier
streaming-pe6-cluster
Status
Available
Node type
ra3.large
Endpoint
streaming-pe6-cluster.c2wp8lazzuhc.us-east-1.redshift.amazonaws.com:5439/dev
Custom domain name
-
Date created
November 12, 2026, 22:10 -05
Number of nodes
1
JDBC URL
jdbc:redshift://streaming-pe6-cluster.c2wp8lazzuhc.us-east-1.redshift.amazonaws.com:5439/dev
Download driver
Cluster namespace ARN
arn:aws:redshift:us-east-1:798921150087:namespace:33b8c61c-e153-4e42-a431-e48cbba0411f
Multi-AZ
No
Patch version
Patch 207
ODBC URL
Driver={Amazon Redshift (x64)}; Server=streaming-pe6-cluster.c2wp8lazzuhc.us-east-1.redshift.amazonaws.com; Database=dev
Download driver
Federated Permissions registration status
Registered
AWS Glue Data Catalog registration type
-
Cluster configuration
Production
Autonomics configuration - new
Not enabled with extra compute
System table integration
Off
Total used storage
-