

Name: Ruby Jane G. Lopez

Year/Course/Section: 3-BSCS-B

dev.mysql.com/downloads/file/?id=508935

MySQL Community Downloads

Login Now or Sign Up for a free account.

An Oracle Web Account provides you with the following advantages:

- Fast access to MySQL software downloads
- Download technical White Papers and Presentations
- Post messages in the MySQL Discussion Forums
- Report and track bugs in the MySQL bug system

Login »
using my Oracle Web account

Sign Up »
for an Oracle Web account

MySQL.com is using Oracle SSO for authentication. If you already have an Oracle Web account, click the Login link. Otherwise, you can signup for a free account by clicking the Sign Up link and following the instructions.

No thanks, just start my download.

ORACLE © 2021, Oracle Corporation and/or its affiliates

Legal Policies | Your Privacy Rights | Terms of Use | Trademark Policy | Contributor Agreement | Cookie Preferences

Type here to search

10:09 AM 11/22/2021

dev.mysql.com/downloads/installer/

MySQL Community Downloads

MySQL Installer

General Availability (GA) Releases

Archives

MySQL Installer 8.0.27

Select Operating System:
Microsoft Windows



Looking for previous GA versions?

Windows (x86, 32-bit), MSI Installer	8.0.27	2.3M	Download
(mysql-installer-web-community-8.0.27.1.msi)			
MD5: 44b7f3e4c1bdcc641621cf3aa31ea18f4 Signature			
Windows (x86, 32-bit), MSI Installer	8.0.27	470.2M	Download
(mysql-installer-community-8.0.27.1.msi)			
MD5: 9b7af5c91139659b10b84b1ca357d08f Signature			

We suggest that you use the MD5 checksums and GnuPG signatures to verify the integrity of the packages you download.

Type here to search

10:04 AM 11/22/2021



MySQL = Begin Your Download x +

dev.mysql.com/downloads/file/?id=508935

MySQL Community Downloads


Login Now or Sign Up for a free account.

An Oracle Web Account provides you with the following:

- Fast access to MySQL software downloads
- Download technical White Papers and Presentations
- Post messages in the MySQL Discussion Forums
- Report and track bugs in the MySQL bug system

Login »
using my Oracle Web account

MySQL.com is using Oracle SSO for authentication. If you already have an Oracle account, click the Login link. Otherwise, you can Sign Up link and following the instructions.



MySQL Installer 1.6

Finding all installed packages.

Copyright (c) 2008, 2021, Oracle and/or its affiliates.
Oracle, Java, and MySQL are registered trademarks of Oracle and/or its affiliates.
Other names may be trademarks of their respective owners.

ORACLE

No thanks, just start my download.

ORACLE © 2021, Oracle Corporation and/or its affiliates

Legal Policies | Your Privacy Rights | Terms of Use | Trademark Policy | Contributor Agreement | Cookie Preferences

Type here to search

10:10 AM 11/25/2021

MySQL = Begin Your Download x (1) Messenger x +

dev.mysql.com/downloads/file/?id=508935

MySQL Installer

Adding Community

Choosing a Setup Type

Download

Installation

Installation Complete

Login » using my Oracle Web account

MySQL.com is using Oracle SSO for authentication. If you already have an Oracle account, click the Login link. Otherwise, you can Sign Up link and following the instructions.

No thanks, just start my download.

ORACLE © 2021, Oracle Corporation and/or its affiliates

Legal Policies | Your Privacy Rights | Terms of Use | Trademark Policy | Contributor Agreement | Cookie Preferences

Type here to search

8:52 PM 11/24/2021

MySQL Installer

Choosing a Setup Type

Please select the Setup Type that suits your use case.

☒ **Developer Default**
Installs all products needed for MySQL development purposes.

☐ **Server only**
Installs only the MySQL Server product.

☐ **Client only**
Installs only the MySQL Client products, without a server.

☐ **Full**
Installs all included MySQL products and features.

☐ **Custom**
Manually select the products that should be installed on the system.



Setup Type Description



Installs the MySQL Server and the tools required for MySQL application development. This is useful if you intend to develop applications for an existing server.



This Setup Type includes:



- * MySQL Server
- * MySQL Shell
The new MySQL client application to manage MySQL Servers and InnoDB cluster instances.
- * MySQL Router
High availability router daemon for InnoDB cluster setups to be installed on application



Next > Cancel


























MySQL Workbench

Local instance x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- new_schema
- sakila
- sys
 - Tables
 - Views
 - Stored Procedures
 - Functions
- world

Administration Schemas

Information

Schema: sys

Query 1 x SQL File 3

```

293 'product_id' int(11) NOT NULL AUTO_INCREMENT,
294 'name' varchar(50) NOT NULL,
295 'quantity_in_stock' int(11) NOT NULL,
296 'unit_price' decimal(4,2) NOT NULL,
297 PRIMARY KEY ('product_id')
298 ) ENGINE=InnoDB AUTO_INCREMENT=11 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
299 INSERT INTO `products` VALUES (1,'Foam Dinner Plate',70,1.21);
300 INSERT INTO `products` VALUES (2,'Pork - Bacon,back Peameal',49,4.65);
301 INSERT INTO `products` VALUES (3,'Lettuce - Romaine, Heart',38,3.35);
302 INSERT INTO `products` VALUES (4,'Brocolinni - Gaylan, Chinese',90,4.53);
303 INSERT INTO `products` VALUES (5,'Sauce - Ranch Dressing',94,1.63);
304 INSERT INTO `products` VALUES (6,'Petit Baguette',14,2.39);
305 INSERT INTO `products` VALUES (7,'Sweet Pea Sprouts',98,3.29);
306 INSERT INTO `products` VALUES (8,'Island Oasis - Raspberry',26,0.74);
307 INSERT INTO `products` VALUES (9,'Logan',67,2.26);
308 INSERT INTO `products` VALUES (10,'Broom - Push',6,1.09);

```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 155	12:46:53	INSERT INTO `products` VALUES (5,'Sauce - Ranch Dressing',94,1.63)	1 row(s) affected	0.000 sec
✓ 156	12:46:53	INSERT INTO `products` VALUES (6,'Petit Baguette',14,2.39)	1 row(s) affected	0.000 sec
✓ 157	12:46:53	INSERT INTO `products` VALUES (7,'Sweet Pea Sprouts',98,3.29)	1 row(s) affected	0.000 sec
✓ 158	12:46:53	INSERT INTO `products` VALUES (8,'Island Oasis - Raspberry',26,0.74)	1 row(s) affected	0.016 sec
✓ 159	12:46:53	INSERT INTO `products` VALUES (9,'Logan',67,2.26)	1 row(s) affected	0.000 sec
✓ 160	12:46:53	INSERT INTO `products` VALUES (10,'Broom - Push',6,1.09)	1 row(s) affected	0.000 sec

Object Info Session

Type here to search

12:47 PM 11/26/2021

MySQL Workbench

Local instance x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- new_schema
- sakila
- sql_hr
- sql_inventory
- sql_invoicing
- sql_store
 - Tables
 - customers
 - order_item_notes
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas

Information

Schema: sql_store

customers x

Query 1 x

```

1 SELECT * FROM sql_store.customers;

```

Result Grid

customer_id	first_name	last_name	birth_date	phone	address	city
1	Babara	MacCaffrey	1986-03-28	781-932-9754	0 Sage Terrace	Walther
2	Ines	Brushfield	1986-04-13	804-427-9456	14187 Commercial Trail	Hamplo
3	Freddi	Boagey	1985-02-07	719-724-7869	251 Springs Junction	Colored
4	Ambar	Roseburgh	1974-04-14	407-231-9017	30 Arapahoe Terrace	Orlando
5	Clemmie	Beldhley	1973-11-07	5 Spohn Circle	5 Spohn Circle	Arlingto
6	Elka	Twiddell	1991-09-04	312-480-8498	7 Manley Drive	Chicago

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	13:01:08	SELECT * FROM sql_store.customers LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Type here to search

1:01 PM 11/26/2021

MySQL Workbench

Local instance x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- new_schema
- sakila
- sql_hr
- sql_inventory
- sql_invoicing
- sql_store
 - Tables
 - customers
 - order_item_notes
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas

Information

Schema: sql_store

Object Info Session

customers orders

1 • SELECT * FROM sql_store.orders;

Limit to 1000 rows

Result Grid

order_id	customer_id	order_date	status	comments	shipper
1	6	2019-01-30	1		MALE
2	7	2018-08-02	2		MALE
3	8	2017-12-01	1		MALE
4	2	2017-01-22	1		MALE
5	5	2017-08-25	2		MALE
6	10	2018-11-18	1	Aliquam erat volutpat. In congue.	MALE

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	13:01:08	SELECT * FROM sql_store.customers LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
2	13:03:48	SELECT * FROM sql_store.orders LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Context Help Snippets

Type here to search

1:04 PM 11/26/2021

MySQL Workbench

Local instance x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- sakila
- sql_hr
- sql_inventory
- sql_invoicing
- sql_store
 - Tables
 - customers
 - order_item_notes
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
- world
- sys

Administration Schemas

Information

Schema: sql_store

Object Info Session

customers orders order_statuses - Table order_statuses

1 • SELECT * FROM sql_store.order_statuses;

Limit to 1000 rows

Result Grid

order_status_id	name
1	Processed
2	Shipped
3	Delivered
MALE	

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	13:01:08	SELECT * FROM sql_store.customers LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
2	13:03:48	SELECT * FROM sql_store.orders LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
3	13:11:46	SELECT * FROM sql_store.order_statuses LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Context Help Snippets

Type here to search

1:11 PM 11/26/2021

MySQL Workbench

Local instance x

File Edit View Query Database Server Tools Scripting Help

Navigator: customers orders order_statuses - Table order_statuses order_items

1 • `SELECT * FROM sql_store.order_items;`

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

order_id	product_id	quantity	unit_price
1	4	4	3.74
2	1	2	9.10
2	4	4	1.66
2	6	2	2.94
3	3	10	9.12
4	3	7	6.99
4	10	7	6.40

order_items 1 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	13:01:08	SELECT * FROM sql_store.customers LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
2	13:03:48	SELECT * FROM sql_store.orders LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
3	13:11:46	SELECT * FROM sql_store.order_statuses LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
4	13:11:58	SELECT * FROM sql_store.order_items LIMIT 0, 1000	18 row(s) returned	0.015 sec / 0.000 sec

Schema: sql_store

Object Info Session

Type here to search

1:12 PM 11/26/2021

MySQL Workbench

Local instance x

File Edit View Query Database Server Tools Scripting Help

Navigator: customers orders order_statuses - Table order_statuses order_items products

1 • `SELECT * FROM sql_store.products;`

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

product_id	name	quantity_in_stock	unit_price
1	Foam Dinner Plate	70	1.21
2	Pork - Bacon,back Peameal	49	4.65
3	Lettuce - Romaine, Heart	38	3.35
4	Brocolinni - Gaylan, Chinese	90	4.53
5	Sauce - Ranch Dressing	94	1.63
6	Petit Baguette	14	2.39
7	Sweet Pea Sprouts	98	3.29

products 1 x

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	13:01:08	SELECT * FROM sql_store.customers LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
2	13:03:48	SELECT * FROM sql_store.orders LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
3	13:11:46	SELECT * FROM sql_store.order_statuses LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
4	13:11:58	SELECT * FROM sql_store.order_items LIMIT 0, 1000	18 row(s) returned	0.015 sec / 0.000 sec
5	13:12:18	SELECT * FROM sql_store.products LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Schema: sql_store

Object Info Session

Type here to search

1:12 PM 11/26/2021

MySQL Workbench

Local instance x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- sakila
- sql_hr
- sql_inventory
- sql_invoicing
- sql_store
 - Tables
 - customers
 - order_item_notes
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
- sys
- world
- Administration
- Schemas

SQL Editor

1 • SELECT * FROM sql_store.shippers;

Result Grid

shipper_id	name
1	Hettinger LLC
2	Schinner-Predovic
3	Satterfield LLC
4	Mraz, Renner and Nolan
5	Waters, Mayert and Prohaska
NULL	NULL

Information

Schema: sql_store

shippers 1 x

Output

#	Time	Action	Message	Duration / Fetch
✓ 1	13:01:08	SELECT * FROM sql_store.customers LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
✓ 2	13:03:48	SELECT * FROM sql_store.orders LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
✓ 3	13:11:46	SELECT * FROM sql_store.order_statuses LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
✓ 4	13:11:58	SELECT * FROM sql_store.order_items LIMIT 0, 1000	18 row(s) returned	0.015 sec / 0.000 sec
✓ 5	13:12:18	SELECT * FROM sql_store.products LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
✓ 6	13:12:25	SELECT * FROM sql_store.shippers LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Windows

Type here to search

1:12 PM 11/26/2021