PAYMENTS AND FINTECH PRACTICE · METHOD NOTE · ILLUSTRATIVE

How to assess and prioritise agentic and generative AI across the payments value chain

The five-lens assessment framework and the six-step prioritisation method, explained step by step and applied to Bank X, a large Indian private-sector bank

Written from the perspective of a payments consulting practice lead answering a bank's RFP · October 2026

THE VALUE CHAIN THE FRAMEWORK ASSESSES



Scope of this document. Only the assessment framework and the prioritisation method: what each step asks, how it is done, the decision rules, and a worked example. Delivery topics (architecture, operating model, fees) are deliberately left out.

Illustrative, for learning. Bank X is fictional; every bank-specific number is an assumption (A). Market and regulatory facts are cited (P). Not produced by or affiliated with any named firm.

THE ANSWER ON ONE PAGE ILLUSTRATIVE

Assess every opportunity through five lenses in a fixed order, then prioritise in six steps that turn scores into sequenced waves

Assessment framework: five lenses

1. **Where to play**
   Map 10 value-chain stages × 5 business lines; size cost, loss and revenue pools from activity data. → Value-pool map and long list
2. **What kind of AI**
   Match each problem to one of six archetypes; the simplest one that works wins. → Archetype per use case
3. **How much autonomy**
   Cap autonomy (L0–L4) by error cost and reversibility, before scoring. → Autonomy cap and controls
4. **Is it allowed and worth it**
   Six risk gates (pass, conditional, fail), then score value, feasibility and fit. → Risk tier; priority index
5. **When and how**
   Turn scores into a balanced, dependency-aware portfolio in waves. → Waves and roadmap

Prioritisation method: six steps

1. **Gate**
   Only use cases that clear the six risk gates are ranked; the gate result sets the risk tier.
2. **Score**
   Priority index = 0.45 × value + 0.35 × feasibility + 0.20 × strategic fit, from nine anchored 1–5 criteria.
3. **Plot**
   Value against feasibility; cut lines at value 3.0 and feasibility 3.25; four quadrants, four actions.
4. **Override**
   Rank is not sequence: dependencies, customer exposure and risk tier can move a use case earlier or later.
5. **Balance**
   Check the mix of deploy, reshape and invent, of archetypes and of autonomy before committing.
6. **Sequence**
   Six rules turn the portfolio into three waves, each released by a gate; re-score at every gate.

Applied to Bank X: 50 ideas → 21 pass the gates and are scored → 10 prioritised. 4 quick wins (Dispute & chargeback agent, Merchant onboarding agent, AML alert triage agent, Reconciliation exception agent) start in Wave 1. About ₹465 crore a year of value at stake by Year 3, 46% of it in Wave 1. Nine of the top ten hold their place under five different weightings.

Contents

The answer on one page	2
Part A · Assessment framework	4
Lens 1	6
Lens 2	9
Lens 3	10
Lens 4a	12
From ideas to use cases	14
Part B · Prioritisation	15
Step 2	16
Step 3	19
Step 4	21
Step 5	22
Step 6	23
Stress test	25
Result	26
Defending it	27
Appendix	28

How to use this document.

Part A explains how to assess an opportunity: four lenses and the risk gates, each with a worked Bank X example.

Part B explains how to prioritise: six steps from scores to a sequenced roadmap, with the arithmetic shown and a stress test.

Ten-minute read: page 2, then the first page of each part.

A good framework must answer five design tests, which is why the common shortcuts fail

What the framework must do

Covers the whole value chain	Every stage and business line is examined, so value hidden in back-office work (reconciliation, disputes) is not missed in favour of visible front-end ideas.
Separates 'can' from 'should'	What AI can do (Lenses 2–3) is fixed before what it is worth (Lens 4), so scores never assume autonomy the bank will not allow.
Treats risk as a gate, not a weight	A high value score must not compensate for a regulatory breach. Risk decides whether a use case is ranked at all.
Uses the bank's own data	Value is built bottom-up from volumes, unit costs and time sampling. Benchmarks only cross-check.
Is repeatable and auditable	Anchored scales, agreed weights and written rules mean another team would reach the same ranking, and the board can see why.

The question behind the RFP: "Where can generative and agentic AI create value in our payments business, what is safe to do, and in what order?" Lenses 1–4 answer the first two parts; the prioritisation method answers the third.

Five shortcuts we avoid

The idea list
Hundreds of ideas, no value or sequence.

The vendor demo
Starts from a tool, not a business problem.

Chatbot first
Visible, but small value and high conduct risk.

Risk as a weight
A breach is averaged away by high value.

Rank = roadmap
Ignores dependencies and platform needs.

The framework runs five lenses in a fixed order; each narrows the field and hands a defined output to the next

LENS 1 Where to play

Map 10 value-chain stages × 5 business lines; size cost, loss and revenue pools from activity data.

OUTPUT
Value-pool map and long list

Asks: Which journeys carry the most cost, loss and revenue, and how much of that work could AI do?

LENS 2 What kind of AI

Match each problem to one of six archetypes; the simplest one that works wins.

OUTPUT
Archetype per use case

Asks: Is this a prediction, a language task, a conversation, or a multi-step job across systems?

LENS 3 How much autonomy

Cap autonomy (L0–L4) by error cost and reversibility, before scoring.

OUTPUT
Autonomy cap and controls

Asks: If the AI is wrong, how much does it cost and can it be undone?

LENS 4 Is it allowed and worth it

Six risk gates (pass, conditional, fail), then score value, feasibility and fit.

OUTPUT
Risk tier; priority index

Asks: Is it permitted (data, conduct, model risk, vendors, scheme rules), and is it worth doing now?

LENS 5 When and how

Turn scores into a balanced, dependency-aware portfolio in waves.

OUTPUT
Waves and roadmap

Asks: What must exist first, what is the right mix, and what goes in which wave?

Inputs

12 months of case, alert, reconciliation and contact data; FTE and cost by team; fraud loss by typology; 25+ interviews; process walks; the bank's AI inventory.

The funnel at Bank X

50 ideas → 21 pass the gates and are scored → 10 prioritised → 4 quick wins start in Wave 1.

Why this order matters

Archetype and autonomy are fixed *before* scoring. Otherwise a use case scores well on value it could only deliver with autonomy the bank will never allow.

Lens 1 maps the payments business as 10 stages across five business lines, so every pain point and idea has an address

Stage	Typical pain points in Indian payments	Where GenAI or agentic AI can help	Ideas at Bank X
1. Onboard	Document-heavy KYB, rework, video-KYC fraud, slow merchant activation	KYB document AI; onboarding agent checks GST and Udyam data and pre-fills the case	5
2. Initiate	Checkout drop-off, mandate confusion, language barriers; agents starting to pay	Conversational payments; agent tokens and mandates; corporate payments copilot	5
3. Authenticate	False declines, OTP friction, account takeover	Mostly classic ML: risk-based authentication, authorisation optimisation	2
4. Screen	Over 95% false-positive AML alerts; authorised-push scams and mules; investigator backlogs	AML triage agent; scam interdiction (graph ML + warning); STR drafting copilot	7
5. Process	Payment repairs, ISO 20022 enrichment, trade-document checking	Payment repair agent; trade document AI	4
6. Settle	Settlement exceptions; outage and incident triage	Incident triage agent; settlement exception handling	2
7. Reconcile	Daily breaks across switch, CBS, NPCI and networks; suspense ageing; TAT reversals	Reconciliation exception agent; receivables matching	4
8. Resolve	6–8 systems per dispute; TAT compensation; chargeback write-offs	Dispute and chargeback agent; complaint analytics	4
9. Serve	High contact volumes in many languages; repeat contacts; collections cost	Vernacular assistant with actions; agent assist; collections agent	11
10. Comply	Volume of RBI and NPCI circulars; returns; legacy code changes for scheme mandates	Regulatory change agent; engineering copilot	6

How to run Lens 1

1. Lay the 10 stages across the five lines (UPI and retail, cards, acquiring, transaction banking, cross-border) plus a cross-business row.
2. Mine pain points from complaints, TAT breaches, backlogs, loss data and process walks.
3. Generate ideas per cell: interviews, peer and global scan, regulator and NPCI signals.
4. Size the cost, loss and revenue pool behind each idea (next page).

Why stages, not departments: a UPI dispute crosses the switch, CBS, NPCI's UDIR, the contact centre and finance. Departments hide those hand-offs, and that is where agents add most value.

Idea counts are from Bank X's long list (appendix). · Bank X is a fictional composite; bank figures are assumptions.

Lens 1 then sizes each opportunity bottom-up with one formula, so every rupee can be traced to a volume, a cost and an assumption

> **Value** = volume × unit cost (or loss, or revenue) × AI-addressable share × expected improvement × adoption

Four value levers

- **Cost to serve:** handling effort, contact deflection, engineering capacity
- **Loss avoidance:** fraud, write-offs, TAT compensation, penalties
- **Revenue:** activation, spend, new fee lines, retention
- **Risk and compliance:** counted only where a cost exists

Bank X cost and loss pools, ₹ crore a year (A)

Payments, cards & merchant operations (6,000 FTE)	₹540
Contact centre: payments & cards contacts (3,500 seats)	₹210
Card collections agencies	₹120
Net fraud losses (cards, UPI, net banking)	₹240
TAT compensation, chargeback write-offs, suspense write-offs	₹105
Payments application development & testing	₹550
Total addressable base	**₹1,765**

Worked example: dispute handling at Bank X

Activity	Share of time (A)	Archetype	AI-addressable (A)	Weighted (C)
Intake and classification	12%	Conversational / document AI	80%	9.6%
Evidence gathering across switch, CBS, UDIR, network portals	35%	Agentic workflow	75%	26.2%
Rule check and resolution proposal	20%	Agentic workflow + rules	60%	12.0%
Customer and merchant communication	15%	GenAI drafting	70%	10.5%
Posting adjustments and closure	10%	Agentic (bounded)	60%	6.0%
Exceptions and escalations	8%	Human	10%	0.8%
Addressable share of handling time				**65.1%**

Lever	Calculation	₹ cr / yr
Handling effort	900 FTE × ₹8.5 lakh × 65% addressable × 55% effort cut	27.4
TAT compensation	₹38 crore paid × 55% fewer breaches	20.9
Chargeback write-offs	₹55 crore written off × 35% recovered by complete, on-time evidence	19.2
Value at stake, S01		**67.5**

Discipline: each input is labelled P, A or C and has a named owner at the bank who confirms it in weeks 2–4.

Activity shares and addressability are assumptions to be replaced by time sampling. · Bank X is a fictional composite; bank figures are assumptions.

Lens 1's output: value concentrates where people do the work, with serving, screening and resolving holding 63% of it

₹ crore a year (C)	1. Onboard	2. Initiate	3. Authenticate	4. Screen	5. Process	6. Settle	7. Reconcile	8. Resolve	9. Serve	10. Comply	Total
UPI & retail payments		4		39		4	13	40	22		123
Cards issuing		3		6		2	6	20	82		120
Merchant acquiring	24	3				2	6	7	41		83
Transaction banking		19			6		18				42
Cross-border & trade				10	20						30
Cross-business				27						40	66
Total value	**24**	**29**	**0**	**82**	**25**	**9**	**44**	**68**	**145**	**40**	**465**
Long-list ideas	5	5	2	7	4	2	4	4	11	6	50

Reading the map: darker cells hold more value. Serving is largest because it combines servicing cost, card revenue and collections; screening and dispute resolution follow.

Ideas are not value: ideas spread across every stage (bottom row), but value does not. Authentication has ideas but no shortlisted value: those are classic-ML improvements already on the fraud roadmap.

What Lens 1 hands on: a long list of 50 ideas, each with a stage, business line and value pool, ready for Lenses 2 and 3.

Values are the 21 shortlisted use cases, allocated to stages and lines with assumed splits. · Bank X is a fictional composite; bank figures are assumptions.

Lens 2 matches each problem to one of six AI archetypes, and the simplest archetype that does the job wins

	Archetype	What it does	Payments examples	Typical autonomy	Maturity
A	**Predictive ML**	Scores, ranks or forecasts from structured data	Fraud and mule scores, routing, false-decline reduction	L3–L4	Mature
B	**GenAI copilot**	Drafts, summarises and searches knowledge for staff	Agent assist, policy Q&A, STR narrative drafts, code generation	L1	Mature
C	**Document AI**	Reads unstructured documents and messages	KYB packs, LC documents, remittance advice, ISO 20022 enrichment	L2	Maturing
D	**Conversational**	Talks to customers and merchants in Indian languages	Servicing assistant, merchant help, collections reminders	L2–L3	Maturing
E	**Agentic workflow**	Plans and executes multi-step work across systems using tools	Disputes, reconciliation breaks, payment repair, onboarding	L2 → L3	Emerging
F	**Agentic commerce**	External AI agents initiate payments for customers	Delegated mandates, agent tokens, agent verification	L3 within mandate	Nascent

The archetype test: ask in order; the first 'yes' wins

Is the task a prediction on structured data (score, rank, forecast)?	→ **A · Predictive ML**
Is the main input language or documents, with a person still acting?	→ **B · Copilot or C · Document AI**
Does the AI talk directly to customers or merchants?	→ **D · Conversational**
Must it plan and execute several steps across systems?	→ **E · Agentic workflow**
Is the payer an external AI agent acting for a customer?	→ **F · Agentic commerce**


Why Lens 2 matters

> **It stops expensive mistakes.** Real-time fraud scoring stays classic ML (A): faster, cheaper, easier to validate. Generative AI adds value around it, in investigation (B) and customer warnings (D).

If every answer is 'no', the problem needs process change or rules, not AI. At Bank X, 6 long-list ideas were routed to the existing classic-ML roadmap at this step (p. 14).

Archetypes and autonomy levels are the practice's working taxonomy; maturity reflects deployment evidence in banking as of 2026.

Lens 3 treats autonomy as a design choice on a five-level ladder, decided before any use case is scored



L0 — Inform

AI produces insight; a person decides and acts.

EXAMPLE
Merchant insights dashboard

CONTROLS
Accuracy checks

L1 — Assist

AI drafts or recommends; a person acts.

EXAMPLE
STR narrative draft; agent assist

CONTROLS
Review of every output

L2 — Supervised action

AI prepares the action; it runs only after approval.

EXAMPLE
Dispute credit proposed, officer approves

CONTROLS
Maker-checker, full audit trail

L3 — Bounded autonomy

AI acts within hard limits; people audit samples.

EXAMPLE
Auto-credit UPI failed debits under ₹5,000

CONTROLS
₹ and volume limits, monitoring, kill switch

L4 — Full autonomy

AI acts end to end; people handle exceptions.

EXAMPLE
Payment routing and retries

CONTROLS
SLAs, drift monitoring, rollback

Two numbers per use case: the *cap* (the most autonomy it may ever have) and the *starting level* (usually one or two levels lower). The use case climbs only on evidence: thresholds met for 8 weeks in production.

Red line for Bank X: decisions that block customer funds, refuse a dispute, deny credit or file a regulatory report stay at L2 or below until model-risk validation and board-approved AI governance are in place.

Autonomy levels adapted from common agent-autonomy taxonomies to payments controls (maker-checker, limits, audit).

The autonomy cap comes from two questions, what an error costs and whether it can be undone, with regulation able to lower it

The cap matrix

Error cost ↓ · Reversibility →	Easily reversed	Reversible with effort	Irreversible
Low: small ₹, no customer harm	**L4**	**L3**	**L2**
Medium: material ₹ or customer friction	**L3**	**L2**	**L2**
High: funds blocked or regulatory breach	**L2**	**L2**	**L1**

Three rules on top of the matrix

1. **Regulatory override:** RBI or NPCI rules can lower the cap. Regulatory filings stay at L1.
2. **Start below the cap:** new agents start at L1 in a sandbox, then L2 live.
3. **Earn each step:** move up only after evaluation thresholds hold for 8 weeks, with CRO sign-off.

Lens 3 applied to six real decisions

Decision	Error cost	Reversibility	Cap
Credit a UPI failed debit under ₹5,000 (NPCI status confirmed)	Low	With effort	**L3**
Close a reconciliation break by posting an adjustment	Medium	Easily reversed	**L3**
Repair beneficiary details on a NEFT or SWIFT payment	Medium	With effort	**L2**
Submit a chargeback representment	Medium	With effort	**L2**
Hold a suspected scam payment	High	With effort	**L2**
Close an AML alert or file an STR	High	Irreversible	**L1 (override)**

Lens 4 starts with six risk gates: a use case must clear them before it can be ranked, because risk is a gate, not a weight

	Gate	Test	Evidence we ask for	Anchor
G1	**Data residency**	Does all payment data stay in India, including prompts, logs and embeddings?	Hosting regions; vendor data-flow diagram	RBI, Storage of Payment System Data (2018)
G2	**Personal data and consent**	Lawful purpose, notice and minimisation; personal data masked where not needed?	Data map; consent and notice text	DPDP Act 2023 and Rules (obligations from 13 May 2027)
G3	**Customer harm and reversibility**	Is the proposed autonomy within the Lens 3 cap; is there a fast path to put things right?	Autonomy design; limits; reversal process	RBI customer-service and TAT compensation rules
G4	**Model risk**	Can it be inventoried, validated and explained, with human oversight and a kill switch?	Model card; evaluation plan; validation scope	RBI FREE-AI (Aug 2025); draft model-risk guidance (June 2026)
G5	**Third party and outsourcing**	Do vendor terms bar training on bank data and give audit, exit and incident rights?	Contract clauses; vendor due diligence	RBI Master Direction on Outsourcing of IT Services (2023)
G6	**Network and scheme rules**	Does it follow NPCI and card-network rules on disputes, TAT, chargebacks and agent payments?	Rule mapping by scheme	NPCI procedural guidelines; card-network rules

● Green: passes all six
Ranked as designed.

● Amber: passes with conditions
Ranked, with the conditions written into its design and a lower starting autonomy.

● Red: fails one gate as designed
Redesigned and re-gated, or kept in the portfolio only for the last wave with a named risk owner.

Regulatory anchors as published by RBI, MeitY and NPCI; confirm the latest versions during the work.

 ILLUSTRATIVE


Applied to Bank X: three use cases pass every gate, sixteen pass with conditions, two fail as designed

ID	Use case	G1 Residency	G2 Personal data	G3 Customer harm	G4 Model risk	G5 Third party	G6 Scheme rules	Risk tier	What drives the condition
S01	Dispute & chargeback agent	✓	✓	C	✓	✓	C	Amber	Wrong credits; NPCI and network dispute rules
S02	AML alert triage agent	✓	✓	✓	C	✓	✓	Amber	STR decision stays human; validation
S03	Fraud investigation copilot	✓	✓	✓	✓	✓	✓	Green	–
S04	Scam & mule interdiction	✓	✓	C	C	✓	✓	Amber	Holds block funds; explainable reasons
S05	Sanctions false-positive reduction	✓	✓	✓	C	✓	✓	Amber	Screening model validation
S06	Reconciliation exception agent	✓	✓	C	✓	✓	✓	Amber	Postings to customer accounts
S07	Payment repair agent	✓	✓	✓	✓	✓	C	Amber	SWIFT and ISO 20022 rules
S08	Merchant onboarding agent	✓	C	✓	✓	✓	✓	Amber	Proprietor personal data in KYB
S09	Merchant servicing agent	✓	✓	C	✓	✓	✓	Amber	Actions on merchant accounts
S10	Vernacular servicing assistant	✓	C	C	✓	✓	✓	Amber	Customer data; actions on accounts
S11	Agent-assist copilot	✓	✓	✓	✓	✓	✓	Green	–
S12	Trade & cross-border documents	✓	✓	✓	✓	C	✓	Amber	Document AI vendor terms
S13	Receivables matching	✓	✓	✓	✓	✓	✓	Green	–
S14	SME payments copilot	✓	✓	C	✓	C	✓	Amber	Corporate payment initiation; vendor
S15	Card engagement	✓	C	✓	✓	✓	✓	Amber	Consent for personalised offers
S16	Collections agent	✓	C	×	✓	✓	✓	Red	Conduct risk under RBI fair-practices rules on recovery
S17	Regulatory change agent	✓	✓	✓	✓	✓	✓	Green	–
S18	Engineering copilot	✓	✓	✓	✓	✓	✓	Green	–
S19	Incident triage agent	✓	✓	C	✓	✓	✓	Amber	Actions on production systems
S20	Merchant insights & credit	✓	C	✓	C	✓	✓	Amber	Merchant data used for credit
S21	Agentic commerce	✓	✓	C	✓	✓	×	Red	NPCI agent-payment liability rules not yet published

✓ passes · C passes with conditions · × fails as designed. Every use case passes G1 because the target design keeps all data in India; that design choice is itself a condition of the programme.

Gate results are the practice's illustrative assessment; a real assessment is run with the bank's risk, compliance and legal teams. · Bank X is a fictional composite; bank figures are assumptions.

Screening turns 50 ideas into 21 scored use cases, and every idea that drops out has a recorded reason



Every dropped idea stays in the register and is revisited at each wave gate (appendix, pp. 28–29).

Examples of each disposition

Merged	L29 UPI dispute agent + L30 card chargeback agent → S01, one agent pattern across both
Classic ML	Risk-based adaptive authentication; Issuer authorisation optimisation (false declines): better solved by the fraud team's existing models
Failed a gate	Conversational payments in Indian languages (G3: authenticating voice-initiated payments); Vernacular re-KYC outreach agent (G2: outbound outreach on personal data; spoofing risk)
Parked	Ombudsman and regulator response drafting; Acquiring deal-pricing copilot (incl. UPI MDR): under ₹5 crore a year alone

Why record reasons: the board and auditors can see that nothing was dropped on instinct, and a parked idea comes back when costs or rules change.

Dispositions are illustrative. · Bank X is a fictional composite; bank figures are assumptions.

Prioritisation runs in six steps, and the most common error is stopping at step 2 and treating the ranked list as the roadmap

STEP 1 Gate

USES
Lens 4a results

RULE
Only Green and Amber are ranked normally; Red goes last with a named owner

OUTPUT
Risk tier

STEP 2 Score

USES
Nine anchored criteria

RULE
PI = 0.45 V + 0.35 F + 0.20 S; ties broken by ₹ value

OUTPUT
Ranked list

STEP 3 Plot

USES
V and F scores, ₹ value, tier

RULE
Cut lines at V 3.0 and F 3.25: four quadrants, four actions

OUTPUT
Matrix

STEP 4 Override

USES
Dependencies, exposure, tier

RULE
Six written rules can move a use case earlier or later than its rank

OUTPUT
Adjusted order

STEP 5 Balance

USES
Play, archetype, autonomy mix

RULE
Check against target ranges; fix gaps before committing

OUTPUT
Balanced portfolio

STEP 6 Sequence

USES
Enabler map, rules, gates

RULE
Three waves; each released by a gate; re-score every gate

OUTPUT
Roadmap

Steps 1–3: is it worth doing?

Gates, scores and the matrix say which use cases deserve investment. They do not say what goes first.

Steps 4–6: in what order?

Overrides, balance and sequencing turn a ranked list into a roadmap that respects platform dependencies, customer exposure and risk.

Who decides

Weights are agreed with the steering committee before scoring. Scores come from workshops with operations, risk and technology. The steering committee approves the waves.

Step 2 scores nine criteria on anchored 1–5 scales; the weights add to 100% and are agreed before anyone scores

Dimension	Criterion	Weight	1 =	3 =	5 =
Value	**Financial impact**	25%	< ₹5 cr a year	₹15–30 cr	> ₹50 cr
Value	**Customer and merchant experience**	10%	No visible change	Faster for one segment	Step change for millions
Value	**Risk and regulatory benefit**	10%	None	Closes a known audit gap	Materially lowers fraud, AML or regulatory exposure
Feasibility	**Data availability and quality**	10%	Scattered, unlabelled	Available, needs cleaning	Clean, labelled history
Feasibility	**Integration complexity**	10%	Core switch or CBS changes	APIs exist for most systems	Standalone or API-ready
Feasibility	**Technique maturity**	8%	Frontier, unproven	Proven elsewhere	Proven at scale in banking
Feasibility	**Change effort and time to value**	7%	> 12 months, many teams	6–9 months	< 4 months, one team
Strategic fit	**Reuse of platform components**	10%	One-off build	Some reuse	Reusable pattern for 3+ use cases
Strategic fit	**Alignment with strategy and differentiation**	10%	Nice to have	Supports a stated priority	Core to the payments strategy

Priority index (PI) = 0.45 × Value + 0.35 × Feasibility + 0.20 × Fit. Each dimension is the weighted average of its criteria, so the PI equals the weighted sum of all nine scores.

Why value weighs most: the RFP asks for value first; feasibility is weighted heavily because 'can be done in 6–12 months' is the bank's stated constraint.

Anchors stop drift: a '4' must sit between the written 3 and 5. Financial impact is set mechanically from the ₹ value, not by opinion.

The arithmetic, shown in full: the dispute agent scores 4.30 and ranks first; agentic commerce scores 2.42 and ranks last

Dimension	Criterion	Weight	S01 score	S01 × w	S21 score	S21 × w
Value	Financial impact	0.25	5	1.25	2	0.50
Value	Customer and merchant experience	0.10	5	0.50	3	0.30
Value	Risk and regulatory benefit	0.10	4	0.40	2	0.20
Feasibility	Data availability and quality	0.10	4	0.40	2	0.20
Feasibility	Integration complexity	0.10	3	0.30	2	0.20
Feasibility	Technique maturity	0.08	3	0.24	1	0.08
Feasibility	Change effort and time to value	0.07	3	0.21	2	0.14
Strategic fit	Reuse of platform components	0.10	5	0.50	3	0.30
Strategic fit	Alignment with strategy and differentiation	0.10	5	0.50	5	0.50
	Priority index	**1.00**		**4.30**		**2.42**

Sub-index	S01	S21
Value (V) = (0.25 fin + 0.10 cx + 0.10 risk) ÷ 0.45	4.78	2.22
Feasibility (F) = (0.10 data + 0.10 integ + 0.08 mature + 0.07 change) ÷ 0.35	3.29	1.77
Fit (S) = (0.10 reuse + 0.10 strat) ÷ 0.20	5.00	4.00

S01 Dispute and chargeback agent · ₹68 cr

High on every value criterion and on reuse: the same agent pattern serves chargebacks, reconciliation and payment repair. Feasibility is middling (integration with 6–8 systems), which is why it starts at L1 in a sandbox.

S21 Agentic commerce · ₹10 cr

Strategically important (fit 5) but immature technique, unsettled NPCI rules and no data yet. Low feasibility drags it to the bottom, and it is Red tier.

The lesson: a high strategic-fit score cannot rescue a use case that cannot be built safely yet. That use case becomes an option to build capability, not a priority.


Scores are assumptions for illustration, to be set in scoring workshops. · Bank X is a fictional composite; bank figures are assumptions.

The scored shortlist: disputes leads, and servicing and scam interdiction follow despite harder delivery

Rank	ID	Use case	Archetype	₹ cr / yr	Value	Feasibility	Fit	Priority index	Risk tier	Quadrant (step 3)
1	S01	Dispute & chargeback agent	E	₹68	4.78	3.29	5.00	**4.30**	Amber	Quick win
2	S10	Vernacular servicing assistant	D	₹32	3.78	3.00	5.00	**3.75**	Amber	Strategic bet
3	S04	Scam & mule interdiction	A	₹33	4.22	2.71	4.00	**3.65**	Amber	Strategic bet
4	S08	Merchant onboarding agent	E	₹24	3.44	3.71	4.00	**3.65**	Amber	Quick win
5	S02	AML alert triage agent	E	₹27	3.00	3.80	4.00	**3.48**	Amber	Quick win
6	S11	Agent-assist copilot	B	₹16	2.78	4.23	3.50	**3.43**	Green	Fill-in / enabler
7	S06	Reconciliation exception agent	E	₹26	3.00	3.29	4.50	**3.40**	Amber	Quick win
8	S18	Engineering copilot	B	₹28	2.56	4.03	4.00	**3.36**	Green	Fill-in / enabler
9	S17	Regulatory change agent	B	₹12	2.22	4.51	3.50	**3.28**	Green	Fill-in / enabler
10	S09	Merchant servicing agent	D	₹19	3.00	3.00	4.00	**3.20**	Amber	Strategic bet
11	S03	Fraud investigation copilot	B	₹12	2.44	4.00	3.50	**3.20**	Green	Fill-in / enabler
12	S15	Card engagement	A	₹23	2.56	4.00	3.00	**3.15**	Amber	Fill-in / enabler
13	S05	Sanctions false-positive reduction	A	₹10	2.67	3.71	3.00	**3.10**	Amber	Fill-in / enabler
14	S16	Collections agent	D	₹37	3.11	3.09	3.00	**3.08**	Red	Strategic bet
15	S13	Receivables matching	C	₹18	2.78	3.23	3.50	**3.08**	Green	Later
16	S20	Merchant insights & credit	B	₹18	2.56	3.00	4.00	**3.00**	Amber	Later
17	S07	Payment repair agent	E	₹11	2.22	3.71	3.50	**3.00**	Amber	Fill-in / enabler
18	S12	Trade & cross-border documents	C	₹14	2.44	3.23	3.50	**2.93**	Amber	Later
19	S14	SME payments copilot	E	₹19	2.78	2.00	4.00	**2.75**	Amber	Later
20	S19	Incident triage agent	E	₹9	2.44	3.00	3.00	**2.75**	Amber	Later
21	S21	Agentic commerce	F	₹10	2.22	1.77	4.00	**2.42**	Red	Later

Ties broken by ₹ value. Scores are assumptions for illustration. · Bank X is a fictional composite; bank figures are assumptions.

Step 3 plots value against feasibility: four quick wins stand out, and the biggest customer-facing ideas are strategic bets



ID	Use case	₹ cr
S01	Dispute & chargeback agent	₹68
S02	AML alert triage agent	₹27
S03	Fraud investigation copilot	₹12
S04	Scam & mule interdiction	₹33
S05	Sanctions false-positive reduction	₹10
S06	Reconciliation exception agent	₹26
S07	Payment repair agent	₹11
S08	Merchant onboarding agent	₹24
S09	Merchant servicing agent	₹19
S10	Vernacular servicing assistant	₹32
S11	Agent-assist copilot	₹16
S12	Trade & cross-border documents	₹14
S13	Receivables matching	₹18
S14	SME payments copilot	₹19
S15	Card engagement	₹23
S16	Collections agent	₹37
S17	Regulatory change agent	₹12
S18	Engineering copilot	₹28
S19	Incident triage agent	₹9
S20	Merchant insights & credit	₹18
S21	Agentic commerce	₹10

● Green ● Amber ● Red · bubble area ∝ ₹ value

Cut lines at value 3.0 and feasibility 3.25, the middle of the scored range. Bubbles nudged slightly where they would overlap. · Bank X is a fictional composite; bank figures are assumptions.

Each quadrant carries a default action, but a default is a starting point for step 4, not the final answer

Quick win · 4 use cases · ₹144 cr

High value, buildable now. Action: Start in Wave 1; first pilots.

S01 Dispute & chargeback agent, S08 Merchant onboarding agent, S02 AML alert triage agent, S06 Reconciliation exception agent

Strategic bet · 4 use cases · ₹121 cr

High value, hard to build or risky. Action: Build the enablers now; launch in Wave 2 or 3.

S10 Vernacular servicing assistant, S04 Scam & mule interdiction, S09 Merchant servicing agent, S16 Collections agent

Fill-in / enabler · 7 use cases · ₹112 cr

Lower value, easy. Action: Do early only if it builds reusable capability; otherwise Wave 2.

S11 Agent-assist copilot, S18 Engineering copilot, S17 Regulatory change agent, S03 Fraud investigation copilot, S15 Card engagement, S05 Sanctions false-positive reduction, S07 Payment repair agent

Later · 6 use cases · ₹88 cr

Lower value, harder. Action: Revisit at each gate; drop if still here at M12.

S13 Receivables matching, S20 Merchant insights & credit, S12 Trade & cross-border documents, S14 SME payments copilot, S19 Incident triage agent, S21 Agentic commerce

Why the cut lines sit where they do: at the middle of the scored range, not at 2.5, because almost everything on a shortlist already clears the gates and scores above average. A cut at 2.5 would make nearly every use case a 'quick win' and the matrix would stop discriminating. Test the lines by moving them ±0.25 and checking which use cases change quadrant.

Step 4 applies six written rules, because rank is not sequence: eight Bank X use cases move from where their score alone would put them

The six sequencing rules

R1	**Foundations first**	The LLM gateway, India-hosted models, evaluation harness, data products and tool APIs come before anything that needs them.
R2	**Internal before customer-facing**	Agents prove themselves behind staff before they talk to customers or merchants.
R3	**Supervised before autonomous**	Climb the autonomy ladder only on evidence (8 weeks at threshold).
R4	**Prove one pattern, then replicate**	Disputes → chargebacks → merchant disputes; reconciliation → payment repair → receivables.
R5	**Red tier goes last**	With a named risk owner and capped limits, after conduct controls are proven.
R6	**Pull enablers forward**	Low-risk use cases that build platform or free capacity start early even if they rank lower.

Where the rules changed the order at Bank X


ID	Use case	Rank	Wave	Rule	Why
S10	Vernacular servicing assistant	**2**	**W2**	R2	Customer-facing; waits for tool APIs and evaluation proven on S01
S04	Scam & mule interdiction	**3**	**W2**	R1, R3	Strategic bet: graph data and real-time integration to build; holds block funds
S09	Merchant servicing agent	**10**	**W2**	R2, R4	Merchant-facing; reuses the S10 assistant pattern
S03	Fraud investigation copilot	**11**	**W1**	R6	Green, cheap, shares data and pattern with S02, so it rides along in Wave 1
S17	Regulatory change agent	**9**	**W1**	R6	Obligations register feeds AI governance and the gate checks
S16	Collections agent	**14**	**W3**	R5	₹37 cr, but Red tier: conduct risk in collections
S13	Receivables matching	**15**	**W2**	R4	Green; replicates the S06 reconciliation pattern once proven
S21	Agentic commerce	**21**	**W3**	R5	Small capped pilot only; NPCI liability rules pending

Discipline: every move cites a rule. A move that cannot cite one is a preference, and it goes back to the steering committee.


Bank X is a fictional composite; bank figures are assumptions.

Step 5 checks the balance of the portfolio: three-quarters of the value comes from reshaping journeys, with copilots as the on-ramp


Value by play, ₹ cr



Use cases by archetype



Value by autonomy cap, ₹ cr



Balance checks

Check	Target	Bank X	
Deploy share of value	10–20%	**15%**	✓
Reshape share of value	60–80%	**75%**	✓
Invent share of value	5–15%	**10%**	✓
Customer-facing value in Wave 1	0%	**0%**	✓
Value needing L3 approval	under 50%	**52%**	Watch

Targets are set with the steering committee. A failed check sends the portfolio back to step 4.

> **Watch at Bank X:** 52% of value sits in use cases capped at L3. Most of that value is also reachable at L2 (L3 applies only to narrow segments, such as UPI failed debits under ₹5,000), so the steering committee accepts it, but tracks how much value has really moved to L3 at each gate.

Why balance matters: deploy plays (copilots) give 10–15% gains but build skills fast; reshape plays (end-to-end journeys) give 30–50% gains but take longer (BCG). A portfolio of only copilots under-delivers; one of only reshapes delivers nothing for a year.

Deploy, reshape, invent: BCG, 'CEO's guide to maximizing value from AI' (2024). Targets are the practice's illustrative ranges. · Bank X is a fictional composite; bank figures are assumptions.

Step 6 maps each use case to the enablers it needs, so Wave 1 builds the platform through real use cases

Wave	ID	Use case	E1 LLM gateway and India-hosted models	E2 Evaluation harness	E3 Data products	E4 Tool APIs into core systems	E5 Agent orchestration and audit trail	E6 CRO approval for L3
W1	S01	Dispute & chargeback agent	●	●	●	●	●	●
W1	S08	Merchant onboarding agent	●	●		●	●	
W1	S02	AML alert triage agent	●	●	●		●	
W1	S11	Agent-assist copilot	●	●				
W1	S06	Reconciliation exception agent	●	●	●	●	●	●
W1	S18	Engineering copilot	●	●				
W1	S17	Regulatory change agent	●	●				
W1	S03	Fraud investigation copilot	●	●	●			
W2	S10	Vernacular servicing assistant	●	●	●	●	●	●
W2	S04	Scam & mule interdiction	●	●	●	●		●
W2	S09	Merchant servicing agent	●	●	●	●	●	●
W2	S15	Card engagement		●	●			●
W2	S05	Sanctions false-positive reduction		●	●			
W2	S13	Receivables matching	●	●	●			●
W2	S07	Payment repair agent	●	●	●	●	●	●
W2	S12	Trade & cross-border documents	●	●				
W2	S19	Incident triage agent	●	●	●	●	●	
W3	S16	Collections agent	●	●	●	●	●	
W3	S20	Merchant insights & credit	●	●	●			
W3	S14	SME payments copilot	●	●		●	●	
W3	S21	Agentic commerce	●	●		●	●	●

Reading the map: the Wave 1 agents (S01, S02, S06, S08) between them need E1–E5. Building them first means the platform is built for real work, not in the abstract.

E6 is a gate, not a build: L3 needs the CRO's sign-off after 8 weeks at threshold, so no use case can plan on L3 before about month 9.

Re-prioritisation cadence: at each gate (M3, M6, M12, M18) re-score with real data: realised value, evaluation results, incidents. Use cases can move up, move down, or stop.

Bank X is a fictional composite; bank figures are assumptions.

The output: three waves over 24 months, each released only when a gate confirms value, evaluation results and the incident record



◆ Gate M3
Platform and sandbox live; governance approved; pilots pass sandbox evaluation

◆ Gate M6
Wave 1 agents live at L1–L2; value tracking running; no Sev-1 incidents

◆ Gate M12
Wave 1 at run-rate; first L3 approvals; Wave 2 customer pilots pass

◆ Gate M18
Wave 2 scaled; ₹ value at least 70% of plan; model-risk review clean

◆ Gate M24
Wave 3 decisions on collections and agentic commerce

Wave 1 ₹212 cr · Wave 2 ₹170 cr · Wave 3 ₹84 cr a year at run-rate. Months from programme start. · Bank X is a fictional composite; bank figures are assumptions.

Stress test: 9 of the top 10 stay in the top 10 under all five weightings

ID	Use case	Base 0.45/0.35/0.20	Value-heavy 0.55/0.30/0.15	Feasibility-heavy 0.35/0.45/0.20	Fit-heavy 0.40/0.30/0.30	Equal 0.33/0.33/0.33	Top 10?
S01	Dispute & chargeback agent	**1**	**1**	**1**	**1**	**1**	**Stable**
S10	Vernacular servicing assistant	**2**	**3**	**3**	**2**	**2**	**Stable**
S04	Scam & mule interdiction	**3**	**2**	**8**	**3**	**4**	**Stable**
S08	Merchant onboarding agent	**4**	**4**	**2**	**4**	**3**	**Stable**
S02	AML alert triage agent	**5**	**5**	**5**	**5**	**5**	**Stable**
S11	Agent-assist copilot	**6**	**6**	**4**	**8**	**8**	**Stable**
S06	Reconciliation exception agent	**7**	**7**	**9**	**6**	**6**	**Stable**
S18	Engineering copilot	**8**	**8**	**6**	**7**	**7**	**Stable**
S17	Regulatory change agent	**9**	**10**	**7**	**10**	**9**	**Stable**
S09	Merchant servicing agent	**10**	**9**	12	**9**	**10**	**Borderline**
S03	Fraud investigation copilot	11	12	**10**	11	11	**Borderline**
S15	Card engagement	12	13	11	13	12	
S05	Sanctions false-positive reduction	13	14	13	15	16	
S16	Collections agent	14	11	16	16	17	
S13	Receivables matching	15	15	15	12	14	
S20	Merchant insights & credit	16	16	17	14	13	
S07	Payment repair agent	17	17	14	17	15	
S12	Trade & cross-border documents	18	18	18	18	18	
S14	SME payments copilot	19	19	20	19	19	
S19	Incident triage agent	20	20	19	20	20	
S21	Agentic commerce	21	21	21	21	21	

Weights shown as value / feasibility / fit. Shaded = in the top 10 under that weighting. · Bank X is a fictional composite; bank figures are assumptions.

> **Why stress-test:** weights are a judgement. If the top of the list changes when the weights change slightly, the ranking is a product of the weights, not of the use cases.

What it shows at Bank X: the top 10 has a stable core of 9. Only merchant servicing (S09) is borderline: it drops to #12 when feasibility is weighted heavily, and the fraud copilot (S03) takes its place. Both are low-risk, so the decision is about timing, not about doing them at all.

Two further tests: move each use case's ₹ value ±25% (it changes the financial-impact score at band edges), and move the matrix cut lines ±0.25.

The prioritised top 10 carries ₹284 crore a year, 61% of the value at stake, and each place can be explained in one line

Rank	ID	Use case	₹ cr / yr	PI	Quadrant	Autonomy	Wave	Why it is here
1	S01	**Dispute & chargeback agent**	₹68	4.30	Quick win	L1 → L3	**W1**	Largest value; reusable agent pattern; reversible decisions under limits
2	S10	**Vernacular servicing assistant**	₹32	3.75	Strategic bet	L1 → L3	**W2**	Step change for millions of customers; needs internal proof first
3	S04	**Scam & mule interdiction**	₹33	3.65	Strategic bet	L2 → L3	**W2**	Large loss avoidance; strategic priority; harder integration
4	S08	**Merchant onboarding agent**	₹24	3.65	Quick win	L1 → L2	**W1**	Fast to build; faster activation revenue; document-heavy work
5	S02	**AML alert triage agent**	₹27	3.48	Quick win	L1 → L2	**W1**	Risk benefit; rule-bound work; analyst stays accountable
6	S11	**Agent-assist copilot**	₹16	3.43	Fill-in / enabler	L1 → L1	**W1**	Green, mature technique; builds AI skills across the contact centre
7	S06	**Reconciliation exception agent**	₹26	3.40	Quick win	L2 → L3	**W1**	Structured data and clear rules; the best place to learn L3 safely
8	S18	**Engineering copilot**	₹28	3.36	Fill-in / enabler	L1 → L2	**W1**	Frees engineering capacity for the APIs every agent needs
9	S17	**Regulatory change agent**	₹12	3.28	Fill-in / enabler	L1 → L1	**W1**	Feeds governance; very feasible; low risk
10	S09	**Merchant servicing agent**	₹19	3.20	Strategic bet	L1 → L3	**W2**	Merchant experience; reuses the S10 pattern

The other 11 use cases stay in the portfolio and are re-scored at each gate.

Ranked by priority index; ties broken by ₹ value. · Bank X is a fictional composite; bank figures are assumptions.

Defending the prioritisation: the six questions a board asks, answered from the framework rather than from opinion

Why not start with a customer chatbot?

It ranks #2, but rule R2 puts customer-facing work after internal agents have proven the tools and evaluation. It starts in Wave 2, not never.

Is the ₹ value real?

It is value at stake, built from volumes, unit costs and labelled assumptions, and validated on the bank's own data in weeks 2–4. A range of ±25% is shown.

What if we weighted it differently?

9 of the top 10 hold their place under five weightings. The one borderline use case is low-risk; only its timing is in question.

What stops an agent doing harm?

Six gates before ranking, an autonomy cap per use case, a red line for fund blocks and filings, and climbing only on evidence.

Why is fraud scoring not on the list?

Lens 2: real-time scoring is classic ML and already on the fraud roadmap. GenAI is used around it, in investigation and warnings.

When do we see value?

Wave 1 carries 46% of the value, and gates at months 3 and 6 check realised value before more is funded.

SIX PITFALLS TO CHECK BEFORE THE STEERING COMMITTEE

- Scoring before setting archetype and autonomy
- Treating risk as a weight
- Using vendor benchmarks instead of the bank's data
- Treating the ranked list as the roadmap
- Ignoring platform dependencies
- Never re-scoring after launch

Bank X is a fictional composite; bank figures are assumptions.

APPENDIX ILLUSTRATIVE

Appendix: the 50-idea long list and the disposition of each idea (1 of 2)

ID	Idea	Stage	Lines	Archetype	Cap	Disposition
L01	Merchant onboarding and KYB agent	1. Onboard	ACQ	E · Agentic workflow	L2	S08
L02	CMS and SME onboarding document intelligence	1. Onboard	TXB	C · Document AI	L2	Parked: low value
L03	Video-KYC deepfake and document-tamper detection	1. Onboard	UPI, CRD	A · Predictive ML	L3	Classic-ML roadmap
L04	Vernacular re-KYC outreach agent	1. Onboard	UPI	D · Conversational	L3	Failed G2
L05	Merchant category and business-model classification	1. Onboard	ACQ	C · Document AI	L3	S08
L06	Conversational payments in Indian languages	2. Initiate	UPI	D · Conversational	L2	Failed G3
L07	Delegated mandates and agent tokens (issuer)	2. Initiate	UPI, CRD	F · Agentic commerce	L3	S21
L08	Agent-ready checkout and agent verification (acquirer)	2. Initiate	ACQ	F · Agentic commerce	L3	S21
L09	Corporate and SME payments copilot	2. Initiate	TXB	E · Agentic workflow	L2	S14
L10	ISO 20022 enrichment and remittance structuring	2. Initiate	TXB, XBT	C · Document AI	L2	Parked: low value
L11	Risk-based adaptive authentication	3. Authenticate	UPI, CRD	A · Predictive ML	L4	Classic-ML roadmap
L12	Issuer authorisation optimisation (false declines)	3. Authenticate	CRD	A · Predictive ML	L4	Classic-ML roadmap
L13	Scam and mule-network interdiction	4. Screen	UPI	A · Predictive ML	L3	S04
L14	AML alert triage and investigation agent	4. Screen	All lines	E · Agentic workflow	L2	S02
L15	STR narrative drafting copilot	4. Screen	All lines	B · GenAI copilot	L1	S02
L16	Fraud investigation and case copilot	4. Screen	UPI, CRD	B · GenAI copilot	L2	S03
L17	Sanctions screening false-positive reduction	4. Screen	XBT	A · Predictive ML	L2	S05
L18	Merchant transaction-laundering detection	4. Screen	ACQ	C · Document AI	L2	Parked: low value
L19	Synthetic-voice detection in the contact centre	4. Screen	UPI, CRD	A · Predictive ML	L3	Classic-ML roadmap
L20	Smart routing and retry optimisation	5. Process	ACQ	A · Predictive ML	L4	Classic-ML roadmap
L21	Payment repair agent (NEFT, RTGS, SWIFT)	5. Process	TXB, XBT	E · Agentic workflow	L3	S07
L22	Intraday liquidity and nostro forecasting	5. Process	TXB, XBT	A · Predictive ML	L1	Parked: low value
L23	Payments incident triage and root-cause agent	6. Settle	UPI, CRD, ACQ	E · Agentic workflow	L2	S19
L24	Merchant settlement exception handling	6. Settle	ACQ	E · Agentic workflow	L2	Parked: low value
L25	Multi-way reconciliation exception agent	7. Reconcile	UPI, CRD, ACQ	E · Agentic workflow	L3	S06

UPI = UPI and retail payments, CRD = cards issuing, ACQ = merchant acquiring, TXB = transaction banking, XBT = cross-border and trade. · Bank X is a fictional composite; bank figures are assumptions.

APPENDIX ILLUSTRATIVE

Appendix: the 50-idea long list and the disposition of each idea (2 of 2)

ID	Idea	Stage	Lines	Archetype	Cap	Disposition
L26	Corporate receivables matching	7. Reconcile	TXB	C · Document AI	L3	S13
L27	Nostro reconciliation and investigations	7. Reconcile	XBT	E · Agentic workflow	L2	Parked: low value
L28	Suspense and ageing clean-up agent	7. Reconcile	UPI, CRD, ACQ	E · Agentic workflow	L2	S06
L29	UPI dispute resolution agent (UDIR)	8. Resolve	UPI	E · Agentic workflow	L3	S01
L30	Card chargeback and representment agent	8. Resolve	CRD, ACQ	E · Agentic workflow	L2	S01
L31	Complaint classification and root-cause analytics	8. Resolve	All lines	C · Document AI	L3	Parked: low value
L32	Ombudsman and regulator response drafting	8. Resolve	All lines	B · GenAI copilot	L1	Parked: low value
L33	Vernacular payments servicing assistant	9. Serve	UPI, CRD	D · Conversational	L3	S10
L34	Contact-centre agent-assist copilot	9. Serve	UPI, CRD, ACQ	B · GenAI copilot	L1	S11
L35	Merchant servicing agent (settlement, MDR, devices)	9. Serve	ACQ	D · Conversational	L3	S09
L36	Card collections agent	9. Serve	CRD	D · Conversational	L2	S16
L37	Corporate service-desk copilot (payment tracing)	9. Serve	TXB, XBT	B · GenAI copilot	L2	Parked: low value
L38	Card servicing actions agent (limits, EMI, controls)	9. Serve	CRD	E · Agentic workflow	L3	S10
L39	Regulatory change and obligations agent	10. Comply	All lines	B · GenAI copilot	L1	S17
L40	Regulatory returns preparation copilot	10. Comply	All lines	B · GenAI copilot	L1	Parked: low value
L41	Policy and SOP knowledge assistant	10. Comply	All lines	B · GenAI copilot	L1	S11
L42	Payments engineering copilot	10. Comply	All lines	B · GenAI copilot	L2	S18
L43	Partner API and developer assistant	10. Comply	ACQ, TXB	B · GenAI copilot	L3	Parked: low value
L44	Card personalised offers and next-best action	9. Serve	CRD	A · Predictive ML	L3	S15
L45	Merchant insights and credit copilot	9. Serve	ACQ	B · GenAI copilot	L1	S20
L46	Trade and cross-border document intelligence	5. Process	XBT	C · Document AI	L2	S12
L47	Acquiring deal-pricing copilot (incl. UPI MDR)	9. Serve	ACQ	B · GenAI copilot	L1	Parked: low value
L48	Transaction-banking RM copilot	9. Serve	TXB	B · GenAI copilot	L1	Parked: low value
L49	Rewards and loyalty optimisation	9. Serve	CRD	A · Predictive ML	L3	Classic-ML roadmap
L50	Audit evidence and data-localisation compliance agent	10. Comply	All lines	E · Agentic workflow	L1	Parked: low value

A shortlist ID means the idea is in that scored use case; several ideas can merge into one. · Bank X is a fictional composite; bank figures are assumptions.

Appendix: glossary, labels and sources

Agentic AI	AI that plans and executes multi-step tasks using tools, within permissions and limits
Autonomy cap	The highest autonomy level (L0–L4) a use case may ever reach, set in Lens 3
CBS	Core banking system
DPDP	Digital Personal Data Protection Act 2023 and Rules 2025
FREE-AI	RBI's Framework for Responsible and Ethical Enablement of AI (Aug 2025)
Priority index (PI)	0.45 × value + 0.35 × feasibility + 0.20 × strategic fit, on 1–5 scales
Risk tier	Green, Amber or Red, from the six risk gates
STR	Suspicious transaction report, filed with FIU-IND
TAT	Turnaround time; RBI sets TATs and compensation for failed transactions
UDIR	NPCI's Unified Dispute and Issue Resolution for UPI

Labels

P	Public source, cited here
A	Assumed for this illustration; replace with the bank's data
C	Calculated from P and A inputs

Facts were gathered on 13 October 2026 from search summaries; verify against primary RBI, NPCI and MeitY releases. Bank X, its data and the RFP are fictional.

NPCI, UPI product statistics (Sept 2026)
https://www.npci.org.in/product/upi/product-statistics

Business Standard, 'UPI volume dips 1.8% in September ahead of MDR rollout on October 15' (1 Oct 2026)
https://www.business-standard.com/finance/news/upi-transactions-september-2026-mdr-october-15-npci-126100100510_1.html

Business Standard, 'Credit card spends fall 2.8% to ₹2.02 trillion in August' (Sept 2026)
https://www.business-standard.com/amp/finance/news/credit-card-spends-fall-2-8-to-2-02-trillion-in-august-shows-rbi-data-126092401492_1.html

MediaNama, 'DPIP Smart Registry goes live with eight banks' (Sept 2026)
https://www.medianama.com/2026/09/223-dpip-smart-registry-fraud-prevention/

KPMG India, RBI FREE-AI committee report summary (Aug 2025)
https://kpmg.com/in/en/insights/2025/08/rbi-free-ai-committee-report-on-framework-for-responsible-and-ethical-enablement-of-artificial-intelligence.html

S&R Associates, 'RBI's draft guidance on regulatory principles for model risk management' (2026)
https://www.snrlaw.in/rbis-draft-guidance-on-regulatory-principles-for-model-risk-management/

Legal500, 'Key changes in India's DPDP Rules 2025'
https://www.legal500.com/intelligence/india/privacy/from-draft-to-reality-key-changes-in-indias-dpdp-rules-2025

MediaNama, 'Razorpay, NPCI and OpenAI launch agentic payments with UPI' (Oct 2025)
https://www.medianama.com/2025/10/223-razorpay-npci-openai-agentic-payments-upi-chagpt/

Startupfeed, 'NPCI builds Unified Agent Protocol for AI payments on UPI' (Sept 2026)
https://startupfeed.in/npci-unified-agent-protocol-ai-payments-upi/

BCG, 'Executive perspectives: CEO's guide to maximizing value from AI' (July 2024)
https://www.bcg.com/assets/2024/executive-perspectives-ceos-guide-to-maximizing-value-from-ai-3july.pdf

RBI circulars cited from the public record: Storage of Payment System Data (6 Apr 2018); TAT harmonisation for failed transactions (20 Sept 2019); Master Direction on Outsourcing of IT Services (10 Apr 2023)
https://www.rbi.org.in