BSc (Hons) in **Computer Science**

SE3062 : Intelligent Systems

Year 3 · Semester 1 · 2026 Semester 2

Faculty of Computing

Practical 01

> **Objective & Lecture Mapping:** Recall that an intelligent agent acts within a continuous loop: Sensors generate percept sequences, and Actuators execute actions to maximize a Performance measure. Use this sheet to execute practical modifications and incrementally evaluate your design against Lecture 01 and 02 theory (from basic recall to analytical classification).

Part 1: Code Analysis & PEAS Evaluation

Task 0 : Setting up and getting the starter Code

1. Go to the Git Hub Repo. Create a Fork of this Git Repo to your Personal Github Profile. Open it using your favourite IDE and follow the below instruction to complete the practical. The base code is in the "master" brach of the repo.

Task 1.1: The Environment State (__init__)

1. (Remember) List the four components of the PEAS framework discussed in Lecture 01.

Environment
Actuators
Sensors

2. (Understand) Look at the `VisualGridHuntGame.__init__` method. Which specific variables in this code represent the physical "Environment (E)" state?

width, height, walls, food_positions, sopponents, agent_pos

3. (Analyze) Based on the variables initialized (specifically `self.opponents`), classify this baseline environment as "Single-Agent" or "Multi-Agent". Briefly justify your choice.

Multi-Agent
The environment because the game includes opponents in addition to the main agent. Since there are multiple agents and they can interact within the same

Task 1.2: The Perception Subsystem (get_percept)

4. (Remember) Define what a "percept sequence" is according to Lecture 01.

A perception sequence is the complete record of all the information an agent receives from its sensors while interacting with its environment. The agent uses this information to make future decisions.

5. (Understand) Which component of the PEAS framework does the `get_percept()` method represent in our code?

Sensors

6. (Evaluate) Based on the exact dictionary returned by `get_percept()`, is this environment "Fully Observable" or "Partially Observable"? Explain why based on what the agent can and cannot see.

partially observable
This environment is partially observable because the agent cannot see it completely at once. The `get_percept()` method only provides limited information, such as the

Task 1.3: Action Execution (execute_action)

7. (Understand) When `execute_action()` deducts points for hitting a wall, which PEAS component is being actively updated?

Performance Measure

8. (Evaluate) Why is it structurally important that this metric evaluates changes in the external environment state (hitting a wall) rather than the agent's internal processing effort?

The purpose of the performance metric is to evaluate how successfully the agent achieves its goals in the environment. It should focus on the results of the agent's actions, such as collecting food or avoiding obstacles, rather than on the amount of

Part 2: Guided Modification & Deep Theory Mapping

> Follow the implementation instructions to inject a new hazard, then answer the questions to map your code changes back to the theoretical nature of the environment.

Step 2.1: Extending the Environment Initialization (__init__)

1. **Implementation Instructions:** Declare a new trap collection attribute (e.g., `self.toxic_traps = set()`) inside `__init__` . Populate it with coordinate tuples safely avoiding position `(0, 0)` , walls, and food.

9. (Understand) If you successfully add `self.toxic_traps` to the environment but intentionally **hide** this data from the agent's sensors, how does this specifically alter the environment's "Observability" classification?

If the toxic traps are hidden from the agent, the environment becomes partially observable. The agent cannot directly detect the location of the traps and must rely solely on the information provided by its sensors.

Step 2.2: Updating the Perception Subsystem (get_percept)

1. **Implementation Instructions:** Locate `get_percept(self)` and add a new boolean sensor key (e.g., `'smells_toxin': tuple(self.agent_pos) in self.toxic_traps`) to the dictionary returned to the agent loop.

10. (Analyze) By adding `'smells_toxin'`, you expand the agent's percept sequence. Explain how this specific sensor helps the agent act with "Rationality" (maximizing expected utility).

The smells_toxin sensor provides the agent with additional information about hazardous locations. This information allows the agent to avoid toxic traps, reduce unnecessary penalties, and choose actions that maximize its overall performance.

Step 2.3: Modifying Action Execution & Visual Rendering (execute_action & draw_grid)

1. **Implementation Instructions:** In `execute_action`, check if the updated `self.agent_pos` intersects with `self.toxic_traps` to decrement `self.score` by 15 points. In `draw_grid`, iterate through traps to render custom purple shapes on the canvas.

11. (Remember) You programmed a severe score penalty for stepping on a trap to avoid metric exploitation. What was the classic "Vacuum World Exploit" example discussed in Lecture 01 that illustrated the danger of faulty metrics?

The classic Vacuum World failure demonstrated that a poorly designed performance metric can encourage undesirable behavior. For example, an agent might repeatedly perform unnecessary actions, such as cleaning the same area over and over, simply

Finalize and Lock Lab 01 Analytical Evaluation

FACULTY OF COMPUTING