S E Lab 2

PES1UG24CS687 | RUCHITHA Y

EPICS

EPIC 1: Courier Request Management

Description:
Enables the sender/client to create a courier request and receive a unique request ID for tracking the delivery.

Related User Story:

- **Create Courier Request** — As a sender/client, I want to create a courier request and receive a unique ID, so that I can identify and track my delivery request.

EPIC 2: Rider Assignment & Request Handling

Description:
Manages the assignment of available nearby riders to courier requests and allows the assigned rider to accept or reject the request.

Related User Stories:

- **Assign Rider** — As a system, I want to assign an available nearby rider to a courier request, so that the delivery can be handled efficiently.
- **Accept/Reject Request** — As a rider, I want to accept or reject an assigned courier request, so that I can indicate whether I am available to handle the delivery.


EPIC 3: Delivery Tracking & Status Management

Description:
Allows clients to view the current delivery status and riders to update the status as the delivery progresses.


Related User Stories:

- **View Delivery Status** — As a sender/client, I want to view the delivery status, so that I can track my courier request.
- **Update Delivery Status** — As a rider, I want to update the delivery status, so that the sender/client receives current information about the delivery.


SPRINT VIEW 1




SPRINT VIEW 2



BURNDOWN CHARTS





REFLECTION QUESTION ANSWERS

1. Did your estimations reflect the actual effort?

The estimations were reasonably representative of the effort required for the user stories. Smaller and more straightforward stories such as creating a courier request and accepting/rejecting a request were assigned fewer story points, while rider assignment was given a higher estimate because it involves additional complexity and uncertainty. Since the sprint was simulated, the story points provided a relative estimate rather than an exact measure of time.

2. Was your backlog well-prioritized?

Yes, the backlog was prioritized according to the importance of the functionality to the overall courier system. Creating a courier request and assigning a rider were given higher priority because they are essential for initiating and processing a delivery. Accepting or rejecting the request was also prioritized highly because it is necessary for confirming rider participation. Delivery tracking and status updates were placed after the core request and assignment functionality.

3. How did your simulated sprint align with your plan?

The simulated sprint generally aligned with the planned backlog. The selected user stories were moved from **To Do → In Progress → Done** to simulate the development process. Sprint 1 focused on the core courier request and rider assignment functionality, while the remaining delivery tracking functionality was handled in the subsequent sprint. This allowed the planned work to be completed in stages and demonstrated the Scrum workflow.

4. What insights did the burndown chart give about your team's capacity?

The burndown chart provided a visual representation of how quickly the team's remaining work decreased during the sprint. It helped compare the actual progress with the ideal progress expected during the sprint. Since the sprint was simulated, the chart mainly demonstrated how completed story points affect the remaining workload. It also showed that the team was able to complete the planned work within the sprint, giving an indication of the team's capacity for the selected workload.