

■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 1 / 45 • Middle preview: 1 of 0

A001_A001_01109A_001.R3D

SUCCESS

TIMECODE 23:21:39:01 -> 23:22:08:07 (calculated)


FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 29.292s

No clip-level warnings or errors.



A001_A002_01104X_001.R3D

SUCCESS

TIMECODE 23:22:40:02 -> 23:22:58:23 (calculated)


FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 18.917s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 2 / 45 • Middle preview: 1 of 0

A001_A003_0110FS_001.R3D

SUCCESS

TIMECODE 23:23:20:09 -> 23:23:49:22 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 29.583s

No clip-level warnings or errors.



A001_A004_0110ES_001.R3D

SUCCESS

TIMECODE 23:43:51:14 -> 23:44:20:12 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 28.958s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■

Page 3 / 45 • Middle preview: 1 of 0

A001_A005_0110CR_001.R3D

SUCCESS

TIMECODE 23:44:52:01 -> 23:45:23:19 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 31.792s

No clip-level warnings or errors.



A001_A006_01103C_001.R3D

SUCCESS

TIMECODE 23:50:07:01 -> 23:50:22:02 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 15.083s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 4 / 45 • Middle preview: 1 of 0

A001_A007_0110FW_001.R3D

SUCCESS

TIMECODE 23:51:18:04 -> 23:51:29:13 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 11.417s

No clip-level warnings or errors.



A001_A008_0110BQ_001.R3D

SUCCESS

TIMECODE 23:52:17:00 -> 23:52:39:11 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 22.500s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: ../001_■■■■■■■■■■/260111/001_a■■■■

Page 5 / 45 • Middle preview: 1 of 0

A001_A009_0110H4_001.R3D

SUCCESS

TIMECODE 00:01:35:20 -> 00:02:28:20 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 53.042s

No clip-level warnings or errors.



A001_A010_0111RO_001.R3D

SUCCESS

TIMECODE 00:25:32:08 -> 00:26:06:10 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 34.125s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 6 / 45 • Middle preview: 1 of 0

A001_A011_01118E_001.R3D

SUCCESS

TIMECODE 00:26:54:22 -> 00:27:40:01 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 45.167s

No clip-level warnings or errors.



A001_A012_01119S_001.R3D

SUCCESS

TIMECODE 01:16:24:13 -> 01:16:46:07 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 21.792s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 7 / 45 • Middle preview: 1 of 0

A001_A013_01115L_001.R3D

SUCCESS

TIMECODE 01:19:05:10 -> 01:19:25:18 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 20.375s

No clip-level warnings or errors.



A001_A014_0111JY_001.R3D

SUCCESS

TIMECODE 01:23:43:18 -> 01:24:03:19 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 20.083s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 8 / 45 • Middle preview: 1 of 0

A001_A015_01119A_001.R3D

SUCCESS

TIMECODE 01:24:25:09 -> 01:24:57:01 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 31.708s

No clip-level warnings or errors.



A001_A016_0111BN_001.R3D

SUCCESS

TIMECODE 01:25:36:03 -> 01:26:04:05 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 28.125s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 9 / 45 • Middle preview: 1 of 0

A001_A017_01116D_001.R3D

SUCCESS

TIMECODE 01:26:39:01 -> 01:26:58:07 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 19.292s

No clip-level warnings or errors.



A001_A018_0111Z0_001.R3D

SUCCESS

TIMECODE 01:30:59:20 -> 01:31:25:02 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 25.292s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■

Page 10 / 45 • Middle preview: 1 of 0

A001_A019_0111U4_001.R3D

SUCCESS

TIMECODE 01:31:31:04 -> 01:31:53:03 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 22.000s

No clip-level warnings or errors.



A001_A020_0111MO_001.R3D

SUCCESS

TIMECODE 01:35:13:08 -> 01:35:47:23 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 34.667s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 11 / 45 • Middle preview: 1 of 0

A001_A021_0111JH_001.R3D

SUCCESS

TIMECODE 01:36:23:19 -> 01:36:50:18 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 27.000s

No clip-level warnings or errors.



A001_A022_0111FQ_001.R3D

SUCCESS

TIMECODE 01:44:18:21 -> 01:44:55:09 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 36.542s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 12 / 45 • Middle preview: 1 of 0

A001_A023_0111SU_001.R3D

SUCCESS

TIMECODE 01:45:06:08 -> 01:45:36:00 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 29.708s

No clip-level warnings or errors.



A001_A024_0111M1_001.R3D

SUCCESS

TIMECODE 01:46:17:00 -> 01:46:42:03 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 25.167s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 13 / 45 • Middle preview: 1 of 0

A001_A025_011104_001.R3D

SUCCESS

TIMECODE 01:58:28:18 -> 01:59:23:05 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 54.500s

No clip-level warnings or errors.



A001_A026_0111R2_001.R3D

SUCCESS

TIMECODE 02:01:42:15 -> 02:02:34:10 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
6144x3240

RATE / DURATION
24.000fps / 51.833s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 14 / 45 • Middle preview: 1 of 0

A001_A027_0111X2_001.R3D

SUCCESS

TIMECODE 02:02:55:04 -> 02:03:38:22 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
6144x3240

RATE / DURATION
24.000fps / 43.792s

No clip-level warnings or errors.



A001_A028_0111OR_001.R3D

SUCCESS

TIMECODE 02:09:18:00 -> 02:10:00:11 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 42.500s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 15 / 45 • Middle preview: 1 of 0

A001_A029_01118C_001.R3D

SUCCESS

TIMECODE 02:11:17:11 -> 02:11:44:02 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 26.667s

No clip-level warnings or errors.



A001_A005_0111RH_001.R3D

SUCCESS

TIMECODE 09:48:55:02 -> 09:49:40:03 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 45.083s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 16 / 45 • Middle preview: 1 of 0

A001_A006_0111NO_001.R3D

SUCCESS

TIMECODE 09:59:10:10 -> 09:59:40:04 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 29.792s

No clip-level warnings or errors.



A001_A007_0111NE_001.R3D

SUCCESS

TIMECODE 10:03:03:19 -> 10:03:39:11 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 35.708s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 17 / 45 • Middle preview: 1 of 0

A001_A008_01112Q_001.R3D

SUCCESS

TIMECODE 10:04:06:14 -> 10:04:31:19 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 25.250s

No clip-level warnings or errors.



A001_A009_01114J_001.R3D

SUCCESS

TIMECODE 10:09:54:20 -> 10:10:18:15 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 23.833s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 18 / 45 • Middle preview: 1 of 0

A001_A010_0111C6_001.R3D

SUCCESS

TIMECODE 10:18:26:07 -> 10:18:53:03 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 26.875s

No clip-level warnings or errors.



A001_A011_01114Z_001.R3D

SUCCESS

TIMECODE 10:20:26:16 -> 10:20:54:15 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 28.000s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 19 / 45 • Middle preview: 1 of 0

A001_A012_0111AS_001.R3D

SUCCESS

TIMECODE 10:23:04:16 -> 10:23:30:23 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 26.333s

No clip-level warnings or errors.



A001_A013_0111C4_001.R3D

SUCCESS

TIMECODE 10:27:03:01 -> 10:27:29:01 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 26.042s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 20 / 45 • Middle preview: 1 of 0

A001_A014_0111KO_001.R3D

SUCCESS

TIMECODE 10:27:58:00 -> 10:28:35:16 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 37.708s

No clip-level warnings or errors.



A001_A015_0111II_001.R3D

SUCCESS

TIMECODE 10:28:54:07 -> 10:29:24:02 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 29.833s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 21 / 45 • Middle preview: 1 of 0

A001_A016_0111DU_001.R3D

SUCCESS

TIMECODE 10:29:54:23 -> 10:30:21:14 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 26.667s

No clip-level warnings or errors.



A001_A017_01115X_001.R3D

SUCCESS

TIMECODE 10:36:39:01 -> 10:37:22:21 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 43.875s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 22 / 45 • Middle preview: 1 of 0

A001_A018_0111A3_001.R3D

SUCCESS

TIMECODE 10:41:36:11 -> 10:42:22:21 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 46.458s

No clip-level warnings or errors.



A001_A019_0111PJ_001.R3D

SUCCESS

TIMECODE 10:43:13:04 -> 10:44:02:12 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 49.375s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 23 / 45 • Middle preview: 1 of 0

A001_A020_0111LY_001.R3D

SUCCESS

TIMECODE 10:48:08:11 -> 10:48:31:23 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 23.542s

No clip-level warnings or errors.



A001_A021_01114N_001.R3D

SUCCESS

TIMECODE 10:49:13:12 -> 10:49:40:07 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 26.833s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 24 / 45 • Middle preview: 1 of 0

A001_A022_0111JY_001.R3D

SUCCESS

TIMECODE 10:55:01:02 -> 10:55:22:08 (calculated)


FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 21.292s

No clip-level warnings or errors.



A001_A023_0111OV_001.R3D

SUCCESS

TIMECODE 10:55:30:18 -> 10:55:46:05 (calculated)


FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 15.500s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 25 / 45 • Middle preview: 1 of 0

A001_A024_01118N_001.R3D

SUCCESS

TIMECODE 11:06:17:08 -> 11:06:42:05 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 24.917s

No clip-level warnings or errors.



A001_A025_0111PG_001.R3D

SUCCESS

TIMECODE 11:06:50:03 -> 11:07:26:14 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 36.500s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 26 / 45 • Middle preview: 1 of 0

A001_A026_0111QC_001.R3D

SUCCESS

TIMECODE 11:07:58:21 -> 11:08:23:01 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 24.208s

No clip-level warnings or errors.



A001_A027_0111YO_001.R3D

SUCCESS

TIMECODE 11:10:48:23 -> 11:11:30:22 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 42.000s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 27 / 45 • Middle preview: 1 of 0

A001_A028_0111GI_001.R3D

SUCCESS

TIMECODE 11:18:13:22 -> 11:18:36:16 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 22.792s

No clip-level warnings or errors.



A001_A029_011161_001.R3D

SUCCESS

TIMECODE 11:23:34:15 -> 11:23:57:04 (calculated)



FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 22.583s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 28 / 45 • Middle preview: 1 of 0

A001_A030_0111IY_001.R3D

SUCCESS

TIMECODE 11:24:16:23 -> 11:24:43:00 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 26.083s

No clip-level warnings or errors.



A001_A031_0111UI_001.R3D

SUCCESS

TIMECODE 11:34:03:10 -> 11:34:42:11 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
6144x3240

RATE / DURATION
24.000fps / 39.083s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 29 / 45 • Middle preview: 1 of 0

A001_A032_0111BK_001.R3D

SUCCESS

TIMECODE 11:35:38:02 -> 11:36:28:10 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
6144x3240

RATE / DURATION
24.000fps / 50.375s

No clip-level warnings or errors.



A001_A033_0111FG_001.R3D

SUCCESS

TIMECODE 11:37:15:03 -> 11:37:34:23 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
6144x3240

RATE / DURATION
24.000fps / 19.875s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 30 / 45 • Middle preview: 1 of 0

A001_A034_0111W0_001.R3D

SUCCESS

TIMECODE 11:37:40:18 -> 11:38:11:13 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
6144x3240

RATE / DURATION
24.000fps / 30.833s

No clip-level warnings or errors.



A001_A035_0111UG_001.R3D

SUCCESS

TIMECODE 11:45:30:10 -> 11:45:55:22 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 25.542s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 31 / 45 • Middle preview: 1 of 0

A001_A036_0111S9_001.R3D

SUCCESS

TIMECODE 11:46:17:22 -> 11:46:46:12 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 28.625s

No clip-level warnings or errors.



A001_A037_0111OA_001.R3D

SUCCESS

TIMECODE 11:50:50:06 -> 11:51:33:19 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 43.583s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 32 / 45 • Middle preview: 1 of 0

A001_A038_0111BR_001.R3D

SUCCESS

TIMECODE 11:52:39:11 -> 11:53:23:08 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 43.917s

No clip-level warnings or errors.



A001_A039_0111N2_001.R3D

SUCCESS

TIMECODE 12:09:26:04 -> 12:09:45:19 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 19.667s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 33 / 45 • Middle preview: 1 of 0

A001_A040_01112B_001.R3D

SUCCESS

TIMECODE 12:10:10:12 -> 12:10:33:16 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 23.208s

No clip-level warnings or errors.



A001_A041_011176_001.R3D

SUCCESS

TIMECODE 12:12:12:01 -> 12:12:47:16 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 35.667s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 34 / 45 • Middle preview: 1 of 0

A001_A042_0111LE_001.R3D

SUCCESS

TIMECODE 12:13:15:02 -> 12:13:56:14 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 41.542s

No clip-level warnings or errors.



A001_A043_0111B0_001.R3D

SUCCESS

TIMECODE 12:17:33:00 -> 12:17:59:10 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 26.458s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 35 / 45 • Middle preview: 1 of 0

A001_A044_0111QF_001.R3D

SUCCESS

TIMECODE 12:18:31:16 -> 12:18:56:16 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 25.042s

No clip-level warnings or errors.



A001_A045_01113E_001.R3D

SUCCESS

TIMECODE 12:19:17:01 -> 12:19:59:00 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 42.000s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 36 / 45 • Middle preview: 1 of 0

A001_A046_0111YN_001.R3D

SUCCESS

TIMECODE 12:24:11:12 -> 12:24:32:19 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 21.333s

No clip-level warnings or errors.



A001_A047_01116H_001.R3D

SUCCESS

TIMECODE 12:28:21:12 -> 12:28:43:09 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 21.917s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 37 / 45 • Middle preview: 1 of 0

A001_A048_01112M_001.R3D

SUCCESS

TIMECODE 12:30:11:23 -> 12:30:12:03 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 0.208s

No clip-level warnings or errors.



A001_A049_0111SU_001.R3D

SUCCESS

TIMECODE 12:33:18:14 -> 12:33:51:12 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 32.958s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 38 / 45 • Middle preview: 1 of 0

A001_A050_0111J8_001.R3D

SUCCESS

TIMECODE 12:57:38:09 -> 12:58:15:02 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 36.750s

No clip-level warnings or errors.



A001_A051_0111HK_001.R3D

SUCCESS

TIMECODE 12:58:34:01 -> 12:59:31:03 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 57.125s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 39 / 45 • Middle preview: 1 of 0

A001_A052_0111UO_001.R3D

SUCCESS

TIMECODE 13:05:04:16 -> 13:05:41:19 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 37.167s

No clip-level warnings or errors.



A001_A053_0111PK_001.R3D

SUCCESS

TIMECODE 13:06:13:05 -> 13:06:54:05 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 41.042s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 40 / 45 • Middle preview: 1 of 0

A001_A054_0111DX_001.R3D

SUCCESS

TIMECODE 13:09:48:06 -> 13:10:17:04 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 28.958s

No clip-level warnings or errors.



A001_A055_01115J_001.R3D

SUCCESS

TIMECODE 13:10:41:04 -> 13:11:11:05 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 30.083s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 41 / 45 • Middle preview: 1 of 0

A001_A056_0111SG_001.R3D

SUCCESS

TIMECODE 13:15:02:21 -> 13:15:22:22 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 20.083s

No clip-level warnings or errors.



A001_A057_0111TC_001.R3D

SUCCESS

TIMECODE 13:16:04:03 -> 13:16:29:09 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 25.292s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: ../001_■■■■■■■■■■/260111/001_a■■■■

Page 42 / 45 • Middle preview: 1 of 0

A001_A058_0111X4_001.R3D

SUCCESS

TIMECODE 13:16:57:18 -> 13:17:20:15 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 22.917s

No clip-level warnings or errors.



A001_A059_0111YV_001.R3D

SUCCESS

TIMECODE 13:25:22:04 -> 13:25:53:10 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 31.292s

No clip-level warnings or errors.



■■■■■ 260111 A■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 43 / 45 • Middle preview: 1 of 0

A001_A060_01118F_001.R3D

SUCCESS

TIMECODE 13:26:06:02 -> 13:26:28:05 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 22.167s

No clip-level warnings or errors.



A001_A061_011156_001.R3D

SUCCESS

TIMECODE 13:26:56:18 -> 13:27:24:15 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 27.917s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 44 / 45 • Middle preview: 1 of 0

A001_A062_0111SZ_001.R3D

SUCCESS

TIMECODE 13:27:51:00 -> 13:28:23:18 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 32.792s

No clip-level warnings or errors.



A001_A063_0111MU_001.R3D

SUCCESS

TIMECODE 13:34:26:17 -> 13:34:51:00 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 24.333s

No clip-level warnings or errors.



■■■■■ 260111 A ■ QA

CLIP REVIEW PDF / PREVIEW ONLY, NOT COLOR-CRITICAL

Generated 2026-04-29 23:10 • Layout B / contact_sheet

90 CLIPS

90 SUCCESS

0 WARNINGS

Source: .../001_■■■■■■■■■■/260111/001_a■■■■

Page 45 / 45 • Middle preview: 1 of 0

A001_A064_0111EH_001.R3D

SUCCESS

TIMECODE 13:41:25:20 -> 13:42:02:17 (calculated)




FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 36.917s

No clip-level warnings or errors.



A001_A065_0111DK_001.R3D

SUCCESS

TIMECODE 13:42:46:10 -> 13:43:06:11 (calculated)

FORMAT
r3d

DECODER
red_r3d_native_sdk

RESOLUTION
4096x2160

RATE / DURATION
24.000fps / 20.083s

No clip-level warnings or errors.

