

# Exposé

## Classification Accuracy of Approaches to Automatic Handwriting Quality Analysis and How Feature Interpretability Constrains Accuracy

Maximilian Rudolph, 13.05.2026, Technische Universität Berlin.  
Supervised by Prof. Dr. Bettina Berendt.

### Contents

|                                           |   |
|-------------------------------------------|---|
| 1. Introduction .....                     | 2 |
| 1.1. Defining Quality .....               | 2 |
| 1.2. Problems of current approaches ..... | 2 |
| 1.3. Research Question .....              | 3 |
| 1.4. Focus .....                          | 4 |
| 2. Method .....                           | 4 |
| 3. Literature Overview .....              | 5 |
| 3.1. Existing HQA Approaches .....        | 5 |
| 3.2. Data .....                           | 5 |
| 4. Proposed Outline .....                 | 6 |
| 5. Target Timeline .....                  | 7 |
| 6. Bibliography (Preliminary) .....       | 8 |

# 1. Introduction

Handwriting is a key cultural technique of humanity, significant to the development of our modern cultures and their knowledge. However, handwriting is becoming seemingly less practical in a rapidly digitizing world, so typing on keyboards is becoming increasingly popular. But writing is not just a matter of productivity. Writing by hand is vital for the development of certain motor and intellectual skills in children [1], and an important factor in learning for both children and adults [2], [3].

A variety of different use cases, such as teaching handwriting, improving posture and reducing risk of injury in adult handwriting, and improving everyday handwriting require a solid means of analysing handwriting quality. Multiple established handwriting quality scales exist that work by manually grading certain aspects of a given document, most prominently [4]. However, these analyses can be time-consuming and very subjective. So, under certain circumstances, automatic approaches are favourable.

## 1.1. Defining Quality

In order to meaningfully automate handwriting quality analysis, it is important to know, what defines “good” handwriting. An initial exploratory review of the relevant literature has led to a list of prominent criteria for quality handwriting in Table 1. A formal literature review could yield a more conclusive and complete overview, but that is beyond the scope of this thesis. It is also important to note that this list does not yet distinguish between factors for cursive and printed handwriting.

The literature mostly defines handwriting quality by legibility with varying factors attributed to good legibility. Letter size and shape, as well as spacing and line adherence were the most prominent legibility factors in this initial review. Speed is a similarly popular factor, while fluency is mentioned rarely in comparison, most likely due to it being relatively difficult to measure. The time dimension is usually measured separately (as in speed or fluency) and is not present in legibility factors. Most research aims to develop measures that are fast and easy to use, which makes them usable for non-experts and experts alike.

## 1.2. Problems of Current Approaches

Multiple methods for automatic handwriting quality analysis exist. Many work by extracting certain metrics, so-called *features*, from a handwritten document, which then form a

| Factor     |                          | Description                                                            | Prominent Sources       |
|------------|--------------------------|------------------------------------------------------------------------|-------------------------|
| Legibility | Global Legibility        | Whether the document is legible on the first read.                     | [4]                     |
|            | Letter Recognizability   |                                                                        | [5]                     |
|            | Size                     | Uniformity and adequacy of letter and sentence size.                   | [5], [6], [7], [8], [9] |
|            | Letter Shape             | Whether letters are normatively well-formed.                           | [5], [7], [8], [9]      |
|            | Letters and word spacing | Uniformity of letter and word spacing.                                 | [5], [6], [7], [9]      |
|            | Line adherence           | Uniformity of letter placement within lines of text.                   | [6], [7], [8], [9]      |
|            | Layout                   | Uniformity of document margins.                                        | [4]                     |
|            | Effort to read           | How easy a document feels to read.                                     | [4]                     |
|            | Alterations              | Amount of alterations such as strike-outs, re-tracing of letters, etc. | [4]                     |
|            | Colour of line           |                                                                        | [6]                     |
|            | Slant                    | Uniformity and angle of slant.                                         | [6]                     |
| Speed      |                          | Time to write a reference text.                                        | [7], [8], [9], [10]     |
| Fluency    |                          | Changes in speed over time.                                            | [8]                     |

Table 1: Prominent factors impacting handwriting quality.

score. Machine learning and regression are also often used for prediction. Most approaches fall short in three key aspects.

1. The selection of features to extract from a given document is inconsistent and often not clearly motivated.
2. Ground truth is acquired very differently, making the comparison of approaches difficult.
3. Almost all approaches (also) rely on non-interpretability in their design or in their features<sup>1</sup>, but the role non-interpretability plays in achieving a certain performance is not critically examined.

Therefore, it is unclear which features and design choices actually matter, what impact they have and how specific they are to the dataset(s) used for evaluation and training.

### 1.3. Research Question

The proposed thesis will examine the different approaches for automatic handwriting quality analysis to identify the influence of their features and overall design on analytical performance. Since feature interpretability makes scores easier to work with and inherently

---

<sup>1</sup>A feature or method is interpretable if its value is meaningful to a human without further processing. Evenness of line spacing is interpretable, for example. A highly abstract metric computed over an entire document or an AI model however, are not considered interpretable.

meaningful to humans, an emphasis will lie on understanding the relationship between performance and human interpretability. The thesis will be guided by the following (preliminary) research question.

*Which approaches to automatic handwriting quality analysis classify most accurately, and does feature interpretability constrain accuracy?*

The research question will be answered through practical evaluation of the identified approaches and their features as well as a (prototype) scoring mechanism, which will combine the most successful features into one score (Section 2).

## **1.4. Focus**

Focus will lie on everyday adult handwriting, not on documents produced in early learning stages, by children for example, and not on purely aesthetic works, such as calligraphy. Languages with non-latin alphabets will not be examined, but the research aims to be easily extensible to different languages. Any emerging orientation will be mostly determined by the data used (see Section 3.2).

The pursued scoring mechanism itself will not be comprehensively evaluated within the proposed thesis and is meant solely as a basis for further research.

## **2. Method**

The space of possible approaches to examine is broad and the (reproducible) implementation of all of them is not feasible. This rules out the possibility of computing an aggregate score of all selected approaches to compare against. Instead, the goal is to identify categories of approaches (approximately 3-4) and select one representative each for implementation and evaluation.

Once ground truth data is available (see Section 3.2 for details), the selected category-representatives will be implemented and then evaluated against a predefined test-portion of the dataset.

After evaluation, a selection of the most successful features should form the previously mentioned (prototype) framework.

### 3. Literature Overview

The following sections will briefly detail the currently selected literature and give reasons for their inclusion as well as explain the means of data acquisition.

#### 3.1. Existing HQA Approaches

The approaches of [11], [12], [13], and [14] each use various interpretable and non-interpretable features which are all very different in design. In [15] *fractal geometry* is used for legibility assessment which will most likely be non-interpretable, but may provide a solid point for comparison, similar to the gradient, binary, and texture features described in [11]. This limited initial selection is relatively representative but will be supplemented with adjacent works to form a more comprehensive overview of the field.

#### 3.2. Data

The data (a set of handwritten documents) should be broad in terms of styles of handwriting and quality. Currently, data from [16], [17], and [18] is considered for usage, which would total around 2000 individual samples. At the time of writing, multiple inquiries for additional data are pending.

Many approaches will require training of some form of AI model, which drastically increases the size requirements for the dataset and requires the data to be labelled. Labelling will be performed along the criteria detailed in Table 1, following a standardized approach that most broadly reflects all relevant factors. The methods from [7] or [9] possibly together with [4] are contenders. Because the datasets only contain images, fluency and speed can not be evaluated.

Fully manual labelling is not feasible due to time constraints, so the following two possibilities for labelling are currently considered.

1. Acquiring labels by aggregating results of existing open-source implementations, such as [19], [20], [21], and [22].
2. Using multiple existing LLMs or similar machine learning models as automatic labellers.

In both cases, the automatically generated labels are verified against manually acquired labels on a limited dataset (50–100 samples) before labelling the full set.

- 
- 1. Introduction
    - 1.1. The Significance of Handwriting in the Age of Digital Writing
    - 1.2. Applications and Use Cases of Handwriting Quality Analysis
  - 2. Status Quo and Related Work
    - 2.1. Manual Methods
    - 2.2. Current and Past Automatic Approaches
    - 2.3. Method Overview and Categorisation
  - 3. Method
    - 3.1. Data Acquisition
    - 3.2. Implementation Details
    - 3.3. Feature Interpretability
  - 4. Results
    - 4.1. Implementation
    - 4.2. Evaluation
    - 4.3. Approaching Interpretability
      - 4.3.1. Feature Evaluation
      - 4.3.2. Benefits
      - 4.3.3. Shortcomings
    - 4.4. Supplementing With Non-Interpretable Features
    - 4.5. Consolidated Scoring Mechanism
      - 4.5.1. Method and Feature Selection
      - 4.5.2. Performance
  - 5. Discussion

Figure 1: Preliminary Outline

## 4. Proposed Outline

Figure 1 shows the preliminary outline for the proposed thesis. Section 1 is used to motivate this research. In section 2, the current state of research is detailed in addition to an overview of the approaches from literature and their categorization. Section 3 will detail the process (and results) of data acquisition, details of implementation and explain interpretability. In sections 4.1 and 4.2, the implementation and subsequent evaluation are discussed. Sections 4.3 and 4.4 will approach interpretability along the previous evaluation and detail, if and how non-interpretable features are beneficial (or needed) in addition to interpretable features for achieving good performance. Section 4.5 will describe the derived scoring mechanism. Results are discussed in section 5.

## 5. Target Timeline




Figure 2: Proposed Research Timeline

## 6. Bibliography (Preliminary)

- [1] G. Ibaibarriaga, J. Acha, and M. Perea, 'The Impact of Handwriting and Typing Practice in Children's Letter and Word Learning: Implications for Literacy Development', *Journal of Experimental Child Psychology*, vol. 253, p. 106195, May 2025, doi: [10.1016/j.jecp.2025.106195](https://doi.org/10.1016/j.jecp.2025.106195).
- [2] G. Marano *et al.*, 'The Neuroscience Behind Writing: Handwriting vs. Typing—Who Wins the Battle?', *Life*, vol. 15, no. 3, p. 345, Feb. 2025, doi: [10.3390/life15030345](https://doi.org/10.3390/life15030345).
- [3] M. Kiefer and J.-L. Velay, 'Writing in the Digital Age', *Trends in Neuroscience and Education*, vol. 5, no. 3, pp. 77–81, Sept. 2016, doi: [10.1016/j.tine.2016.07.008](https://doi.org/10.1016/j.tine.2016.07.008).
- [4] A. L. Barnett, M. Prunty, and S. Rosenblum, 'Development of the Handwriting Legibility Scale (HLS): A Preliminary Examination of Reliability and Validity', *Research in Developmental Disabilities*, vol. 72, pp. 240–247, Jan. 2018, doi: [10.1016/j.ridd.2017.11.013](https://doi.org/10.1016/j.ridd.2017.11.013).
- [5] J. E. Reisman, 'Development and Reliability of the Research Version of the Minnesota Handwriting Test', *Physical & Occupational Therapy In Pediatrics*, vol. 13, no. 2, pp. 41–55, Jan. 1993, doi: [10.1080/J006v13n02\\_03](https://doi.org/10.1080/J006v13n02_03).
- [6] G. L. Johnson and C. R. Stone, 'Measuring the Quality of Handwriting', *The Elementary School Journal*, vol. 16, no. 6, pp. 302–315, 1916, Accessed: Apr. 29, 2026. [Online]. Available: <https://www.jstor.org/stable/994012>
- [7] J. Ziviani and J. Elkins, 'An Evaluation of Handwriting Performance', *Educational Review*, vol. 36, no. 3, pp. 249–261, Nov. 1984, doi: [10.1080/0013191840360304](https://doi.org/10.1080/0013191840360304).
- [8] C. L. Fitjar, V. Rønneberg, and M. Torrance, 'Assessing Handwriting: A Method for Detailed Analysis of Letter-Formation Accuracy and Fluency', *Reading and Writing*, vol. 37, no. 2, pp. 291–327, Feb. 2024, doi: [10.1007/s11145-022-10308-z](https://doi.org/10.1007/s11145-022-10308-z).
- [9] T. Stefansson and R. Karlsdottir, 'Formative Evaluation of Handwriting Quality', *Perceptual and Motor Skills*, vol. 97, no. 3\_suppl, pp. 1231–1264, Dec. 2003, doi: [10.2466/pms.2003.97.3f.1231](https://doi.org/10.2466/pms.2003.97.3f.1231).
- [10] S. T. Peverly, 'The Importance of Handwriting Speed in Adult Writing', *Developmental Neuropsychology*, vol. 29, no. 1, pp. 197–216, Feb. 2006, doi: [10.1207/s15326942dn2901\\_10](https://doi.org/10.1207/s15326942dn2901_10).

- [11] A. Majumdar, P. Krishnan, and C. Jawahar, ‘Visual Aesthetic Analysis for Handwritten Document Images’, in *2016 15th International Conference on Frontiers in Handwriting Recognition (ICFHR)*, Oct. 2016, pp. 423–428. doi: [10.1109/ICFHR.2016.0085](https://doi.org/10.1109/ICFHR.2016.0085).
- [12] C. Adak, B. B. Chaudhuri, and M. Blumenstein, ‘Legibility and Aesthetic Analysis of Handwriting’, in *2017 14th IAPR International Conference on Document Analysis and Recognition (ICDAR)*, Nov. 2017, pp. 175–182. doi: [10.1109/ICDAR.2017.37](https://doi.org/10.1109/ICDAR.2017.37).
- [13] V. Kulesh, K. Schaffer, I. Sethi, and M. Schwartz, ‘Handwriting Quality Evaluation’, in *Advances in Pattern Recognition — ICAPR 2001*, S. Singh, N. Murshed, and W. Kropatsch, Eds, Berlin, Heidelberg: Springer, 2001, pp. 157–165. doi: [10.1007/3-540-44732-6\\_16](https://doi.org/10.1007/3-540-44732-6_16).
- [14] K. S. Koushik, B. J. B. Nair, N. S. Rani, and M. Javed, ‘HQA2LFS-handwriting Quality Assessment Using an Active Learning Framework in Smartphones’, *Scientific Reports*, vol. 16, no. 1, p. 8186, Feb. 2026, doi: [10.1038/s41598-026-38330-z](https://doi.org/10.1038/s41598-026-38330-z).
- [15] V. Bouletreau, N. Vincent, R. Sabourin, and H. Emptoz, ‘Synthetic Parameters for Handwriting Classification’, in *Proceedings of the Fourth International Conference on Document Analysis and Recognition*, Aug. 1997, pp. 102–106vol.1. doi: [10.1109/ICDAR.1997.619822](https://doi.org/10.1109/ICDAR.1997.619822).
- [16] ‘ICDAR 2024 HWD’. Accessed: Mar. 26, 2026. [Online]. Available: [https://ilocr.iiit.ac.in/icdar\\_2024\\_hwd/dataset.html](https://ilocr.iiit.ac.in/icdar_2024_hwd/dataset.html)
- [17] A. W. C. Lee, J. Chung, and M. Lee, ‘GNHK: A Dataset for English Handwriting in the Wild’, in *International Conference of Document Analysis and Recognition (ICDAR)*, 2021. Accessed: Apr. 21, 2026. [Online]. Available: <https://www.goodnotes.com/gnhk>
- [18] ‘Research Group on Computer Vision and Artificial Intelligence — Computer Vision and Artificial Intelligence’. Accessed: Apr. 21, 2026. [Online]. Available: <https://fki.tic.heia-fr.ch/databases/iam-handwriting-database>
- [19] A. D, ‘Adityad1/Hwa’. Accessed: Apr. 23, 2026. [Online]. Available: <https://github.com/adityad1/hwa>
- [20] N. Aditya, ‘Nithinaditya/Handwriting-Analysis-Tool’. Accessed: Apr. 23, 2026. [Online]. Available: <https://github.com/nithinaditya/handwriting-analysis-tool>
- [21] ‘S5-Team-Workspace/Handwriting-Quality-Assessor’. Accessed: Apr. 23, 2026. [Online]. Available: <https://github.com/S5-Team-Workspace/Handwriting-Quality-Assessor>

- [22] w. is Tharunn, 'Tharunn25/Handwriting-Quality-Analysis'. Accessed: Apr. 23, 2026.  
[Online]. Available: <https://github.com/Tharunn25/handwriting-quality-analysis>