AWS S3 Practical Assignment

Amazon Simple Storage Service (S3) — Console Demonstration

Bucket Name: rudra-s3-20261002

Region: Asia Pacific (Mumbai) — ap-south-1

Date: 02 October 2026


Assignment Objective

Create an S3 bucket in the Mumbai region, upload an image, PDF, and text file, make one object publicly accessible and verify its URL, enable versioning and upload a second version of a file, and compare S3, EBS, and Glacier for practical storage use cases.

1. Create a New S3 Bucket


A new S3 bucket named **rudra-s3-20261002** was created in the **Asia Pacific (Mumbai)** region (ap-south-1). The screenshots below document the AWS console and the created bucket.

Screenshot 1 — AWS Management Console




AWS Management Console showing the S3 service available in the account.

Screenshot 2 — Bucket Created



S3 bucket rudra-s3-20261002 shown in the Mumbai region.

Screenshot 3 — Bucket Objects




Bucket Objects page showing the uploaded files.

2. Upload Three Different Files

Three different file types were uploaded to the bucket. Their names are meaningful and related to popular applications, as requested in the assignment.

No.	File	Type	Description
1	instagram-logo.png	Image	Instagram-related image
2	spotify-playlist.pdf	PDF	Spotify playlist document
3	zomato-menu.txt	Text	Zomato menu text file

Screenshot 4 — Uploaded Files




The S3 Objects page shows instagram-logo.png, spotify-playlist.pdf, and zomato-menu.txt.

3. Make One File Public and Test the URL


Public access was configured for the practical exercise. Because the bucket uses **Bucket owner enforced** Object Ownership, access is controlled with a bucket policy rather than object ACL grants. The public object URL was tested in a browser and the Instagram image loaded successfully.

Screenshot 5 — Object Permissions / Ownership




Object permissions show Bucket owner enforced Object Ownership and ACL-based public grants are not being used.

Screenshot 6 — Block Public Access Settings




Block Public Access settings were edited for the practical exercise.

Screenshot 7 — Block Public Access Confirmation




Public-access settings screen showing the configuration used for the exercise.

Screenshot 8 — Bucket Permissions




Bucket Permissions page showing Block Public Access configuration.

Screenshot 9 — Bucket Policy Editor



Bucket policy editor for the S3 bucket.

Screenshot 10 — Public Object URL




Browser verification: the public S3 object URL successfully loads the Instagram image.

Verified object URL: https://rudra-s3-20261002.s3.ap-south-1.amazonaws.com/instagram-logo.png

4. Enable Versioning and Upload a New Version

Versioning was enabled for the S3 bucket. The version history was then checked after uploading an updated version of **zomato-menu.txt**. The Objects view with versions enabled shows two versions of the text file, demonstrating that both versions are retained.

Screenshot 11 — Version History



S3 Objects view with Show versions enabled; zomato-menu.txt has two stored versions.

5. Comparison: S3 vs EBS vs Glacier

Amazon S3 is object storage designed for storing files and other objects in buckets, while Amazon EBS provides block storage volumes that are typically attached to EC2 instances. Amazon S3 Glacier storage classes are intended for long-term, infrequently accessed archival data. For Instagram profile pictures, S3 is appropriate because it is designed for scalable object storage; for Flipkart order history, S3 can store application data/exports while a database would normally handle transactional queries; and for old IRCTC booking records that need long-term retention and are rarely accessed, an S3 Glacier storage class is appropriate for archival storage.

Use Case	Suggested AWS Storage	Reason
Instagram profile pictures	S3	Object storage for images and other files; scalable and accessible through S3 APIs/URLs.
Flipkart order history	S3 for stored files/exports*	Suitable for durable object storage; transactional order data would normally be handled by a database.
Old IRCTC booking records	S3 Glacier storage class	Designed for long-term archival of data that is accessed infrequently.

In a real production architecture, order history is usually stored in a database for transactional access, with S3 potentially used for exports, backups, or documents.

Conclusion

The practical successfully demonstrates S3 bucket creation in Mumbai, uploading three different file types, public object access verification, and versioning with multiple stored versions. The screenshots provide console evidence for each major step.