TS Config Examples Help Settings .JS .D.TS Errors 1 Logs Plugins v5.2.2 Run Export Share [LOG]: [""] class FileTree{ 33 34 [LOG]: [""] root = FileNode 35 [LOG]: [""] 37 constructor(name:String){ const filenode = new FileNode(name, "folder", 0) filenode.addFile(filenode) [LOG]: [] 40 41 [LOG]: [] // 'TNBC/Trial02/2dmols/fake.jpg', 43 [LOG]: [] 44 insertFile(part:String){ 45 // split the part with / [LOG]: [""] let parts = part.split("/"); 46 parts = parts.filter((e) => e != "") 47 [LOG]: [""] let currentNode = this.root 48 [LOG]: ["TNBC"] [LOG]: ["TNBC", "Trial01"] // ["TNBC", "Trial04", "3dmols"] 53 [LOG]: ["TNBC", "Trial01", // loop through this 55 for(const i in parts){ "2dmols"] // insted we can do is that if file not present then create [LOG]: ["TNBC", "Trial02", 58 print(this.root) "2dmols", "50reasons-to-60 exercise.jpg"] 61 62 [LOG]: ["TNBC", "Trial02", 63 "2dmols", "fake.jpg"] 64 [LOG]: ["TNBC", "Trial03", 66 Executed transpiled TypeScript "2dmols", "50reasons-to-67 68

## Customize

Site Colours: System

Code Font: Cascadia

## **Popular Documentation Pages**

**Everyday Types Creating Types from Types** More on Functions More on Objects All of the common types in Techniques to make more How to provide types to How to provide a type shape to TypeScript elegant types functions in JavaScript JavaScript objects Narrowing Variable Declarations TypeScript in 5 minutes **TSConfig Options** How TypeScript infers types How to create and type An overview of building a All the configuration options for based on runtime behavior TypeScript web app JavaScript variables a project Classes How to provide types to JavaScript ES6 classes

## Community

Get Help Blog GitHub Repo Community Chat

Search Docs

Docs Community Tools

11/17/23, 11:37 AM

## TypeScript: TS Playground - An online editor for exploring TypeScript and JavaScript

Get Started

Download

Community

Playground

TSConfig Ref

Why TypeScript

Design

⊙ Code Samples

Made with ♥ in Redmond, Boston, SF & Dublin

© 2012-2023 Microsoft Privacy

**Executed transpiled TypeScript**