

Social Media Content Generation in Multiple Languages

BrandyAI — one line of input, Instagram-ready campaigns in seven Indian languages, on Microsoft AI Foundry.

Team

Rudraksh Gupta

Dhruv Kansal

Krrish Aiery

Siddhartha Verma

Deliverables

1 — GITHUB REPOSITORY

<https://github.com/rudrakshxgupta/marketing-campaign-generator>

Python/FastAPI backend, React frontend, 269 passing tests. Setup instructions in README.md.

2 — WORKING PROTOTYPE

<https://github.com/rudrakshxgupta/marketing-campaign-generator#running-the-prototype>

Runs locally against Azure AI Foundry; it is not publicly hosted, because the deployment keys are personal and the image quota is small. Screenshots of the running system are on page 2.

3 — 5-MINUTE VIDEO

[[paste the YouTube URL here](#)]

Video file is ready as BrandyAI-demo.mp4 — upload it, then this link is filled in.

What it does

A marketer types one line — what they sell. A model compiles that into a creative brief, a single image call produces one **text-free** photograph, and the copy for every language is then typeset onto it and composited. The logo is placed from the brand's real file, never drawn by the model.

1 → 7

One image call produced seven finished deliverables in the recorded run. An eighth language costs nothing.

7 languages

English, Hindi, Hinglish, Marathi, Bengali, Tamil, Telugu — shaped correctly via HarfBuzz.

Transcreated


Copy is authored per language, not translated: Diwali for Hindi, Durga Puja for Bengali, Pongal for Tamil.

269 tests

Including subject-fidelity checks that flag a building whose floor count changed.

Prototype — screenshots

Captured from the running application.



The entire input is one field. Brand name, occasion and offers are optional; the offers are the only claims the copy may make.

Output — one photograph, seven scripts



Generated in the recorded session. The same base image carries each language; the text is typeset and composited, never drawn by the model.

Running it

`uvicorn app.main:app --port 8000` in `backend/`, and `npm run dev` in `frontend/`. With no Azure credentials it runs in mock mode, so the whole pipeline — brief, typesetting, compositing, export — works offline against placeholder imagery.