BrandGuard AI

Brand governance, before publishing.

Round 2 project report: the product as built, tested and documented.

> Our new product improves productivity by 50% and is the best solution in the market.

Real output from the BrandGuard engine for a synthetic sample. Both phrases are flagged “Unable to verify against approved knowledge”, citing the Northstar Brand Guidelines v3, p. 3, Claims Policy. Each has a suggested minimal edit.

Competition	CodeNexus India 2026 · Round 2: The Build
Team	Khiladi 786
Members	Sarthak Agrawal (Team Lead), Rudresh Kumar, Arpit Singh, Pranjal Gautam
Report date	7 November 2026
Demo data	All brand data shown is synthetic. Northstar Labs is a fictional company.

Contents

1 Title and team details
2 Problem statement
3 Target users
4 Product vision
5 Implemented workflow
6 Core features
7 Screenshots from the application
8 Technical architecture
9 Technology and implementation
10 Evidence retrieval and analysis
11 Correction and approval workflow
12 Original plan vs implementation
13 Features completed
14 Partially completed or omitted
15 Testing methodology and results
16 Known limitations
17 Team contributions
18 Three proposed Round 3 improvements

1 Title and team details

Field	Detail
Project	BrandGuard AI: an evidence-grounded brand compliance platform
Tagline	Brand governance, before publishing.
Team	Khiladi 786 (four members)
Members and planned roles	Sarthak Agrawal: team lead, integration, architecture, final demo · Rudresh Kumar: frontend / UI · Arpit Singh: AI, retrieval and evaluation · Pranjal Gautam: backend and database
Working application	https://brandguard-ai-hndd.onrender.com (Render; no login required)
Source repository	https://github.com/rudreshthakur/BRANDGUARD-AI

2 Problem statement

Organisations now publish through employees, agencies, freelancers and AI tools, faster than any reviewer can read. Their brand governance knowledge is scattered across PDF guidelines, spec sheets, approved-claim lists, shared drives, emails and informal instructions.

This produces four recurring failures, which BrandGuard is designed around:

Failure	What happens	How BrandGuard responds
Knowledge fragmentation	Creators don't know which guideline or product fact is authoritative and current.	One approved, versioned knowledge base. Only approved, current sources count as evidence.
Inconsistent interpretation	Teams and agencies apply tone, terminology and visual rules differently.	Deterministic rules applied identically to every submission.
Late discovery	Wrong claims are found after drafting, during approval, or after publication.	A pre-publication audit the creator runs before submitting.
Weak traceability	Reviewers reject content without citing which rule or source applies.	Every finding cites a validated source: document, page, section, excerpt, ID.

> We have not yet conducted the user interviews planned in Round 1, and this report makes no claims about market validation, time savings or real-world accuracy.

3 Target users

User	Need	What they use in the build
Content creators	Fast, specific feedback without losing their message	Content Auditor, redline findings, accept/edit/reject fixes
Brand and marketing managers	Consistent review across teams and channels	Review Queue, decisions with notes, Brand Drift dashboard
Legal and compliance reviewers	Unsupported and risky claims surfaced early	Forbidden-claim rules, claim verification, override justification
Agencies and freelancers	Access to current approved rules	Brand Knowledge (read-only for non-admins), cited evidence
Organisation administrators	Control over guidelines, facts, versions	Document ingestion and approval, fact supersession, rule management

4 Product vision

Most AI marketing tools help create content. BrandGuard helps organisations decide whether content is safe, accurate and consistent enough to publish, with traceable reasons and human control.

Three principles from Round 1 shaped every implementation decision: **evidence before judgement**, **correction rather than rejection**, and **human control over publication**. The language model is an assistant, not the source of truth. Approved facts and rules live in the organisation's controlled knowledge base, exact checks are deterministic code, and a person always makes the final decision.

5 Implemented workflow

The scored Round 2 workflow is fully functional with no login and no API key:

1	2	3	4	5
Content input	**Approved knowledge check**	**Issue detection**	**Explanations and evidence**	**Human decision**
Paste copy, choose one of 7 channels	Approved, current, same-workspace sources only	Rules, claim verification, injection scan, optional AI	Validated citations or "Unable to verify"	Accept/edit/reject, request changes, approve

Inside the product, this maps to the eight-step journey proposed in Round 1:

#	Round 1 step	As built
1	Set up the brand	"Launch demo workspace" creates a private, seeded workspace. "Start with my own brand" creates an empty one.
2	Prepare knowledge	Upload → validate → extract (page and section kept) → chunk → admin review → approve → index. Rules found in documents are proposed, never auto-applied.
3	Submit content	Paste text with title and channel. Seven synthetic samples available.
4	Run checks	Security scan → deterministic rules → claim verification → BM25 policy retrieval → optional AI → evidence validation.
5	Review findings	Redline manuscript plus finding cards: severity, evidence status, explanation, citations, confidence, suggestion. Filters by severity, type and status.
6	Revise and collaborate	Accept, edit or reject each suggestion. Comments. Every change is a new immutable version.
7	Approve	Draft → Under review → Changes requested → Revised → Approved, with every decision logged.
8	Learn	Brand Drift Intelligence: recurring rules, terms and unverified claims, plus clarity signals.

6 Core features

Module	Implemented capability
Brand Knowledge Hub	PDF/DOCX/TXT/MD ingestion with page and section metadata, approval states, explicit document versioning with section comparison, approved facts with value, unit, keywords and effective date, fact supersession, six rule types with channel scope.
Content Auditor	Boundary-aware terminology and brand-name checks. Claim verification classifies each claim as verified, conflict, outdated or unsupported. Superlative, guarantee and comparative checks; tone and clarity checks; prompt-injection detection; optional validated AI.


Visual Inspector (basic)	Dominant-colour palette compliance (ΔE) with palette evidence, exact WCAG contrast checker, heuristic contrast flag. All visual findings need human confirmation.
Correction Engine	Minimal-span suggestions shown as original, suggested and reason. Accept, edit or reject. Immutable versions, word-level diff, re-anchoring of remaining findings.
Review Workflow	Creator / Reviewer / Admin (demo role switch, enforced server-side), five-state lifecycle, comments, justification required to approve with open high-severity findings, append-only audit log.
Insights	Brand Drift Intelligence computed from stored records. Synthetic samples can be excluded.

The three Round 1 differentiators, as working features


- **Evidence Traceability Engine:** evidence is reloaded from the database by ID. Unknown, unapproved or unretrieved IDs are rejected. Claims without support say “Unable to verify against approved knowledge”, which marks an evidence gap, not proof the claim is false.
- **Brand Drift Intelligence:** most-triggered rules with submission spread, repeated terms, recurring unverified claims, a channel × category matrix, creator responses, *guideline clarity signals* (rules creators keep rejecting) and *training signals* (rules recurring across submissions).
- **Intent-Preserving Corrections:** only the flagged span changes, e.g. “10 hours” → “12 hours” or “cheap” → “affordable”. The creator’s original is never overwritten.

7 Screenshots from the application


All screenshots were captured by the automated end-to-end test from the actual build, in a fresh browser context.




Landing page. One click launches a private demo workspace with no sign-up.




The proof desk: redline manuscript (wavy = unverified claim) beside findings with citations and minimal suggested edits.




Outdated specification: “10 hours” matches the superseded Spec Sheet v1. The current approved fact (v2, 12 hours) is cited alongside it. “90 minutes” is shown as verified.




Evidence drawer: document, page, section, evidence ID, approval status and surrounding source text.




Compliant sample: no findings; each figure is verified with its citation.




After accepting a correction: version 2 is created and the diff shows the original preserved.




Reviewer approval recorded with a note. Approving with open high-severity findings would require a written justification.




Uploading Guidelines v4 as a new version: it stays pending, embedded "ignore all previous instructions" text is flagged, and extracted rules are only proposed.




Review Queue grouped by workflow state.



Brand Drift Intelligence computed from stored audits. The banner states how many submissions are synthetic samples.



Visual Inspector on the synthetic off-brand creative: off-palette colours with palette evidence, and a contrast flag that needs human confirmation.



Responsive layout at 390 px.

8 Technical architecture

React 18 + TypeScript + Tailwind (Vite)
Landing · Overview · Content Auditor · Proof desk · Review Queue · Brand Knowledge · Visual Inspector · Brand Drift · Audit History · Settings

↓ JSON over HTTPS, with workspace token and demo role headers

Public API
health, status, samples, demo workspace creation (rate-limited)

Knowledge API
sources, facts, rules, evidence lookup, version compare

Submissions API
audit, versions, corrections, comments, transitions, diff

Workspace API
settings, analytics, events, visual inspection

↓

Security scan
embedded-instruction detection

Rule engine
terms, names, forbidden claims, required phrases, limits, tone

Claim verifier
unit + context matching against approved facts

BM25 retrieval
approved, workspace-scoped policy passages

AI analysis
optional, strict schema, verbatim and ID validation

↓ deduplicate → **evidence validation** (reload by ID, reject unknown) → persist

Correction and workflow service
immutable versions, re-anchoring, state machine

Brand Drift analytics
aggregates from stored records

Ingestion and visual services
PyMuPDF / python-docx · Pillow

↓ SQLAlchemy 2

PostgreSQL (production) · SQLite (local)
workspaces · sources · chunks · facts · terms · submissions · content_versions · audit_runs · findings · corrections · comments · review_decisions · audit_events

In production the FastAPI service also serves the built frontend, so judges get one URL and there are no cross-origin issues. A Render blueprint provisions the web service and a managed PostgreSQL database.

9 Technology and implementation details

Layer	Technology	Notes
Frontend	React 18, TypeScript (strict), Tailwind CSS, React Router, Vite	Redline manuscript component, evidence drawer, role switch, accessible controls, error boundary.
Backend	Python, FastAPI, Pydantic 2	Validated request models, consistent human-readable errors, security headers.
Data	SQLAlchemy 2, PostgreSQL / SQLite	CHECK and UNIQUE constraints, cascade deletes, workspace scoping on every query.
Ingestion	PyMuPDF, python-docx	Magic-byte validation, page numbers, heading-based sections, injection flags.
Retrieval	BM25 (in-process)	Deterministic, needs no external keys, swappable for pgvector.
AI (optional)	Anthropic or OpenAI-compatible API via httpx	Provider abstraction, temperature 0, strict JSON schema. Off by default.
Visual	Pillow	Median-cut quantisation, CIE76 ΔE, WCAG 2.1 contrast.
Testing	pytest, Vitest, Playwright	58 backend tests, 6 frontend tests, 16-step E2E journey.
Deployment	Dockerfile, Render blueprint, Vercel config	Single-service or split hosting.

Security

- Per-workspace random token, stored hashed and compared in constant time. Missing and forbidden workspaces return the same 404.
- Role permissions enforced server-side: only admins change knowledge, only reviewers approve. The role switch is labelled as a demo mechanism.
- Upload type, magic-byte and size validation. Documents are parsed in memory and stored as text only. Demo creation is rate-limited, and sandboxes expire after 72 hours.
- LLM keys stay server-side. Submitted content and documents are always treated as data.

10 Evidence retrieval and analysis methodology

Claim verification against approved facts

1. Extract numeric claims (digits or number words; %, multipliers, durations, counts, currency) and normalise units.
2. Skip promotional offers (“40% off”), which numeric-limit rules cover. Treat relative claims (“10 hours longer than…”) as comparisons.
3. Find approved or superseded facts with the same unit and at least one keyword within an eight-word window. The product subject adds weight.
4. Compare values: equal to a current fact → `verified`; equal to a superseded fact → `outdated` (cites current and superseded facts); different → `verified conflict`; no candidate → `unable to verify`.
5. Superlatives, guarantees and comparatives need an approved fact containing the same superlative phrase and sharing topic keywords.

Five evidence outcomes, kept distinct in the interface

Status	Meaning
Confirmed rule violation	Breaks an approved rule. The rule and its source page are cited.
Verified conflict	An approved fact covers the same point with a different value.
Outdated	Matches a value that was approved but has been superseded.
Unsupported (unable to verify)	Needs substantiation but no approved evidence exists. An evidence gap, not proof the claim is false.
Ambiguous	Related knowledge exists but doesn’t settle the question.

Preventing fabricated citations

- Evidence shown to users is always rebuilt from the database by ID. Model-written excerpts are never displayed.
- AI output must parse against a strict schema. Each *passage* must appear verbatim in the content, and each evidence ID must be in the retrieved set and share vocabulary with the claim. Anything else is dropped, and the audit records how many items were removed.
- A final validation pass re-checks every evidence item. Findings that need evidence but have none are downgraded to “ambiguous”.
- Pending, rejected or draft knowledge is never used as evidence. Superseded facts are used only to explain outdated claims.

> AI contextual analysis was **not tested against a live model**: no API key was available while building. The validation logic is tested with a mock provider, including invented evidence IDs, non-verbatim passages and malformed output. Contract tests also check the exact HTTP request each provider sends, plus fallback on authentication errors, server errors, empty responses and timeouts.

11 Correction and approval workflow

Corrections

- Each suggestion changes only the flagged span and is shown as **original | suggested | reason**.
- **Accept** applies the suggestion, **Edit** applies the creator's own text, and **Reject** keeps the original and records an optional reason, which is shared with the reviewer and feeds the clarity signals.
- Every accepted or edited correction creates a new immutable version. The remaining findings are re-anchored to the new text, or marked stale if their text changed.
- Content under review is locked. Editing approved content returns it to draft for re-approval.

Approval

Draft	**Under review**	**Changes requested**	**Revised**	**Approved**
Creator audits and fixes	Submit requires an audit of the latest version	Reviewer must explain	Re-audited resubmission	Justification needed if high or critical findings are open

Each decision stores the actor role, note, version and number of open findings at that moment. All actions go to an append-only audit log, visible per submission and workspace-wide.

12 Original plan vs actual implementation

Area	Round 1 plan	Round 2 build and reason
Authentication	Supabase Auth with organisation roles	Per-workspace token plus a labelled demo role switch. Round 2 requires judges to use the core flow without a login. Real accounts move to Round 3.
Retrieval	pgvector embeddings	BM25 lexical retrieval: deterministic and key-free, behind a swappable interface.
AI analysis	Core step in the pipeline	Optional and strictly validated. Deterministic and retrieval checks are the backbone, so the product works without credentials and the model is never the source of truth.
Storage	Private object storage for uploads	Parsed in memory; only extracted text stored. No public file URLs.
Deployment	Vercel + Render	Single service (API serves the UI) on Render with PostgreSQL. Split hosting still supported.
Visual Inspector	Basic logo, colour and contrast checks	Colour and contrast implemented. Logo checks moved to Round 3 Improvement 1.

13 Features completed

Feature	Status	Verified by
No-login demo workspace with synthetic brand	Complete	E2E steps 1–2
Document ingestion with page and section metadata	Complete	PDF/DOCX tests, E2E step 11
Review, approve and version documents	Complete	Versioning tests, E2E step 12
Approved facts with supersession	Complete	Supersede test
Six rule types with channel scope	Complete	Terminology and channel tests
Claim verification (4 outcomes)	Complete	Engine tests, evaluation set
Evidence validation and citation lookup	Complete	Citation and invalid-ID tests
Prompt-injection detection (content and documents)	Complete	Injection tests
Accept / edit / reject, versions, diff	Complete	Workflow tests, E2E steps 6–7
Five-state review workflow and audit log	Complete	Review-loop test, E2E steps 8–10, 15
Brand Drift Intelligence	Complete	Analytics test, E2E step 13
Palette and contrast inspection	Complete	Visual test, E2E step 14
PostgreSQL support	Complete	Full suite on PostgreSQL 16

14 Partially completed or omitted

Feature	Status	Detail
AI contextual analysis	Partial	Implemented. Request and response handling for both providers is verified with a fake HTTP transport (10 contract tests). Not run against a live model.
Tone analysis	Partial	Deterministic checks only, unless AI is configured.
Roles and permissions	Partial	Enforced server-side but driven by a demo switch. No user accounts.
Rule extraction from documents	Partial	Pattern-based proposals that require admin approval.
Public deployment	Partial	Live on Render with PostgreSQL. Basic audits checked manually by the team; full workflow on the live site not yet verified.
Logo matching, typography, layout	Not built	Round 3 Improvement 1.
Impact analysis and historical re-audit	Not built	Round 3 Improvement 2. Fact and document versioning is already in place.
Assignment, escalation, channel policy packs	Not built	Round 3 Improvement 3.
Document or image content submissions	Not built	Content is pasted text in Round 2.
Semantic (embedding) retrieval	Not built	BM25 only.

15 Testing methodology and results

Automated figures come from runs on 7–8 November 2026 against this build. Live-site results are reported by the team.

58 / 58	16 / 16	6 / 6	26 / 26
backend tests, on SQLite and on PostgreSQL 16	end-to-end browser steps in a fresh context	frontend unit tests; type check and build clean	labelled issues found, 0 false positives, 8/8 clean items

Methodology

- **Backend tests (pytest)** cover all 18 judge test cases from the brief: detection, non-detection, evidence validity, invalid IDs, corrections and versions, the review loop, injection, missing credentials, error messages and upload formats. They also cover isolation, roles, versioning, visual checks and analytics.
- **End-to-end (Playwright):** the complete judge journey from the landing page through approval, document upload, analytics, visual inspection, history and the mobile layout.
- **Evaluation set:** 20 synthetic items (26 labelled issues, 8 compliant). A finding counts only if both the passage and the evidence status match. *The team wrote this set and the engine, so it is a regression benchmark, not a real-world accuracy figure.*
- **Adversarial probe:** new inputs written to break the engine.

Problems found by testing and what we did

Problem	Outcome
“#1 planner” wrongly marked verified (the digit 1 matched inside unrelated facts)	Fixed: superlative support needs the same phrase plus topic overlap. Regression test added.
“guaranteed” not flagged; relative claims misread as specs; “twelve hours”/“10h” not parsed; duplicate flags on an all-caps brand name	All fixed, with regression tests.
Overview, Settings and Voice screens blank on direct load (fetch-hook bug)	Fixed after the E2E caught it. Error boundary added.
Uploading “v4” created a separate document instead of a version	Fixed with an explicit “new version of” control and a test.
Admin-defined regex triggers could allow catastrophic backtracking; pathological input produced 900 findings	Fixed: triggers are plain phrases; findings capped at the 200 most severe with a notice.
“by a third” (fractions in words) not detected	Open; see limitations.

> Live deployment (https://brandguard-ai-hndd.onrender.com): the team checked it manually on 8 Nov 2026. It opens without login, a violating text produced 5 findings with evidence and fixes, and a clean text produced none. The full correction-and-approval workflow has not yet been verified on the live site. Not run by us: building the Docker image locally (no Docker daemon; Render built it from the same Dockerfile).

16 Known limitations

- The demo role switch is not authentication. Production needs real accounts.
- Lexical retrieval can miss paraphrased claims that share no keyword with an approved fact. Fractions written as words are not parsed.
- Claim verification relies on facts entered with structured values and keywords. Unstructured facts only support qualitative checks.
- AI analysis has not been tested against a live model.
- The Visual Inspector analyses colour only. It has no OCR or logo recognition, and its contrast flag is heuristic.
- Synthetic, team-authored data only. No user research has been carried out yet.
- Free hosting tiers sleep when idle, so the first request after a sleep can be slow.
- PyMuPDF is AGPL-licensed. This is acceptable for an open-source deployment; it would need replacing for closed-source use.

17 Team contributions

Member	Planned role (Round 1 proposal)	Actual contribution
Sarthak Agrawal (Lead)	Integration, architecture, final demo	Stated by the member in their individual submission
Rudresh Kumar	Frontend / UI	Stated by the member in their individual submission
Arpit Singh	AI / retrieval / evaluation	Stated by the member in their individual submission
Pranjal Gautam	Backend / database	Stated by the member in their individual submission

> **AI assistance disclosure.** A substantial share of the code, tests and documentation in this build was produced with an AI coding assistant (Anthropic Claude) under the team's direction. This report does not attribute specific parts of the build to individual members. Each member describes their own actual work in their individual submission, as the event rules require. No pre-existing code or templates were used.

18 Three proposed Round 3 improvements

These are proposals for Round 3. **None of them is built in this Round 2 version.** Each builds on Round 2 code without an architectural rewrite. Planned build order: 2 → 3 → 1.

Improvement	Builds on (Round 2)	New capability and acceptance tests
1. Advanced Visual Brand Identity Inspector	Palette ΔE matching, WCAG checker, palette evidence	Approved logo library; logo detection (pHash + ORB) for found, missing, wrong variant and distortion; OCR text-region contrast; layout and safe-zone rules; bounding-box overlays in the review workflow. *Tests:* correct logo passes; recoloured or stretched logo is flagged; low-contrast text block fails AA. Precision and recall are measured on 30+ labelled creatives.
2. Guideline Versioning and Impact Analysis	Immutable document versions, supersession, comparison, outdated-claim detection	Change impact reports listing affected content; historical re-audit with before/after deltas; rule-level diffs; conflicting-fact detection; effective-dated activation; source authority. *Tests:* superseding the battery spec lists the previously approved page; unrelated content is not listed; conflicting facts are reported.
3. Multi-Channel Brand Governance	Channel field, channel-scoped rules, channel analytics	Channel policy packs (length, required and banned elements); slide/page-level audits of PPTX, DOCX and PDF; review assignment and escalation with real accounts; finding-level threads; cross-channel drift. *Tests:* Instagram length rule applies only to Instagram; deck finding on the right slide; critical findings require a second approver.

The full specification (database, API and UI changes, test cases and completion criteria) is in `ROUND3_ROADMAP.md` in the repository.