Assignment No. 5
EECS 690
Introduction to Machine Learning
Due: 11:59 PM, Thursday, October 27, 2022
Submit deliverables in a single zip file to Canvas
Name of the zip file: FirstnameLastname_Assignment5 (with your first and last name)
Name of the Assignment folder within the zip file: FirstnameLastname_Assignment5

Deliverables:
1. Copy of Rubric5.docx with your name and ID filled out (do not submit a PDF)
2. Python source code.
3. Screen print showing the successful execution of your Python code. (Copy and paste the output from the Python console screen to a Word document and PDF it).

Assignment:
- I have created an imbalanced iris dataset called "imbalanced iris.csv" to use for this assignment which is located in the Assignment 5 folder.
- Use 2-fold cross-validation with the Neural Network machine learning model for each part.
- This assignment has three parts (listed below by number). Before each part's printout, printout the part number.

Part 1: Imbalanced Data Set
- Print out and label the Confusion Matrix and Accuracy score using the imbalanced iris data set.
- Print out and label the calculated Class Balanced Accuracy as described in the Imbalanced Datasets lecture.
- Print out and label the calculated Balanced Accuracy as described in the Imbalanced Datasets lecture.
- Print out and label the balanced accuracy score calculated by the scikit-learn function balanced_accuracy_score as described in the Imbalanced Datasets lecture.

Part 2: Oversampling
- Use the imbalanced-learn toolbox (Imbalanced Datasets lecture) for each of the following:
  - Balance the imbalanced iris dataset with random oversampling and print-out and label the Confusion Matrix and Accuracy score. (We don't need to use one of the balanced accuracy scores from Part 1 because the set is balanced now).
  - Balance the imbalanced iris dataset with SMOTE oversampling and print-out and label the Confusion Matrix and Accuracy score.
  - Balance the imbalanced iris dataset with ADASYN oversampling and print-out and label the Confusion Matrix and Accuracy score. Use the sampling_strategy='minority' parameter, or you will get an error message. (Note: the resulting dataset may still not be balanced, which is okay).

Part 3: Undersampling

- Use the imbalanced-learn toolbox (Imbalanced Datasets lecture) for each of the following:
  - Balance the imbalanced iris dataset with random undersampling and print-out and label the Confusion Matrix and Accuracy score.
  - Balance the imbalanced iris dataset with Cluster undersampling and print-out and label the Confusion Matrix and Accuracy score.
  - Balance the imbalanced iris dataset with Tomek links undersampling and print-out and label the Confusion Matrix and Accuracy score. (Note: the resulting dataset may still not be balanced, which is okay).

Remember:
- Your Programming Assignments are individual-effort.
- You can brainstorm with other students and help them work through problems in their programs, but everyone should have their own unique assignment programs.