

Depression as Mediator – Meta-SEM Results

Generated: 19 June 2026


Childhood Trauma → Depression → Psychosis mediation model (Fixed-Effects)

Section 1 – Pooled Correlation Matrix (Fixed-Effects Model)

Variable	Trauma	Depression	CPS
Trauma	–	–	–
Depression	0.30	–	–
CPS	0.33	0.41	–

Section 1 – Path Coefficients and Mediation Effects

Effect	Estimate	95% CI
a (Trauma → Depression)	0.30	[0.27, 0.32]
b (Depression → Composite Psychosis Score)	0.34	[0.32, 0.37]
c (Trauma → Composite Psychosis Score, direct)	0.23	[0.20, 0.25]
Indirect effect ($a \times b$)	0.10	[0.09, 0.11]
Total effect ($c + a \times b$)	0.33	[0.31, 0.35]
% of total effect mediated	31.05%	–



Section 1 – Per-Study Indirect Effects: Trauma → Depression → CPS


Study	N	Indirect	95% CI
Østefjells et al., 2017	261	0.05	[0.01, 0.09]
Steenkamp et al., 2022	59	0.27	[0.12, 0.47]
Sengutta et al., 2019	200	0.11	[0.06, 0.19]
Metel et al., 2020	2614	0.12	[0.10, 0.14]
Saladino et al., 2025	1894	0.07	[0.06, 0.09]
Pooled (TSSEM)	5028	0.10	[0.09, 0.11]

Section 2 – Leave–One–Out Sensitivity Analysis: Results Table

Study	N	a	b	c	Indirect	CI lower	CI upper	Converged
Østefjells et al., 2017	261	0.30	0.35	0.23	0.11	0.09	0.12	TRUE
Steenkamp et al., 2022	59	0.30	0.34	0.23	0.10	0.09	0.11	TRUE
Sengutta et al., 2019	200	0.30	0.34	0.23	0.10	0.09	0.11	TRUE
Metel et al., 2020	2614	0.30	0.26	0.24	0.08	0.07	0.10	TRUE
Saladino et al., 2025	1894	0.29	0.40	0.21	0.12	0.10	0.13	TRUE

Section 2 – Leave-One-Out Sensitivity Analysis

Indirect effect (a×b): Trauma → Depression → Composite Psychosis Score



Dashed line = full-sample estimate. Shaded band = full-sample 95% CI. Red line = zero.

Section 3 – Meta-Regression: Mean Age as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, Depression)	0.10	[-3379.02, 3379.22]	1724.04	0.00	1.000
Intercept r(Trauma, CPS)	0.10	[-4432.11, 4432.30]	2261.33	0.00	1.000
Intercept r(Depression, CPS)	0.11	[-1156.76, 1156.98]	590.24	0.00	1.000
r(Trauma, Depression)	0.00	[-6631.13, 6631.14]	3383.23	0.00	1.000
r(Trauma, CPS)	0.00	[-8635.44, 8635.44]	4405.84	0.00	1.000
r(Depression, CPS)	0.01	[-2453.25, 2453.27]	1251.66	0.00	1.000

Section 3 – Meta-Regression: % Female as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, Depression)	0.10	[-13916.55, 13916.75]	7100.33	0.00	1.000
Intercept r(Trauma, CPS)	0.09	[-28255.20, 28255.38]	14415.96	0.00	1.000
Intercept r(Depression, CPS)	0.11	[-13849.50, 13849.72]	7066.13	0.00	1.000
r(Trauma, Depression)	-0.00	[-121068.18, 121068.18]	61769.48	-0.00	1.000
r(Trauma, CPS)	-0.00	[-245810.92, 245810.91]	125413.73	-0.00	1.000
r(Depression, CPS)	0.00	[-120486.04, 120486.04]	61472.47	0.00	1.000

Section 3 – Meta-Regression: Study Quality (NOS) as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, Depression)	0.10	[-811.50, 811.69]	414.08	0.00	1.000
Intercept r(Trauma, CPS)	0.09	[-1200.03, 1200.21]	612.31	0.00	1.000
Intercept r(Depression, CPS)	0.11	[-433.51, 433.74]	221.24	0.00	1.000
r(Trauma, Depression)	-0.24	[-630.95, 630.46]	321.79	-0.00	0.999
r(Trauma, CPS)	-0.25	[-936.89, 936.40]	477.88	-0.00	1.000
r(Depression, CPS)	-0.26	[-333.21, 332.70]	169.88	-0.00	0.999