

Composite Psychosis Score – Meta-SEM Results

Generated: 23 May 2026


Trauma → Dissociation → Composite Psychosis Score mediation model

Section 1 – Pooled Correlation Matrix (Random-Effects Model)

Variable	Trauma	Dissociation	CPS
Trauma	–	–	–
Dissociation	0.32	–	–
CPS	0.42	0.71	–

Section 1 – Path Coefficients and Mediation Effects

Effect	Estimate	95% CI
a (Trauma → Dissociation)	0.32	[0.18, 0.47]
b (Dissociation → Composite Psychosis Score)	0.65	[0.15, 1.14]
c (Trauma → Composite Psychosis Score, direct)	0.21	[−0.15, 0.53]
Indirect effect ($a \times b$)	0.21	[0.05, 0.44]
Total effect ($c + a \times b$)	0.42	[0.17, 0.66]
% of total effect mediated	50.49%	–



Section 1 -- Per-Study Indirect Effects: Trauma -> Dissociation -> CPS


Study	N	Indirect	95% CI
Berenbaum 2008	303	0.06	[0.03, 0.10]
Gibson 2019	945	0.10	[0.07, 0.13]
Blose 2023	346	0.29	[0.22, 0.38]
Blose 2023	346	0.28	[0.22, 0.35]
Evans 2015	60	NA	[NA, NA]
Chiu 2024	43	0.01	[-0.04, 0.11]
Uyan, 2022	100	NA	[NA, NA]
Pooled (TSSEM)	2143	0.21	[0.05, 0.44]

Section 2 – Leave–One–Out Sensitivity Analysis: Results Table

Study	N	a	b	c	Indirect	CI lower	CI upper	Converged
Berenbaum 2008	303	0.34	0.72	0.18	0.24	0.05	0.54	TRUE
Gibson 2019	945	0.34	0.69	0.22	0.23	0.04	0.53	TRUE
Blose 2023	346	0.28	0.68	0.23	0.19	0.04	0.39	TRUE
Blose 2023	346	0.30	0.66	0.22	0.20	0.03	0.46	TRUE
Evans 2015	60	0.37	0.38	0.33	0.14	0.06	0.25	TRUE
Chiu 2024	43	0.35	0.74	0.18	0.26	0.07	0.54	TRUE
Uyan, 2022	100	0.31	0.66	0.09	0.21	0.03	0.47	TRUE

Section 2 – Leave-One-Out Sensitivity Analysis

Indirect effect (a×b): Trauma → Dissociation → Composite Psychosis Score



Dashed line = full-sample estimate. Shaded band = full-sample 95% CI. Red line = zero.

Section 3 – Meta-Regression: Mean Age as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, Dissociation)	0.31	[-572.85, 573.47]	292.43	0.00	0.999
Intercept r(Trauma, CPS)	0.32	[-941.22, 941.87]	480.38	0.00	0.999
Intercept r(Dissociation, CPS)	0.43	[-214.72, 215.58]	109.77	0.00	0.997
r(Trauma, Dissociation)	-0.00	[-4708.10, 4708.09]	2402.09	-0.00	1.000
r(Trauma, CPS)	0.01	[-7727.06, 7727.07]	3942.38	0.00	1.000
r(Dissociation, CPS)	-0.00	[-1779.10, 1779.10]	907.70	-0.00	1.000

Section 3 – Meta-Regression: % Female as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, Dissociation)	0.33	[0.18, 0.49]	0.08	4.31	0.000
Intercept r(Trauma, CPS)	0.41	[0.14, 0.68]	0.14	3.01	0.003
Intercept r(Dissociation, CPS)	0.63	[0.38, 0.88]	0.13	4.95	0.000
r(Trauma, Dissociation)	0.00	[−0.01, 0.02]	0.01	0.18	0.856
r(Trauma, CPS)	−0.00	[−0.03, 0.02]	0.01	−0.16	0.871
r(Dissociation, CPS)	−0.02	[−0.05, 0.01]	0.02	−1.54	0.122

Section 3 -- Meta-Regression: Study Quality (NOS) as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, Dissociation)	0.32	[0.21, 0.43]	0.06	5.66	0.000
Intercept r(Trauma, CPS)	0.41	[0.17, 0.65]	0.12	3.40	0.001
Intercept r(Dissociation, CPS)	0.48	[0.37, 0.59]	0.06	8.65	0.000
r(Trauma, Dissociation)	0.31	[0.08, 0.54]	0.12	2.60	0.009
r(Trauma, CPS)	0.33	[-0.16, 0.81]	0.25	1.32	0.186
r(Dissociation, CPS)	0.34	[0.11, 0.57]	0.12	2.89	0.004