

Delusions – Meta-SEM Results

Generated: 23 May 2026


Trauma → Dissociation → Delusions mediation model

Section 1 – Pooled Correlation Matrix (Random-Effects Model)

Variable	Trauma	Dissociation	Delusions
Trauma	–	–	–
Dissociation	0.41	–	–
Delusions	0.36	0.49	–

Section 1 – Path Coefficients and Mediation Effects

Effect	Estimate	95% CI
a (Trauma → Dissociation)	0.41	[0.33, 0.49]
b (Dissociation → Delusions)	0.41	[0.25, 0.58]
c (Trauma → Delusions, direct)	0.20	[0.06, 0.32]
Indirect effect ($a \times b$)	0.17	[0.10, 0.25]
Total effect ($c + a \times b$)	0.36	[0.27, 0.46]
% of total effect mediated	46.44%	–



Section 1 -- Per-Study Indirect Effects: Trauma -> Dissociation -> Delusions


Study	N	Indirect	95% CI
Cole 2016	200	0.21	[0.14, 0.31]
Bellido-Zanin 2018	472	0.11	[0.07, 0.15]
Mertens 2021	89	0.10	[0.04, 0.20]
Chiu 2024	43	0.16	[-0.05, 0.41]
Sun, 2018	66	0.23	[0.10, 0.43]
Perona. 2012	71	0.01	[-0.11, 0.13]
Pearce 2017	112	0.27	[0.16, 0.40]
Pooled (TSSEM)	1053	0.17	[0.10, 0.25]

Section 2 – Leave-One-Out Sensitivity Analysis: Results Table

Study	N	a	b	c	Indirect	CI lower	CI upper	Converged
Cole 2016	200	NA	NA	NA	NA	NA	NA	FALSE
Bellido–Zanin 2018	472	0.44	0.43	0.19	0.19	0.10	0.30	TRUE
Mertens 2021	89	0.42	0.44	0.16	0.18	0.10	0.29	TRUE
Chiu 2024	43	0.42	0.35	0.24	0.15	0.09	0.23	TRUE
Sun, 2018	66	0.39	0.42	0.21	0.16	0.09	0.26	TRUE
Perona. 2012	71	0.41	0.47	0.18	0.19	0.13	0.27	TRUE
Pearce 2017	112	0.41	0.38	0.22	0.15	0.08	0.24	TRUE

Section 2 – Leave-One-Out Sensitivity Analysis

Indirect effect ($a \times b$): Trauma $\rightarrow$ Dissociation $\rightarrow$ Delusions



Dashed line = full-sample estimate. Shaded band = full-sample 95% CI. Red line = zero.

Section 3 – Meta-Regression: Mean Age as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, Dissociation)	0.10	[-494.74, 494.94]	252.47	0.00	1.000
Intercept r(Trauma, Delusions)	0.10	[-409.81, 410.01]	209.14	0.00	1.000
Intercept r(Dissociation, Delusions)	0.10	[-138.82, 139.02]	70.88	0.00	0.999
r(Trauma, Dissociation)	-0.01	[-2326.57, 2326.54]	1187.02	-0.00	1.000
r(Trauma, Delusions)	-0.02	[-1967.00, 1966.97]	1003.56	-0.00	1.000
r(Dissociation, Delusions)	-0.01	[-997.24, 997.21]	508.79	-0.00	1.000

Section 3 – Meta-Regression: % Female as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, Dissociation)	0.10	[-757.59, 757.78]	386.57	0.00	1.000
Intercept r(Trauma, Delusions)	0.10	[-682.30, 682.50]	348.16	0.00	1.000
Intercept r(Dissociation, Delusions)	0.11	[-163.18, 163.40]	83.31	0.00	0.999
r(Trauma, Dissociation)	0.00	[-20793.75, 20793.76]	10609.06	0.00	1.000
r(Trauma, Delusions)	0.00	[-18731.31, 18731.31]	9556.79	0.00	1.000
r(Dissociation, Delusions)	0.00	[-4205.38, 4205.38]	2145.60	0.00	1.000

Section 3 -- Meta-Regression: Study Quality (NOS) as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, Dissociation)	0.10	[-630.96, 631.16]	321.97	0.00	1.000
Intercept r(Trauma, Delusions)	0.10	[-525.89, 526.09]	268.36	0.00	1.000
Intercept r(Dissociation, Delusions)	0.10	[-151.89, 152.09]	77.55	0.00	0.999
r(Trauma, Dissociation)	-0.02	[-280.83, 280.80]	143.27	-0.00	1.000
r(Trauma, Delusions)	-0.02	[-236.67, 236.64]	120.74	-0.00	1.000
r(Dissociation, Delusions)	-0.02	[-84.82, 84.78]	43.27	-0.00	1.000