

Hallucinations – Meta-SEM Results

Generated: 23 May 2026


Trauma → Dissociation → Hallucinations mediation model

Section 1 – Pooled Correlation Matrix (Random-Effects Model)

Variable	Trauma	Dissociation	Hallucinations
Trauma	–	–	–
Dissociation	0.36	–	–
Hallucinations	0.28	0.50	–

Section 1 – Path Coefficients and Mediation Effects

Effect	Estimate	95% CI
a (Trauma → Dissociation)	0.36	[0.28, 0.43]
b (Dissociation → Hallucinations)	0.45	[0.30, 0.61]
c (Trauma → Hallucinations, direct)	0.12	[0.00, 0.23]
Indirect effect ($a \times b$)	0.16	[0.10, 0.24]
Total effect ($c + a \times b$)	0.28	[0.20, 0.36]
% of total effect mediated	57.59%	–



Section 1 -- Per-Study Indirect Effects: Trauma -> Dissociation -> Hallucinations


Study	N	Indirect	95% CI
Cole 2016	200	0.17	[0.08, 0.27]
Yanasaki 2016	4277	0.06	[0.05, 0.07]
Bellido-Zanin 2018	472	0.15	[0.10, 0.19]
Gomez & Freyd 2017	192	0.15	[0.07, 0.24]
Jones 2023	227	0.28	[0.19, 0.37]
Chiu 2024	43	0.16	[-0.05, 0.41]
Sun, 2018	66	-0.01	[-0.19, 0.17]
Perona. 2012	71	0.07	[-0.04, 0.20]
Varese, 2012	45	0.18	[0.03, 0.39]
Pearce 2017	112	0.22	[0.13, 0.35]
Pooled (TSSEM)	5705	0.16	[0.10, 0.24]

Section 2 – Leave–One–Out Sensitivity Analysis: Results Table

Study	N	a	b	c	Indirect	CI lower	CI upper	Converged
Cole 2016	200	0.31	0.47	0.11	0.14	0.09	0.21	TRUE
Yanasaki 2016	4277	0.38	0.48	0.15	0.18	0.12	0.27	TRUE
Bellido–Zanin 2018	472	0.36	0.46	0.12	0.17	0.10	0.25	TRUE
Gomez & Freyd 2017	192	0.37	0.43	0.10	0.16	0.10	0.24	TRUE
Jones 2023	227	0.36	0.41	0.13	0.15	0.09	0.22	TRUE
Chiu 2024	43	0.36	0.42	0.14	0.15	0.09	0.23	TRUE
Sun, 2018	66	0.34	0.49	0.11	0.17	0.11	0.24	TRUE
Perona. 2012	71	0.35	0.48	0.10	0.17	0.11	0.25	TRUE
Varese, 2012	45	0.36	0.44	0.12	0.16	0.10	0.24	TRUE
Pearce 2017	112	0.35	0.45	0.13	0.16	0.09	0.24	TRUE

Section 2 – Leave-One-Out Sensitivity Analysis

Indirect effect (a×b): Trauma → Dissociation → Hallucinations



Dashed line = full-sample estimate. Shaded band = full-sample 95% CI. Red line = zero.

Section 3 – Meta-Regression: Mean Age as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, Dissociation)	0.36	[-2420.52, 2421.24]	1235.14	0.00	1.000
Intercept r(Trauma, Hallucinations)	0.28	[-1380.44, 1380.99]	704.45	0.00	1.000
Intercept r(Dissociation, Hallucinations)	0.55	[-212.60, 213.69]	108.75	0.01	0.996
r(Trauma, Dissociation)	0.00	[-44430.54, 44430.54]	22668.64	0.00	1.000
r(Trauma, Hallucinations)	0.00	[-25330.53, 25330.53]	12923.74	0.00	1.000
r(Dissociation, Hallucinations)	0.01	[-3863.36, 3863.38]	1971.11	0.00	1.000

Section 3 – Meta-Regression: % Female as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, Dissociation)	0.39	[-1549.94, 1550.72]	790.98	0.00	1.000
Intercept r(Trauma, Hallucinations)	0.33	[-823.52, 824.19]	420.33	0.00	0.999
Intercept r(Dissociation, Hallucinations)	0.47	[-110.90, 111.84]	56.82	0.01	0.993
r(Trauma, Dissociation)	0.00	[-7307.53, 7307.54]	3728.33	0.00	1.000
r(Trauma, Hallucinations)	0.00	[-3959.31, 3959.31]	2020.06	0.00	1.000
r(Dissociation, Hallucinations)	0.00	[-972.35, 972.35]	496.10	0.00	1.000

Section 3 – Meta-Regression: Study Quality (NOS) as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, Dissociation)	0.34	[-1173.83, 1174.51]	599.07	0.00	1.000
Intercept r(Trauma, Hallucinations)	0.26	[-707.53, 708.05]	361.11	0.00	0.999
Intercept r(Dissociation, Hallucinations)	0.58	[-75.03, 76.20]	38.58	0.02	0.988
r(Trauma, Dissociation)	0.01	[-1282.85, 1282.86]	654.52	0.00	1.000
r(Trauma, Hallucinations)	0.03	[-771.81, 771.87]	393.80	0.00	1.000
r(Dissociation, Hallucinations)	0.19	[-70.95, 71.33]	36.30	0.01	0.996