

Delusions – Meta-SEM Results

Generated: 11 June 2026

Trauma -> Negative Self-Schema -> Delusions mediation model


k = 5 studies | N = 1217

Section 1 – Pooled Correlation Matrix (Random-Effects Model)

Variable	Trauma	NegSchema	Delusions
Trauma	–	–	–
NegSchema	0.27	–	–
Delusions	0.26	0.31	–

Section 1 – Path Coefficients and Mediation Effects

Effect	Estimate	95% CI
a (Trauma → Neg. Self-Schema)	0.27	[0.17, 0.38]
b (Neg. Self-Schema → Delusions)	0.26	[0.10, 0.42]
c (Trauma → Delusions, direct)	0.19	[0.04, 0.33]
Indirect effect ($a \times b$)	0.07	[0.03, 0.13]
Total effect ($c + a \times b$)	0.26	[0.13, 0.39]
% of total effect mediated	27.39%	–



Section 1 – Per-Study Indirect Effects: Trauma → Neg. Self-Schema → Delusions


Study	N	Indirect	95% CI
LoPilato 2021	531	0.03	[0.01, 0.05]
Hardy 2016	228	0.03	[0.01, 0.07]
Appiah 2017	68	0.01	[-0.08, 0.11]
Ashford 2012	135	0.15	[0.08, 0.24]
Pinto-Gouveia 2014	255	0.18	[0.12, 0.25]
Pooled (TSSEM)	1217	0.07	[0.03, 0.13]

Section 2 – Leave–One–Out Sensitivity Analysis: Results Table

Study	N	a	b	c	Indirect	CI lower	CI upper	Converged
LoPilato 2021	531	0.33	0.26	0.22	0.09	0.02	0.16	TRUE
Hardy 2016	228	0.30	0.28	0.19	0.08	0.03	0.17	TRUE
Appiah 2017	68	0.27	0.30	0.21	0.08	0.04	0.15	TRUE
Ashford 2012	135	0.26	0.22	0.16	0.06	0.01	0.12	TRUE
Pinto–Gouveia 2014	255	0.21	0.22	0.15	0.05	0.02	0.09	TRUE

Leave-One-Out Sensitivity Analysis

Indirect effect (a×b): Trauma → Neg. Self-Schema → Delusions



Dashed line = full-sample estimate. Shaded band = full-sample 95% CI.
Red line = zero.

Section 3 – Meta-Regression: Mean Age as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, NegSchema)	0.10	[-622.58, 622.78]	317.70	0.00	1.000
Intercept r(Trauma, Delusions)	0.10	[-657.87, 658.07]	335.70	0.00	1.000
Intercept r(NegSchema, Delusions)	0.10	[-117.20, 117.40]	59.85	0.00	0.999
r(Trauma, NegSchema)	0.01	[-5454.33, 5454.35]	2782.83	0.00	1.000
r(Trauma, Delusions)	0.01	[-5763.37, 5763.40]	2940.50	0.00	1.000
r(NegSchema, Delusions)	0.01	[-1047.62, 1047.64]	534.50	0.00	1.000

Section 3 – Meta-Regression: % Female as Moderator

Parameter	Estimate	95% CI	SE	z value	p value
Intercept r(Trauma, NegSchema)	0.10	[-3796.85, 3797.05]	1937.22	0.00	1.000
Intercept r(Trauma, Delusions)	0.10	[-4363.08, 4363.28]	2226.11	0.00	1.000
Intercept r(NegSchema, Delusions)	0.10	[-580.74, 580.94]	296.35	0.00	1.000
r(Trauma, NegSchema)	0.01	[-176117.88, 176117.90]	89856.07	0.00	1.000
r(Trauma, Delusions)	0.01	[-202389.22, 202389.24]	103259.81	0.00	1.000
r(NegSchema, Delusions)	0.01	[-26742.98, 26743.00]	13644.38	0.00	1.000