Ruei-Jr Wu

(872)484-6688 • <u>rueijrwu@bu.edu</u> • <u>https://rueijrwu.gitlab.io/portfolio/</u> 17 Radciffe Rd #1, Allston, MA 021234, USA

Educations

• National Taiwan University *Physics, B.S.*

Taipei, Taiwan 2001-2005

• Indiana University of Bloomington, *Physics*, *M.A.*

Bloomington, IN, USA 2008-2011

- Motion Planning and Non-Linear Dynamic Control

Boston University

Boston, MA, USA 2012-2014

MS, Biomedical Engineering

- Hybrid System, AI and Machine Learning

Experiences


• National Taiwan University Hospital

Research Assistant

Taipei, Taiwan 2007-2008

- Quantitative Determination of Photoaging

The photoaging process of facial skin is investigated by use of multiphoton fluorescence (MPF) and Second Harmonic Generation (SHG) microscopy. I obtained the auto fluorescence (AF) and SHG images of superficial dermis to quantify the age of human facial skin by applying object recognition of different tissues of skin.



- Cancer Detection by Label-free microscopy

We had achieved the development of the non-invasive and label free cancer detection by using Second Harmonic Generation microscopy.


• Indiana University Bloomington

Teaching Assistant

Bloomington, IN, USA 2008-2011

- Simulation of Collective Construction in Mound-building Termites Robot

In this project, I created a package to simulate the collective behavior of mult-agents termites robot. This simulation provides a motion plane for each termite robotics to build a given 3D structure.



- Computational Simulation of Skin Formation

I built a computational Reaction-diffusion model for studying the mechanical properties of skin with aging. The simulation provides visual results demonstrating the formation and density of collagen of skin under the various conditions. This can help in the consideration of proper measures for a cosmetic product for the skin.

• Boston University

Research Assistant


rsity Boston, MA, USA 2012-2014

- Digital Dual Purkinje Image Eye-tracker (**DDPI**)

Traditional Dual Purkinje Image ((DPI)) eye-tracker is composed by sets of moving optical lens which introduce noise and artifacts. I developed DDPI eye-tracker to eliminate the complexity of design and increase the stability and accuracy of results. DDPI is using Dualtrack, an object recognition algorithm, to achieve high resolution tracking at high speed.

- Binocular-EyeRIS

DPI eye-tracker (Generation 6 by Fourward Technologies), is a device that can measure ocular motion with high resolution at hight speed. With two DPI eye-tracker, we can measure binocular eye movement. I developed the interface in C++ to control Binocular eye tracker and measure eye movement.



APLab, Boston University

Biomedical Engineer

- Dualtrack

Dualtrack is an hight speed object recognition and tracking algorithm implement on Nvidia GPU.


- PhaseSpaceVirtualReality (**PSvr**)

Psvr is a system which integrates PhaseSpace and Head Mount Display (HMD). PhaseSapce system use active infrared optical markers to capture precise body motion. PSvr is able to measure small head motion at high speed and present image to HMD to achieve precise Virtual Reality.

- APEnv

APEnv is an OpenGL based experimental 3D software which can render image to Virtual Reality or monitor. APEnv is design to integrate DDPI, Psvr and Binocular-EyeRIS and facilitate the process of experiments designe.







□ 10.0, 10.00

Boston, MA, USA

2015-

Earned Patent

US 20110178410 A1: Method of Quantitative Analysis Utilizing Multiphoton Microscopy

Skills

Programming Languages: C, C++, Fortran, Java, Javascript, Labview, Matlab, Python, VHDL

Libraries: Boost, Eigen, OpenCV, OpenGL, Qt, SDL, Volkan

CAD: Solidwork, Freecad

Publication

- 1. Wang CC, Wu R Jr et al., Label-free discrimination of normal and pulmonary cancer tissues using multiphoton fluorescence ratiometric microscopy, Appl. Phys. Lett. 97, 2010
- 2. Lin SJ, Hsu CJ, Wu R Jr et al., Quantitative multiphoton imaging for guiding basal-cell carcinoma removal, Proceedings of SPIE, 2007
- 3. Lin SJ, Wu R Jr et al., Evaluating cutaneous photoaging by use of multiphoton fluorescence and second-harmonic generation microscopy, Opt Lett. 2005