


# No cluster-forming threshold · TFCE, two-tailed FWE $p < .05$

model7 ·  $n = 58$  · surviving extent, % of mask: RPE +42.9 / -0.0 uRPE +0.0 / -26.6 Surprise +0.0 / -0.0

model7 — one GLM carrying all three signals: choice (surprise, value), feedback (uRPE first, then signed RPE). Because SPM orthogonalises serially within an event, uRPE keeps all variance it shares with signed RPE, and the RPE map is the residual. Apples-to-apples across signals.

a



# No cluster-forming threshold · TFCE, two-tailed FWE $p < .05$


model7 ·  $n = 58$  · surviving extent, % of mask: RPE +42.9 / -0.0 uRPE +0.0 / -26.6 Surprise +0.0 / -0.0

model7 — one GLM carrying all three signals: choice (surprise, value), feedback (uRPE first, then signed RPE). Because SPM orthogonalises serially within an event, uRPE keeps all variance it shares with signed RPE, and the RPE map is the residual. Apples-to-apples across signals.

## b Axial sections


RPE positive

25,696 voxels · 42.9% of mask




RPE negative

no surviving clusters




uRPE positive

27 voxels · 0.0% of mask




uRPE negative

15,892 voxels · 26.6% of mask




Surprise positive

no surviving clusters




Surprise negative

no surviving clusters



All together

numbers = ROIs of page 1




Same cuts in every row, so extent can be compared straight down a column. Rows are the six maps on their own; the last row is all of them together.

# No cluster-forming threshold · TFCE, two-tailed FWE $p < .05$

model7 ·  $n = 58$  · surviving extent, % of mask: RPE +42.9 / -0.0 uRPE +0.0 / -26.6 Surprise +0.0 / -0.0

model7 — one GLM carrying all three signals: choice (surprise, value), feedback (uRPE first, then signed RPE). Because SPM orthogonalises serially within an event, uRPE keeps all variance it shares with signed RPE, and the RPE map is the residual. Apples-to-apples across signals.

## c Coronal sections





Same cuts in every row, so extent can be compared straight down a column. Rows are the six maps on their own; the last row is all of them together.

# No cluster-forming threshold · TFCE, two-tailed FWE $p < .05$

model7 ·  $n = 58$  · surviving extent, % of mask: RPE +42.9 / -0.0 uRPE +0.0 / -26.6 Surprise +0.0 / -0.0

model7 — one GLM carrying all three signals: choice (surprise, value), feedback (uRPE first, then signed RPE). Because SPM orthogonalises serially within an event, uRPE keeps all variance it shares with signed RPE, and the RPE map is the residual. Apples-to-apples across signals.

## d Which contrasts claim each piece of tissue



A voxel's category is the set of contrasts that call it significant, so "only" means no other contrast claims it.