


Cluster-forming $t > 3.98$ ($p < 1e-4$) · cluster-extent FWE $p < .05$

model2 · $n = 58$ · surviving extent, % of mask: RPE +41.1 / -0.3 uRPE +1.0 / -8.6 Surprise +0.2 / -0.0

model2 — the GLM the paper reports: choice (surprise, value), feedback (signed RPE only). It has no uRPE regressor at all, so the uRPE rows and maps here come from model7, exactly as the manuscript mixes them. Its RPE is the full effect, not a residual.

a



Cluster-forming $t > 3.98$ ($p < 1e-4$) · cluster-extent FWE $p < .05$

model2 · $n = 58$ · surviving extent, % of mask: RPE +41.1 / -0.3 uRPE +1.0 / -8.6 Surprise +0.2 / -0.0


model2 — the GLM the paper reports: choice (surprise, value), feedback (signed RPE only). It has no uRPE regressor at all, so the uRPE rows and maps here come from model7, exactly as the manuscript mixes them. Its RPE is the full effect, not a residual.

b Axial sections · $z = -20$ to $+50$ mm

one row per map, then all of them together


RPE positive

24,602 voxels · 41.1% of mask




RPE negative

196 voxels · 0.3% of mask




uRPE positive

592 voxels · 1.0% of mask




uRPE negative

5,137 voxels · 8.6% of mask




Surprise positive

129 voxels · 0.2% of mask




Surprise negative

no surviving clusters



All together

numbers = ROIs of page 1



Same axial cuts in every row, so extent can be compared straight down a column.








Cluster-forming $t > 3.98$ ($p < 1e-4$) · cluster-extent FWE $p < .05$

model2 · $n = 58$ · surviving extent, % of mask: RPE +41.1 / -0.3 uRPE +1.0 / -8.6 Surprise +0.2 / -0.0

model2 — the GLM the paper reports: choice (surprise, value), feedback (signed RPE only). It has no uRPE regressor at all, so the uRPE rows and maps here come from model7, exactly as the manuscript mixes them. Its RPE is the full effect, not a residual.

c Coronal sections · $y = -88$ to $+42$ mm

one row per map, then all of them together



Same coronal cuts in every row, so extent can be compared straight down a column.



Cluster-forming $t > 3.98$ ($p < 1e-4$) · cluster-extent FWE $p < .05$

model2 · $n = 58$ · surviving extent, % of mask: RPE +41.1 / -0.3 uRPE +1.0 / -8.6 Surprise +0.2 / -0.0

model2 — the GLM the paper reports: choice (surprise, value), feedback (signed RPE only). It has no uRPE regressor at all, so the uRPE rows and maps here come from model7, exactly as the manuscript mixes them. Its RPE is the full effect, not a residual.

d Which contrasts claim each piece of tissue

every combination, then the six biggest mapped



A voxel's category is the set of contrasts that call it significant, so "only" means no other contrast claims it. The remaining 4 combinations hold 126 voxels and are charted but not mapped.