


Growing Feverfew: Nature's Migraine Remedy

Discover the ancient herb known as "medieval aspirin." Feverfew, with its daisy-like flowers, offers both beauty and powerful medicinal properties.

Order the Medicinal Garden Kit

Historical Significance

1

Ancient Greece

Used to treat inflammatory conditions. Prescribed by Dioscorides for "all hot inflammations."

2

Middle Ages

Common remedy in Europe for headaches, arthritis, and fever.

3

1970s

Renewed attention after success in treating severe migraines, leading to modern research.





Starting from Seeds

Seed Storage

Store in cool, dark place. Viable for 2-3 years. No pre-treatment needed.

Timing

Start indoors 6-8 weeks before last frost. Direct sow after frost danger.

Soil Preparation

Well-draining soil, pH 6.0-7.0. Add organic matter if needed.

Garden and Container Growing

Garden Growing

- Space plants 12-18 inches apart
- Surface sow seeds - need light
- Keep soil moist until germination

Container Growing

- Use 8-inch deep pots minimum
- One plant per gallon container
- Place in full sun to partial shade

Medicinal Benefits

Migraine Prevention

Primary use, supported by modern research.

Anti-inflammatory

Helps with arthritis and general inflammation.

Pain Relief

Aids in menstrual pain and headache relief.

Contains beneficial compounds like parthenolide and flavonoids.

Maintenance and Harvesting

1

Maintenance

Water moderately. Pinch back for bushiness. Protect from strong winds.

2

Harvesting Leaves

Collect young leaves before flowering. Pick in morning after dew dries.

3

Harvesting Flowers

Gather fully opened flower heads on sunny mornings.





Storage and Preservation

Drying


Dry leaves and flowers quickly to preserve potency.

Storage

Keep in airtight containers away from light and heat.

Shelf Life

Use dried herbs within one year for best results.



Safety Considerations

Potential Side Effects

May cause mouth ulcers, allergic reactions, or digestive upset.

Interactions

Can interact with blood-thinning medications. Consult healthcare provider before use.

Precautions

Not recommended during pregnancy, nursing, or for young children.