

Lab-10 PHP

1. Write a function that calculates the square of a number using Call by Value. Ensure the original number remains unchanged. Input:5


Code:

```
<?php
function square($num)
{
    $result = $num * $num;
    echo "Inside function: Square of number is $result <br>";
}

$number = 5;
square($number);

echo "Outside function: Original number remains $number";
?>
```

Output:



Inside function: Square of number is 25
Outside function: Original number remains 5

2. Write a function that takes a product price and increases it by 10% using Call by Reference. Ensure the price is updated globally. Product price:500 as input


Code:

```
<?php
function increasePrice(&$price)
{
    $price = $price + ($price * 0.10);
    echo "Inside function: Updated Price = $price <br>";
}

$productPrice = 500;
increasePrice($productPrice);

echo "Outside function: Final Product Price = $productPrice";
?>
```

Output:



Inside function: Updated Price = 550
Outside function: Final Product Price = 550

3. Write a function that swaps two numbers using Call by Reference. Input: num1:10 and num2:20

Code:

```
<?php
function swapNumbers(&$a, &$b)
{
    $temp = $a;
    $a = $b;
    $b = $temp;
}


$num1 = 10;
$num2 = 20;

echo "Before swap: num1 = $num1, num2 = $num2 <br>";

swapNumbers($num1, $num2);

echo "After swap: num1 = $num1, num2 = $num2";
?>
```

Output:



Before swap: num1 = 10, num2 = 20
After swap: num1 = 20, num2 = 10