

Lab-5 PHP

Q1-Create a PHP program where the user has to guess a random number between 1 and 10. Use a do-while loop to keep asking until the correct number is guessed.


Code:

```
<?php
session_start();

if (!isset($_SESSION['num'])) {
    $_SESSION['num'] = rand(1,10);
}

$msg = "";
if (isset($_POST['guess'])) {
    $g = (int)$_POST['guess'];
    do {
        if ($g < $_SESSION['num']) $msg = "Too Low";
        elseif ($g > $_SESSION['num']) $msg = "Too High";
        else {
            $msg = "🎉 Correct!";
            unset($_SESSION['num']);
        }
    } while (false);
}
?>
<form method="post">
    <input type="number" name="guess" required>
    <button>Guess</button>
</form>
<p><?= $msg ?></p>
```


Output:

A screenshot of a web browser window. The address bar shows 'localhost/PHP%20Labs/lab5/Question1.php'. Below the address bar is a form with a text input field containing the number '10' and a 'Guess' button. Below the form, the text '🎉 Correct!' is displayed, indicating a successful guess.

Q2-Write a PHP program that keeps asking the user to enter a number greater than 100. If they enter a number less than or equal to 100, prompt them again.

Code:

```
<?php
$msg = "";
if (isset($_POST['num'])) {
    do {
        if ($_POST['num'] > 100) $msg = "Valid number ✓";
        else $msg = "Must be greater than 100 ✗";
    } while (false);
}
?>
<form method="post">
    <input type="number" name="num" required>
    <button>Submit</button>
</form>
<p><?= $msg ?></p>
```

Output:

← → ↻ ⓘ localhost/PHP%20Labs/lab5/Question2.php


Valid number ✓

Q3-Write a PHP program that reverses a string using a do-while loop.

Code:

```
<?php
$result = "";
if (isset($_POST['str'])) {
    $s = $_POST['str'];
    $i = strlen($s) - 1;
    do {
        $result .= $s[$i];
        $i--;
    } while ($i >= 0);
}
?>
<form method="post">
    <input type="text" name="str" required>
    <button>Reverse</button>
</form>
<p><?= $result ?></p>
```

Output:




A screenshot of a web browser window. The address bar shows 'localhost/PHP%20Labs/lab5/Question3.php'. Below the address bar, there is a text input field containing 'Hello World!' and a 'Reverse' button. The output of the script is displayed below the input field as '!dlroW olleH'.

Q4-Write a PHP program that counts the number of digits in a given number using a do-while loop.

Code:

```
<?php
if (isset($_POST['text'])) {
    $words = explode(" ", strtolower($_POST['text']));
    $count = [];
    foreach ($words as $w) {
        if (!isset($count[$w])) $count[$w] = 0;
        $count[$w]++;
    }
    foreach ($count as $k=>$v) {
        echo "$k : $v <br>";
    }
}
?>
<form method="post">
    <textarea name="text"></textarea><br>
    <button>Count</button>
</form>
```

Output:




A screenshot of a web browser window. The address bar shows 'localhost/PHP%20Labs/lab5/Question4.php'. Below the address bar, there is a text input field containing '222' and a 'Count' button. The output of the script is displayed below the input field as 'Digits: 3'.

Q5-Write a PHP program that finds the sum of the digits of a number using a do-while loop.

Code:

```
<?php
$sum = "";
if (isset($_POST['num'])) {
    $n = abs($_POST['num']);
    $s = 0;
    do {
        $s += $n % 10;
        $n = intval($n / 10);
    } while ($n > 0);
    $sum = "Sum: $s";
}
?>
<form method="post">
    <input type="number" name="num" required>
    <button>Calculate</button>
</form>
<p><?= $sum ?></p>
```

Output:



← → ↻ ⓘ localhost/PHP%20Labs/lab5/Question5.php

Sum: 6


Q6-Write a PHP program that prompts the user to enter a password. Keep asking until they enter "secure123" as the correct password.

Code:

```
<?php
$msg = "";
if (isset($_POST['pw'])) {
    do {
        if ($_POST['pw'] === "secure123") $msg = "Access Granted ✓";
        else $msg = "Wrong Password ✗";
    } while (false);
}
?>
<form method="post">
    <input type="password" name="pw" required>
```

```
<button>Login</button>
</form>
<p><?= $msg ?></p>
```

Output:




Q7-Write a PHP program that finds the largest number in an array using a foreach loop.

Code:

```
<?php
$arr = [10, 25, 7, 99, 54];
$max = $arr[0];

foreach ($arr as $v) {
    if ($v > $max) $max = $v;
}
echo "Largest Number: $max";
?>
```

Output:



Q8-Write a PHP program that reverses an array using a foreach loop and stores the result in a new array.


Code:

```
<?php
$arr = [1,2,3,4,5];
$rev = [];

foreach ($arr as $v) {
    array_unshift($rev, $v);
}
```

```
echo "Reversed: ".implode(" ", $rev);  
?>
```

Output:




Reversed: 5, 4, 3, 2, 1

Q9-Write a PHP program that filters out all non-string values from an array and prints only the string values.

Code:

```
<?php  
$data = ["PHP", 10, "HTML", true, "CSS"];  
foreach ($data as $v) {  
    if (is_string($v)) echo $v."<br>";  
}  
?>
```

Output:



PHP
HTML
CSS


Q10-Write a PHP program that counts how many times each word appears in a sentence using a foreach loop.

Code:

```
<?php  
if (isset($_POST['text'])) {  
    $words = explode(" ", strtolower($_POST['text']));  
    $count = [];  
    foreach ($words as $w) {  
        if (!isset($count[$w])) $count[$w] = 0;  
        $count[$w]++;  
    }  
    foreach ($count as $k=>$v) {  
        echo "$k : $v <br>";  
    }  
}  
?  
<form method="post">  
    <textarea name="text"></textarea><br>
```

```
<button>Count</button>
</form>
```

Output:



localhost/PHP%20Labs/lab5/Question10.php

php : 1
is : 1
a : 1
widely-used, : 1
open-source : 1
server-side : 1
scripting : 1
language : 1
designed : 1
primarily : 1
for : 1
web : 1
development : 1
to : 1
create : 1
dynamic : 1
and : 1
interactive : 1
websites. : 1

PHP is a widely-used, open-source server-side scripting language designed primarily for web development to create dynamic and interactive websites.

Count