Ruh.ai V1 Reference Pack Definition Construction Project Operations Pack

Reusable digital employees for RFI coordination, submittals, document control, reporting, and action tracking across general contractors and specialty contractors

This document instantiates the platform PRD, V1 system design, API contract, and employee pack specification as a concrete industry pack. The goal is to define one horizontal pack that can be configured for many construction firms instead of rebuilding niche one-off workflows for each customer.

What this pack must accomplish

- Take repetitive, document-heavy project operations work off project engineers, coordinators, and PMs.
- Operate above the customer's existing system of record instead of replacing PMIS and document systems.
- Keep all material external actions behind governed approval rules, citations, and full audit history.
- Stay horizontal enough to fit many contractors, while still reflecting real construction nouns and workflows.

Document facts

Pack ID: ref.construction.project-ops

Reference version: 1.0.0

Pack type: Industry reference pack

Primary deployment model: One tenant trust boundary; one workspace per project

Conforms to: Ruh.ai V1 Employee Pack Specification

Outcome area	Problems removed	Primary workflows	Business measures
Project correspondence	Work enters through scattered email, chat, PMIS alerts, and file drops with no consistent triage.	Signal intake and routing	Response time, unassigned signal count
Design coordination	Questions are repeated, poorly sourced, or delayed because current drawings/specs are hard to assemble.	RFI lifecycle	Draft-to-submit time, duplicate RFI rate
Vendor review flow	Submittals are incomplete, routed late, and chased manually.	Submittal lifecycle	Cycle time, overdue review count
Team coordination	Meeting prep, action logging, and follow-up consume experienced staff time.	Meeting pack and action sync	Minutes turnaround, overdue action items

Project visibility	Weekly status updates are stitched together by hand from many sources.	Daily and weekly reporting	Hours saved, report turnaround

Why this pack stays horizontal

The pack does not encode one customer's vocabulary or one PMIS vendor as the product. It standardizes the common operating spine of construction project administration: intake, document resolution, RFI coordination, submittal coordination, reporting, and follow-through. Tenant overlays map the pack to each contractor's terminology, permissions, and systems.

Executive snapshot

The Construction Project Operations Pack is a governed digital-employee bundle for active project execution. It assumes the contractor already has at least one digital system of record - typically a PMIS, a document repository, and team communication channels - but is still spending too many human hours classifying inbound requests, assembling document context, drafting coordination artifacts, chasing overdue items, and preparing recurring reports.

The pack exports six default employee templates, six repeatable workflows, connector bindings for PMIS/document/messaging systems, policy profiles for low-to-high-risk actions, and eval suites that prove citation quality, routing correctness, stale-document detection, and approval compliance before promotion.

Pack area	V1 reference definition
Employees	Project intake coordinator; document controller; RFI coordinator; submittal coordinator; meeting & reporting analyst; action & risk tracker
Core workflows	Correspondence intake; RFI lifecycle; submittal lifecycle; meeting pack + action sync; daily/weekly reporting; issue/risk watchlist
Supported capability groups	PMIS read/write; document repository read/write; email/chat; calendar read; reporting export; optional schedule read
Non-negotiable controls	Citation-first drafting; document revision awareness; human approval for material external writes; immutable audit log
Pilot slice	Intake, RFI, submittal, meeting/action workflows on 2-3 active projects



Figure 1. The construction pack bundles employees, workflows, connectors, and controls into one reusable distribution unit.

1. Purpose, scope, and design goals

The purpose of this pack is to operationalize the digital-employee platform in the part of construction where cross-company repetition is strongest: document-heavy project operations. The pack should be usable by a general contractor, a larger specialty contractor, or an owner's representative with light overlay changes rather than bespoke workflow engineering.

The pack is intentionally narrow in what it automates. It removes administrative drag around coordination, documentation, and follow-through. It does not try to automate field means-and-methods decisions, safety-critical instructions, contractual commitments, or schedule resequencing without direct human ownership.

- Must sit above, not replace, the customer's PMIS, document repository, email, and chat systems.
- Must produce structured artifacts and citations instead of free-form chatbot outputs.
- Must let humans approve external write-backs, owner/designer communication, and any action that changes project record.
- Must support one workspace per project so context, documents, and approvals stay scoped correctly.

1.1 Out of scope for V1

- Autonomous schedule changes, financial commitments, pay application decisions, or procurement commitments.
- Safety instructions, means-and-methods recommendations, or field directives that can change physical work without human sign-off.
- Replacing Procore, Autodesk Construction Cloud, SharePoint, Teams, email, or the firm's existing document approval process.

2. Target operating model and deployment assumptions

Dimension	Reference assumption	Why it matters
Tenant boundary	One contractor or owner organization per deployment boundary	Matches the platform trust model and keeps secrets, approvals, and audit logs isolated.
Workspace model	One workspace per project; optional portfolio workspace for leadership reporting	Prevents document and action contamination across jobs.
Primary operators	Project engineer, project manager, coordinator, document control lead, operations leader	These roles feel the coordination pain first and can approve outputs.
System of record	At least one PMIS and one document repository are already in use	The pack writes back into real workflows instead of creating a parallel shadow system.
Message channels	Email plus Slack or Teams are present; calendar access is available for meeting workflows	The pack must meet teams where they already work.
Rollout mode	Pilot 2-3 active projects before portfolio template rollout	Needed to tune vocabulary, approval rules, and provider overlays.

Supported customer archetypes

- General contractor with PM/PE-heavy document coordination burden.
- Specialty contractor managing shop drawings, RFIs, and submittals with lean office staff.
- Owner's rep or construction management firm that needs cleaner status summaries and action tracking across projects.

3. Pack identity, dependency model, and exported assets

This pack is an industry reference pack, not a provider pack. It declares normalized construction capabilities and exported employee templates while relying on provider overlays to bind those capabilities to Procore, Autodesk Construction Cloud, SharePoint, Box, Teams, Slack, email, and other supported systems.

Manifest field	Reference value
id	ref.construction.project-ops
version	1.0.0
packType	industry-reference
dependsOn	ruh.foundation.runtime; ruh.foundation.approvals; ruh.foundation.documents; provider overlays

exports.employeeTemplates	6
exports.workflowTemplates	6
defaultPolicyProfile	construction-project-ops-default
defaultEvalSuite	construction-project-ops-core

3.1 Suggested source tree

```
construction.project-ops/
  pack.yaml
  README.md
  employees/
    intake-coordinator.yaml
    document-controller.yaml
    rfi-coordinator.yaml
    submittal-coordinator.yaml
    meeting-reporting-analyst.yaml
    action-risk-tracker.yaml
  workflows/
    correspondence-intake.yaml
    rfi-lifecycle.yaml
    submittal-lifecycle.yaml
    meeting-pack-action-sync.yaml
    daily-weekly-reporting.yaml
    issue-risk-watchlist.yaml
  artifacts/
    intake-brief.schema.json
    rfi-draft.schema.json
    submittal-completeness.schema.json
    meeting-pack.schema.json
    action-register-delta.schema.json
  skills/
    document-resolution/
    pmis-writeback/
    report-export/
  evals/
    routing/
    citations/
    approvals/
    stale-document-detection/
  overlays/
    gc-default.overlay.yaml
    specialty-default.overlay.yaml
```

4. Canonical objects and construction vocabulary

The reference pack can only stay reusable if it normalizes construction nouns before they reach employee prompts or workflow logic. Provider-specific field names are adapter concerns; the pack works against a canonical object model.

Canonical object	Description	Representative source systems
Project	The workspace root. Holds	PMIS, ERP, CRM

	participants, phases, cost codes, calendars, and policy bindings.	
Document	Any managed file or record with title, type, revision, discipline, and status.	PMIS, SharePoint, Box
Drawing / sheet	Revision-controlled design drawing or sheet reference.	PMIS, file store
Spec section	Specification section or clause used for submittal/RFI context.	Specs PDFs, PMIS
RFI	Question record with cited sources, due date, status, answer, and impacted parties.	PMIS, email
Submittal	Package or item requiring completeness check, routing, comments, and return.	PMIS
Meeting	Scheduled coordination event with agenda, notes, and linked actions.	Calendar, docs
Action item	Tracked commitment with owner, due date, source meeting/signal, and status.	Docs, task system
Daily log	Daily activity narrative, key events, issues, weather, or manpower record.	PMIS
Issue / risk	Open concern requiring monitoring or escalation.	PMIS, risk log, notes
Change event	Potential project change identified through correspondence or issue tracking.	PMIS, logs

4.1 Document resolution rules

- Every external draft must cite the latest approved or referenced document revision used to generate it.
- If two active sources conflict, the pack must surface the conflict rather than choosing silently.
- If a required attachment or spec reference is missing, the employee returns an incompleteness result instead of improvising.
- The document controller owns canonical source resolution and provides citation bundles to specialist employees.



Figure 2. Default collaboration pattern for construction workflows: intake and document resolution feed the specialist employee, while the orchestrator and action tracker govern follow-through.

5. Employee roster and collaboration contract

The pack exports six default employee templates. Each employee has one primary lane of responsibility. Cross-employee collaboration happens through typed tasks and structured artifacts created by the Ruh.ai orchestrator; employees may request subtasks, but they do not create shadow state outside the workflow engine.

Employee	Primary lane	Default risk tier	What success looks like
Project intake coordinator	Capture inbound signal, classify it, link it to a project, and route the right workflow.	Low	Nothing important sits unassigned in email/chat/PMIS alerts.
Document controller	Resolve document context, revisions, and metadata for downstream work.	Low-Medium	Specialist employees always receive the right source bundle.
RFI coordinator	Prepare RFI drafts, duplicate checks, and response summaries.	Medium	High-quality RFI packages with citations and fewer duplicates.
Submittal coordinator	Check completeness, route reviewers, and consolidate return comments.	Medium	Shorter review cycles and fewer incomplete packages.
Meeting & reporting analyst	Prepare agendas, packs, summaries, and recurring reports.	Low-Medium	Fast turnaround on packs and summaries.
Action & risk tracker	Maintain commitments, due dates, reminders, and risk watchlists.	Medium	Fewer overdue actions and cleaner status visibility.

5.1 Project intake coordinator

Field	Definition
Purpose	Turns fragmented inbound work into clean, project-scoped task records. It is the front door for email, chat, PMIS notifications, uploaded files, and user-submitted requests.
Primary triggers	Inbound email/chat message; new PMIS alert; file upload; manually submitted task request.
Accepts tasks	raw_signal.normalize; project.lookup; route.recommendation
Produces	Intake brief; proposed project/workflow route; severity and due-date hints; source bundle links.
Capabilities	messaging.read; docs.search; pmis.read; directory.lookup; task.write-internal
Default approval profile	Auto for internal task creation. Approval required for any outbound draft to an external recipient.
Key KPIs	Signal-to-route time; orphaned signal count; routing precision.

5.2 Document controller

Field	Definition
Purpose	Resolves the document context for downstream employees by identifying the right drawings, spec sections, prior records, revisions, and missing references.
Primary triggers	Task from intake; workflow step needing source bundle; stale-document warning.
Accepts tasks	document.resolve; revision.check; source.bundle.assemble
Produces	Citation bundle; document register delta; conflict/missing-source alerts.
Capabilities	docs.read; docs.metadata.write; pmis.read; search.index.read
Default approval profile	Auto for internal metadata tagging. Approval required for any external publication or official record change.
Key KPIs	Correct revision selection; stale-source detection

	recall; missing-reference detection.

5.3 RFI coordinator

Field	Definition
Purpose	Drafts RFIs and related follow-up summaries using validated document context rather than ad-hoc free text.
Primary triggers	Unresolved design question; issue escalated from meeting/action flow; PM/PE request.
Accepts tasks	rfi.prepare; rfi.duplicate-check; rfi.response.summarize
Produces	RFI draft; duplicate analysis; due-date suggestion; response-impact summary.
Capabilities	pmis.read/write-draft; docs.read; messaging.draft; export.pdf
Default approval profile	Human approval required before creating or transmitting an official external RFI.
Key KPIs	Draft-to-approval time; duplicate RFI reduction; citation completeness.

5.4 Submittal coordinator

Field	Definition
Purpose	Automates the clerical work around submittal completeness, routing, reminder management, and comment consolidation.
Primary triggers	New vendor submittal; PMIS submittal state change; overdue review window.
Accepts tasks	submittal.check; submittal.route; submittal.return.package
Produces	Completeness report; reviewer routing list; reminder notifications; consolidated return package draft.
Capabilities	pmis.read/write-draft; docs.read; messaging.draft; calendar.read
Default approval profile	Approval required for final external return package or reviewer assignment updates that change the official record.

Key KPIs	Cycle time; incomplete-package detection precision; overdue-review reduction.

5.5 Meeting & reporting analyst

Field	Definition
Purpose	Packages project status into recurring internal and external summaries without forcing senior staff to assemble every artifact by hand.
Primary triggers	Scheduled meeting; end-of-day or end-of-week schedule; PM/leadership request.
Accepts tasks	meeting.pack.prepare; report.weekly.generate; summary.compose
Produces	Agenda; meeting pack; meeting notes draft; daily/weekly report draft; executive summary.
Capabilities	calendar.read; docs.read/write-draft; pmis.read; export.pdf
Default approval profile	External distribution requires approval. Internal drafts and working packs may auto-generate.
Key KPIs	Minutes turnaround; report prep time; action extraction quality.

5.6 Action & risk tracker

Field	Definition
Purpose	Owns the follow-through layer by maintaining action items, reminders, overdue notifications, and simple issue/risk watchlists.
Primary triggers	Meeting notes; RFI/submittal status changes; overdue thresholds; manual update request.
Accepts tasks	action.register.update; reminder.send; risk.watchlist.update
Produces	Action register delta; reminder queue; overdue digest; risk watchlist updates.
Capabilities	task.read/write; pmis.read/write-limited; messaging.notify; report.export
Default approval profile	Auto for internal reminders and internal task updates. Approval required for external

	owner/designer notifications.
Key KPIs	Overdue action count; reminder timeliness; status freshness.

6. Workflow catalog

Each workflow below is pack content, not bespoke implementation logic. The orchestrator materializes official task records, assigns the primary employee, enforces approval gates, and records artifacts. Employees produce proposals and outputs; the workflow engine owns business state.

Workflow	Primary trigger	Employee pattern	What the workflow does	Approval gate	Primary measures
Correspondence intake and project routing	Inbound email/chat/PMIS signal	Intake coordinator -> document controller as needed	Normalize signal, detect project, classify intent, create task, notify owner	Mostly auto; external reply draft requires approval	Signal-to-route time; routing precision
RFI lifecycle	User request or unresolved coordination issue	RFI coordinator with document controller support	Resolve source bundle, check duplicates, draft RFI, request approval, write back, monitor response, summarize answer	Official RFI creation or send requires approval	Draft-to-submit time; duplicate rate
Submittal lifecycle	New vendor package or PMIS state change	Submittal coordinator with action tracker	Check completeness, route reviewers, chase overdue reviews, consolidate comments, prepare return package	Final return or official reviewer update requires approval	Cycle time; overdue-review reduction
Meeting pack and action sync	Scheduled meeting or recurring cadence	Meeting/reporting analyst + action tracker	Gather open items, draft agenda, compile pack, summarize notes, update action register, chase owners	External distribution requires approval	Minutes turnaround; action freshness
Daily and weekly reporting	Daily or weekly cron schedule	Meeting/reporting analyst	Aggregate updates, issues, trends, photos/notes, draft report, route for review, publish	External publication requires approval	Report turnaround; hours saved
Issue and risk	New issue,	Action & risk	Cluster related	Escalation	Emerging risk

watchlist	overdue trend, repeated blocker	tracker	signals, update watchlist, recommend escalation, notify PM/leadership	messages outside the team require approval	detection; overdue-item reduction

6.1 MVP workflow slice

- Pilot intake and routing on every project from day one because clean task creation is required for all downstream value.
- Make RFI lifecycle and submittal lifecycle the first specialist workflows because they are repetitive, visible, and measurable.
- Add meeting pack and action sync in the pilot because it proves recurring value and closes the loop on follow-through.
- Hold daily/weekly reporting and issue/risk watchlist behind the first round of tuned templates unless a customer already has structured inputs.

7. Connector and capability profile

The pack declares capability groups first and provider bindings second. This keeps the pack horizontal across contractors while allowing one tenant to bind PMIS capability to Procore and another to Autodesk Construction Cloud.

Capability group	Required?	Typical providers	Pack usage
pmis.read	Yes	Procore; Autodesk ACC; other supported PMIS adapters	Read RFIs, submittals, status fields, contacts, and issue logs.
pmis.write-draft	Yes	Procore; Autodesk ACC	Create or update draft records behind approval gates.
docs.read	Yes	SharePoint; OneDrive; Box; Google Drive; PMIS docs	Resolve drawings, specs, attachments, and meeting source material.
docs.metadata.write	Recommended	SharePoint; Box; internal index	Tag or index documents and maintain internal source bundles.
messaging.read	Yes	Email; Teams; Slack	Capture inbound signals and reminders.
messaging.draft/notify	Yes	Email; Teams; Slack	Prepare drafts and send internal reminders.
calendar.read	Recommended	Outlook; Google Calendar	Find meeting context and publish meeting-pack timing.
schedule.read	Optional	Primavera P6; Microsoft Project	Enrich weekly summaries and lookahead notes without making schedule decisions.
report.export	Yes	PDF / DOCX / HTML export service	Generate meeting packs, summaries, and reusable

			attachments.

7.1 Minimum provider overlays

```
providers:
  pmis:
    adapter: procore | autodesk-acc
  documents:
    adapter: sharepoint | onedrive | box | google-drive
  messaging:
    inbound: email
    teamChat: teams | slack
  calendar:
    adapter: outlook | google
policies:
  externalApprovalGroup: project_manager
  internalReminderChannels:
    - teams:project-ops
```

8. Policy, approval, and safety model

Construction workflows look routine until an automation touches an official record or sends something that changes project obligations. The default policy profile therefore separates low-risk internal work from material external actions.

Representative action	Default treatment	Notes
Classify an inbound email or chat message	Auto	Internal read-only action; always logged.
Create an internal task record in Ruh.ai	Auto	Reversible and internal.
Tag a document or assemble a citation bundle	Auto	Internal metadata operation.
Draft an RFI, submittal return memo, or meeting minutes	Auto draft	Artifact produced internally first; no transmission.
Create an official RFI or submittal record in PMIS	Approval required	Human must verify content, recipient, and impact.
Send external communication to owner, architect, engineer, or vendor	Approval required	Logged with artifact, source citations, and approver.
Change schedule dates, cost commitments, or contractual terms	Human only	Out of scope for unattended automation.
Issue safety or field directives	Forbidden	Not allowed in this pack.

Approval rule design principle

The pack earns trust by automating assembly, analysis, and follow-through first. It does not earn

trust by acting autonomously where the customer's legal, contractual, or physical risk materially increases.

9. Canonical artifacts and sample contracts

Every workflow must emit structured artifacts that can be stored, reviewed, versioned, and replayed. The pack does not rely on unstructured chat output as the official interface between employees and humans.

Artifact	Produced by	Required fields
Intake brief	Intake coordinator	sourceRefs; proposedProject; signalType; priority; recommendedWorkflow; openQuestions
Citation bundle	Document controller	documentRefs; revisionRefs; conflicts; missingSources; confidence
RFI draft	RFI coordinator	subject; question; citedSources; proposedDueDate; impactedAreas; draftRecipients
Submittal completeness report	Submittal coordinator	submittalId; requiredAttachments; missingItems; routingProposal; confidence
Meeting pack	Meeting/reporting analyst	agenda; openItems; statusSummary; attachedArtifacts; discussionPrompts
Action register delta	Action & risk tracker	newItems; updates; overdueItems; remindersQueued
Weekly executive summary	Meeting/reporting analyst	wins; blockers; overdueCounts; trendFlags; escalationNeeds

9.1 Sample workflow input

```
task:
  type: rfi.prepare
  workspaceRef: project:ACME-Hospital-Tower
  sourceRefs:
    - email:thread:8931
    - docs:drawing:A6.21:rev-4
    - docs:spec:09-29-00
  requester:
    personRef: user:pe-104
  requestedDueDate: 2026-04-14
  context:
    location: "Level 5 west corridor"
    discipline: "interiors"
```

9.2 Sample RFI draft output

```
artifact:
  type: rfi-draft
  title: "Clarification requested for corridor soffit height at Level 5 west corridor"
  question: >
    Please confirm the required soffit height and detail priority where drawing A6.21 rev 4
    and specification section 09 29 00 appear to conflict at the Level 5 west corridor ceiling
line.
  citedSources:
    - docs:drawing:A6.21:rev-4
    - docs:spec:09-29-00
  relatedRecords:
    - pmis:rfi:RFI-042
  confidence: 0.91
  approvalRequired: true
```

10. Eval suite and release gates

Because this pack writes into real project workflows, evaluation is mandatory. The reference pack ships scenario sets that verify both role behavior and policy enforcement before any tenant promotion.

Eval family	What it checks	Suggested release threshold
Routing evals	Correct project and workflow classification from messy inbound signals	>= 0.90 weighted accuracy on reference set
Citation and revision evals	Correct source resolution and stale-document detection	No critical stale-source misses; >= 0.95 citation completeness
RFI draft quality evals	Clear question framing, duplicate awareness, and required fields	>= 0.85 reviewer acceptance
Submittal completeness evals	Detection of missing attachments, spec mapping, and routing suggestions	>= 0.90 precision on missing-item detection
Action extraction evals	Extraction of commitments and due dates from meeting notes	>= 0.88 F1 on action-item extraction
Policy enforcement evals	Approval prompts, blocked actions, and forbidden-action refusal	100% pass on high-risk policy tests

- No pack release is promotable if policy tests fail, even when artifact quality is high.
- Tenant promotion requires at least one overlay-specific smoke test against the customer's provider bindings.
- Production incidents must feed new eval cases back into the pack before the next minor release.

11. MVP deployment plan for the reference pack

Phase	What ships	Definition of success

Phase 1 - project foundation	Tenant overlay, project workspace creation, intake coordinator, document controller, baseline audit logs	Signals route correctly and document bundles resolve.
Phase 2 - specialist workflows	RFI coordinator, submittal coordinator, PMIS draft write-back, approval UI	Draft artifacts are used in the team's daily work.
Phase 3 - recurring coordination	Meeting/reporting analyst, action & risk tracker, reminder and report exports	Recurring meeting and follow-through work measurably shrinks.
Phase 4 - portfolio reuse	Overlay hardening, template tuning, cross-project reporting, release gates for wider rollout	Customer can onboard additional projects with low incremental setup.

Pilot success metrics

- Reduction in average time from inbound signal to assigned owner.
- Reduction in RFI draft preparation time and duplicate RFI occurrences.
- Reduction in submittal overdue-review count.
- Reduction in meeting-minutes turnaround time and overdue action items.

12. Example manifest and overlay excerpts

12.1 Manifest excerpt

```
id: ref.construction.project-ops
version: 1.0.0
packType: industry-reference
dependsOn:
  - ruh.foundation.runtime@^1.0
  - ruh.foundation.approvals@^1.0
  - ruh.foundation.documents@^1.0
exports:
  employeeTemplates:
    - construction.intake-coordinator.v1
    - construction.document-controller.v1
    - construction.rfi-coordinator.v1
    - construction.submittal-coordinator.v1
    - construction.meeting-reporting-analyst.v1
    - construction.action-risk-tracker.v1
  workflowTemplates:
    - construction.correspondence-intake.v1
    - construction.rfi-lifecycle.v1
    - construction.submittal-lifecycle.v1
    - construction.meeting-pack-action-sync.v1
    - construction.daily-weekly-reporting.v1
    - construction.issue-risk-watchlist.v1
defaultPolicyProfile: construction-project-ops-default
```

```
defaultEvalSuite: construction-project-ops-core
```

12.2 Tenant overlay excerpt

```
tenant:
  name: "Sample GC"
  operatingModel: general-contractor
  workspaceMode: per-project
providers:
  pmis:
    adapter: procore
  documents:
    adapter: sharepoint
  messaging:
    inbound: email
    teamChat: teams
  calendar:
    adapter: outlook
policies:
  externalApprovalGroup:
    - role: project-manager
    - role: senior-project-engineer
  forbiddenActions:
    - schedule.commit
    - safety.directive
    - contract.term.change
vocabulary:
  submittalAlias: "shop drawing package"
  actionItemAlias: "follow-up item"
```

Appendix A. Runtime mapping example

Exported employee	Compiled OpenClaw agent id	Workspace bootstrap files	Primary skill groups
construction.intake-coordinator.v1	proj-<id>-intake	SOUL.md; AGENTS.md; intake-routing.md	message-intake; project-resolution
construction.document-controller.v1	proj-<id>-docctrl	SOUL.md; AGENTS.md; source-resolution.md	document-resolution; revision-check
construction.rfi-coordinator.v1	proj-<id>-rfi	SOUL.md; AGENTS.md; rfi-playbook.md	rfi-drafting; pmis-writeback
construction.submittal-coordinator.v1	proj-<id>-submittal	SOUL.md; AGENTS.md; submittal-playbook.md	submittal-check; reminder-management
construction.meeting-reporting-analyst.v1	proj-<id>-reporting	SOUL.md; AGENTS.md; reporting-playbook.md	meeting-pack; report-export
construction.action-risk-tracker.v1	proj-<id>-actions	SOUL.md; AGENTS.md; follow-through.md	action-register; risk-watch

Appendix B. Source assumptions

The references below anchor the OpenClaw runtime assumptions used by this reference pack and should be revisited whenever the runtime adapter changes.

[R1] OpenClaw CLI - agents (isolated agents with workspaces, auth, and routing) - https://docs.openclaw.ai/cli/agents

[R2] OpenClaw tools - skills (AgentSkills-compatible skill folders) - https://docs.openclaw.ai/tools/skills

[R3] OpenClaw automation - hooks - https://docs.openclaw.ai/automation/hooks

[R4] OpenClaw automation - cron jobs - https://docs.openclaw.ai/automation/cron-jobs

[R5] OpenClaw gateway - sandboxing - https://docs.openclaw.ai/gateway/sandboxing

[R6] OpenClaw gateway - security - https://docs.openclaw.ai/gateway/security