

The Aggregate Green Elasticity of Substitution

Rui Sousa^{*}

Department of Economics,
Northwestern University

May 29, 2025[†]

Abstract

We develop a methodology to estimate the aggregate elasticity of substitution between polluting and non-polluting energy. Exploiting variation in US states' energy mixes, we estimate an elasticity of 0.59 – statistically closer to unity and significantly smaller than prior studies suggest. This implies that subsidies alone may be insufficient to achieve a long-run energy transition. A model linking aggregate and sectoral elasticities implies a technological elasticity of 0.72, with the transportation sector emerging as a key constraint on overall substitutability. We show that increases in clean energy shares do not significantly raise the aggregate elasticity unless sectoral elasticities rise.

1 Introduction

Many assessments of the feasibility, pace, and cost of the energy transition hinge on the concept of an aggregate elasticity of substitution — that is, the economy-wide capacity to substitute polluting energy sources with cleaner alternatives. Despite its centrality, our understanding of this concept remains limited. This paper advances this literature in two key ways. First, it introduces a novel empirical strategy to estimate an aggregate elasticity of 0.59 for the United States (US), the world's second-largest emitter of carbon dioxide in the world ([Climate Watch, 2021](#)). Second, it develops a theoretical framework that links sectoral energy use to aggregate

^{*}Contact: rui.agm.sousa@u.northwestern.edu. I am in gratitude to my advisors Martin Eichenbaum, Diego Käenzig and Giorgio Primiceri, and to Mar Raguant for their guidance. I thank Jacopo Ponticelli, John Hassler, Jaeeun Seo and seminar participants at Northwestern for helpful comments and discussions. This work was conducted under the financial support of Fundação para a Ciência e a Tecnologia. All errors are my own.

[†]First version: May 22, 2025. For the latest version see [here](#).

energy consumption, connecting our macro-level estimates to micro-level mechanisms. These contributions offer new insights into the sources and dynamics of the aggregate elasticity, with implications for the effectiveness of policy tools like subsidies.

Estimating aggregate elasticities of substitution is notoriously difficult, as the dynamics of the factor inputs reflect both the evolution of relative prices and of unobserved determinants, such as technological progress and productivity shocks (Grossman and Oberfield, 2022). To address the subsequent endogeneity concerns, we exploit the cross-sectional variation in energy mixes across US states and implement a shift-share design in the spirit of Bartik (1991). Specifically, we leverage on the differences in polluting energy expenditure shares between the overall economy and the electric power sector. These differences generate heterogeneity in states' exposure to global fossil fuel price fluctuations, which in turn produce quasi-random variation in the relative price of dirty energy. This allows us to identify the elasticity of substitution, yielding a point estimate of 0.59.

Our finding carries significant policy implications. Through the lens of the canonical model of Acemoglu et al. (2012), such a low elasticity suggests that subsidies alone are insufficient to drive the transition to net-zero emissions. It also raises concerns about the compatibility of sustained economic growth with carbon neutrality. Finally, it indicates that the burden of the energy transition may be even higher and unequally distributed than previously thought (Hochmuth et al., 2025).

A core challenge in estimating substitution elasticities in the context of energy lies in measuring clean energy prices. Prior work has often proxied clean energy with electricity, but this can be misleading in the US, where a substantial share of electricity remains carbon-intensive – reaching 57% as recently as 2022. We address this by tracing the composition of electricity generation across energy sources. This approach allows us to infer prevailing clean energy prices without relying on source-specific cost data. In doing so, we account for shifts in the US's clean energy mix – from a reliance on nuclear to a frontier increasingly shaped by wind and solar – in a data-driven manner.

Our methodology also captures total energy use across the entire economy, rather than focusing solely on business or manufacturing activity. This broader scope is important for two reasons. First, transportation and residential use together account for a larger share of US energy consumption than the industrial and commercial sectors combined. Second, the composition of energy use varies dramatically across sectors. Electrification in transportation remains extremely limited, with over 99% of its energy expenditures still attributable to fossil fuels as of 2022. This sector alone accounts for more than 57% of total energy expenditures. These patterns imply that transportation plays a disproportionately large role in determining the aggregate elasticity – a point we reinforce through our model.

A potential criticism of our approach is that it abstracts from cross-border energy substitution via trade (Moll et al., 2023). However, this concern is mitigated by the predominance of non-tradable energy use: in 2022, the transportation and residential sectors together accounted for over 73% of total energy expenditures. We therefore believe that our estimates capture the dominant forces shaping aggregate substitutability.

To interpret our estimates, following Oberfield and Raval (2021), we introduce a bottom-up model that makes the determinants of the aggregate elasticity explicit. This framework connects sectoral elasticities to the macro-level response and aligns our findings with microeconomic evidence. For instance, we show that energy end-using sectors must exhibit average elasticities of around 0.94 for our aggregate estimate to hold. This implies that the supply side is more flexible than the aggregate elasticity would suggest – displaying an average technological elasticity of 0.72, given a value of 0.67 for the electricity-generating sector. The gap between this supply-side elasticity and the aggregate response reflects the limited ability of final consumption to reallocate demand across goods and services in response to relative price changes. We also use the model to explore how changes in the energy mix affect substitutability. Notably, we find that increasing the share of clean energy has little effect on the economy’s capacity to substitute away from dirty energy unless it is accompanied by greater sectoral flexibility.

Beyond its methodological contributions, this paper also seeks to shed light on the US energy context. Given the substantial differences in energy composition, policy frameworks, and consumption patterns across countries, we caution against extrapolating estimates from other regions. In this sense, our US-focused analysis provides not only novel evidence but also insight that is essential for designing effective, context-specific energy policy.

Related Literature. The integration of energy and climate considerations into macroeconomic models has become increasingly vital for understanding the dynamics of the energy transition. Central to these frameworks is the elasticity of substitution between clean and dirty energy sources, which governs how readily an economy can shift away from fossil fuels.

Acemoglu et al. (2012) is a seminal contribution to this field. They develop a model in which directed technical change plays a pivotal role in the energy transition. Their findings show that if the elasticity of substitution is below a critical threshold, neither market forces nor subsidies alone can trigger the transition to net-zero carbon emissions. They suggest a threshold value of 1.5, which is substantially higher than our estimated value of 0.59. Only when the elasticity exceeds this threshold do subsidies become effective as a standalone policy tool; otherwise, a combination of carbon taxes and green subsidies is necessary. Furthermore, at very low elasticities – below unity, as our estimate indicates – economic growth itself may be at odds with climate goals.

[Casey et al. \(2023\)](#) also analyse the effectiveness of clean energy subsidies, emphasizing their interaction with the substitution possibilities between energy sources. They show that subsidies reduce emissions only if they lower the marginal product of dirty energy, which requires sufficiently high substitutability between clean and dirty inputs. In standard settings with low substitution elasticity and inelastic energy demand, subsidies can perversely increase emissions and reduce welfare relative to laissez-faire. These findings further challenge the view that subsidies are a universally effective climate policy and underscore the importance of estimating the elasticity of substitution to evaluate their potential benefits.

In contrast, [Golusov et al. \(2014\)](#) present a dynamic stochastic general equilibrium model where the optimal carbon tax is derived from a simple formula that depends only on current GDP, the discount rate, and the expected damage elasticity. Notably, their formulation implies that the optimal tax is independent of the elasticity of substitution between energy sources. Their conclusions though, rely on the assumption of path-independence in energy production.

A parallel literature examines the relationship between economic activity and finite energy resources. For instance, [Hassler et al. \(2021\)](#), using a quantitative model, and [Käenzig and Williamson \(2024\)](#), employing time-series methods, both emphasize the crucial role of energy-saving technologies in sustaining economic growth despite the near absence of substitutability between energy and other factors of production. The capability to replace fossil fuels with clean energy sources represents one such technological innovation. Our analysis suggests that this source of energy efficiency has played a minor role, thus further emphasizing the importance of advancements in overall energy-saving technologies.

Complementing the theoretical macroeconomic literature, broader empirical work has sought to pin down substitution elasticities across different fuels. [Stern \(2012\)](#) conducts a meta-analysis of interfuel elasticities – reporting a wide interval of estimates ranging from 0.3 to 2.5. Notwithstanding, the literature studying specifically the elasticity of substitution between polluting and non-polluting energy sources still remains scarce. Our work aims precisely to deepen our knowledge about this concept. [Papageorgiou et al. \(2017\)](#) is, to our knowledge, the first study with this same objective. Using sectoral OECD data on energy-using businesses and the electricity generation sector, they estimate a parametric CES specification via non-linear least squares, finding elasticities of 3 and 1.8, respectively. However, they do not account for technological progress, leaving endogeneity concerns unaddressed. In addition, their analysis excludes air transport, residential energy use, and private vehicle consumption – omitting a substantial share of total energy demand.

[Jo \(2024\)](#) addresses the endogeneity problem by focusing on manufacturing plants in France and employing an instrumental variables strategy. They report elasticities between 1.4 and 3, depending on the instrument used. As we argue in this paper, however, manufacturing is not

representative of aggregate energy consumption. Moreover, while it may be reasonable to treat electricity as a clean energy source in France, this assumption does not hold in the US context. Using the same French manufacturing data, [Jo and Miftakhova \(2024\)](#) further show that substitution elasticities increase with electricity use. They suggest that, if this relationship holds at the aggregate level, the energy transition could be faster and less costly. We find no evidence of this at the aggregate level in the US over the past two decades.

Outline. This work is structured as follows. Section 2 lays out the macroeconomic framework that guides the empirical work. Section 3 describes the data used in our empirical exercise. Section 4 details the empirical strategy employed to measure clean energy prices and the resulting identification strategy. The empirical results are provided in section 5. Section 6 introduces the bottom-up model that links aggregate estimates to their sectoral counterparts and examines the evolution of elasticities in the US over time. Finally, section 7 concludes.

2 The Aggregate Elasticity of Substitution

We begin by outlining the theoretical framework underpinning our empirical analysis. Following the literature in environmental macroeconomics ([Hassler et al., 2016; Lemoine, 2024](#)) we posit that state-level output is a function of an energy composite, and other inputs, such as labor and capital. We formalize this by assuming that output follows a constant elasticity of substitution (CES) function of the form

$$Y_{i,t} = \left(H_{i,t}(\cdot)^{\frac{\eta-1}{\eta}} + (E_{i,t})^{\frac{\eta-1}{\eta}} \right)^{\frac{\eta}{\eta-1}} \quad (1)$$

where $E_{i,t}$ and $H_{i,t}(\cdot)$ are the input aggregates for energy and other factors, respectively. η is the elasticity of substitution between $E_{i,t}$ and $H_{i,t}(\cdot)$.

The aggregate energy factor, $E_{i,t}$, is a composite of clean and dirty energy consumption¹, $E_{i,t}^C$ and $E_{i,t}^D$, respectively, so that

$$E_{i,t} = \left((A_{i,t}^D E_{i,t}^D)^{\frac{\sigma-1}{\sigma}} + (A_{i,t}^C E_{i,t}^C)^{\frac{\sigma-1}{\sigma}} \right)^{\frac{\sigma}{\sigma-1}}.$$

$A_{i,t}^D$ and $A_{i,t}^C$ are the share factors, which can change over time. This formulation thus explicitly accounts for changes in both overall and type-specific energy efficiency. Our parameter of interest is $\sigma = d \ln \frac{E_{i,t}^D}{E_{i,t}^C} / d \ln \frac{P_{i,t}^C}{P_{i,t}^D}$, the elasticity of substitution between aggregate polluting and non-polluting energy consumption. Implicitly this nested CES formulation assumes that energy is

¹We use interchangeably the nomenclature dirty and polluting, and clean and non-polluting.

separable from the other factors of production. Advantageously for us, to study σ , we need not specify $H_{i,t}(\cdot)$ further nor do we need to know the value of η .

We follow Papageorgiou et al. (2017) and define each energy factor as

$$E_{i,t}^X = \sum_k E_{i,t}^{k,X}, \quad X \in D, C \quad (2)$$

where D and C are dirty and clean aggregate energy consumption, respectively. The differentiation between the two lies on their operational greenhouse gas emissions² (ghg). As a result, the energy source for non-polluting energy are: nuclear, solar, geothermal, wind and hydropower. In turn, the constituents of the polluting aggregate are petroleum products, coal, natural gas and biomass. Following our definition, biofuels fall into petroleum products, and more generally, biomass is classified as a dirty energy source. Although in theory, biomass could be carbon neutral when considering its life-cycle emissions, this is hardly the case in practice³.

Discussion About Modelling Assumptions. We do not make additional distinctions between energy sources, such as the coupling or not of battery storage. This reflects the idea that enhanced battery efficiency and increased availability are akin to increases in the elasticity of substitution. Improving energy storage capacities is a way of addressing the inherent intermittency of solar and wind power and as a result discards the need for fuel based back-up plants. In the same spirit, additional considerations in energy planning, such as the cost of managing bio-hazardous waste or the pollution consequences of different types of drilling techniques, can also be captured in this framework through the energy efficiency parameters, $A_{i,t}^X$. In contrast, our framework does not explicitly model for other important considerations such as tail-risk or the role expectations play in the build up of energy infrastructure capacity (Kellogg, 2014), especially for clean energy.

Moreover, our formulation assumes perfect substitution within energy aggregates. Although this is the case physically – since fuel based energy generation always involves combustion, and fuel-conversion technologies do exist⁴, this does not necessarily hold economically⁵. In particular, fuels' physical characteristics make them more suitable for certain economic activities. This, coupled with natural resource scarcity, generates the observed concentration in the energy con-

²The term “operational emissions” contrasts with life-cycle emissions, with the latter including not just emissions arising from the use of energy, but also from the manufacturing of the underlying infrastructure – particularly relevant for renewable energy.

³For a discussion of this topic see MIT Climate Portal Writing and Gurgel (2024).

⁴The production of synthetic gasoline for example is a well known procedure in history. The Nazi regime produced half of all its petroleum products during world war II from coal (U.S. Department of Energy, Office of Fossil Energy and Carbon Management, 2019).

⁵Although conceptually different from the constant elasticity formulation we use, Stern (2012) conducts a meta-analysis and finds that the cross-fuel elasticities were on average 1.74, 1.11 and 1.78 for coal and oil, coal and gas, and oil and gas, respectively.

sumption mix⁶. Notwithstanding, fuel switching, in particular between natural gas and petroleum in industrial settings and electricity generation, is generally regarded as high (Baumeister et al., 2024). Similarly, while electrons are perfectly fungible, the intermittency of solar and wind, or the distinct ramp-up capabilities of nuclear, mean that clean sources play different roles in electricity generation. Despite these considerations, we choose to maintain the literature's formulation for practicality – we avoid having to estimate two latent parameters⁷, and comparability. In addition, this formulation guarantees that we do not underestimate the elasticity in the case of high substitutability between clean energy and only a subset of the fuels considered.

Finally, we also ignore the differences in ghg intensity between fuels. While this may be an important consideration for short-run analysis, with current and projected carbon capturing capabilities, attaining carbon neutrality requires a significant decrease in all sources of polluting energy consumption (Pindyck, 2022).

Equilibrium Conditions. We assume that the economy-wide demand for energy is perfectly competitive, so that the aggregate demand for dirty fuels is represented by the following first-order conditions

$$E_{i,t}^D = (A_{i,t}^D)^{\sigma-1} \left(\frac{P_{i,t}^D}{P_{i,t}^E} \right)^{-\sigma} E_{i,t} \quad (3a)$$

$$E_{i,t}^C = (A_{i,t}^C)^{\sigma-1} \left(\frac{P_{i,t}^C}{P_{i,t}^E} \right)^{-\sigma} E_{i,t}. \quad (3b)$$

Taking the ratio of the first-order conditions in equations (3a) and (3b), applying logs and taking differences, we find that

$$\frac{\widehat{E}_{i,t}^D}{\widehat{E}_{i,t}^C} = -\sigma \frac{\widehat{P}_{i,t}^D}{\widehat{P}_{i,t}^C} + (\sigma - 1) \frac{\widehat{A}_{i,t}^D}{\widehat{A}_{i,t}^C}. \quad (4)$$

where $\widehat{X}_{i,t} \equiv \ln X_{i,t} - \ln X_{i,t-1}$.

We choose to focus on the first-order conditions instead of the production function to circumvent the normalization difficulties of direct CES estimation discussed in León-Ledesma et al (2010). Notwithstanding, estimating σ using equation (4) still requires solving two problems: *i*)

⁶For example, petroleum, due to its high energy density, is the preferred fuel in transportation, with 70% of total US consumption in 2024 directed towards this use. In comparison, 90% of coal usage is directed to the electricity generation sector. This number decreases to 40% for natural gas with the remaining 60% used for primary consumption in other sectors (U.S. Energy Information Administration, 2024). Note that the purpose of this primary use may be the production of electricity in-house. 32% of natural gas was directly consumed by industrial plants at this time.

⁷Even if we chose not to estimate the inner elasticities and instead used values from the literature, we would not be able to capture the productivity parameters. On top of this, to the best of our knowledge, there is no counterpart to the work of Stern (2012) for clean energy.

measuring the price of clean energy, P^C , and *ii)* accounting for the endogeneity problem generated by the unobserved share parameters, $A_{i,t}^D$ and $A_{i,t}^C$. We propose solutions to each of these problems in subsection 4.1 and subsection 4.2, respectively. Lastly, by using log-differences instead of levels, we bypass the problem of using different units.

2.1 Energy Usage in the US

Unlike some of the empirical macroeconomics literature, we jointly consider business and non-business energy usage. To motivate this choice, figure 1 plots the evolution of dirty energy consumption across end-using sectors for the US from 1990 to 2022. We follow the US Energy Information Administration's (EIA) sectoral definitions. Figure 1a displays the share of total consumption while figure 1b plots the absolute levels. In 2022, transportation and residential consumption together represented 56% of total polluting-energy usage, versus only 44% for the industrial and commercial sectors. As such, ignoring private energy usage could risk omitting an important share of total energy consumption⁸. Important for our framework as well, since 1990, industrial consumption has edged down while transportation's fuel consumption has tended to rise. These contrasting dynamics point to the inadequacy of using business-specific energy elasticities in frameworks studying overall energy consumption dynamics, further motivating our comprehensive framework.




Figure 1: Energy-using Sectors' Dirty Energy Consumption

Notes: The measure of dirty energy use includes both direct and indirect polluting energy consumption (through electricity). Dirty energy includes all petroleum products, coal, natural gas and biomass. It excludes non-combustible consumption.

⁸The transportation sector also includes business usage.

3 Data

We employ data from the US Energy Information Administration's (EIA) State Energy Data System (SEDS) to measure annual energy consumption and expenditures at the state level in the contiguous United States. Our sample excludes Alaska and Hawaii and incorporates the District of Columbia into Maryland. The SEDS provides consistent, comparable annual time series on states' energy production, use, and expenditures, derived from EIA surveys and complementary observational data. The dataset spans the period from 1990 to 2022.

Following the EIA's statistical energy balance methodology, we restrict attention to primary energy consumption — that is, energy used prior to any transformation into secondary or tertiary forms. For example, coal converted into synthetic gas and subsequently into electricity is recorded solely as coal consumption⁹. Accordingly, we consider the consumption of petroleum products instead of crude oil, which lacks direct end-use applications. Although the SEDS reports crude oil production, it does not report crude oil consumption; our focus on petroleum products therefore aligns with both the data and the conceptual framework.

We exclude non-combustible uses of combustible energy sources, which arise when energy inputs are consumed as material inputs — for example, in the production of feedstocks, lubricants, or asphalt. Thus, our measures of energy use capture only consumption for heat and power generation¹⁰. Focusing on consumption (rather than production) and measuring it at the first point of use is consistent with the macroeconomic framework laid out in section 2, where energy enters the aggregate production function as an input. This approach also yields a direct mapping between fuel use and emissions.

Following standard practice in the macroeconomic literature (Hassler et al., 2016), we express all energy in British thermal units (Btu). For polluting energy, we apply the SEDS's time-varying, energy-specific conversion factors, which translate source-specific physical units (e.g., barrels, short tons) into Btus based on each fuel's average heat content. For clean energy, we adopt the EIA's fixed electricity-to-heat conversion rate of 3.412. All clean energy is first measured in kilowatt-hour (kwh) of electricity produced and then converted into Btus. This diverges from the EIA's convention only for nuclear energy, whose conversion factor differs. Although heat-based conversions are appropriate when comparing combustible inputs (as with fossil fuels), they are unsuitable for clean energy, which is consumed exclusively via electricity. Since our empirical exercises uses log growth rates, conversion factors matter only within energy categories. We define the price of dirty energy as the consumption-weighted average of the subcomponents' prices.

⁹U.S. Energy Information Administration (n.d.).

¹⁰Further details on variable construction are provided in subsection A.1.

Table 1: Descriptive Statistics

	Energy Consumption																
	Coal (Tn BTU)		Gas (Tn BTU)		Petr (Tn BTU)		NP (Tn BTU)		P (Tn BTU)		Electricity (Bn kWh)		Pop (Mn)	GDP (Bn USD 2019)			
	Og.	Adj.	Og.	Adj.	Og.	Adj.	Og.	Adj.	Og.	Adj.	Og.	Adj.					
Avg	388	388	497	498	634	634	85	88	1574	1574	246	6	343				
SD	383	366	666	665	701	702	92	93	1560	1600	226	7	419				
Min	0	0	4	4	64	64	0	0	79	80	16	0	22				
Max	1695	1694	4750	4760	4498	4498	626	668	10111	10127	1622	40	3230				
Mdn	299	267	277	275	463	463	49	56	1167	1165	191	4	209				
P25	71	109	147	147	200	200	19	19	642	580	85	2	85				
P75	521	576	558	548	775	775	124	129	1858	1956	318	7	439				
N	1584	1584	1584	1584	1584	1584	1584	1584	1584	1584	1584	1584	1584	1584	1584		
IQR	450	467	412	401	575	575	105	110	1216	1376	234	5	354				

Notes: The data includes 48 states and spans 1990 to 2022. Energy and population data are from the EIA’s SEDS. GDP data is from the BEA’s Regional accounts data. All units are indicated in parenthesis. “Coal”, “Gas”, “Petr”, “Electricity” indicate coal, natural gas, petroleum and electricity, respectively. “P” is pollutant energy whereas “NP” is clean energy. The subheaders “Adj.” and “Og.” indicate whether or not the values include primary energy consumption from electricity trade among US states, and with Canada, and/or Mexico, respectively.

3.1 Accounting for Electricity Trade

Our empirical strategy relies on state-level measures of aggregate primary energy consumption. However, the SEDS does not capture primary energy embodied in electricity imported from other states or abroad. Although SEDS reports electricity imports and exports, it does not identify their sources or destinations. Assuming identical energy mixes for produced and consumed electricity would bias primary consumption measures, as interstate electricity trade is non-negligible. Between 1990 and 2022, net imported electricity constituted, on average, 21% of total electricity consumed in net-importing states, while net-exporting states exported approximately 31% of their electricity production. In contrast, net electricity imports from abroad averaged only 1% of total US electricity consumption.

To account for electricity trade, we implement a two-step procedure. First, we compute each state’s (as well as Canada and Mexico’s) primary energy mix used in electricity production and remove any primary energy associated with net electricity exports. Second, we partition the country into three distinct electricity pools – the Eastern, Western, and Texas grids – following [U.S. Environmental Protection Agency \(2024\)](#). These pools reflect grid infrastructure and the resulting limitations on interconnection and electricity trade¹¹. We account for trade across pools and within each region and allocate to net-importing states their proportional share of primary energy consumed indirectly through imported electricity. A full description of the procedure is provided in subsection [A.2](#).

¹¹For a depiction of the grid infrastructure as of 2025, see figure [7](#).

Descriptive statistics of the final dataset and of the primary energy consumption changes induced by our procedure are reported in table 1¹². We further document the impact of our adjustments in subsection A.2. On average, clean energy consumption increased by 2.04% while dirty energy consumption rose by less than 1%. This differential primarily reflects the clean energy composition of Canadian electricity imports. Judging by the interquartile range, the cross-sectional variation in clean and dirty energy consumption increased slightly. Western states experienced more increases in dirty energy shares, whereas the majority of Mid-Atlantic and Eastern states saw reductions. The largest percentage drops occurred in Rhode Island and Delaware, where the clean energy share, in Btus of dirty energy, tripled on average. These states initially exhibited very low clean energy shares (less than 1% overall and 2% in 2020).

Changes in polluting energy’s composition, relevant for our empirical analysis, were modest. The most notable shift occurred in coal’s share during 2020. Several states retired coal plants during the 2010s but continued to import electricity from coal-intensive states. For example, California and Maine saw their coal shares double, starting from very low initial levels (less than 1%). Similar patterns emerged in Vermont and Massachusetts, which lack operational coal plants. These observations underscore that significant changes were confined to states with highly specialized generation infrastructure. By accounting for electricity trade, we incorporate primary energy indirectly imported from other states, thereby internalizing trade’s effect on the energy consumption mix.

4 Empirical Approach

This section shows how we account for the price of clean energy and presents our identification strategy.

4.1 The Price of Clean Energy

The costs of fossil and renewable energy sources exhibit distinct characteristics. Fossil energy costs are primarily determined by variable fuel costs – either directly, in the case of primary energy, or through a combination of fuel and infrastructure costs, as in electricity generation. Following standard practice in the macroeconomic literature, we equate the price of dirty energy sources to their fuel costs (Hassler et al., 2021). In contrast, renewable energy costs are largely driven by upfront capital expenditures – including infrastructure, land leasing, permitting, and financing – which are difficult to observe directly (Arkolakis and Walsh, 2024). Because these costs are sunk, conventional marginal-cost pricing does not apply. While the leveled cost of

¹²The “Og.” sub-headers indicate the values of energy consumption without accounting for electricity trade. The values in sub-columns “Adj.” include primary energy consumed indirectly through electricity imports.

energy (LCOE) provides an average cost estimate over a project's lifetime, data availability limitations and cross-state heterogeneity in land costs and subsidies prevent its use here.


Furthermore, nuclear power differs from renewables in key respects: it has both a fuel component and the flexibility to vary output. As such, nuclear power can play baseload and load-following roles, and its effective price reflects not only long-term average costs but also variable costs associated with output adjustments (e.g., depreciation, retrofitting, and fuel usage) ([International Atomic Energy Agency, 2018](#)). This distinction is particularly relevant in the first half of our sample period, when nuclear accounted for the majority of clean electricity, more than 60%, and was the only adaptable clean energy source in practice. In particular, its capacity factor — the ratio of electrical energy produced to its potential capacity at full-power — rose dramatically from 66% in 1990, to almost 91.1% in 2010 while its total generated electricity increased by 40 percentage points, from 576,862 to 806,968 Million kwh annually ([U.S. Energy Information Administration, 2025](#)).

Instead of attempting to provide direct price measurements, we opt for an indirect route to measure the generation price of non-polluting energy. With the small exception of solar panels, over 95% of clean energy is consumed indirectly through the electricity grid. As such, electricity generation provides an avenue to infer its price. In particular, the electricity mix is a result of relative generation costs while electricity prices reflect the overall expense. Figure 3 illustrates this relationship. Figure 3a overlays normalized LCOE estimates for wind and solar from [International Renewable Energy Agency \(2024\)](#) with dirty energy prices. Figure 3b compares electricity prices with the share of clean electricity. We can observe that electricity prices broadly follow polluting energy prices, the main source of electricity in the US. In turn, shifts in electricity source shares match changes in relative prices. For instance, a sharp fall in wind and solar LCOEs during the 2010s coincides with a significant increase in the clean energy share from 30% to 43%.

Taken together, these dynamics highlight the relationship between electricity prices, the composition of energy inputs in electricity generation, and the relative prices of clean and dirty energy sources. More importantly, they suggest the feasibility of leveraging on the electricity generation market to infer the implicit price of clean energy. To formalize this idea, we adopt a variant of the framework used by [Papageorgiou et al. \(2017\)](#)¹³ and assume that electricity is produced using a CES function that combines clean and dirty energy sources,

$$E_{i,t}^e = \left((A_{i,t}^{e,D} E_{i,t}^{e,D})^{\frac{\nu-1}{\nu}} + (A_{i,t}^{e,C} E_{i,t}^{e,C})^{\frac{\nu-1}{\nu}} \right)^{\frac{\nu}{\nu-1}}$$

¹³Unlike their approach, we use actual energy consumption rather than installed capacity, as the former is more readily observable and better captures fluctuations in the realized energy mix, which infrastructure-based measures (such as nameplate or maximum generation capacity) may overlook.



(a) LCOEs and Dirty Energy Prices

(b) Electricity Prices and Clean Energy Share

Figure 3: Electricity Generation and the Price of Clean Energy.

Notes: The price of electricity is normalized relative to 1990. The price of dirty energy and the wind LCOE estimates are normalized relative to 2004, when wind's electricity share started to rise. Photovoltaic's LCOE estimates are normalized to 2010 when the series starts. All prices are adjusted for inflation. LCOE prices are directly taken from [International Renewable Energy Agency \(2024\)](#).

where $E_{i,t}^e$ is total electricity produced, $E_{i,t}^{e,D}$ is the amount of dirty energy consumed by electricity generation, and $E_{i,t}^{e,C}$ the amount of electricity produced by clean sources. $A_{i,t}^{e,D}$ and $A_{i,t}^{e,C}$ are the respective unobservable share parameters, again dependent on time to allow for varying technological adaptability. Under competitive markets, the first order condition for clean energy is

$$E_{i,t}^{e,C} = \left(\frac{P_{i,t}^C}{P_{i,t}^e} \right)^{-\nu} (A_{i,t}^{e,C})^{\nu-1} E_{i,t}^e. \quad (5)$$

Taking log-differences and rearranging yields our clean energy price proxy

$$\widehat{P}_{i,t}^C = \widehat{P}_{i,t}^e - \frac{1}{\nu} \frac{\widehat{E}_{i,t}^{e,C}}{\widehat{E}_{i,t}^e} + \frac{\nu-1}{\nu} \widehat{A}_{i,t}^{e,C}. \quad (6)$$

While we do not attempt to measure this proxy directly, we exploit the implied relationship in our empirical strategy. As such, we briefly assess the relevance of equation (6). Using the symmetric first-order condition for dirty energy, we regress the average electricity-specific dirty energy price in the United States on the average price of electricity and the national share of dirty energy, all expressed in log-differences. The full estimation results are reported in table 7 in section B. For our purposes, it suffices to note that the statistical association is substantial, with an R^2 of 58%, which rises to 68% when a time trend is included. Although we acknowledge that equation (6) does not capture all of the complexities of electricity market operations, and that this

simple exercise has notable limitations¹⁴, we interpret the high explanatory power as supportive evidence of its utility in capturing the evolution of clean energy prices, which is our primary objective.

Finally, two additional considerations are pertinent to our empirical exercise. First, electricity markets in the United States have not always been characterized by competitive access to the electricity grid or by fully competitive supply of electricity, a feature we abstracted from in our derivation (Borenstein and Bushnell, 2015). Because our identification strategy relies on exogenous shifts in supply costs, this issue does not pose a problem for our analysis; we can subsume any mark-up term into the unobserved productivity parameter, $A_{i,t}^{e,C}$ ¹⁵. Second, as in equation (4), the productivity parameters are unobservable. To address this, we instrument for prices and shares in our empirical specification.

4.2 Identification Strategy

Equipped with equation (6) we can replace $P_{i,t}^C$ in equation (4) to obtain

$$\frac{\widehat{E}_{i,t}^D}{\widehat{E}_{i,t}^C} = -\sigma \frac{\widehat{P}_{i,t}^D}{\widehat{P}_{i,t}^e} - \frac{\sigma}{\nu} \frac{\widehat{E}_{i,t}^{e,C}}{\widehat{E}_{i,t}^e} + \sigma \frac{\nu-1}{\nu} \widehat{A}_{i,t}^C + (\sigma-1) \frac{\widehat{A}_{i,t}^D}{\widehat{A}_{i,t}^C}. \quad (7)$$

Equation (7) still pins down σ and, although the share parameters remain unobserved, all the other variables are measurable in the data.

The empirical counterpart of equation (7) is

$$\frac{\widehat{E}_{i,t}^C}{\widehat{E}_{i,t}^D} = \beta \frac{\widehat{P}_{i,t}^D}{\widehat{P}_{i,t}^e} + \gamma \frac{\widehat{E}_{i,t}^{e,C}}{\widehat{E}_{i,t}^e} + e_{i,t}. \quad (8)$$

We can quantify σ if we are able to consistently estimate β in equation (8). Direct OLS estimation is biased due to the endogeneity stemming from the unobserved variables, $\sigma \frac{(1-\nu)}{\nu} \widehat{A}_{i,t}^{e,C} + (\sigma-1) \frac{\widehat{A}_{i,t}^D}{\widehat{A}_{i,t}^C}$, captured by the error term, $e_{i,t}$. Even after controlling for country-wide trends in energy efficiency through time fixed effects and for unobserved, time-invariant state-level differences, via state fixed effects, residual state-level variation in energy prices remains correlated with local changes in energy efficiency. Notably, the environmental macroeconomics literature has documented that energy efficiency adjusts in response to fluctuations in dirty energy prices (Hassler et al., 2022; Kängig and Williamson, 2024). Furthermore, mark-ups in electricity markets, embedded

¹⁴In particular, the embedded endogeneity suggested by the sign of $\frac{\widehat{E}_{i,t}^{e,C}}{\widehat{E}_{i,t}^e}$'s coefficient.

¹⁵ $A_{i,t}^{e,C} \equiv \mu_{i,t}^{\frac{1}{\nu-1}} \widehat{A}_{i,t}^{e,C}$, where $\mu_{i,t}$ is the mark-up, which may depend on prices and quantities, and $\widehat{A}_{i,t}^{e,C}$ is the actual unobserved productivity parameter. The mark-up may also capture fixed costs, such as those related to electricity distribution infrastructure, which are not explicitly modelled here.

in $A_{i,t}^{e,C}$, are unlikely to be constant over shorter horizons and may vary as a function of prices and quantities.

To address these concerns, we instrument for both $\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}}$ and $\widehat{\frac{E_{i,t}^{e,C}}{E_{i,t}^e}}$. Although γ is not our primary parameter of interest, both variables must be instrumented to consistently estimate β . This is because the relative price of dirty energy and electricity are jointly determined with the clean energy share, implying that $\mathbb{E}(\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}} \cdot \widehat{\frac{E_{i,t}^{e,C}}{E_{i,t}^e}} | X_{i,t}) \neq 0$. Consequently, relying solely on an instrument for the relative prices risks biasing our estimates through a bad control problem, since the clean energy share itself correlates with the error term¹⁶ (Angrist and Pischke, 2009).

4.2.1 Instrumenting for the Relative Prices

We leverage the US states' cross-sectional variation in energy mixes to instrument for the relative price of dirty energy vis-à-vis electricity. To motivate our approach, note that the price of dirty energy is a consumption-weighted average of the prices of fossil fuels and biomass, so that $P_{i,t}^D = \sum_k \frac{E_{i,t}^k}{E_{i,t}^D} P_{i,t}^k$. As such, taking a first-order approximation around time $t - 1$, we have that

$$\widehat{P}_{i,t}^D = \sum_k \omega_{i,t-1}^{D,k} \cdot \widehat{P}_{i,t}^k \quad (9)$$

where the weights, $\omega_{i,t-1}^{D,k} \equiv \frac{E_{i,t-1}^k}{E_{i,t-1}^D} \frac{P_{i,t-1}^k}{P_{i,t-1}^D}$, are the relative expenditure shares of each input. Similarly, due to the CES assumption the price of electricity is defined by the usual aggregator, $P_{i,t}^e = (\sum_{p \in \{C,D\}} (A_{i,t}^{e,p})^{\nu-1} (P_{i,t}^{e,p})^{1-\nu})^{1/(1-\nu)}$. Taking its first-order approximation around time $t - 1$, and using the symmetric first-order condition of equation (5), we have that electricity prices change according to

$$\widehat{P}_{i,t}^e = \frac{E_{i,t-1}^{e,D}}{E_{i,t-1}^e} \frac{P_{i,t-1}^D}{P_{i,t-1}^{e,D}} \widehat{P}_{i,t}^{e,D}$$

in response to fluctuations in dirty energy prices. Plugging in the first-order approximation of $\widehat{P}_{i,t}^{e,D}$, equation (9), we have that

$$\widehat{P}_{i,t}^e = \sum_l \omega_{i,t-1}^{e,l} \cdot \widehat{P}_{i,t}^{e,l}. \quad (10)$$

where the weights, $\omega_{i,t-1}^{e,l} \equiv \frac{E_{i,t-1}^{e,D}}{E_{i,t-1}^e} \frac{E_{i,t-1}^{e,D,l}}{E_{i,t-1}^{e,D}} \frac{P_{i,t-1}^l}{P_{i,t-1}^{e,D}} \frac{P_{i,t-1}^{e,D}}{P_{i,t-1}^e} = \frac{E_{i,t-1}^{e,D,l}}{E_{i,t-1}^e} \frac{P_{i,t-1}^l}{P_{i,t-1}^e}$, are the expenditures shares of each dirty energy input in electricity production. As such, we can combine equation (10) and equation (9), to conclude that the ratio of dirty energy to electricity prices should, to a first order,

¹⁶We thank Jaeeun Seo for highlighting and clarifying this issue.

move according to

$$\frac{\widehat{P}_{i,t}^D}{\widehat{P}_{i,t}^e} = \sum_j \omega_{i,t-1}^j \cdot \widehat{P}_{i,t}^j. \quad (11)$$

where the weights, $\omega_{i,t-1}^j \equiv \omega_{i,t-1}^{D,j} - \omega_{i,t-1}^{e,j}$, are the differences in dirty expenditure shares between the overall economy and the electricity generating sector. We assume that input prices move in tandem, so that $\widehat{P}_{i,t}^k = \widehat{P}_{i,t}^{e,k}$.

Equation (11) provides a similar set-up to the standard shift-share IV formulation introduced in [Bartik \(1991\)](#) which we explore to build our instrument. The use of distinct energy mixes as a source of variation is not unprecedented. [Ganapati et al. \(2020\)](#) and [Jo \(2024\)](#) have used similar approaches to instrument for energy cost changes at the industrial plant level. The main methodological difference lies on the denominator of the electricity price weight: they consider the total expenditure in fuels for electricity generation whereas we consider the total revenue in electricity sales, motivated theoretically above. In our exercise we also only consider petroleum, coal and natural gas when building the instrument. We exclude biomass because of its comparatively hyper-localized nature. Our instrument thus takes the following form

$$\left(\frac{\widehat{P}_{i,t}^D}{\widehat{P}_{i,t}^e} \right)^{IV} = \sum_j \omega_i^j \cdot \widehat{P}_t^j \quad (12)$$

where \widehat{P}_t^j are the common price shifters, and ω_i^j are the time-invariant state-specific shares.

As our shares we fix the weights in equation (11) to their 1990 values, $\omega_i^j \equiv \omega_{i,1990}^j$, the first year of our sample which we exclude from the estimation exercise. We present the geographical variation of each weight in figure 11. As price shifters we use the annual log growth rates in US relevant commodity price indices. Specifically, we take log-differences of the annual averages of the West Texas Intermediate index for crude oil (wti), the US's Central Appalachian coal spot price, and the Henry Hub's natural gas spot price. While the latter two prices are literally the wholesale values of the corresponding commodities, the wti is the reference price for crude oil, and not for petroleum products per se. Nevertheless, it is by far the latter's main input, explaining more than 97% of state petroleum prices' time-series variation in the US¹⁷. We plot the time series of the log growth rates for all three commodity prices in figure 13.

¹⁷Using principal component analysis, we find that the first common component explains around 98.5% of the variation in annual state-level petroleum prices across the US. Regressing the first principal component on annual wti changes, we get an $R^2 = 98.8\%$. Multiplying the two we reach our value. See subsection C.1 for more details.

Our identification assumption then takes the form:

$$\mathbb{E}(P_t^k \mathbb{E}(\omega_i^k e_{i,t} | X_{i,t}) | X_{i,t}) = 0, \forall k. \quad (13)$$

In words, condition 13 means that we do not expect states to systematically increase (decrease) their relative use of clean/dirty energy if not due to a decrease (increase) in the price of clean/dirty energy (Chodorow-Reich et al., 2021). This is easier seen through a more stringent parallel trends assumption $\mathbb{E}[e_{i,t} | \omega_i^j, X_{i,t}] = 0, \forall j^{18}$ (Borusyak et al., 2024). The validity of our instrument relies then on the exogeneity of the commodity price fluctuations relative to state-specific energy demand. Since commodity markets are well integrated around the world, it is natural to think that states act as price takers and have a diminutive impact on price fluctuations (Kilian and Zhou, 2024). A natural worry is that some US states play an outsized role as suppliers of oil and gas, and so may be differentially affected by their prices. In subsection 5.2 we show that excluding them from our sample does not change the results. Finally, the inclusion of time and state fixed effects means that we require exogeneity only relative to the state-specific deviations in energy efficiency relative to states' potentially time-varying trends.

Control Variables and Threats to Identification. In our baseline specification, we include a lag of the dependent variable to account for possible auto-correlation in the error-term. Following Borusyak et al. (2024) we also include one lag of the instrument so as to capture only the contemporaneous effects of commodity prices. This is similar to including only the innovations of the time-series in prices after removing the auto-regressive structure. In our set-up this does not seem necessary since both oil and gas behave as random walks¹⁹. In comparison, coal is third-order integrated. We show later that including more lags of the instrument does not change our results.

Because we only work with three commodity shifters, the concern may arise that the law of large numbers condition from Borusyak et al. (2022) does not apply to our setting. The relevant margin of variation in our case is not just the number of shifters, but also the number of times we observe them since we are working with panel data. Notwithstanding, we add additional controls to minimize the problem of potential endogeneity from ω_i^k – on top of fixing the weights before the estimation sample starts. As additional controls we include lagged weather patterns such as the logarithm of average precipitation and temperature in the region, important proxies for the suitability and effectiveness of renewable energy sources. Additionally, we include a

¹⁸To see this in our setting, take the standard instrumental variables exogeneity assumption: $\mathbb{E}[\sum_j \omega_i^j P_t^j e_{i,t} | X_{i,t}] = 0 \iff \mathbb{E}[\omega_i^j e_{i,t} | X_{i,t}] = \mathbb{E}[\omega_i^j \mathbb{E}[e_{i,t} | \omega_i^j, X_{i,t}]] = 0, \forall j \iff \mathbb{E}[e_{i,t} | \omega_i^j, X_{i,t}] = 0, \forall j$, where we have used the linearity of expectations, the exogeneity of P_t^j , and the law of iterated expectations, respectively.

¹⁹We use The Bayesian Information Criterion on a set of ARMA models to determine the optimal lag structure.

lag for the state-specific average generating power plant's vintage for each dirty energy source. This ensures that we account for changes in energy infrastructure quality induced by commodity price fluctuations. This is especially relevant for coal reliant states where infrastructure is generally older²⁰. Finally, in table 9 we show that our shares are actually very related to exogenous state conditions. Climate, state's geographical characteristics — mediated by population density, and their location relative to oil and gas supply hubs can explain between 30% to 70% of total cross-sectional variation in relative fuel expenditure, depending on the inclusion of PADD²¹ fixed effects.

4.2.2 Instrumenting for the Clean Electricity Share

To instrument for the growth rate in the clean electricity share in state i we use the average of the growth rates for states located outside of the electrical grid to which i belongs:

$$\left(\frac{\widehat{E_{i,t}^{e,C}}}{E_{i,t}^e} \right)^{IV} = \sum_p \frac{\widehat{E_{p,t}^{e,C}}}{\widehat{E_{p,t}^e}} \Bigg/ \sum_p 1 \quad (14)$$

where p are states outside i 's region. This selection, although conservative, ensures that state-specific developments in electricity markets, be it from electrical infrastructure development or changes in market structure, are not directly related to our instrument. This is justified by the electrical grids' partial isolation and distinctive regulatory and operational bodies, described in section 3. At the same time, the clean electricity share's long-run evolution has largely been driven by common country-wide and global factors. In the beginning of our sample, the political curtailment of new nuclear power plants lead to a rise in the capacity usage in nuclear power. In the second half in turn, the global decrease in clean energy infrastructure costs since the mid to late 2000s, and especially the introduction of federal and state-level subsidies lead to an increase in the installation of solar and wind capacity, thus increasing the overall share of clean electricity.

We try alternative approaches such as the internal instrument proposed by (Arellano and Bond, 1991) or a different delimitation based on the states' electric power transmission system operators. We present their results in subsection C.2. The estimates do not change significantly. Furthermore, this allows us to conduct a Sargan test for exogeneity. Importantly, we cannot reject the null hypothesis for any of the proposed instruments.

²⁰As of 2021, the average American operating coal-fired generating unit was 45 years old, five years short of the average retirement age (U.S. Energy Information Administration, 2021).

²¹Petroleum Administration for Defense Districts.

4.3 Regression Model

Following our identification strategy, our final regression model takes the form

$$\frac{\widehat{E}_{i,t}^D}{\widehat{E}_{i,t}^C} = \beta \frac{\widehat{P}_{i,t}^D}{\widehat{P}_{i,t}^e} + \gamma \frac{\widehat{E}_{i,t}^{e,C}}{\widehat{E}_{i,t}^e} + \Gamma' X_{i,t} + \alpha_i + \alpha_t + e_{i,t} \quad (15)$$

where $X_{i,t}$ are the additional controls discussed in subsection 4.2, and α_i and α_t are the state and year fixed-effects. We can then identify σ from $\beta = -\sigma$, our main object of interest, and ν indirectly through $\gamma = \beta/\nu$.

5 Results

This section presents the results from our main exercise and the robustness checks undertaken. We draw some policy implications from the estimates.

5.1 Baseline Results

We use two-stage least squares with both instruments for $\frac{\widehat{P}_{i,t}^D}{\widehat{P}_{i,t}^e}$ and $\frac{\widehat{E}_{i,t}^{e,C}}{\widehat{E}_{i,t}^e}$ to estimate equation (15). Our sample spans 1991 to 2022 with the exclusion of the COVID period in 2020²² and contains all of the contiguous US states²³. We report the results with and without the additional controls, together with the OLS estimates and the regression instrumenting only for the relative prices in table 2. We cluster standard errors at the year and state level.²⁴ This is a more conservative approach than the recommendation by Borusyak et al. (2024) to cluster by year – the shifter level. Following Chodorow-Reich (2020), we do not weight the regressions. Weighting the regressions produces similar results, which we report in table 4.

The point estimates of our preferred specification, presented in column (4), indicate that the elasticity of substitution between primary clean and dirty energy consumption is approximately 0.59, while this value increases to 0.67 in the electricity generation sector. Focusing on the former value, at the expense of lower precision, 0.59 is significantly higher than the point estimate of 0.36 derived from OLS, in column (1). In contrast, the full IV estimate is smaller than the Pseudo-IV result, presented in column (2), using only the instrument for relative prices. This is reassuring as we would expect symmetrically induced biases due to the opposing correlations between the clean energy share and the relative dirty energy price, and the state-specific shares. Finally, the

²²Excluding COVID does not contradict our point of low elasticities, in fact the point estimates decrease, but it affects precision significantly. This may reflect the extreme behavior of commodity prices during this year, driven by extreme uncertainty, and the disconnect between prices and supply and demand. Ending the sample in 2019 instead does not meaningfully change our results.

²³We combine the District of Columbia with Maryland.

²⁴A wild bootstrap clustered at the state level yields similar standard errors.

Table 2: Elasticity of Substitution Estimates

	OLS (1)	Pseudo-IV (2)	IV (3)	IV (4)
$\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}}$	-0.3579*** (0.0846)	-0.7410** (0.2689)	-0.6027* (0.2981)	-0.5879** (0.2772)
$\widehat{\frac{E_{i,t}^{e,c}}{E_{i,t}^e}}$	-0.8008*** (0.0512)	-0.7892*** (0.0454)	-0.8610*** (0.0833)	-0.8801*** (0.0833)
Observations	1,488	1,440	1,440	1,440
Adjusted R ²	0.92440	0.91883	0.91580	0.91209
1 st stage F-statistic, $\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}}$		26.417	38.231	35.454
1 st stage F-statistic, $\widehat{\frac{E_{i,t}^{e,c}}{E_{i,t}^e}}$			31.510	31.388
State fixed effects	✓	✓	✓	✓
Year fixed effects	✓	✓	✓	✓
Extra Controls	No	Yes	No	Yes

Notes: Results of regressing equation (15). Column (1) presents the results under OLS estimation. Column (2) presents the results when only instrumenting for $\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}}$. Columns (3) presents the results when instrumenting also for $\widehat{\frac{E_{i,t}^{e,c}}{E_{i,t}^e}}$. Column (4), in addition, includes the extra control variables. The sample includes the 48 contiguous US states and spans 1991 to 2022, excluding 2020. Standard errors are clustered at the year and state level. The standard errors are in parenthesis. ***, **, and * indicate significance at the 1%, 5%, and 10% levels, respectively.

inclusion of additional controls does not meaningfully change our point estimates, validating our preferred model's balance.

Discussion. Before comparing our results to the existing literature and drawing policy implications, it is worth noting that our relatively low elasticity estimates are consistent with recent US experience with wind and solar energy generation. Since 2010, clean energy consumption has risen markedly – by 40 percentage points. However, this expansion appears less dramatic when juxtaposed with the evolution of generation costs: wind and solar LCOE estimates have declined by a remarkable 80 percentage points ([International Renewable Energy Agency, 2024](#)). Over the same period, dirty energy prices exhibited volatility but, on average, hovered around 90% of their 2010 level, while total dirty energy consumption decreased by only 10 percentage points.

To contextualize these developments, figure 5 plots the relative consumption of clean energy against the relative price of dirty energy, both computed as log-ratios and normalized to 0 in 2010. Between 2010 and 2022, the relative price of dirty energy rose by 80 log-points, while the relative use of clean energy increased by only 26 log-points. These figures imply a realized elasticity of approximately 0.25²⁵, well below our estimate of 0.59.




Figure 5: Clean Energy Consumption vs Dirty Energy Prices.

Notes: The figure plots two series for the US: the log-difference in average energy prices between polluting and non-polluting sources, and the log-difference in energy consumption between clean and dirty energy. Both series are normalized to 100 in 2010 prior to the log transformation. As a proxy for clean energy prices, we use onshore wind LCOE estimates from [International Renewable Energy Agency \(2024\)](#); analogous results using photovoltaic estimates are shown in figure 16. All prices are adjusted for inflation.

Our results for the elasticity of substitution are indeed much smaller than those implied by

²⁵The elasticity would be closer to 0.17 if we instead used 2019 as the endpoint.

previous studies. The key reasons for this discrepancy are both the lower implicit electricity generation elasticity of 0.67 – compared to 1.8 in Papageorgiou et al. (2017), and the inclusion of all energy consumption, not just business energy. In subsection 6.2 we formalize this point and highlight specifically the importance of accounting for energy consumed by the transportation sector, which not only accounts for more than 57% of total energy expenditures, but whose consumption is also heavily skewed towards fossil-fuels.

5.2 Robustness Checks

Table 3: Robustness Checks

	(1)	(2)	(3)	(4)	(5)
$\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}}$	-0.5852*	-0.6647*	-0.5633**	-0.7032**	-0.5546***
	(0.2954)	(0.3766)	(0.2539)	(0.3291)	(0.1496)
$\widehat{\frac{E_{i,t}^{e,c}}{E_{i,t}^e}}$	-0.8753***	-0.8715***	-0.9136***	-0.8678***	-0.8475***
	(0.0852)	(0.0927)	(0.0847)	(0.1071)	(0.0592)
Observations	1,392	1,440	1,350	1,440	672
Adjusted R ²	0.91213	0.91186	0.90506	0.90768	0.90909
1 st stage F-statistic, $\frac{\widehat{P_{i,t}^D}}{P_{i,t}^e}$	34.689	32.624	35.663	33.722	29.754
1 st stage F-statistic, $\frac{\widehat{E_{i,t}^{e,c}}}{E_{i,t}^e}$	28.741	31.911	30.298	30.432	13.317
F-statistic	0.32933	0.39363	0.38969	0.04832	0.34821
State fixed effects	✓	✓	✓	✓	✓
Year fixed effects	✓	✓	✓	✓	✓
Extra Controls	Yes	Yes	Yes	Yes	Yes

Notes: Results of robustness checks. Column (1) includes an extra lag of the SSIV instrument. Column (2) uses foreign commodity price indices. Column (3) excludes TX, NM and ND. Column (4) includes state-specific quadratic trends. Column (5) groups the observations in 2-year windows. All regressions are unweighted. The sample includes the 48 contiguous US states and spans 1991 to 2022, excluding 2020 (and 2019 in column (5)). Standard errors are clustered at the year and state level. The standard errors are in parenthesis. ***, **, and * indicate significance at the 1%, 5%, and 10% levels, respectively.

We now present some of the robustness exercises conducted²⁶. Each column of table 3 represents a separate exercise. The first three columns deal with concerns about the validity of our

²⁶We present further checks in subsection D.1 – specifically related to our sample’s period. We also present the estimates when the expenditure shares do not account for primary energy consumed through electricity imports. The estimates are around unity but the standard errors are much wider.

shift-share instrument. First, we want to ensure that our results arise from contemporaneous variation in energy prices and not from the dynamic effect from past fluctuations. While this may not be a concern with natural gas and crude oil prices, which are essentially random walks, coal prices have been persistently decreasing and a BIC-based choice criterion would conclude that their integrated of order 3. As such, in column (1) we present our results with two lags of the SSIV instrument instead of one. The estimate remains the same, we only lose statistical precision.

A second concern is that our national price shifters for natural gas and coal are not entirely exogenous from states' energy demands since, due to transportation costs, for example, their markets might not be as integrated as crude oil's is at a global stage. To appease that concern we replicate our exercise using instead foreign price indices as shifters. Specifically we use the price of brent crude, the main european index for crude oil, the index for natural gas in Japan, and the coal index for Australian coal. The first is retrieved from Fred while the other two come from the World Bank's Commodity Markets Outlook. The results are provided in column (2). The point estimates increase slightly to 0.66 but are not significantly different from our baseline results.

Another threat to our identification strategy is the fact that some US states have an outsized influence in world energy markets, playing significant roles in the supply of natural oil and gas. The importance of this industry may skew their composition of energy and how they react to price fluctuations. To show that this bears no influence on our results, we repeat our regressions excluding Texas, New Mexico and North Dakota. The results are presented in column (3). The results are again not significantly different.

On top of these, in column (4) we further try to account for the differential trends in energy composition across states by adding a state-specific quadratic time-trend. The point estimate of σ increases to 0.73, but is still within the range admitted by our baseline specification, and remains considerably below the previous literatures' values.

Finally, to account for the potential inertia in energy consumption adjustment not captured by yearly data, we aggregate our data to two-year buckets. Now, each observation represents a span of two years, instead of one. The SSIV weights are still set to the relative expenditure share of 1990 and the data span remains the same. We provide the results in column (5). The elasticity level decreases very slightly to 0.55 while power actually increases.

Geographical Sensitivity. We do not weight our main regressions, following the recommendation of [Chodorow-Reich \(2020\)](#). At the state level, using weights may introduce bias in the estimated coefficients and affect the power of the first-stage regressions. Moreover, OLS and shift-share instrumental variables naturally weight observations according to their contribution to the variability of the regressors ([Borusyak et al., 2022](#)). However, it is important to understand which states drive our results. To assess this, we re-estimate our main specification in equation (15),

sequentially excluding one state at a time. We present the difference between these estimates and our baseline value in subsection D.1²⁷. Our results are largely insensitive to the exclusion of any single state. The notable exception is Vermont, whose distinct energy mix contributes disproportionately to the variation in our instrument. Excluding Vermont reduces the estimated elasticity to 0.37. We interpret this as reinforcing our conclusion that aggregate elasticities are very small.

To address potential concerns about outlier influence and national representativeness, we re-estimate our main regression using as weights proxy variables for state size: the logarithm of population, deflated GDP, and total dirty energy consumption. These weighted specifications reduce the influence of smaller states, such as Vermont, on our results. As shown in table 4, the resulting elasticity estimates remain close to the unweighted baseline and are generally smaller. This reinforces our interpretation that the estimated parameter captures a nationally representative aggregate elasticity and is not particularly driven by any single or atypical region.

5.3 Welfare Implications

Taken at face value, our results have stark implications for energy policy. For example, through the lenses of the canonical model of Acemoglu et al. (2012), we could conclude, following proposition 3, that an economy-wide clean energy subsidy is not enough to enact the long-run transition away from dirty energy use. This conclusion thus renders ineffective the US's preferred approach to incentivize clean energy. At such a low elasticity of substitution level, it is impossible to counteract the incentives to use dirty energy alongside clean energy. The only way to ensure the transition away from fossil fuels in the long-run is to enact the optimal tax on ghg emissions, ensuring the necessary disincentive to accompany the clean energy increase with more fossil fuel usage. The logic is made clear in Casey et al. (2023). If energy as a whole is productive, increasing energy use, no matter its source, incentivizes more energy use. With low enough elasticity of substitution between energy sources, dirty energy consumption is thus promoted by an increase in clean energy availability. Consequently, at this elasticity level, Casey et al. (2023) argue that, all else equal, clean energy subsidies could increase ghg emissions in the short-run.

In addition to this, Acemoglu et al. (2012) conclude that under gross energy complementarity, $\sigma < 1$, the only way to attain the long-run energy transition is by halting economic growth. A generalized linear hypothesis test of our preferred specification cannot reject, at a 10% significance level, that clean and dirty energy types are gross complements in the United States. In contrast, our robustness checks do not reject the hypothesis, so we conclude that the statistical certainty around these estimates is not high enough to ascertain this point. Even then, we would

²⁷See figure 17.

Table 4: Weighted Regressions

	Population (1)	Dirty Energy Consumption (2)	GDP (3)
$\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}}$	-0.5556* (0.2763)	-0.5472* (0.2778)	-0.5019* (0.2712)
$\widehat{\frac{E_{i,t}^{e,c}}{E_{i,t}^e}}$	-0.8917*** (0.0842)	-0.8925*** (0.0836)	-0.9090*** (0.0846)
Observations	1,440	1,440	1,440
Adjusted R ²	0.91002	0.91078	0.90606
1 st stage F-statistic, $\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}}$	34.087	33.619	32.339
1 st stage F-statistic, $\widehat{\frac{E_{i,t}^{e,c}}{E_{i,t}^e}}$	31.430	31.571	31.744
F-statistic	0.39393	0.39676	0.40666
State fixed effects	✓	✓	✓
Year fixed effects	✓	✓	✓
Extra Controls	Yes	Yes	Yes

Notes: Results from weighted instrumental variable estimation of equation (15). Column (1) weights by the logarithm of population. Column (2) weights by the logarithm of total dirty energy consumption. Column (3) weights by the logarithm of real gdp. The sample includes the 48 contiguous US states and spans 1991 to 2022, excluding 2020. Standard errors are clustered at the year and state level. The standard errors are in parenthesis. ***, **, and * indicate significance at the 1%, 5%, and 10% levels, respectively.

warn against such a vaticination since σ is not de facto constant, and most certainly will increase with technological progress. We show this more formally in section 6.

Finally, recent work highlights the importance of the aggregate elasticity for understanding the distributional burden of the energy transition. Building on a large literature emphasizing the non-homotheticity of energy consumption – particularly after the Russian invasion of Ukraine²⁸, Hochmuth et al. (2025) show that poorer households may be over 50% worse off than their richer counterparts as a result of the European energy transition. These outcomes are highly dependent on the elasticity of substitution between green and dark energy in final energy use. Although this parameter does not exactly match our concept of aggregate elasticity, we show in section 6 that it must be below unity. This low substitutability suggests even greater distributional disparities than those inferred by Hochmuth et al. (2025). Moreover, it has strong policy implications: for instance, the optimal carbon tax nearly doubles when the assumed elasticity falls from 3 to 2, so our findings should further amplify this value. In contrast, Cruz and Rossi-Hansberg (2024) find that σ has no impact on the projected regional variation in climate change-induced damages. However, they show that by the end of the next century, assuming an energy elasticity of 0.5, close to our estimate, results in average welfare losses that are 27% higher than under a scenario where this parameter is 2.7.

6 From Macro to Micro

In this section we lay out a model inspired by Oberfield and Raval (2021) that helps to dissect the concept of aggregate elasticity of substitution between polluting and non-polluting energy. In practice our estimates reflect not a unique aggregate parameter, but the combination of several “lower-level” elasticities.

6.1 Bottom-up Model

Consider n distinct energy using sectors²⁹. In line with the evidence provided in the literature (Hassler et al. (2022), Käenzig and Williamson (2024)), similarly to Jo (2024), we pose that their production functions take a Leontief form

$$Y_j = \min\{H_j/g_j, E_j\}$$

²⁸See for example Kharroubi and Smets (2024), Käenzig (2023) or Auclert et al. (2024) who emphasize the importance of non-homotheticity in energy consumption for the propagation and welfare effects of energy related shocks.

²⁹We denote these sectors as energy-using because their output is directly provided to consumers. This can also include the direct provision of higher-order energy directly to consumers.

where, as in section 2, H_j is a combination of other factors of production³⁰, and E_j is the energy consumption bundle. Further, we assume that each sector j can consume directly either dirty energy or electricity, so that their energy bundle is a CES composite of both forms of energy,

$$E_j = \left(a_j^e (E_j^e)^{\frac{\sigma_j-1}{\sigma_j}} + (1 - a_j^e) (E_j^d)^{\frac{\sigma_j-1}{\sigma_j}} \right)^{\frac{\sigma_j}{\sigma_j-1}}.$$

The electricity generation sector operates under full competition and produces electricity for the whole economy using either dirty or clean energy. Its production function also takes a CES form, so that

$$E^e = \sum_j E_j^e = \left(a^e (E^{C,e})^{\frac{\nu-1}{\nu}} + (1 - a^e) (E^{D,e})^{\frac{\nu-1}{\nu}} \right)^{\frac{\nu}{\nu-1}}.$$

We consider a unique electricity generation function to ease our numerical calibration. Notwithstanding, this setup can also accommodate sector-specific electricity production functions – we would instead require distinct share and elasticity parameters. Some residential clean electricity for example is produced by households' own solar panels which are not connected to the electricity grid. Across our sample though, this represents a small share of total electricity consumed. On average, 95% of all electricity measured by the SEDS is produced by the electricity generation sector. Also, part of the industrial sector produces some of its electricity from primary dirty energy consumed. In practice, our framework can accommodate this by adjusting the sectoral breakdown. In contrast, this model structure ignores the supply side's network structure. We leave such a development for future work.

Finally, consumers consume a CES bundle of all sectors in the economy

$$C_j = \left(\sum_{j=1}^n D_j Y_j^{\frac{\varepsilon-1}{\varepsilon}} \right)^{\frac{\varepsilon}{\varepsilon-1}}.$$

Because the elasticity of substitution is inherently a partial equilibrium concept, we assume that the prices of dirty and clean energy are unique, so that $P_j^d = P^{D,e} = P^D$, $P^{C,e} = P^C$. In connection to our empirical exercise, the aggregate elasticity of substitution is then the change in the overall economy's relative clean energy consumption when dirty energy's relative price changes, so that

$$\sigma \equiv \frac{d \ln \frac{E^C}{E^D}}{d \ln \frac{P^D}{P^C}} = \frac{d \ln \frac{E^C P^C}{E^D P^D}}{d \ln \frac{P^D}{P^C}} + 1$$

³⁰We assume that their price does not depend on energy prices.

where $E^X = \sum_j E_j^X$, $X \in \{C, D\}$ is the total energy of type X consumed directly, or indirectly, by sector j . We recast the elasticity in terms of expenditures, instead of quantities, because it helps when thinking about its determinants. Together with an in-depth analysis, in section E we prove that σ takes the form laid out in proposition 1.

Proposition 1. *In subsection 6.1's model, the aggregate elasticity of substitution between clean and dirty energy, $\sigma = d \ln \frac{E^C}{E^D} / d \ln \frac{P^D}{P^C}$, takes the form*

$$\sigma = \chi \tilde{\varepsilon} + (1 - \chi) \tilde{\sigma}. \quad (16)$$

χ , $\tilde{\varepsilon}$ and $\tilde{\sigma}$ are defined as

$$\begin{aligned} \chi &= \sum_j \theta_j \frac{(\alpha_j - \alpha)^2}{\alpha(1 - \alpha)} \\ \tilde{\varepsilon} - 1 &= \sum_j \theta_j \frac{(\alpha_j - \alpha)}{\sum_j \theta_j (\alpha_j - \alpha)^2} \varepsilon_{PD}^{P_j^e} (1 - \varepsilon s_j^E) \\ \tilde{\sigma} &= \alpha^{C,e} \sigma' + (1 - \alpha^{C,e}) \nu' \end{aligned}$$

where, $\sigma' - 1 = \sum_j \theta_j \frac{\alpha_j(1 - \alpha_j)}{\sum_j \theta_j \alpha_j(1 - \alpha_j)} \alpha_j^d (\sigma_j - 1)$ is the average elasticity between electricity and primary dirty energy consumption adjusted for the latter's share in each sector.

$\nu' - 1 = \sum_j \theta_j \frac{\alpha_j(1 - \alpha_j)}{\sum_j \theta_j \alpha_j(1 - \alpha_j)} (1 + (1 - \alpha_j^d) \frac{\alpha^{C,e}}{1 - \alpha^{C,e}}) (\nu - 1)$ is the electricity generation sector's elasticity accounting for higher order effects. $\theta_j = \frac{P_j^E E_j}{\sum_j P_j^E E_j}$ is sector j 's share in the economy's total energy expenditure, where P_j^E are the sector-specific energy price indices. $s_j^E = \frac{P_j^H H_j}{P_j^E E_j + P_j^H H_j}$ is sector j 's energy expenditure share, $\alpha_j^d = \frac{P^D E_j^d}{P^D E_j^d + P^e E_j^e}$ its share of primary dirty energy expenditure in total energy expenditure, and $\alpha_j = \frac{P^C E_j^C}{P^C E_j^C + P^D E_j^D}$ its share of (indirect) clean energy in total energy expenditure. $\varepsilon_{PD}^{P_j^e} = \frac{d \ln P_j^e / P^C}{d \ln P^D / P^C}$ is sector j 's energy bundle's price elasticity vis-a-vis the price of dirty energy. Lastly, $\alpha^{C,e} = \frac{P^C E_j^{C,e}}{P^C E_j^{C,e} + P^D E_j^{D,e}}$ is clean energy's share of total electricity generation costs.

Interpretation. As in Oberfield and Raval (2021), equation (16) is a convex combination³¹ of two effects. The first, captured by $\tilde{\varepsilon}$, reflects the sectoral dispersion in sector-specific energy price sensitivities, and the associated reallocation of consumption. The second, captured by $\tilde{\sigma}$ reflects the economy's average capacity to replace dirty with clean energy — which we define as “aggregate technological elasticity”. As a result of our layered energy production structure, this depends both on the energy end-using sectors' capacity to replace primary dirty energy with

³¹ $\chi \leq 1$ (Oberfield and Raval, 2021).

electricity, and on the electricity generation sector's own capability to replace dirty generation sources by clean ones. Intuitively, the first effect affects the consumption of clean energy by redirecting primary energy consumption towards electricity. Because only $\alpha^{C,e}$ of this electricity is clean, the amount of clean energy increases (relatively) by this share. In turn, when electricity turns to greener sources, only the dirty proportion, $(1 - \alpha^{C,e})$, can become greener. The higher order terms in turn capture this effect on the redirected primary energy consumption.

6.2 Non-energy Elasticities

Equipped with equation (16), we can backout the average elasticity of substitution for the energy end-use sectors, σ' , from the estimates laid out in table 2. To do so, we follow the EIA's breakdown and consider only three sectors: residential, goods and services production, and transportation. While this breakdown differs from the typical economic delineations, it accommodates the use of the SEDS data. In addition, we use tables 2.7 and 6.2D from the Bureau of Economic Administration's (BEA) Fixed Assets, and National Income and Product Accounts to obtain the expenditure in other factors of production, namely capital goods — measured through investment, and labor, measured through employee compensation, respectively. We focus on 2022, the latest available data, but also present 2005 which we will use in subsection 6.3. We present the full calibration of the expenditure shares in table 5. In subsection E.2 we detail all the steps taken to compute these numbers. We set the consumption elasticity parameter to 0.33, taken from column (6) in table I of Comin et al. (2021). Their methodology is preferred because the non-homothetic utility formulation allows for different income elasticities while maintaining a constant price elasticity of substitution. On top of this, their sectoral span is very large, covering a great part of households' expenditures in all the sectors we consider.

We attribute to clean energy sources roughly 47% of total electricity generation expenditures. This is in line with the share of clean electricity, which in 2022 represented about 43% of total electricity generation. The bulk of the economy's energy spending comes from transportation, representing roughly 57% of total spending, followed by the productive and residential sectors, with 26 and 17%, respectively. This disparity is explained by transportation's reliance on refined, and thus higher added-value, fuels such as gasoline and jetfuel, and its market structure — where most consumption is undertaken downstream of a long supply chain, in particular for road vehicles.

In contrast, clean energy is mostly consumed by the productive and residential sectors, with very similar shares of around 28% of their total energy expenditures. Surprisingly, the clean expenditure share in transportation is almost nonexistent. This is mostly explained by the dominance of road and air transportation in the US. Even then, the electrification share of rail transportation is very low, with diesel-powered trains prevailing. One caveat must be placed on this number: it

Table 5: Expenditure Shares Calibration

	Production		Residential		Transportation	
	2005	2022	2005	2022	2005	2022
θ_j	29.52%	26.17%	19.29%	17.03%	51.19%	56.81%
α_j	23.43%	28.44%	21.27%	27.38%	0.04%	0.04%
s_j^E	2.68%	2.02%	44.20%	38.92%	33.67%	36.65%
α_j^d	45.40%	39.61%	50.45%	41.86%	99.90%	99.92%
$\alpha^{C,e}$	42.92%	47.10%				

Notes: US expenditure shares derived from the EIA's SEDS, and BEA's FAA and NIPA. Full description of procedure in subsection E.2. $\theta_j = \frac{P_j^e E_j}{\sum_j P_j^e E_j}$ is sector j 's share in the economy's total energy expenditure. $s_j^E = \frac{P_j^E E_j}{P_j^E E_j + P_j^H H_j}$ is sector j 's energy expenditure share, $\alpha_j^d = \frac{P^D E_j^d}{P^D E_j^d + P^e E_j^e}$ its share of primary dirty energy expenditure in total energy expenditure, and $\alpha_j = \frac{P^C E_j^C}{P^C E_j^C + P^C E_j^D}$ its share of (indirect) clean energy in total energy expenditure. $\alpha^{C,e} = \frac{P^C E_j^{C,e}}{P^C E_j^{C,e} + P^D E_j^D}$ is clean energy's share of total electricity generation costs and is common to all sectors.

is a lower bound of the real share of clean energy spending in transportation. This is the result of the SEDS's methodology which assigns all electricity consumed by houses to the residential sector. Since a great part of all electric vehicle (EV) charging is done at home, this naturally misses out on some of the transportation sector's electricity share. Notwithstanding, in 2022 EVs represented a tiny fraction of just 0.86% of total light-duty vehicles registered in the US, while plug-in hybrids and hybrid EVs together accounted for just 2.5% ([U.S. Department of Energy, 2022](#)). In addition, the SEDS already accounts for charging ports outside of homes. As such, we would not expect a meaningful difference if we were able to account for at-home personal vehicle charging.

Together with our estimates for ν and σ , our calibration implies that $\sigma' \approx 0.94$. This means that energy end-users' average elasticity between electricity and primary dirty fuels is higher than the capability of the electricity sector to replace polluting energy sources by non-polluting ones, consistent with the findings in the previous literature. More interestingly, this value implies that the economy's technical ability to replace dirty by clean energy, $\tilde{\sigma} = \alpha^{C,e} \sigma' + (1 - \alpha^{C,e}) \nu' \approx 0.72$ – considerably higher than the aggregate elasticity, σ . This difference is explained by the reallocative effect of demand, which counteracts each sector's ability to replace dirty by clean energy. This effect is determined both by the low elasticity of substitution of demand and by the dispersion in energy mixes.

First, notice that the goods & services, and the residential sectors have a positive effect on the elasticity, as they have a cleaner energy mix than the economy's average, α . In contrast, the dirty sector is very negatively skewed towards polluting energy, so its impact is negative. Under

complementarity across sectors, since $\varepsilon = 0.33 < 1$, consumer theory dictates that the share of goods whose prices go up increase their share in total spending (Matsuyama, 2023). Since the transportation sector's price is the most sensitive to dirty energy prices, its price increases more than the other sectors. As a result, its share of spending increases, and so does the share of overall spending in dirty energy, explaining the result. This analysis highlights the importance of considering all energy consuming sectors when analysing aggregate energy elasticities.

Connection to Previous Literature. To end this subsection we note that our aggregate elasticity estimate is significantly smaller than the values presented by previous studies. This is explained by the distinct scopes. We here account for all energy consumed in the economy — and thus estimate the aggregate elasticity, as opposed to the sectoral or plant-level elasticities like in Papageorgiou et al. (2017) and Jo (2024), respectively. The difference is made clear by proposition 1.

Notwithstanding, note that our aggregate elasticity value does not necessarily contradict the business elasticity estimates reported in these studies. To illustrate this, we consider an alternative calibration. We assign an elasticity of 3 to the goods and services sector, consistent with Papageorgiou et al. (2017). For the transportation and residential sectors, we use values of 0.3 and 0.1, respectively — reflecting the price elasticity of gasoline and residential heating reported in Kilian and Zhou (2024) and Davis and Kilian (2011). Keeping our initial calibration for the electricity sector's elasticity, equation (16) yields an aggregate elasticity of approximately 0.73 — well within the confidence interval from our main specification in table 2.

6.3 Variable Elasticity of substitution

We conclude this section by examining whether the aggregate elasticity of substitution increases with the share of clean energy. This hypothesis follows from the general Variable Elasticity of Substitution (VES) theory, as formalized by Revankar (1971), and adapted to our context. Recent work by Jo and Miftakhova (2024) demonstrates that, at the aggregate level, this mechanism could significantly accelerate the energy transition, thereby reducing its costs. Notably, it might overturn the "de-growth" prediction presented by Acemoglu et al. (2012), especially when starting out from our point estimate of 0.59, which is below unity.

To test the VES hypothesis, we examine both the time-series and cross-sectional variation in clean energy use in the US throughout our sample period. We begin by analyzing the time-series variation, re-estimating the regression model specified in equation (15) on a rolling basis. We use 15-year windows, which effectively reduces the sample size for each regression by approximately half. The SSIV weights are fixed to the year preceding each window. The resulting estimates, alongside the moving average of the clean energy share, are presented in figure 6. Our findings

indicate that the estimates remain relatively stable over time, despite the clean energy share increasing substantially, particularly after 2008. Although statistical uncertainty is considerable, the point estimates do not suggest any upward trend.




Figure 6: Rolling Regressions of equation (15)

Notes: Rolling regressions of equation (15) with 15 year windows. SSIV weights are set to the year before the window starts. The shaded areas are the 90% confidence intervals. Standard errors are clustered at the state and year level. The yellow line represents the natural logarithm of the rolling average ratio of clean to dirty energy consumption measured in Btus.

In a second exercise, we examine the cross-sectional heterogeneity in the aggregate elasticity across US states. To do so, we interact the relative price of dirty energy vis-à-vis electricity with the logarithm of the median clean energy share for each state, calculated over our sample period. The results, presented in table 6, do not support the hypothesis of a positive relationship between the clean energy share and the aggregate elasticity³². Instead, we find a positive interaction coefficient, although it is not statistically significant.

Taken together, both exercises provide no evidence supporting the VES hypothesis. From the perspective of our model, these results further indicate that the economy's average ability to substitute away from dirty energy, $\tilde{\sigma}$, has likely remained stable. To investigate this, we recalculate the aggregate elasticity using the 2005 expenditure shares, as shown in table 5, while keeping the baseline elasticity parameters unchanged.

Compared to 2022, the expenditure share of primary dirty energy was approximately 5.8 and 8.6 percentage points higher in the production and residential sectors, respectively, while remaining roughly unchanged in the transportation sector. Meanwhile, energy's contribution to total

³²Defined as a negative interaction coefficient in our regression.

Table 6: Cross-Sectional Heterogeneity in σ

	(1)
$\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}}$	-0.6891** (0.3052)
$\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}} \times \text{Median}(\ln \frac{E_{i,t}^C}{E_{i,t}^D})$	0.0158 (0.0236)
$\widehat{\frac{E_{i,t}^{e,c}}{E_{i,t}^e}}$	-0.8618*** (0.0916)
Observations	1,440
1 st stage F-statistic, $\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}}$	23.732
1 st stage F-statistic, $\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}} \times \text{Median}(\ln \frac{E_{i,t}^C}{E_{i,t}^D})$	253.71
1 st stage F-statistic, $\widehat{\frac{E_{i,t}^{e,c}}{E_{i,t}^e}}$	21.171

Notes: Results of interacting the logarithm of the state-specific median ratio of clean to dirty energy in BTUs with $\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}}$. The sample includes the 48 contiguous US states and spans 1991 to 2022, excluding 2020. Standard errors are clustered at the year and state level. The standard errors are in parenthesis. ***, **, and * indicate significance at the 1%, 5%, and 10% levels, respectively.

costs was only marginally higher in production (by 0.66 percentage points) but substantially increased in the residential and transportation sectors, by 5.3 and 3 percentage points, respectively. The expenditure share of clean electricity sources was only 4.1 percentage points lower, despite a nearly 13 percentage point reduction in the clean electricity share. This discrepancy reflects the substantial decline in the price of clean electricity³³. Recomputing the aggregate elasticity yields a value of 0.61, slightly higher than our baseline estimate of 0.59, but not significantly different – in accordance with our empirical findings.

The Importance of Micro Elasticities Our previous evidence suggests that an increase in the clean energy share may not necessarily correspond to increases in sectoral elasticities. In such a case, equation (16) implies that the aggregate elasticity is constrained by the lower-level elasticities. A key question arises: how does the aggregate elasticity, holding all else equal, change as the clean energy share increases? To shed light on this, we conduct two distinct exercises, each reflecting likely scenarios for the US: an increase in the share of clean electricity and a rise in the electrification of the transportation sector. We demonstrate that the change in aggregate elasticity may depend on the source of clean electricity.

In the first scenario, we analyse the effect of increasing the clean electricity share by 10%, while maintaining the other expenditure shares and sectoral elasticities from our baseline calibration³⁴. Using equation (16), we find that the aggregate elasticity would decrease to 0.58, though the decline is minimal.

In the second scenario, we examine the impact of replacing 10% of the transportation sector's primary dirty energy consumption³⁵ (measured in Btus) with an equivalent amount of electricity³⁶. In this case, recomputing the elasticity of substitution reveals an increase of 0.03 in the aggregate elasticity, reaching 0.62. This rise in elasticity is associated with the transition to cleaner energy, driven by substantial electrification within the transportation sector. Nevertheless, the change in the aggregate elasticity remains relatively modest.

These two thought experiments suggest that future developments in the American energy mix may or may not increase the elasticity of substitution. Whether the elasticity rises fundamentally depends on the source of the cleaner energy. Nonetheless, any changes are likely to remain modest unless there is a relationship – not modelled here – between the clean energy or electricity share and the relevant elasticities of substitution. Some literature points to a positive relationship between the two. For instance, [Jo and Miftakhova \(2024\)](#) identify such a mechanism

³³See figure 3a for the evolution of the LCOE estimates.

³⁴This can be achieved by a simultaneous increase in the price of clean energy, P^C , and in the ideal clean energy share, a^e . The latter rise being bigger than the former. For details, see subsection E.3.

³⁵This adjustment involves increasing the share of electricity parameter in transportation, a_j^e , while adjusting the D_j 's to preserve sector sizes.

³⁶Based on the EIA's electricity-to-Btu conversion factor of 3.412, as detailed in section 3.

among French manufacturing firms, where an increase in the electricity share correlates with a higher elasticity of substitution. This feedback loop is particularly relevant for road transportation. Recent studies suggest that expanding charging infrastructure could strengthen the link between elasticity and the electricity share. For example, Cole et al. (2023) find that increasing charging infrastructure in the US would likely promote electric vehicle adoption. Since infrastructure availability naturally scales with rising EV demand, a positive feedback between elasticity and the electricity share in transportation appears plausible. Similarly, Fang et al. (2025) show that expanding electric high-speed rail in China fosters EV adoption. Implementing similar investments in parts of the US could have a substantial impact on the flexibility of transportation's energy use.

In contrast, the literature also highlights the decreasing ability to integrate additional clean electricity when its share is already significant. In particular, the intermittency of renewables can trigger a cannibalization effect where the correlated structure of electricity supply reduces the profitability of clean energy projects (Reichenberg et al., 2023). Potential solutions to mitigate this effect include increased battery storage, demand management, or improvements in the geographical interconnection of the electrical grid (López Prol et al., 2020). However, some of these solutions are still in their technological infancy or present significant implementation challenges in the US. On the other hand, several studies have highlighted the effectiveness of carbon taxes in alleviating this issue (Brown and Reichenberg, 2021; Liebensteiner and Naumann, 2022).

7 Conclusion

We introduced a novel methodology to estimate the aggregate elasticity of substitution between polluting and non-polluting energy sources in the United States by leveraging cross-sectional variation in states' energy mixes. A key component of our empirical strategy involves inferring the price of clean energy from the behaviour of the electricity-generating sector. Our central estimate, around 0.59, is substantially lower than commonly assumed in the literature. This has important policy implications: broad, untargeted subsidies may be insufficient on their own to drive a successful energy transition. Moreover, our results underscore the potentially high and unevenly distributed costs of decarbonizing the economy.

To support our empirical approach, we developed a bottom-up model in the spirit of Oberfield and Raval (2021), which clarifies the mechanisms driving the aggregate elasticity. Two main factors account for our relatively low estimates. First, the elasticity of substitution in electricity generation, estimated at approximately 0.67, constrains the economy's ability to integrate clean energy rapidly. This limitation dampens the higher elasticity in energy end-use sectors, which our calibration suggests must be around 0.94 on average. As a result, the overall "technological elasticity of substitution" for the economy is approximately 0.72. Second, the combination of

a low elasticity of demand with limited use of clean energy in transportation leads to further under-adjustment in the energy mix. Consumption's under-reaction to relative price changes contributes significantly to the low aggregate elasticity we observe. These findings highlight the importance of adopting a comprehensive perspective on energy consumption — an angle that much of the existing literature neglects.

We also find no evidence of an increase in the aggregate elasticity over the past two decades, despite substantial growth in clean energy consumption. This suggests that rising clean energy shares do not automatically translate into greater substitutability between energy types. The absence of such a positive feedback loop could hinder progress toward a cleaner economy. As a result, policy should focus not only on incentivizing clean energy adoption, but also on enhancing each sector's capacity to substitute between energy sources. The transportation sector, in particular, emerges as a critical target for intervention.

While this paper offers new insights into the elasticity of substitution between energy sources, many questions surrounding the clean energy transition remain open. In particular, incorporating the complexities of electricity generation into dynamic equilibrium models is essential to understanding the dynamics of the transition, as emphasized by [Desmet and Rossi-Hansberg \(2024\)](#). [Abuin \(2025\)](#) makes important progress in this direction. Additionally, a better grasp of the feedback between clean energy (or electricity) shares and sectoral energy elasticities of substitution could enhance the accuracy of our long-term projections. [Jo and Miftakhova \(2024\)](#), for instance, provide compelling evidence of such mechanisms in the context of French manufacturing firms. Finally, while this paper has focused on the broad distinction between polluting and non-polluting energy, [Acemoglu et al. \(2023\)](#) underscore the importance of understanding the distinct roles individual energy sources can play in decarbonizing the economy — a point especially relevant when microfoundating sectoral energy choices, as in [Acemoglu et al. \(2016\)](#).

References

- Abuin, Constanza**, “Power Decarbonization in a Global Energy Market: The Climate Effect of U.S. LNG Exports,” March 2025.
- Acemoglu, Daron, Philippe Aghion, Leonardo Bursztyn, and David Hemous**, “The Environment and Directed Technical Change,” *American Economic Review*, February 2012, 102 (1), 131–166.
- , — , **Lint Barrage, and David Hémous**, “Climate Change, Directed Innovation, and Energy Transition: The Long-run Consequences of the Shale Gas Revolution,” September 2023.
- , **Ufuk Akcigit, Douglas Hanley, and William Kerr**, “Transition to Clean Technology,” *Journal of Political Economy*, February 2016. Publisher: University of Chicago PressChicago, IL.

- Administration, U.S. Energy Information**, “International Energy Statistics,” 2024.
- Angrist, Joshua D. and Jörn-Steffen Pischke**, *Mostly Harmless Econometrics: An Empiricist’s Companion*, 1st edition ed., Princeton: Princeton University Press, January 2009.
- Arellano, Manuel and Stephen Bond**, “Some Tests of Specification for Panel Data: Monte Carlo Evidence and an Application to Employment Equations,” *The Review of Economic Studies*, April 1991, 58 (2), 277–297.
- Arkolakis, Costas and Conor Walsh**, “The Economic Impacts of Clean Energy,” *Brooking’s Papers for Economic Activity*, 2024.
- Auclert, Adrien, Hugo Monnery, Matthew Rognlie, and Ludwig Straub**, “Managing an energy shock: fiscal and monetary policy,” 2024. Accepted: 2024-12-05T15:15:17Z ISBN: 9789567421749 ISSN: 0717-6686 (Series on Central Banking, Analysis, and Economic Policies) Publisher: Banco Central de Chile.
- Bartik, Timothy J.**, *Who Benefits from State and Local Economic Development Policies?*, W.E. Upjohn Institute, 1991.
- Baumeister, Christiane, Florian Huber, Thomas K. Lee, and Francesco Ravazzolo**, “Forecasting Natural Gas Prices in Real Time,” 33156, November 2024.
- Borenstein, Severin and James Bushnell**, “The US Electricity Industry After 20 Years of Restructuring,” *Annual Review of Economics*, August 2015, 7 (1), 437–463.
- Borusyak, K, P Hull, and X Jaravel**, “A Practical Guide to Shift-Share IV,” 2024.
- Borusyak, Kirill, Peter Hull, and Xavier Jaravel**, “Quasi-Experimental Shift-Share Research Designs,” *The Review of Economic Studies*, January 2022, 89 (1), 181–213.
- Brown, T. and L. Reichenberg**, “Decreasing market value of variable renewables can be avoided by policy action,” *Energy Economics*, August 2021, 100, 105354.
- Canada Energy Regulator**, “Electricity Trade Summary,” January 2025.
- Casey, Gregory, Woongchan Jeon, and Christian Traeger**, “The Macroeconomics of Clean Energy Subsidies,” *SSRN Electronic Journal*, 2023.
- Chodorow-Reich, Gabriel**, “Regional data in macroeconomics: Some advice for practitioners,” *Journal of Economic Dynamics and Control*, June 2020, 115, 103875.
- , **Plamen T Nenov, and Alp Simsek**, “Stock Market Wealth and the Real Economy: A Local Labor Market Approach,” 2021, 111 (5).
- Climate Watch**, “Historical GHG Emissions,” 2021.
- Cole, Cassandra, Michael Droste, Christopher Knittel, Shanjun Li, and James H. Stock**, “Policies for Electrifying the Light-Duty Vehicle Fleet in the United States,” *AEA Papers and Proceedings*, May 2023, 113, 316–322.
- Comin, Diego, Danial Lashkari, and Martí Mestieri**, “Structural Change With Long-Run Income and Price Effects,” *Econometrica*, 2021, 89 (1), 311–374.

- Cruz, José-Luis and Esteban Rossi-Hansberg**, “The Economic Geography of Global Warming,” *The Review of Economic Studies*, March 2024, 91 (2), 899–939.
- Davis, Lucas W and Lutz Kilian**, “The Allocative Cost of Price Ceilings in the U.S. Residential Market for Natural Gas,” *Journal of Political Economics*, April 2011, 119 (2).
- Desmet, Klaus and Esteban Rossi-Hansberg**, “Climate Change Economics over Time and Space,” *Annual Review of Economics*, August 2024, 16 (Volume 16, 2024), 271–304. Publisher: Annual Reviews.
- EMBER**, “Statistical Review of World Energy,” 2024.
- Fang, Hanming, Ming Li, Long Wang, and Zoe Yang**, “High-Speed Rail and China’s Electric Vehicle Adoption Miracle,” February 2025.
- Ganapati, Sharat, Joseph S. Shapiro, and Reed Walker**, “Energy Cost Pass-Through in US Manufacturing: Estimates and Implications for Carbon Taxes,” *American Economic Journal: Applied Economics*, April 2020, 12 (2), 303–342.
- Golusov, Mikhail, John Hassler, Per Krussel, and Aleh Tsyvinski**, “Optimal Taxes on Fossil Fuel in General Equilibrium,” *Econometrica*, 2014, 82 (1), 41–88.
- Grossman, Gene M and Ezra Oberfield**, “The Elusive Explanation for the Declining Labor Share,” *Annual Review of Economics*, 2022.
- Hassler, J., P. Krusell, and A.A. Smith**, “Environmental Macroeconomics,” in “Handbook of Macroeconomics,” Vol. 2, Elsevier, 2016, pp. 1893–2008.
- Hassler, John, Per Krusell, and Conny Olovsson**, “Directed Technical Change as a Response to Natural Resource Scarcity,” *Journal of Political Economy*, November 2021, 129 (11), 3039–3072.
- , —, and —, “Finite resources and the world economy,” *Journal of International Economics*, May 2022, 136, 103592.
- Hochmuth, Philipp, Per Krussel, and Kurt Mitman**, “Distributional Consequences of Becoming Climate-Neutral,” *IZA Institute of Labor Economics*, April 2025, (IZA DP No. 17861).
- International Atomic Energy Agency**, “Non-baseload Operation in Nuclear Power Plants: Load Following and Frequency Control Modes of Flexible Operation,” Technical Report No. NP-T-3.23 April 2018.
- International Renewable Energy Agency**, “Renewable Power Generation Costs in 2023 - with minor processing by Our World in Data,” 2024.
- Jo, Ara**, “Substitution Between Clean and Dirty Energy With Biased Technical Change,” *International Economic Review*, November 2024, p. iere.12743.
- and Alena Miftakhova, “How constant is constant elasticity of substitution? Endogenous substitution between clean and dirty energy,” *Journal of Environmental Economics and Management*, May 2024, 125, 102982.

- Kellogg, Ryan**, "The Effect of Uncertainty on Investment: Evidence from Texas Oil Drilling," *American Economic Review*, June 2014, 104 (6), 1698–1734.
- Kharroubi, Enisse and Frank Smets**, "Energy shocks as Keynesian supply shocks: Implications for fiscal policy," *European Economic Review*, November 2024, 170, 104875.
- Kilian, Lutz and Xiaoqing Zhou**, "Heterogeneity in the pass-through from oil to gasoline prices: A new instrument for estimating the price elasticity of gasoline demand," *Journal of Public Economics*, April 2024, 232, 105099.
- Käenzig, Diego R.**, "The Unequal Economic Consequences of Carbon Pricing," May 2023.
- and **Charles Williamson**, "Unraveling the Drivers of Energy-Saving Technical Change," *SSRN Electronic Journal*, 2024.
- Lemoine, Derek**, "Innovation-Led Transitions in Energy Supply," *American Economic Journal: Macroeconomics*, January 2024, 16 (1), 29–65.
- León-Ledesma, Miguel A, Peter McAdam, and Alpo Willman**, "Identifying the Elasticity of Substitution with Biased Technical Change," *American Economic Review*, September 2010, 100 (4), 1330–1357.
- Liebensteiner, Mario and Fabian Naumann**, "Can carbon pricing counteract renewable energies' cannibalization problem?," *Energy Economics*, November 2022, 115, 106345.
- Matsuyama, Kiminori**, "Non-CES Aggregators: A Guided Tour," *Annual Review of Economics*, September 2023, 15 (Volume 15, 2023), 235–265. Publisher: Annual Reviews.
- MIT Climate Portal Writing and Angelo Gurgel**, "How should we measure the CO₂ emissions from biofuels and bioenergy? | MIT Climate Portal," January 2024.
- Moll, Benjamin, Moritz Schularick, and Georg Zachmann**, "The Power of Substitution: The Great German Gas Debate in Retrospect," *Brookings Papers on Economic Activity*, September 2023, 2023 (2), 395–481.
- Oberfield, Ezra and Devesh Raval**, "Micro Data and Macro Technology," *Econometrica*, 2021, 89 (2), 703–732.
- Papageorgiou, Chris, Marianne Saam, and Patrick Schulte**, "Substitution between Clean and Dirty Energy Inputs: A Macroeconomic Perspective," *The Review of Economics and Statistics*, May 2017, 99 (2), 281–290.
- Pindyck, Robert S.**, *Climate Future: Averting and Adapting to Climate Change*, Oxford, New York: Oxford University Press, September 2022.
- Prol, Javier López, Karl W. Steininger, and David Zilberman**, "The cannibalization effect of wind and solar in the California wholesale electricity market," *Energy Economics*, January 2020, 85, 104552.
- Reichenberg, L., T. Ekholm, and T. Boomsma**, "Revenue and risk of variable renewable electricity investment: The cannibalization effect under high market penetration," *Energy*, Decem-

- ber 2023, 284, 128419.
- Revankar, Nagesh S.**, “A Class of Variable Elasticity of Substitution Production Functions,” *Econometrica*, January 1971, 39 (1), 61.
- Stern, David I.**, “Interfuel Substitution: A Meta-analysis,” *Journal of Economic Surveys*, April 2012, 26 (2), 307–331.
- U.S. Department of Energy**, “Alternative Fuels Data Center: Vehicle Registration Counts by State,” 2022.
- U.S. Department of Energy, Office of Fossil Energy and Carbon Management**, “Early Days of Coal Research,” August 2019.
- U.S. Energy Information Administration**, “Of the operating U.S. coal-fired power plants, 28% plan to retire by 2035,” December 2021.
- , “U.S. energy facts explained - consumption and production,” July 2024.
 - , “Monthly Energy Review – March 2024,” Technical Report DOE/EIA-0035(2025/3), U.S. Energy Information Administration March 2025.
 - , “Glossary - Primary Energy.”
- U.S. Environmental Protection Agency**, “U.S. Grid Regions,” December 2024.

Online Appendix

A Data preparation

A.1 Non-combustible Consumption

In order to account for non-combustible energy, we closely follow note 3 of the EIA’s Monthly Energy Review’s ([U.S. Energy Information Administration, 2025](#)) section 1. We exclude entirely from petroleum consumption the industrial use of miscellaneous petroleum products, waxes, special naphthas, petrochemical feedstock, residual and distillate fuel oil. We also remove the entire consumption of lubricants, and asphalt and roal oil. Lastly, we remove a proportion of non-combustile use petroleum coke and hydrocarbon gas liquids following the MER’s national estimates for the year. For coal consumption, we again use the national estimated proportion of non-combustible use of coal coke in manufacturing for the adjustment. Finally, we follow the same national average procedure to remove a proportion of the natural gas consumed by the industrial sector. We follow the same methodology for expenditures.

A.2 Electricity Trade

To account for electricity trade, we compute the electrical generating sector’s energy mix for each US state. We then identify the net exporting states and remove the amount of primary energy

used to produce their exported electricity. Note that this assumes no consignment. In reality it is possible that the exporting electricity comes from a specific subset of power plants and energy sources. We undertake a similar exercise for Canada and Mexico. We obtain their electricity sources' shares from EMBER (2024). Because we do not have information on their fossil fuel energy efficiency, nor on their respective expenditure, we use the US's yearly averages to input for these. This procedure is needed to back-out the amount of primary dirty energy consumed in electricity production and the respective expenditure. Finally, we combine the information on US's energy imports (Administration, 2024) with Canada's energy exports (Canada Energy Regulator, 2025)³⁷ to compute the share of net electricity imported into the US from Canada and/or Mexico.

In a second step, we consider three American major grid regions, the Eastern, Western and Texas grids³⁸, following U.S. Environmental Protection Agency (2024). Their delineation is determined by the electrical distribution infrastructure which is minimally connected between the three regions. For expository purposes we plot a snapshot of the American electricity grid in figure 7. In turn, the interconnection within the three grids is high. In practice, even within these grids further distinctions based on infrastructure, market access or legal oversight are warranted. Specifically, different sub-regions have different electricity transmission organizations that regulate the access and distribution of electricity. This alternative nonetheless is infeasible for two reasons. The first is that multiple organizations operate in some states, especially in the Midwest and Northwest of the US. The second is that we would still not be able to surpass the lack of knowledge of the origin (source) of electricity transmitted. We plot some of the relevant metric changes as a result of these process in figure 8, figure 9, and figure 10.

Using the previous regional delineations we assume that each grid constitutes a unique pool of electricity trade so that any electricity is exported into the pool and then imported proportionally across net importing states. As a result, we assign proportionally to net importing states the average primary energy used to generate the imported electricity in each pool. To determine this pool, we first compute the net imported electricity for each grid. Having only 3 US grids and knowing imports and exports allows us to determine the origins (destinations) of imported (exported) electricity. We then aggregate the imported electricity's energy mix in each net importing grid together with that from net exporting states located within the grid. Using these values, we add to every net importing state the respective proportion of primary energy imported through the grid's pool.

³⁷We use the national trade values and not the state-to-state trade statistics because we do not have information on the energy mixes of Canadian states. Moreover, given our pooling approach, the SEDS provides sufficient information to understand the source of imports/exports.

³⁸The western grid is made up of Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, Wyoming. The remaining states apart from Texas are assigned to the eastern grid.




Figure 7: Snapshot of American Electrical Grid

We plot some relevant metrics to assess the impact of accounting for electricity trade in figure 8, figure 9, and figure 10.



Figure 8: Clean-to-dirty Energy Adjustment

Notes: The map plots the log-point change in the ratio between Non-Pollutant and Pollutant Energy Consumption due to the electricity trade adjustment.

B The price of Clean Energy

We present the results from regressing the dirty energy first-order condition in table 7. The equation estimated takes the form $\widehat{P}_t^D = \beta_0 + \beta_1 \widehat{P}_t^e + \beta_2 \frac{\widehat{E}_t^{D,e}}{\widehat{E}_t^e} + \varepsilon$, excluding and including a time-




Figure 9: Effect of Adjustment on Natural Gas

Notes: The map plots the log-point change in the share of Natural Gas on Dirty Energy Consumption as a result of the electricity trade adjustment.




Figure 10: Effect of Adjustment on Coal

Notes: The map plots the log-point change in the share of Coal on Dirty Energy Consumption as a result of the electricity trade adjustment. The grey shaded states for 2020 are Vermont and Massachusetts who did not use coal directly. Their actual values after the electricity trade adjustment are 7813 and 79134, which represent 7.58% and 6.92% of total dirty energy consumed, respectively. They net imported 65% and 70% of their total electricity consumption, respectively.

trend, $\gamma_0 t$. Notice that the values of β_2 are expected to be negative, whereas we get a positive value. This reflects the endogeneity implicit in the regression.

Table 7: Electricity FOC Regression

	\widehat{P}_t^D	
	(1)	(2)
Constant	0.0202 (0.0259)	-0.0695* (0.0391)
\widehat{P}_t^e	3.078*** (0.6496)	2.564*** (0.6079)
$\frac{\widehat{E}_t^{D,e}}{E_t^e}$	4.072*** (1.034)	5.758*** (1.098)
t		0.0069*** (0.0024)
Observations	31	31
R^2	0.58379	0.67966

C Identification

C.1 Shift-share instrument

Shift-share Weights. In figure 11 we present the geographical distribution of shift-share weights for each sub-type of energy. Petroleum and natural gas tend to have a higher relative preponderance in other uses apart from electricity generation. In turn, coal’s expenditure share is usually higher in electricity generation, hence the negative values. Although the scales are different, in absolute value, the variation is similar across petroleum and natural gas, and smaller in coal. The distribution across the US is typically symmetric, especially between coal and natural gas. Places where coal has a relatively more preponderant role, have lower weights for gas and vice-versa.

The commodity price time-series used as shifters to construct our shift-share instrument are presented in figure 13. Although they are very correlated across time, there is relevant orthogonal variation.

Oil and Petroleum Prices. We begin by computing the principal components of annual state-level petroleum prices across the US throughout our sample. We present the corresponding scree plot in figure 14. After computing the first principal component, we regress it on the the price of crude oil, using the West Texas Intermediate. We present the results in table 8.




Figure 11: Shift-share Weights

Notes: The maps present the US variation in expenditure share differences for commodity j between the overall economy and electricity generation, $\omega_i^j \equiv \omega_{i,1990}^{D,j} - \omega_{i,1990}^{e,j}$, for each of the three energy sub-types considered, natural gas, petroleum and coal, in 1990. The scales are different across the maps.

Table 8: Petroleum Regression on wti

	1 st PC (1)
Constant	-16.67*** (0.3852)
WTI	0.3367*** (0.0068)
Observations	33
R^2	0.98767




Figure 13: Commodity Price Variation

Notes: Time-series plot of log growth rates in the three commodity prices considered: the West Texas Intermediate for Petroleum (Oil), the US's Central Appalachian coal spot price (Coal), and the Henry Hub's natural gas spot price (Nat Gas).




Figure 14: Petroleum Price's Scree Plot

Notes: Scree plot of annual petroleum prices across US States. The numbers represent each principal component's variance share.

Determinants of the SSIV Shares. Table 9 presents the results from regressing the SSIV shares - the difference expenditure weights in 1990 - on different exogenous state-specific factors.

Table 9: Exogenous determinants of Relative Weights (1990)

	ω_i^{petr}		ω_i^{ngas}		ω_i^{coal}	
	(1)	(2)	(3)	(4)	(5)	(6)
Constant	-0.70 (0.42)		1.6*** (0.38)		-0.57** (0.23)	
ln Population (89)	-0.02 (0.01)	-0.001 (0.01)	0.03*** (0.008)	0.005 (0.01)	0.009 (0.006)	0.02*** (0.006)
ln Person per Sq. mile (89)	-0.06*** (0.01)	-0.08*** (0.02)	0.03*** (0.009)	0.06*** (0.01)	-0.01** (0.005)	-0.03*** (0.007)
ln Avg Precipitation (80-89)	0.09** (0.04)	0.10** (0.04)	-0.06** (0.03)	-0.06** (0.02)	0.04* (0.02)	0.04* (0.02)
ln Avg Temperature (80-89)	0.15* (0.08)	0.20 (0.15)	-0.32*** (0.08)	-0.37*** (0.12)	0.02 (0.06)	0.06 (0.07)
ln Distance to LA	0.07** (0.03)	0.04 (0.03)	-0.06** (0.02)	-0.04** (0.02)	0.01 (0.01)	-0.002 (0.01)
ln Distance to Cushing, OK	0.04*** (0.01)	0.04** (0.02)	-0.01 (0.03)	-0.008 (0.04)	0.02** (0.009)	0.02** (0.009)
ln Distance to WY	0.03** (0.01)	0.008 (0.02)	-0.02 (0.01)	-0.010 (0.009)	0.002 (0.007)	-0.008 (0.007)
Observations	48	48	48	48	48	48
R ²	0.59244	0.71986	0.50842	0.63664	0.31585	0.52385
PADD ⁺ fixed effects		✓		✓		✓

C.2 Alternative Instruments for Electricity Shares

We propose two alternative instruments for the electricity shares. The first increases the partition of our main instrument, now computing the growth rate average of states outside of state i 's regional electricity grid determined by its RTO/ISO or other market form. The second instead uses the third lag of the log of relative clean energy shares. We use the third instead of the second lag of the shares because we have included a lag of the shift-share instrument. We present the results in that order in table 10. This also allows us to test for endogeneity. With that in mind we conduct a Sargan test by including the three instruments in the same IV regression. The corresponding test statistic is 1.82, and so we do not have statistical evidence to contradict the hypothesis of exogeneity for any of the instruments.

Table 10: Alternative Instruments for Clean Electricity Share

	(1)	(2)	(3)
$\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}}$	-0.6119** (0.2804)	-0.5581* (0.3144)	-0.7955*** (0.2006)
$\widehat{\frac{E_{i,t}^{e,c}}{E_{i,t}^e}}$	-0.8528*** (0.0824)	-0.7973*** (0.0694)	-0.8215*** (0.0495)
Observations	1,440	1,440	1,392
Adjusted R ²	0.91714	0.92228	0.91461
1 st stage F-statistic, $\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}}$	28.813	16.330	18.057
1 st stage F-statistic, $\widehat{\frac{E_{i,t}^{e,c}}{E_{i,t}^e}}$	23.464	15.127	24.193
F-statistic	0.33758	0.29419	0.43051
Sargan Test-statistic			1.8712
State fixed effects	✓	✓	✓
Year fixed effects	✓	✓	✓
Extra Controls	Yes	Yes	Yes

Notes: Results when using alternative instruments for $\widehat{\frac{E_{i,t}^{e,c}}{E_{i,t}^e}}$. Column (1) uses an alternative grid region delineation. Column (2) uses the third lag of $\widehat{\frac{E_{i,t}^{e,c}}{E_{i,t}^e}}$. Column (3) includes both instruments to conduct a Sargan Test. The sample includes the 48 contiguous US states and spans 1991 to 2022, excluding 2020. Standard errors are clustered at the year and state level. The standard errors are in parenthesis. ***, **, and * indicate significance at the 1%, 5%, and 10% levels, respectively.

D Results

Complements to Discussion. To complement our discussion, we plot the actual price evolution for clean and dirty energy, as well as total consumption, in figure 15. This shows that the trends in generation costs for wind and solar energy evolved very similarly. We replicated figure 5 using photovoltaic LCOE estimates in figure 16.




Figure 15: Energy Consumption and Prices.

Notes: Plot of pollutant and non-pollutant energy consumption and prices. Values normalized to 100 in 2010. LCOE estimates are from International Renewable Energy Agency (2024). All prices account for inflation.

D.1 Further Robustness Checks

Alternative Samples. In order to show that our main policy conclusions are not driven by the sample of shocks, we repeat the estimation of equation (15) with a sample now: *i*) ending before covid hit, in 2019; *ii*) excluding 2008 and 2009, the biggest changes in energy prices during our sample; *iii*) including the year 2020, the year of the covid pandemic; *iv*) including the covid pandemic but using 2-year windows, and *v*) not accounting for electricity trade (but still from 1991 to 2022, excluding 2020). We present the results in table 11. Ending in 2019 does not materially change our results, nor does excluding 2008 and 2009 from the sample. Including covid decreases the point estimate to 0.47 and increases the standard errors. In contrast, using 2-year buckets instead increases the estimates to 0.52 and the statistical precision. This is a consequence of the smoothing effect of 2-year windows which decrease the influence of the 2020 outlier. Finally, using the unadjusted data increases the point estimates to 1.08 but also doubles the standard errors. Note that the unadjusted data essentially does not account for any electricity imported. As




Figure 16: Relative Clean Energy Consumption and Relative Dirty Energy Prices.

Notes: The figure plots two series for the U.S.: the log-difference in average energy prices between pollutant and non-pollutant sources, and the log-difference in energy consumption between clean and dirty energy. Both series are normalized to 100 in 2010 prior to the log transformation. As a proxy for clean energy prices, we use photovoltaic LCOE estimates from [International Renewable Energy Agency \(2024\)](#). All prices are adjusted for inflation.

a result, our instrument's capacity to infer price variations in energy must be lower - as indicated by the decreased, but still high, first-stage f-statistic.

Geographic Sensitivity. We report the differences between our baseline value of 0.59 and the estimate for β in table 2 when we exclude any single state at a time in figure 17.

E From Macro to Micro

E.1 Model

The proof follows very closely the steps detailed in ([Oberfield and Raval, 2021](#)).

Proof. First note that,

$$\sigma = \frac{d \ln \frac{E^C}{E^D}}{d \ln \frac{P^D}{P^C}} = 1 + \frac{d \ln \frac{E^C P^C}{E^D P^D}}{d \ln \frac{P^D}{P^C}}.$$

Table 11: Alternative Samples

	(1)	(2)	(3)	(4)	(5)
$\widehat{\frac{P_{i,t}^D}{P_{i,t}^e}}$	-0.6317** (0.2893)	-0.6221* (0.3214)	-0.4663 (0.3147)	-0.5219*** (0.1475)	-1.075* (0.6089)
$\widehat{\frac{E_{i,t}^{e,c}}{E_{i,t}^e}}$	-0.8720*** (0.0852)	-0.8769*** (0.0847)	-0.8981*** (0.0897)	-0.8561*** (0.0605)	-0.9968*** (0.1715)
Observations	1,344	1,344	1,488	720	1,409
Adjusted R ²	0.91294	0.91202	0.90935	0.90722	0.71400
1 st stage F-statistic, $\frac{\widehat{P_{i,t}^D}}{\widehat{P_{i,t}^e}}$	35.880	28.868	33.747	30.608	25.726
1 st stage F-statistic, $\frac{\widehat{E_{i,t}^{e,c}}}{\widehat{E_{i,t}^e}}$	29.455	29.971	32.519	14.074	33.613
F-statistic	0.35668	0.34012	0.42636	0.38470	0.53175
State fixed effects	✓	✓	✓	✓	✓
Year fixed effects	✓	✓	✓	✓	✓
Extra Controls	Yes	Yes	Yes	Yes	Yes

Notes: Results when changing the sample. Column (1)'s data ends in 2019. Column (2) excludes 2008 and 2009. Column (3)'s includes covid. Column (4)'s includes covid and uses 2 year buckets instead. Column (5) does not account for electricity trade. The sample includes the 48 contiguous US states and starts in 1991. Standard errors are clustered at the year and state level. The standard errors are in parenthesis. ***, **, and * indicate significance at the 1%, 5%, and 10% levels, respectively.




Figure 17: Geographical Sensitivity.

Notes: The map displays the difference between the aggregate elasticity estimate from rerunning equation (15) while excluding the state, and our baseline value of 0.59, displayed in column (4) of table 2.

Define $\alpha_j = \frac{P^C E_j^C}{P^C E_j^C + P^D E_j^D}$ to be the energy expenditure share of clean energy, where

$$E_j^D = E_j^d + E_j^e \times \frac{E_j^{e,D}}{E_j^e} \quad (17)$$

is sector j 's total dirty energy consumed directly and indirectly through electricity, and

$$E_j^C = E_j^e \times \frac{E_j^{e,C}}{E_j^e} \quad (18)$$

is its total consumption of clean energy indirectly through electricity. Moreover, define $\alpha = \frac{P^C E^C}{P^C E^C + P^D E^D} = \sum_j \theta_j \alpha_j$ to be the economy's energy expenditure share of clean energy, where $\theta_j = \frac{P_j^e E_j}{\sum_j P_j^e E_j}$ is sector j 's share in the economy's total energy expenditure. Notice that $\frac{E^C P^C}{E^D P^D} = \frac{\alpha}{1-\alpha}$. Hence,

$$\frac{d \ln \frac{E^C P^C}{E^D P^D}}{d \ln \frac{P^D}{P^C}} = \frac{d \ln \frac{\alpha}{1-\alpha}}{d \ln \frac{P^D}{P^C}}.$$

Using the chain rule and properties of logarithms, we have that

$$\frac{d \ln \frac{\alpha}{1-\alpha}}{d \ln \frac{P^D}{P^C}} = \frac{1}{\alpha(1-\alpha)} \sum_j \left(\theta_j \frac{d \alpha_j}{d \ln \frac{P^D}{P^C}} + \alpha_j \frac{d \theta_j}{d \ln \frac{P^D}{P^C}} \right).$$

Evaluating each term separately, and starting with $\frac{d\theta_j}{d \ln \frac{P^D}{P^C}}$, we note that $\theta_j = \frac{s_j^E}{s^E} \times \frac{TC_j}{TC}$, where $TC_j = P_j^E E^j + P_j^H H^j$ is sector j 's total cost, with P_j^E and P_j^H its energy and H -factor price indices, respectively, and $s_j^E = \frac{P_j^E E^j}{TC_j}$ is the share of energy spending in total cost - mutatis mutandi for the whole economy when there is no subscript. Then,

$$\begin{aligned}\frac{d\theta_j}{d \ln \frac{P^D}{P^C}} &= \theta_j \frac{d \ln \theta_j}{d \ln \frac{P^D}{P^C}} \\ &= \theta_j \left(\frac{d \ln \frac{s_j^E}{s^E}}{d \ln \frac{P^D}{P^C}} + \frac{d \ln \frac{TC_j}{TC}}{d \ln \frac{P^D}{P^C}} \right).\end{aligned}$$

Again, evaluating each term separately, we have that $s_j^E = \frac{P_j^E E^j}{P_j^E E^j + P_j^H H^j} = \frac{P_j^E}{P_j^E + P_j^H g_j}$ from the Leontief assumption. Then

$$\frac{d \ln \frac{s_j^E}{s^E}}{d \ln \frac{P^D}{P^C}} = \varepsilon_{P^D}^{P_j^E} (1 - s_j^E) \quad (19)$$

where $\varepsilon_{P^D}^{P_j^E} = \frac{d \ln \frac{P_j^E}{P^C}}{d \ln \frac{P^D}{P^C}}$ is the elasticity of sector j 's energy price index relative to dirty energy's price and we have used the fact that g_j and P_j^H are assumed constant.

In turn, note that $TC_j = \mu^{-1} P_j Y_j$ by the CES demand assumption and homogeneity of the CES production function, where μ is the mark-up, common to every sector. Moreover, note

that $Y_j = Y \left(\frac{P_j}{P} \right)^{-\varepsilon} D_j$ is sector i 's demand function. As such, $\frac{TC_j}{TC} = \frac{\mu^{-1} P_j Y \left(\frac{P_j}{P} \right)^{-\varepsilon} D_j}{\sum_i \mu^{-1} P_i Y \left(\frac{P_i}{P} \right)^{-\varepsilon} D_i} = \frac{P_j^{1-\varepsilon} P^\varepsilon}{P^{1-\varepsilon} P^\varepsilon} D_j = \left(\frac{P_j}{P} \right)^{1-\varepsilon} D_j$ where P is the CES aggregate price index. Thus,

$$\frac{d \ln \frac{TC_j}{TC}}{d \ln \frac{P^D}{P^C}} = (1 - \varepsilon) \frac{d \ln \frac{P_j}{P}}{d \ln \frac{P^D}{P^C}}$$

since D_j is a constant parameter. Note that $\sum_j \theta_j = 1 \implies \sum_j \frac{d\theta_j}{d \ln \frac{P^D}{P^C}} = 0$ so that $\sum_j \alpha_j \frac{d\theta_j}{d \ln \frac{P^D}{P^C}} = \sum_j (\alpha_j - \alpha) \frac{d\theta_j}{d \ln \frac{P^D}{P^C}}$ and any derivatives of aggregate variables disappear. As a result, we can disregard $\frac{d \ln \frac{P_j}{P}}{d \ln \frac{P^D}{P^C}}$ and only need to evaluate $\frac{d \ln \frac{P_j}{P}}{d \ln \frac{P^D}{P^C}}$. From the CES demand function, we have that $P_j = \mu MC_j$, where μ is constant. The Leontief production function implies that $MC_j = P_j^E + P_j^H g_j$ but because $P_j^H g_j$ are assumed constant, $\frac{d \ln \frac{P_j}{P}}{d \ln \frac{P^D}{P^C}} = \frac{P_j^E}{P_j^E + P_j^H g_j} \varepsilon_{P^D}^{P_j^E} = s_j^E \cdot \varepsilon_{P^D}^{P_j^E}$ and we

can conclude that

$$\frac{d \ln \frac{TC_j}{PC}}{d \ln \frac{PD}{PC}} = (1 - \varepsilon) s_j^E \cdot \varepsilon_{PD}^{P_j^E}. \quad (20)$$

Finally, combining equation (19) with equation (20), we have that

$$\sum_j \alpha_j \frac{d\theta_j}{d \ln \frac{PD}{PC}} = \sum_j (\alpha_j - \alpha) \theta_j \varepsilon_{PD}^{P_j^E} (1 - \varepsilon s_j^E). \quad (21)$$

Turning to $\frac{d\alpha_j}{d \ln \frac{PD}{PC}}$ we have that $\frac{d\alpha_j}{d \ln \frac{PD}{PC}} = \alpha_j (1 - \alpha_j) \frac{d \ln \frac{\alpha_j}{1-\alpha_j}}{d \ln \frac{PD}{PC}}$. Evaluating $\frac{d \ln \frac{\alpha_j}{1-\alpha_j}}{d \ln \frac{PD}{PC}}$, we find that

$$\frac{d \ln \frac{\alpha_j}{1-\alpha_j}}{d \ln \frac{PD}{PC}} = \frac{d \ln \frac{P^C E_j^C}{PC}}{d \ln \frac{PD}{PC}} - \frac{d \ln \frac{P^D E_j^D}{PC}}{d \ln \frac{PD}{PC}}.$$

Using the definitions in equation (17) and equation (18) together with the fact that we have assumed a unique electricity production function,

$$\frac{d \ln \frac{P^C E_j^C}{PC}}{d \ln \frac{PD}{PC}} = \frac{d \ln \frac{P^e E_j^e}{PC}}{d \ln \frac{PD}{PC}} + \frac{d \ln \left(\frac{P^C E_j^e}{P^e E_j^e} / P^C \right)}{d \ln \frac{PD}{PC}}$$

and

$$\frac{d \ln \frac{P^D E_j^D}{PC}}{d \ln \frac{PD}{PC}} = \alpha_j^d \frac{d \ln \frac{P^d E_j^d}{PC}}{d \ln \frac{PD}{PC}} + (1 - \alpha_j^d) \left(\frac{d \ln \frac{P^e E_j^e}{PC}}{d \ln \frac{PD}{PC}} + \frac{d \ln \left(\frac{P^D E_j^d}{P^e E_j^e} / P^C \right)}{d \ln \frac{PD}{PC}} \right).$$

where $\alpha_j^d = \frac{P^D E_j^d}{P_j^E E_j^e}$. Combining both terms and defining $\alpha^{C,e} = \frac{P^C E_j^C}{P^e E_j^e}$, we have that

$$\frac{d \ln \frac{\alpha_j}{1-\alpha_j}}{d \ln \frac{PD}{PC}} = \alpha_j^d \frac{d \ln \frac{P^e E_j^e}{P^D E_j^d}}{d \ln \frac{PD}{PC}} + \frac{d \ln \alpha^{C,e}}{d \ln \frac{PD}{PC}} - (1 - \alpha_j^d) \frac{d \ln (1 - \alpha^{C,e})}{d \ln \frac{PD}{PC}}. \quad (22)$$

By the chain rule $\frac{d \ln \alpha^{C,e}}{d \ln \frac{PD}{PC}} = \frac{d \ln \alpha^{C,e}}{d \ln \frac{PC}{P^e}} \times \frac{d \ln \frac{P^C}{P^e}}{d \ln \frac{PD}{PC}}$. The first order conditions of electricity demand imply that

$$\frac{P^C E_j^C}{P^e E_j^e} = \left(\frac{P^C}{P^e} \right)^{1-\nu} a^{C,e} \equiv \alpha^{C,e}$$

Hence, $\frac{d \ln \alpha^{C,e}}{d \ln \frac{P^e}{P^C}} = (1 - \nu)$. Similarly, $\frac{d \ln \frac{P^e}{P^C}}{d \ln \frac{P^D}{P^C}} = (1 - \alpha^{C,e})$ ³⁹ Combining the two, we have that

$$\frac{d \ln \alpha^{C,e}}{d \ln \frac{P^D}{P^C}} = (1 - \nu) \cdot -(1 - \alpha^{C,e}) = (\nu - 1)(1 - \alpha^{C,e}). \quad (23)$$

Symmetrically, we have that $\frac{d \ln(1 - \alpha^{C,e})}{d \ln \frac{P^D}{P^C}} = \frac{d \ln(1 - \alpha^{C,e})}{d \alpha^{C,e}} \frac{d \alpha^{C,e}}{d \ln \frac{P^D}{P^C}} = -\frac{1}{1 - \alpha^{C,e}} \alpha^{C,e} \frac{d \ln \alpha^{C,e}}{d \ln \frac{P^D}{P^C}}$. As a result,

$$\frac{d \ln(1 - \alpha^{C,e})}{d \ln \frac{P^D}{P^C}} = -\frac{\alpha^{C,e}}{1 - \alpha^{C,e}} (\nu - 1)(1 - \alpha^{C,e}). \quad (24)$$

Lastly, $\frac{d \ln(\frac{P^e E_j^e}{P^D E_j^d})}{d \ln \frac{P^D}{P^C}} = \frac{d \ln(\frac{P^e E_j^e}{P^D E_j^d})}{d \ln \frac{P^e}{P^e}} \frac{d \ln(\frac{P^D}{P^C})}{d \ln \frac{P^D}{P^C}}$. From the FOC of primary energy demand, we have that $\frac{d \ln(\frac{P^e E_j^e}{P^D E_j^d})}{d \ln \frac{P^D}{P^e}} = \sigma_j - 1$. As before, $\frac{d \ln \frac{P^D}{P^e}}{d \ln \frac{P^D}{P^C}} = \frac{d \ln \frac{P^e}{P^C}}{d \ln \frac{P^D}{P^D}} = \alpha^{C,e}$. Hence,

$$\frac{d \ln(\frac{P^e E_j^e}{P^D E_j^d})}{d \ln \frac{P^D}{P^C}} = (\sigma_j - 1)\alpha^{C,e}. \quad (25)$$

Replacing equations (23) to (25) into equation (22), yields

$$\frac{d \ln \frac{\alpha_j}{1 - \alpha_j}}{d \ln \frac{P^D}{P^C}} = \alpha_j^d (\sigma_j - 1)\alpha^{C,e} + (\nu - 1)(1 - \alpha^{C,e}) \left(1 + (1 - \alpha_j^d) \frac{\alpha^{C,e}}{1 - \alpha^{C,e}} \right). \quad (26)$$

Combining equation (21) and equation (26), we prove that

$$\begin{aligned} \sigma &= 1 + \sum_j \frac{\theta_j(\alpha_j - \alpha)}{\alpha(1 - \alpha)} \varepsilon_{P^D}^{P_j^E} (1 - \varepsilon s_j^E) \\ &\quad + \sum_j \frac{\theta_j(1 - \alpha_j)\alpha_j}{\alpha(1 - \alpha)} \left[\alpha_j^d (\sigma_j - 1)\alpha^{C,e} + (\nu - 1)(1 - \alpha^{C,e}) \left(1 + (1 - \alpha_j^d) \frac{\alpha^{C,e}}{1 - \alpha^{C,e}} \right) \right] \end{aligned} \quad (27)$$

Now we can transform this into the aggregate quantities by defining $\chi = \sum_j \theta_j \frac{(\alpha_j - \alpha)^2}{\alpha(1 - \alpha)} \leq 1$:

$$\tilde{\varepsilon} - 1 = \sum_j \theta_j \frac{(\alpha_j - \alpha)}{\sum_j \theta_j (\alpha_j - \alpha)^2} \varepsilon_{P^D}^{P_j^e} (1 - \varepsilon s_j^E),$$

³⁹From the CES price index, $P^e = [(P^D)^{1-\nu} a^{D,e} + (P^C)^{1-\nu} a^{C,e}]^{1/(1-\nu)}$. Taking derivatives we have that $\frac{d P^e}{d P^C} = (\frac{P^C}{P^e})^{-\nu} a^{C,e}$. Finally, from the FOC, we know that $(\frac{P^C}{P^e})^{1-\nu} a^{C,e} = \alpha^{C,e}$. Together with the chain rule of logarithms, we have our result.

and

$$\begin{aligned}\sigma' - 1 &= \sum_j \theta_j \frac{\alpha_j(1 - \alpha_j)}{\sum_j \theta_j \alpha_j(1 - \alpha_j)} \alpha_j^d (\sigma_j - 1) \\ \nu' - 1 &= \sum_j \theta_j \frac{\alpha_j(1 - \alpha_j)}{\sum_j \theta_j \alpha_j(1 - \alpha_j)} (1 + (1 - \alpha_j^d) \frac{\alpha^{C,e}}{1 - \alpha^{C,e}}) (\nu - 1).\end{aligned}$$

Rearranging equation (27), we reach equation (16)

$$\begin{aligned}\sigma &= 1 + \chi(\tilde{\varepsilon} - 1) + (1 - \chi)(\tilde{\sigma} - 1) \\ &= \chi\tilde{\varepsilon} + (1 - \chi)\tilde{\sigma}.\end{aligned}$$

and prove proposition 1. □

Detailed Interpretation. The aggregate elasticity depends on two effects, one depicting the consumption reshuffling and another the energy reallocation. Starting with the latter, the energy mix adjustment depends on two sources, specific to the nature of energy consumption and the layered structure of energy production. The first is the adjustment in the electricity's energy mix ν . Since every sector j 's electricity originates from the same source, everyone's electricity becomes $\nu\%$ greener in response to an increase in the relative price of dirty energy. The second source of adjustment is sector j 's own adjustment away from dirty energy into electricity, determined by σ_j . This generates a reshuffling effect as the diversion away from primary dirty energy consumption will now be fulfilled by both dirty and clean-based electricity. The benefit of each effect evolves symmetrically, and is determined both by the clean energy expenditure share in electricity generation, $\alpha_j^{C,e} = \frac{P^C E_j^{C,e}}{P^C E_j^{C,e} + P^D E_j^{D,e}}$, and by sector j 's dirty expenditure share $\delta_j^D = \frac{P^D E_j^D}{P^D E_j^D + P^D E_j^{D,e}}$. As the share of clean electricity increases, moving away from primary dirty energy has a higher effect on the energy mix because it is fulfilled by proportionally more clean energy. Similarly, the higher the primary dirty energy consumption, the more sector j 's elasticity matters, as it diverts away from more dirty energy. In addition, note that the energy redirected towards electricity also benefits from the reshuffling towards cleaner electricity sources - reflected in the additional terms in the ν' . In contrast, these two forces attenuate the electricity's elasticity since either the electricity adjustment does not have a big impact due to the already high share of clean energy or because its share of total end-use energy is low. Finally, sector j 's energy mix balance, $\frac{\alpha_j(1 - \alpha_j)}{\alpha(1 - \alpha)} \theta_j$, determines its contribution to the overall energy adjustment.

The consumption reallocation effects is a result of the differentiated sectoral sensitivities to relative energy prices and to consumers' sensitivity to changes in relative prices, embodied by

the elasticity of demand ε . Sector j 's sensitivity to energy prices is captured by its marginal cost's elasticity to the relative price of dirty energy, $\varepsilon_{PD}^{Pe} = \frac{d \ln P_j^e / P^C}{d \ln P^D / P^C}$. Naturally both of these effects matter more the higher is the share of energy in costs, s_j^E . Moreover, the reallocation away or into sector j is determined by its higher or lower relative consumption of clean energy, determined by the size and sign of $\frac{\alpha_j(\alpha_j - \alpha)}{\alpha(1-\alpha)}\theta_j$. Hence, $\frac{\alpha_j(\alpha_j - \alpha)}{\alpha(1-\alpha)}\theta_j$ can be either negative or non-negative.

E.2 Calibration Exercise

We now provide the details of the calibration exercise laid out in table 5. We aggregate all the EIA data by sector and year. Quantities and expenditures are summed, and prices are the ratio of expenditures to quantities. From the BEA's Fixed Assets Accounts' table 2.7⁴⁰ we assign items 18, 62, 89, and 90 to transportation, 34 and 67 to the residential sector, and 4, 11, 26, 37, 48, 53, 58, 59, 60, 61, 65, 66, 85, 86, 87, 88, 91, 95, and 98 to goods and services. Similarly, from the BEA's National Income and Product Accounts' table 6.2D⁴¹, we assign items 22, 23, 39, and 43 to transportation, 12 and 63 to the residential sector, and 4, 15, 16, 17, 18, 19, 20, 21, 24, 25, 26, 35, 40, 41, 42, 52, 57, 64, 65, 69, 73, 74, 79, 82, and 85 to the production sector.

Because our model does not consider any of the other costs inherent to electricity generation nor does it admit market power in this sector, we opt to compute a virtual price for each energy source. To do so, we use the first-order condition of electricity generation to invert for the price of each source so that $P^X = \left(\frac{E^{X,e}}{E^e}\right)^{-\nu} \cdot P^e$, where we have normalized $a^{X,e} = 0.5$, and $X \in \{D, C\}$. Then, using P^X to compute the electricity sector's generation expenditures in each source, we assign the respective expenditures to each end-use sector based on their proportion of total electricity consumption.

Finally, from the properties of the CES and the chain rule we have that $\varepsilon_{PD}^{Pe} = \alpha_j^d + (1 - \alpha_j^d)\frac{P^D}{P^e}(1 - \alpha^{C,e})$.

E.3 Counterfactual Exercises

Electricity Counterfactual. Note that in order for the share of electricity not to change across energy end-using sectors, we need that $d \ln P^D = d \ln P^e = 0$. Taking the price index for electricity, we have that

$$d \ln P^e = \frac{d \ln a^e}{d \ln P^e} d \ln a^e + \frac{d \ln P^C}{d \ln P^e} d \ln P^C.$$

⁴⁰See [here](#).

⁴¹See [here](#).

where $\frac{d \ln a^e}{d \ln P^e} = \frac{da^e}{dP^e} \frac{a^e}{P^C}$. Using the expressions,

$$\frac{da^e}{dP^e} = \frac{1}{1-\nu} (P^e)^\nu [(P^C)^{1-\nu} - (P^D)^{1-\nu}]$$

and

$$\frac{dP^C}{dP^e} = \frac{1}{1-\nu} (P^e)^\nu (1-\nu) (P^C)^\nu a^e.$$

Hence,

$$d \ln P^e = \frac{1}{1-\nu} a^e \left[\left(\frac{P^C}{P^e} \right)^{1-\nu} - \left(\frac{P^D}{P^e} \right)^{1-\nu} \right] d \ln a^e + a^e \left(\frac{P^C}{P^e} \right)^{1-\nu} d \ln P^C.$$

Finally, note that from the FOC, $a^e \left(\frac{P^C}{P^e} \right)^{1-\nu} = \alpha^{C,e}$. As a result,

$$\begin{aligned} d \ln P^e &= 0 \\ \iff d \ln P^C &= -\frac{1}{\alpha^{C,e}(1-\nu)} \left(1 - \frac{1-\alpha^{C,e}}{1-a^e} \right) d \ln a^e. \end{aligned}$$

Moreover, to increase the share of clean energy by approximately 10%, we need that

$$d \ln \frac{E^{C,e}}{E^e} = -\nu d \ln P^C + d \ln a^e = 0.1$$

Hence,

$$d \ln P^C = \frac{d \ln a^e - 0.1}{\nu}.$$

Now we can solve for $d \ln a^e$ and $d \ln P^C$ which are equal to

$$\begin{aligned} d \ln a^e &= \frac{0.1}{1-\nu A} \\ d \ln P^C &= \frac{A0.1}{1-\nu A} \end{aligned}$$

where $A \equiv -\frac{1}{\alpha^{C,e}(1-\nu)} \left(1 - \frac{1-\alpha^{C,e}}{1-a^e} \right)$. As a result of this change, $d \ln \alpha^{C,e} \neq 0$ and $d \ln \alpha_j \neq 0 \forall j$ unless $d \ln P^C = -0.1$, in which case, the aggregate elasticity remains the same. In particular,

we have that

$$\begin{aligned}
d \ln \alpha^{C,e} &= \frac{d \ln \alpha^{C,e}}{d \ln P^C E^{C,e}} d \ln P^C E^{C,e} + \frac{d \ln \alpha^{C,e}}{d \ln P^D E^{D,e}} d \ln P^D E^{D,e} \\
&= (1 - \alpha^{C,e}) d \ln P^C E^{C,e} - (1 - \alpha^{C,e}) d \ln P^D E^{D,e} \\
&= (1 - \alpha^{C,e}) (d \ln a^e + (1 - \nu) d \ln P^C + \frac{a^e}{1 - a^e} d \ln a^e).
\end{aligned}$$

We can then use the chain rule to find the effect on $\alpha^{C,e}$,

$$d\alpha^{C,e} = \alpha^{C,e} d \ln \alpha^{C,e}$$

and α_j ,

$$\begin{aligned}
d\alpha_j^d &= \frac{d\alpha_j^d}{d\alpha^{C,e}} d\alpha^{C,e} \\
&= (1 - \alpha_j^d) d\alpha^{C,e},
\end{aligned}$$

since $\alpha_j = \alpha^{C,e}(1 - \alpha_j^d)$. We can then recompute the aggregate elasticity.