

AI-ENABLED CRM

Agile Kickoff Pack

Meeting minutes • Requirements baseline • Prioritised user stories • Sprint 0/1 plan
• Governance and architecture

Prepared from the supplied client discovery transcript and project background
5 August 2026 | Draft for Product Owner review

Document status

This pack is a working discovery baseline, not a signed specification. Items labelled Confirmed are traceable to the supplied materials; Proposed items require validation; architecture and product choices marked Pending remain open.

Prepared for
Peter Harding (PerformIQ), William Holt, Leon and the student development team

How to use this pack

The pack gives the team a controlled starting point for product discovery and Scrum delivery. It deliberately separates source-supported statements from recommendations so that uncertain transcript wording does not silently become scope.

Section	Purpose	Primary audience
1. Executive brief	Align on the product goal, proposed MVP and immediate decisions.	All stakeholders
2. Discovery meeting minutes	Record what was discussed, agreed, demonstrated and left unresolved.	Clients, lecturer, team
3. Product charter and scope	Define the working vision, outcomes, boundaries and success criteria.	Product Owner, team
4. Domain model and workflows	Provide a shared vocabulary and end-to-end flow assumptions.	Product Owner, developers
5. Prioritised backlog	Supply 47 traceable user stories with acceptance criteria.	Product Owner, Scrum team
6. Delivery plan	Set out Sprint 0, a candidate Sprint 1 vertical slice and Scrum quality gates.	Scrum team
7. Architecture decision	Time-box the technology decision instead of deciding from preference alone.	Developers, lecturer
8. Governance	Track actions, decisions, risks and questions requiring client resolution.	All stakeholders
9. Source traceability	Map major source statements to the resulting artefacts.	Reviewer, Product Owner

Recommended review order

Approve the open product questions first; then refine the Must-priority stories; then select the architecture and Sprint 1 commitment using the starter-code audit and team capacity.

Evidence labels

Confirmed: Directly stated in the supplied project background or discovery transcript.

Proposed: A product or engineering recommendation added to make the solution coherent, safe or deliverable.

Pending: An alternative or decision was raised, but no selection was made.

Meeting date: not captured in the supplied material. Speaker attribution follows the roles supplied by the student team and is uncertain for short interjections.

1. Executive brief

Source-defined project objective

Develop an AI-enabled customer relationship management system that integrates with agents to support workflow setup and implementation. The initial schema set is accounts, contacts, leads, opportunities, tasks and events.

Working product vision

For small or specialised organisations that need a flexible way to manage customers, prospects, sales activities and repeatable work, the product will provide a coherent CRM core plus controlled agent-assisted workflows. It will favour traceable end-to-end behaviour over reproducing every historical screen.

Recommended MVP outcome

- A working CRM vertical slice covering the six source-defined record areas.
- Correct relationships between organisations, people, prospects, opportunities and activities.
- A usable customer/activity history rather than disconnected lists or placeholders.
- At least one bounded, auditable AI-assisted workflow with a clear human-control boundary.
- A reproducible, tested codebase that removes Salesforce branding and copied look-and-feel.

Critical decisions for the first Product Owner review

#	Decision	Required outcome
1	Acceptance authority	Confirm the Product Owner and who accepts stories/releases.
2	Reference context	Choose generic CRM, service-business CRM, or generic core demonstrated through one vertical.
3	MVP boundary	Confirm whether authentication, activity history, notifications, quotes and documents are in the first release.
4	AI use case	Select the first product-facing workflow and define permitted actions, approval and data boundary.
5	Architecture	Select only after the Sprint 0 starter-repository audit and time-boxed spike.
6	Delivery cadence	Confirm sprint length, course milestones, review availability and final demonstration date.

Immediate next actions

1. Obtain, run and classify the public Bootstrap starter repository.
2. Split CRM market research across the student team and consolidate a feature/gap matrix.
3. Validate the domain vocabulary, lifecycle rules and Must-priority backlog with the Product Owner.
4. Complete the architecture spike and record the outcome in ADR-0001.
5. Commit only a narrow Sprint 1 connected-customer vertical slice after Ready criteria are met.

Backlog at a glance

Epic	Stories	Must	Indicative release
Discovery and product definition	4	4	Sprint 0
Delivery enablement	4	3	Sprint 0
Accounts and contacts	6	5	MVP 1, MVP 2
Leads and qualification	4	3	MVP 1, MVP 2
Opportunities and pipeline	5	4	MVP 1, MVP 2
Tasks, events and history	6	4	Later, MVP 1, MVP 2
AI-enabled workflows	8	3	Later, MVP 2
Security and administration	5	4	Before AI production use, MVP 1 or 2, MVP 2
Quality attributes	1	0	MVP 2
Extensions	4	0	Future, Later, Later or MVP 2

2. Client discovery meeting — minutes

Item	Recorded value
Meeting date	Not supplied
Source	Rough/automated transcript plus project-background file
Primary client voice	Peter Harding, PerformIQ
Additional client/domain voice	William Holt
Lecturer	Leon; joined later and helped establish GitHub
Delivery team	Student team

Attribution caution

The recording quality and automated transcript make some short speaker turns uncertain. These minutes attribute substantive sections by the roles supplied by the student team and avoid asserting unclear names, dates or spoken contact details.

Purpose

Understand the inherited CRM, clarify the intended AI-enabled CRM project, establish an initial delivery approach and set up collaboration.

Discussion summary

Existing system

Peter demonstrated a sales-oriented CRM derived from an older Salesforce-shaped data model. The discussion referenced PostgreSQL, Alembic schema migrations, Python, FastAPI or Flask-style server rendering, and small React lookup components. Because the transcript is inconsistent on framework terminology, the repository—not the recording—must be the technical source of truth.

Core domain model

The core records are accounts, contacts, leads and opportunities, with tasks and events as related activities. An account represents an organisation or entity; a contact represents a person. A lead may involve a new organisation or an existing account. An opportunity represents a specific potential sale and includes an expected close date.

Activities and customer context

Tasks and events should be linked to the relevant customer or sales record. The product should retain notes and a usable activity history. The demonstrated application contains gaps, rendering defects and placeholders in this area.

Known gaps and possible extensions

The meeting raised incomplete lookups, placeholder history, quotes, document attachments, reports, authentication, roles and organisational hierarchy. Proposals, solutions, cases and contracts were discussed but were not established as initial MVP requirements.

Service-business reference scenario

William described a field-service use case involving customer locations, scheduling, route efficiency, job duration, visit notifications and site-specific knowledge for technicians or trainees. This is valuable product evidence, but the team still needs confirmation on whether it is the core target vertical, a demonstration scenario or a later extension.

AI and workflow direction

The conversation distinguished AI-assisted development/team coordination from AI embedded in the CRM. Both are relevant. The product-facing agent use case, degree of autonomy, approval rules and data boundary were not selected.

Delivery and architecture

Peter and Leon repeatedly directed the team to begin with CRM research, requirements/user stories and a gap analysis. The starter code can be used as an accelerator, but the team may change the implementation if evidence supports it. Python/server-rendered, React plus Python/FastAPI, and React plus Go were discussed without a final decision.

Collaboration

GitHub was established during the meeting. Branches, Markdown project memory and reviewable changes were suggested. Slack was preferred for client-visible communication and shared history; material decisions should also be recorded in the repository.

Confirmed direction

- Start with requirements, user stories, CRM research and a starter-code gap analysis.
- Use accounts, contacts, leads, opportunities, tasks and events as the initial domain baseline.
- Use a clean Bootstrap/non-Salesforce presentation and avoid Salesforce IP/look-and-feel reuse.
- Treat Peter's starter repository as evidence and a possible accelerator, not an immutable architecture.
- Use GitHub for source, planning and durable project memory.
- Use Slack for client-visible communication and weekly progress follow-up.
- Treat embedded AI/workflow automation as a major scope area requiring explicit refinement.

Decisions not yet made

- Final Product Owner and acceptance authority.
- Generic CRM versus a specific reference vertical.
- Final architecture and level of starter-code reuse.
- First AI workflow and degree of autonomy.
- Authentication/roles delivery timing.
- Whether quotes, documents, notifications, route optimisation and reports are in the MVP.
- Sprint duration and project milestone dates.

Action register

ID	Owner	Action	Due	Status
A-01	Peter Harding	Provide access to the public Bootstrap-based CRM repository with Salesforce visual/IP elements removed.	Before code audit / next workshop	Open
A-02	Peter Harding	Provide or demonstrate a running version and walk through the database schema, migrations, known gaps and API coverage.	Next available workshop	Open
A-03	Student team	Send GitHub account details and verify repository access for every team member.	Immediately	Open

ID	Owner	Action	Due	Status
A-04	Student team	Create/invite clients and lecturer to the agreed Slack channel; record material decisions there and in GitHub.	Immediately	Open
A-05	Student team	Split CRM product research, complete individual summaries, and consolidate a feature/gap matrix.	Sprint 0	Open
A-06	Student team	Audit the starter system and classify working, partial, placeholder and missing functionality.	Sprint 0	Open
A-07	Student team + Product Owner	Refine and approve the initial user stories, MVP boundary and acceptance outcomes.	Sprint 0 review	Open
A-08	Student team	Run the architecture spike and record the selected stack in ADR-0001.	Sprint 0	Open
A-09	Peter Harding / William Holt	Confirm the reference business context and whether the service-route/field-knowledge scenario is core, a demonstration, or out of scope.	Sprint 0 review	Open
A-10	Product Owner	Select the first embedded AI workflow use case and approve the human-approval/data-handling boundary.	Before AI implementation	Open

3. Product charter and scope baseline

Problem statement

The inherited CRM preserves useful domain concepts and demonstrates a broad historical schema, but it includes incomplete functions, placeholders, legacy presentation/IP concerns and no settled product-facing AI workflow. The team must deliberately scope, validate and test a product rather than reproducing every visible page.

Primary stakeholders and working roles

Stakeholder	Working role	Validation required
Peter Harding, PerformIQ	Primary client; provisional Product Owner	Confirm final backlog/release acceptance authority.
William Holt	Client and domain contributor	Confirm role in priority and acceptance decisions.
Leon	Lecturer and academic stakeholder	Confirm milestone/process expectations.
Student team	Scrum Developers	Nominate Scrum Master and internal ownership.
Future CRM users	Sales, service, administrative and managerial users	Validate personas against selected reference context.

Proposed product outcomes

1. A working CRM vertical slice covering the six initial schema areas.
2. Correct relationships between organisations, people, prospects, opportunities and activities.
3. A usable activity history that supports customer context and follow-up.
4. At least one controlled, auditable AI-assisted workflow that delivers demonstrable value.
5. A documented, testable and reproducible codebase with no Salesforce visual/IP dependency.
6. An explicit backlog and architecture plan for incomplete or future work.

Proposed success criteria

- A new contributor can run the application from a clean checkout using repository instructions.
- A user can create an account, add a linked contact, capture a lead, create an opportunity, schedule a task/event and see activities in context.
- The selected AI workflow can be configured or drafted, executed, reviewed where consequential and audited.
- Automated tests cover critical flows; accepted stories meet the Definition of Done.
- The Product Owner accepts the agreed demonstration scenarios.
- The interface and assets are independent of Salesforce branding and copied look-and-feel.

Scope classification

Class	Contents	Status
Must-have baseline	Accounts, contacts, leads, opportunities, tasks, events, relationships/lookups, activity history, one controlled AI workflow, repository/process and IP-safe UI.	Confirmed core plus targeted proposals
Operational baseline	Authentication/roles, audit, synthetic data, CI/reproducible environment, human approval, AI data policy and responsive UI.	Needs release decision
Extensions	Quotes, documents, reports/export, notifications, route planning, cases/contracts and organisational hierarchy.	Prioritise separately
Explicit deferrals	Salesforce parity/look-and-feel, proposals/solutions without a use case, autonomous consequential AI without controls, or a rewrite selected only for novelty.	Recommended

Core functional requirements

Capability	Working requirement	Evidence
Accounts	Create and maintain organisations/entities.	Confirmed
Contacts	Create and maintain people; link them to accounts when appropriate.	Confirmed
Leads	Capture potential people/organisations, including new and existing organisation cases.	Confirmed
Opportunities	Represent specific potential sales, stages and expected close date.	Confirmed
Tasks	Create, assign, prioritise and link follow-up work.	Confirmed
Events	Schedule and link meetings/visits/interactions.	Confirmed
Activity history	Retain planned/completed interactions and notes in context.	Confirmed desired behaviour
Lookup/search	Find and link related records.	Confirmed through demonstration
Workflow agents	Set up and implement at least one controlled workflow.	Objective confirmed; use case pending
Security	Authenticate users and enforce appropriate access before non-local use.	Need confirmed; release pending

Draft business rules requiring confirmation

1. Account name is required; a contact may exist without an account.
2. A lead can refer to an existing account or a not-yet-created organisation.
3. Expected close date is required for active opportunities.
4. Lead and opportunity stages must be approved by the Product Owner.
5. Completed/cancelled/converted records remain historically visible.
6. Archive or deactivate should normally replace destructive deletion.
7. AI-generated content is a draft unless a use case is explicitly approved for automatic execution.
8. Quotes are outside the source-defined six-record baseline and require explicit prioritisation.

Quality attributes

Attribute	Initial requirement
Maintainability	Clear modules, documented setup, migrations, tests and ADRs.
Security	Authentication, server-side authorisation, secret management and least privilege before non-local use.
Privacy	Synthetic development data and an approved AI data boundary.
Reliability	Transactional handling for conversions/workflows and visible error states.
Usability	Coherent navigation, validated forms, useful lookup and contextual history.

Attribute	Initial requirement
Responsiveness	Core workflows usable on agreed laptop/tablet/mobile widths.
Observability	Logs and workflow-run status sufficient to diagnose failure without leaking sensitive data.
IP compliance	No Salesforce branding or copied interface assets.

4. Personas, domain model and workflows

Primary personas

Persona	Primary need
CRM / sales user	Creates customers and prospects, records interactions, manages follow-up and progresses opportunities.
CRM administrator	Manages users, roles, workflow configuration, approved templates, data policy and system settings.
Sales or service manager	Reviews pipeline and activities, identifies overdue work and inspects workflow/audit outcomes.
Service coordinator	Reference-vertical persona: schedules field visits considering location, duration and customer communication.
Field technician or trainee	Reference-vertical persona: reviews site/job context before arrival and records the completed interaction.

Working glossary

Term	Working definition	Status
Account	Organisation or entity the business deals with; may be a company, charity or sole-trader business.	Confirmed
Contact	Individual person; usually linked to an account but may stand alone.	Confirmed
Lead	Unqualified or developing potential customer/enquiry, possibly from a new or existing organisation.	Confirmed
Opportunity	A specific potential sale or piece of business.	Confirmed
Expected close date	The date on which the order or sale is expected to be secured/closed.	Confirmed
Task	Follow-up action with status, priority, due date, assignee and related record.	Confirmed concept
Event	Scheduled interaction such as a meeting or visit with start/end and related record.	Confirmed concept
Activity history	Chronological record of tasks, events, notes and relevant changes.	Confirmed desired behaviour
Workflow	Configured trigger/condition/action sequence that may include agent assistance and human approval.	Proposed detail
Agent	AI-enabled component that interprets context or proposes/executes supported workflow steps.	High-level objective

Core sales workflow

Step	Expected behaviour
1. Account/contact context	Create or locate the organisation and person; preserve the relationship.
2. Lead capture	Record the potential customer/enquiry, including whether the organisation already exists.
3. Qualification	Capture needs, budget/timing/context and decide whether the lead is qualified.
4. Conversion	Create/link the appropriate account/contact and create an opportunity without losing provenance.
5. Opportunity progression	Track stage, expected close date and related interactions.
6. Follow-up	Schedule tasks/events, record notes and retain completed activity history.
7. AI-assisted workflow	Use the selected agent capability to draft or perform an approved workflow with controls and audit.

Relationship model (business view)

Relationship	Business meaning
Account → Contact	One account can contain many contacts; a contact may optionally stand alone.
Account → Opportunity	An organisation may have multiple potential sales.
Lead → Account	A lead may refer to an existing account or an organisation not yet created.
Lead → Contact/Opportunity	Qualification/conversion may create or link a contact and opportunity.
Account/Contact/Opportunity → Task/Event	Activities are related to the customer/sales context.
CRM record → Activity history	Planned and completed interactions remain visible chronologically.

Architecture note

This relationship view expresses business behaviour, not a final database schema. The activity relationship, conversion transaction and audit model must be selected during the architecture/design work.

Reference service-business workflow

1. Store the customer/site location and service-specific context.
2. Schedule a visit using availability, location and expected duration.
3. Notify the customer when a visit is scheduled, subject to approved communication controls.
4. Give the assigned technician the relevant site/instrument/job knowledge before arrival.
5. Record completion, notes and follow-up; retain the history for future visits.
6. Consider route/day-plan optimisation only after the Product Owner confirms this vertical and scope.

5. Prioritised product backlog

This initial backlog contains 47 traceable items. Priority is a draft MoSCoW classification and release placement is indicative; the Product Owner and team must refine ordering after the starter-repository audit, architecture spike and capacity discussion.

Backlog control rule
A Confirmed story still requires detailed field/lifecycle validation. A Proposed story must not be treated as committed scope until approved. The transcript is discovery evidence—not acceptance by itself.

Priority	Count
Must	30
Should	11
Could	5
Won't in initial MVP	1

Backlog index

ID	Epic	Title	Priority	Evidence	Release
DISC-01	Discovery and product definition	Benchmark representative CRM products	Must	Confirmed	Sprint 0
DISC-02	Discovery and product definition	Audit the starter CRM repository	Must	Confirmed	Sprint 0
DISC-03	Discovery and product definition	Confirm the MVP and reference business context	Must	Confirmed need; decision pending	Sprint 0
DISC-04	Discovery and product definition	Create a CRM data dictionary	Must	Confirmed	Sprint 0
DEL-01	Delivery enablement	Establish GitHub workflow and project memory	Must	Confirmed	Sprint 0
DEL-02	Delivery enablement	Create a reproducible local environment and CI baseline	Must	Proposed from transcript architecture discussion	Sprint 0
DEL-03	Delivery enablement	Provide safe demonstration data	Should	Proposed quality control	Sprint 0
DEL-04	Delivery enablement	Select the implementation architecture	Must	Confirmed options; decision pending	Sprint 0
ACC-01	Accounts and contacts	Create and maintain accounts	Must	Confirmed	MVP 1
CON-01	Accounts and contacts	Create and maintain contacts	Must	Confirmed	MVP 1
CON-02	Accounts and contacts	Link contacts to accounts	Must	Confirmed	MVP 1
ACC-02	Accounts and contacts	Search accounts and contacts	Must	Confirmed through lookup demonstrations	MVP 1
ACC-03	Accounts and contacts	View a connected customer record	Must	Confirmed	MVP 1
ACC-04	Accounts and contacts	Warn about likely duplicate records	Should	Proposed	MVP 2
LEAD-01	Leads and qualification	Create and maintain leads	Must	Confirmed	MVP 1
LEAD-02	Leads and qualification	Represent a lead from an existing or new organisation	Must	Confirmed	MVP 1
LEAD-03	Leads and qualification	Qualify or disqualify a lead	Must	Confirmed concept; statuses pending	MVP 1
LEAD-04	Leads and qualification	Convert a qualified lead	Should	Proposed from described flow	MVP 2
OPP-01	Opportunities and pipeline	Create and maintain opportunities	Must	Confirmed	MVP 1

ID	Epic	Title	Priority	Evidence	Release
OPP-02	Opportunities and pipeline	Validate expected close date	Must	Confirmed	MVP 1
OPP-03	Opportunities and pipeline	Progress opportunities through sales stages	Must	Confirmed concept; stage list pending	MVP 1
OPP-04	Opportunities and pipeline	See opportunity relationships and activities	Must	Confirmed	MVP 1
OPP-05	Opportunities and pipeline	Filter and review the sales pipeline	Should	Proposed CRM capability	MVP 2
ACT-01	Tasks, events and history	Create and maintain related tasks	Must	Confirmed	MVP 1
ACT-02	Tasks, events and history	Create and maintain related events	Must	Confirmed	MVP 1
ACT-03	Tasks, events and history	Display a unified activity timeline	Must	Confirmed gap and desired behaviour	MVP 1
ACT-04	Tasks, events and history	Record interaction notes	Must	Confirmed intent	MVP 1
ACT-05	Tasks, events and history	Review tasks and events in list/calendar views	Should	Confirmed list concept; calendar enhancement proposed	MVP 2
ACT-06	Tasks, events and history	Notify customers and users about scheduled work	Could	Optional service-domain requirement	Later
AI-01	AI-enabled workflows	Define a workflow	Must	Confirmed objective; details pending	MVP 2
AI-02	AI-enabled workflows	Draft a workflow from natural-language instructions	Should	Proposed interpretation of project objective	MVP 2
AI-03	AI-enabled workflows	Execute and monitor a workflow	Must	Confirmed objective; details pending	MVP 2
AI-04	AI-enabled workflows	Require human approval for consequential AI actions	Must	Proposed safety requirement	MVP 2
AI-05	AI-enabled workflows	Summarise customer interaction history	Should	Proposed high-value use case	MVP 2
AI-06	AI-enabled workflows	Suggest or create a follow-up task from context	Should	Proposed high-value use case	MVP 2
AI-07	AI-enabled workflows	Use approved workflow templates	Could	Proposed	Later
AI-08	AI-enabled workflows	Optimise a field-service day plan	Could	Optional domain example	Later
SEC-01	Security and administration	Authenticate users	Must	Confirmed gap	MVP 1 or 2
SEC-02	Security and administration	Authorise by role	Must	Confirmed gap	MVP 2
SEC-03	Security and administration	Manage user accounts	Should	Confirmed need at concept level	MVP 2
SEC-04	Security and administration	Audit data and workflow changes	Must	Proposed quality requirement	MVP 2
SEC-05	Security and administration	Control CRM data sent to AI services	Must	Proposed safety requirement	Before AI production use
NFR-01	Quality attributes	Use the CRM on common screen sizes	Should	Confirmed concern	MVP 2
EXT-01	Extensions	Create a quote from an opportunity	Should	Confirmed existing concept; not in initial schema brief	Later or MVP 2

ID	Epic	Title	Priority	Evidence	Release
EXT-02	Extensions	Attach documents to CRM records	Could	Confirmed concept; implementation absent	Later
EXT-03	Extensions	Run basic reports and exports	Could	Existing placeholders mentioned; requirements unclear	Later
EXT-04	Extensions	Manage cases or contracts	Won't in initial MVP	Optional future concept	Future

Discovery and product definition

DISC-01 — Benchmark representative CRM products

Epic	Discovery and product definition	Priority	Must
Evidence	Confirmed	Release	Sprint 0

As the product team, I want to compare representative CRM products and their commonly used features, so that we can make evidence-based scope decisions rather than copying the inherited interface.

Acceptance criteria

- The team agrees an evaluation matrix covering core records, sales workflow, activities, security, reporting, integrations and AI capabilities.
- Each team member reviews one or two agreed CRM products and records findings in the shared repository.
- The team produces a consolidated feature map and identifies the gap between the starter system and the proposed MVP.

Dependencies: None identified

Source trace: Transcript 51-71 and 823-829

Notes: The comparison set is deliberately not fixed in this draft; the client mentioned Salesforce, Zoho and SugarCRM as examples.

DISC-02 — Audit the starter CRM repository

Epic	Discovery and product definition	Priority	Must
Evidence	Confirmed	Release	Sprint 0

As the development team, I want to run and inspect Peter’s starter CRM and classify each capability as working, partial, placeholder or missing, so that we can reuse valuable code without assuming incomplete screens are functional.

Acceptance criteria

- A new developer can run the application using documented steps.
- The audit inventories screens, APIs, database tables, migrations, tests and known defects.
- Every inherited feature is marked working, partial, placeholder, missing or intentionally excluded.
- Any Salesforce branding, copied visual assets or look-and-feel dependencies are identified for removal.

Dependencies: Access to Peter’s public Bootstrap repository

Source trace: Transcript 29-55, 101-107, 176-208 and 456-473

DISC-03 — Confirm the MVP and reference business context

Epic	Discovery and product definition	Priority	Must
Evidence	Confirmed need; decision pending	Release	Sprint 0

As the product owner, I want to select the MVP outcome and a reference business context, so that the team can prioritise a coherent product instead of building a generic collection of screens.

Acceptance criteria

- The product owner confirms whether the MVP is a generic sales CRM, a service-business CRM, or a generic core demonstrated through a specific vertical.
- The agreed MVP explicitly lists in-scope, out-of-scope and later capabilities.

- The team records measurable acceptance outcomes for the end-of-project demonstration.

Dependencies: Product-owner decision

Source trace: Transcript 496-504 and 711-829

DISC-04 — Create a CRM data dictionary

Epic	Discovery and product definition	Priority	Must
Evidence	Confirmed	Release	Sprint 0

As the product team, I want to define each core entity, relationship, required field, status and business rule, so that developers and clients use the same terminology and validation rules.

Acceptance criteria

- The dictionary covers at least accounts, contacts, leads, opportunities, tasks and events.
- Relationships, cardinalities and ownership rules are documented.
- Required fields, validation rules and lifecycle statuses are marked as confirmed or awaiting product-owner confirmation.

Dependencies: None identified

Source trace: Project background lines 1-4; Transcript 63-126 and 625-642

Delivery enablement

DEL-01 — Establish GitHub workflow and project memory

Epic	Delivery enablement	Priority	Must
Evidence	Confirmed	Release	Sprint 0

As the student team, I want to use a shared repository, individual branches and durable Markdown project memory, so that human and AI-assisted work remains coordinated and reviewable.

Acceptance criteria

- The repository has a protected main branch and a documented branch/PR convention.
- Each member has a documented skills/workflow or member-memory file using the provided template.
- Decisions, client answers and architectural changes are written to the repository rather than remaining only in chat.
- At least one teammate reviews every merge to main.

Dependencies: GitHub repository access

Source trace: Transcript 397-430 and 575-680

DEL-02 — Create a reproducible local environment and CI baseline

Epic	Delivery enablement	Priority	Must
Evidence	Proposed from transcript architecture discussion	Release	Sprint 0

As a developer, I want to start the database, API and user interface using documented commands, so that the system behaves consistently across team laptops and pull requests.

Acceptance criteria

- A clean checkout can be started using one documented workflow.
- Database migrations run automatically or through a single documented command.
- CI performs at least formatting/linting and automated tests on pull requests.
- Secrets and local configuration are excluded from version control and represented by an example environment file.

Dependencies: Architecture choice may alter exact tooling

Source trace: Transcript 447-450

DEL-03 — Provide safe demonstration data

Epic	Delivery enablement	Priority	Should
Evidence	Proposed quality control	Release	Sprint 0

As the development team, I want to seed realistic synthetic CRM data, so that features can be tested and demonstrated without exposing client information.

Acceptance criteria

- The seed dataset contains linked examples for every MVP entity.
- No real personal or commercially sensitive client data is included.
- The dataset can be reset repeatably for tests and demonstrations.

Dependencies: None identified

Source trace: Inferred; transcript describes legacy client data

DEL-04 — Select the implementation architecture

Epic	Delivery enablement	Priority	Must
Evidence	Confirmed options; decision pending	Release	Sprint 0

As the development team, I want to evaluate the inherited Python server-rendered approach, React with a Python API, and React with a Go API, so that the team commits to an architecture based on delivery risk, learning value and maintainability.

Acceptance criteria

- The team verifies the actual starter stack because the transcript references both FastAPI and Flask/Jinja-like rendering.
- A short spike evaluates reuse, team skills, delivery time, testing, deployment, API completeness and AI integration.
- The selected option and rejected alternatives are recorded in an architecture decision record.

Dependencies: Starter-code audit and team skills inventory

Source trace: Transcript 218-250, 431-450 and 745-757

Accounts and contacts

ACC-01 — Create and maintain accounts

Epic	Accounts and contacts	Priority	Must
Evidence	Confirmed	Release	MVP 1

As a CRM user, I want to create, view, edit, list and archive an account representing an organisation or other entity, so that I can maintain the organisations with which the business interacts.

Acceptance criteria

- Account name is required and a stable unique identifier is generated.
- The user can view and edit account details and can archive an account without losing its history.
- Archived accounts are excluded from default active lists but remain retrievable by authorised users.

Dependencies: None identified

Source trace: Project background line 4; Transcript 625-642

CON-01 — Create and maintain contacts

Epic	Accounts and contacts	Priority	Must
Evidence	Confirmed	Release	MVP 1

As a CRM user, I want to create, view, edit, list and archive an individual contact, so that I can maintain the people with whom the business communicates.

Acceptance criteria

- A contact can be created with a name and optional communication details.
- The user can view, edit and archive the contact.
- The contact page displays its related account when one is linked.

Dependencies: None identified

Source trace: Project background line 4; Transcript 63-79 and 625-642

CON-02 — Link contacts to accounts

Epic	Accounts and contacts	Priority	Must
Evidence	Confirmed	Release	MVP 1

As a CRM user, I want to link a contact to an existing account while allowing a contact to exist without one, so that the system represents organisations, sole traders and unassociated individuals correctly.

Acceptance criteria

- The account field supports lookup and selection of an existing active account.
- Multiple contacts can be linked to one account.
- A contact may be saved without an account when business rules permit it.
- Changing or removing the relationship does not delete either record.

Dependencies: ACC-01 and CON-01

Source trace: Transcript 63-79 and 625-642

ACC-02 — Search accounts and contacts

Epic	Accounts and contacts	Priority	Must
Evidence	Confirmed through lookup demonstrations	Release	MVP 1

As a CRM user, I want to search accounts and contacts by partial identifying information, so that I can quickly find and link the correct record.

Acceptance criteria

- Search returns relevant active records by partial name and other agreed identifiers.
- Lookup results distinguish records sufficiently to avoid selecting the wrong organisation or person.
- The same lookup behaviour is reusable from related-record forms.

Dependencies: None identified

Source trace: Transcript 21-27, 63-79 and 127-140

ACC-03 — View a connected customer record

Epic	Accounts and contacts	Priority	Must
Evidence	Confirmed	Release	MVP 1

As a CRM user, I want to see an account or contact together with related contacts, opportunities, tasks, events and notes, so that I can understand the relationship and interaction history without navigating many disconnected pages.

Acceptance criteria

- The account view lists linked contacts and open activities.
- The contact view shows the linked account and its own activities.
- Related items link to their detail pages and respect access permissions.

Dependencies: Core entity and activity stories

Source trace: Transcript 154-180

ACC-04 — Warn about likely duplicate records

Epic	Accounts and contacts	Priority	Should
Evidence	Proposed	Release	MVP 2

As a CRM user, I want to receive a warning when a likely duplicate account or contact is entered, so that the CRM avoids fragmented histories and unreliable reporting.

Acceptance criteria

- The system checks agreed matching fields before creating a record.
- The user can inspect possible matches and choose an existing record or continue with justification.
- The warning does not silently merge or discard data.

Dependencies: None identified

Source trace: Inferred data-quality need

Leads and qualification

LEAD-01 — Create and maintain leads

Epic	Leads and qualification	Priority	Must
Evidence	Confirmed	Release	MVP 1

As a sales user, I want to record and update a potential customer or enquiry as a lead, so that new business interest is captured before it becomes an established account or opportunity.

Acceptance criteria

- The user can create, view, edit, list and archive a lead.
- A lead stores the person, organisation name when known, communication details and agreed source/status fields.
- Required fields and validation errors are clearly displayed.

Dependencies: None identified

Source trace: Project background line 4; Transcript 79-101

LEAD-02 — Represent a lead from an existing or new organisation

Epic	Leads and qualification	Priority	Must
Evidence	Confirmed	Release	MVP 1

As a sales user, I want to link a lead to an existing account or record a new organisation name, so that both new prospects and new contacts within known organisations can be handled.

Acceptance criteria

- The user can search and select an existing account for the lead.
- The user can instead enter an organisation that does not yet exist as an account.
- The system makes the two states clear and does not create an account until the agreed conversion step.

Dependencies: ACC-01 and ACC-02

Source trace: Transcript 85-104

LEAD-03 — Qualify or disqualify a lead

Epic	Leads and qualification	Priority	Must
Evidence	Confirmed concept; statuses pending	Release	MVP 1

As a sales user, I want to move a lead through agreed qualification statuses and record the outcome, so that the team can distinguish actionable prospects from unqualified enquiries.

Acceptance criteria

- The product owner approves the lead statuses and required transition information.
- A user can update the status and add dated qualification notes.
- A disqualified lead requires an agreed reason and remains in history.

Dependencies: Data dictionary approval

Source trace: Transcript 101-125

LEAD-04 — Convert a qualified lead

Epic	Leads and qualification	Priority	Should
Evidence	Proposed from described flow	Release	MVP 2

As a sales user, I want to convert a qualified lead into linked account, contact and opportunity records, so that validated interest can progress without re-entering information or creating duplicates.

Acceptance criteria

- The user reviews proposed account, contact and opportunity data before conversion.
- Existing account/contact records can be selected instead of creating duplicates.
- Conversion succeeds atomically or leaves the original data unchanged with a clear error.
- The converted lead retains links to the resulting records.

Dependencies: Accounts, contacts and opportunities

Source trace: Transcript 90-105

Opportunities and pipeline

OPP-01 — Create and maintain opportunities

Epic	Opportunities and pipeline	Priority	Must
Evidence	Confirmed	Release	MVP 1

As a sales user, I want to create, view, edit, list and close a specific potential sale, so that the business can manage work that may result in an order.

Acceptance criteria

- An opportunity has a name, stage, expected close date and agreed relationship fields.
- The user can link the opportunity to an existing account and, where required, a contact.
- The user can view, edit and close the opportunity as won, lost or another approved terminal state.

Dependencies: None identified

Source trace: Project background line 4; Transcript 95-125

OPP-02 — Validate expected close date

Epic	Opportunities and pipeline	Priority	Must
Evidence	Confirmed	Release	MVP 1

As a sales user, I want to record when an order is expected and receive clear validation, so that the pipeline reflects the expected timing of sales.

Acceptance criteria

- Expected close date is required for active opportunities unless the product owner approves an exception.
- The form explains that the date represents the expected order/closure date.
- Invalid or inconsistent dates produce actionable validation messages.

Dependencies: OPP-01

Source trace: Transcript 107-115

OPP-03 — Progress opportunities through sales stages

Epic	Opportunities and pipeline	Priority	Must
Evidence	Confirmed concept; stage list pending	Release	MVP 1

As a sales user, I want to update an opportunity through agreed prospecting, qualification and closing stages, so that the team can understand and manage the sales process consistently.

Acceptance criteria

- The product owner approves stage names, order and any required transition fields.
- The current stage is visible in lists and details.
- Stage changes are timestamped and retained in history.

Dependencies: Data dictionary approval

Source trace: Transcript 101-125

OPP-04 — See opportunity relationships and activities

Epic	Opportunities and pipeline	Priority	Must
Evidence	Confirmed	Release	MVP 1

As a sales user, I want to see the opportunity's account, contact, tasks, events, notes and later quotes in one view, so that I can manage the sale with its complete context.

Acceptance criteria

- The detail view shows all related MVP records and open activities.

- Closed/completed activities remain available in the historical view.
- The user can create a related task, event or note from the opportunity context.

Dependencies: OPP-01 and activity stories

Source trace: Transcript 154-180

OPP-05 — Filter and review the sales pipeline

Epic	Opportunities and pipeline	Priority	Should
Evidence	Proposed CRM capability	Release	MVP 2

As a sales user or manager, I want to filter opportunities by stage, expected close date, account and owner, so that I can focus follow-up effort and identify delayed work.

Acceptance criteria

- The opportunity list supports the agreed filters and sorting.
- Totals/counts are calculated from the filtered result when amount is in scope.
- The view clearly distinguishes active, won and lost opportunities.

Dependencies: None identified

Source trace: Inferred from sales-oriented CRM discussion

Tasks, events and history

ACT-01 — Create and maintain related tasks

Epic	Tasks, events and history	Priority	Must
Evidence	Confirmed	Release	MVP 1

As a CRM user, I want to create, assign, prioritise, update and complete a task linked to a CRM record, so that follow-up work is visible and accountable.

Acceptance criteria

- A task records subject, due date, priority, status, assignee and an agreed related record.
- The related record can be selected through lookup.
- The user can complete or cancel the task while preserving it in history.
- Open and overdue tasks are distinguishable in lists.

Dependencies: None identified

Source trace: Project background line 4; Transcript 126-149

ACT-02 — Create and maintain related events

Epic	Tasks, events and history	Priority	Must
Evidence	Confirmed	Release	MVP 1

As a CRM user, I want to schedule and update an event linked to a CRM record, so that meetings and other scheduled interactions are visible with their customer context.

Acceptance criteria

- An event records subject, start, end, status and an agreed related record.
- The system prevents an end time earlier than its start time.
- The user can update or cancel the event and its historical record remains visible.
- Recurrence is explicitly deferred unless selected for the MVP.

Dependencies: None identified

Source trace: Project background line 4; Transcript 149-176

ACT-03 — Display a unified activity timeline

Epic	Tasks, events and history	Priority	Must
Evidence	Confirmed gap and desired behaviour	Release	MVP 1

As a CRM user, I want to see dated tasks, events and interaction notes in one chronological history, so that I can understand what has happened and what is planned for a customer or sale.

Acceptance criteria

- The timeline combines relevant activity types in descending or ascending date order.
- Each item displays type, date/time, status, author/assignee and a link to details.
- Open and historical items are distinguishable.
- The timeline is available from at least account, contact and opportunity detail views.

Dependencies: ACT-01, ACT-02 and ACT-04

Source trace: Transcript 167-179

ACT-04 — Record interaction notes

Epic	Tasks, events and history	Priority	Must
Evidence	Confirmed intent	Release	MVP 1

As a CRM user, I want to add a timestamped note after a call, meeting or other interaction, so that important context is retained for future users.

Acceptance criteria

- A note can be added from an agreed related record.
- The note stores author, timestamp and content and appears in the activity timeline.
- Editing or deleting a note follows the approved audit policy.

Dependencies: None identified

Source trace: Transcript 171-180

ACT-05 — Review tasks and events in list/calendar views

Epic	Tasks, events and history	Priority	Should
Evidence	Confirmed list concept; calendar enhancement proposed	Release	MVP 2

As a CRM user, I want to review upcoming and overdue activities across customers, so that I can plan my workload rather than opening each record separately.

Acceptance criteria

- Separate task and event lists show upcoming, overdue and completed/cancelled items.
- Filters include date range, assignee, status and related record where applicable.
- A calendar presentation is delivered only if selected during refinement.

Dependencies: None identified

Source trace: Transcript 168-172

ACT-06 — Notify customers and users about scheduled work

Epic	Tasks, events and history	Priority	Could
Evidence	Optional service-domain requirement	Release	Later

As a service coordinator, I want to prepare and send or queue an approved notification for a scheduled visit, so that customers and assigned staff know when work is planned.

Acceptance criteria

- The user can generate a notification draft from an event and related contact data.
- The user reviews and confirms the content and recipients before sending.
- The CRM records delivery status or a clear failure state in the activity history.

Dependencies: Email provider, security/privacy decision and ACT-02

Source trace: Transcript 286-298

AI-enabled workflows

AI-01 — Define a workflow

Epic	AI-enabled workflows	Priority	Must
Evidence	Confirmed objective; details pending	Release	MVP 2

As a CRM administrator, I want to define a workflow using a trigger, conditions, ordered steps and approval points, so that repeatable business processes can be configured rather than hard-coded.

Acceptance criteria

- A workflow has a name, description, trigger, optional conditions, actions, enabled state and version.
- The system validates incomplete or unsafe workflow definitions before activation.
- A workflow can be saved as draft, activated and disabled by an authorised user.

Dependencies: AI/workflow scope decision and security model

Source trace: Project background lines 1-2; Transcript 392-425

AI-02 — Draft a workflow from natural-language instructions

Epic	AI-enabled workflows	Priority	Should
Evidence	Proposed interpretation of project objective	Release	MVP 2

As a CRM administrator, I want to describe a desired process in plain language and receive a structured workflow draft, so that agent assistance reduces the effort needed to set up workflows.

Acceptance criteria

- The AI produces a draft using only supported triggers, conditions and actions.
- The draft identifies ambiguities and asks for missing required information within the product flow.
- Nothing is activated until an authorised user reviews and confirms the structured definition.

Dependencies: AI-01 and approved model/provider

Source trace: Project background lines 1-2

AI-03 — Execute and monitor a workflow

Epic	AI-enabled workflows	Priority	Must
Evidence	Confirmed objective; details pending	Release	MVP 2

As a CRM administrator, I want to run or trigger an active workflow and inspect its status, so that automated work is observable and failures can be corrected.

Acceptance criteria

- A supported trigger creates a workflow run with a unique identifier.
- Each step records start time, end time, outcome and any error without exposing secrets.
- Failed runs are visible and can be retried only according to the agreed idempotency rules.

Dependencies: AI-01

Source trace: Project background lines 1-2; Transcript 408-425

AI-04 — Require human approval for consequential AI actions

Epic	AI-enabled workflows	Priority	Must
Evidence	Proposed safety requirement	Release	MVP 2

As a CRM user, I want to review an AI-proposed change before it updates records, sends messages or creates commitments, so that AI assistance remains controlled and accountable.

Acceptance criteria

- The interface shows the proposed action, affected records and relevant source context.
- The user can approve, edit or reject the proposal.
- Rejection causes no external or data-changing side effect.

- The decision and final action are written to the audit log.

Dependencies: Security and audit stories

Source trace: Inferred from AI-agent integration

AI-05 — Summarise customer interaction history

Epic	AI-enabled workflows	Priority	Should
Evidence	Proposed high-value use case	Release	MVP 2

As a CRM user, I want to request a concise summary of recent activities for an account, contact or opportunity, so that I can prepare for an interaction without reading every historical entry.

Acceptance criteria

- The summary is generated from records the user is authorised to view.
- The response identifies the date range and links or references the underlying CRM records.
- The summary is clearly marked as AI-generated and does not alter source records.

Dependencies: ACT-03, authentication and approved AI data policy

Source trace: Transcript 171-180 and 408-425

AI-06 — Suggest or create a follow-up task from context

Epic	AI-enabled workflows	Priority	Should
Evidence	Proposed high-value use case	Release	MVP 2

As a CRM user, I want to receive a proposed follow-up task based on notes, events or opportunity state, so that important next actions are less likely to be missed.

Acceptance criteria

- The proposal includes subject, due date, priority, assignee and related record when inferable.
- Uncertain values are surfaced rather than invented silently.
- The user confirms or edits the proposal before a task is created.

Dependencies: ACT-01 and AI-04

Source trace: Transcript 126-149 and 408-425

AI-07 — Use approved workflow templates

Epic	AI-enabled workflows	Priority	Could
Evidence	Proposed	Release	Later

As a CRM administrator, I want to start from approved workflow templates such as lead follow-up, overdue opportunity and meeting follow-up, so that common processes can be configured quickly and consistently.

Acceptance criteria

- Templates are versioned and identify required configuration values.
- Creating from a template produces an editable draft rather than an immediately active workflow.
- The template catalogue records owner and intended use.

Dependencies: AI-01

Source trace: Inferred from workflow objective

AI-08 — Optimise a field-service day plan

Epic	AI-enabled workflows	Priority	Could
Evidence	Optional domain example	Release	Later

As a service coordinator, I want to receive a proposed visit sequence based on location, expected duration and working-hour constraints, so that travel and overtime can be reduced for a service-business use case.

Acceptance criteria

- The coordinator selects candidate visits and supplies or confirms required constraints.
- The system returns a proposal with sequence, estimated travel/service time and any unassigned work.

- The coordinator can edit and approve the plan before events are changed.
- Dependencies:** Confirmed vertical, geocoding/routing service, event duration and location data
Source trace: Transcript 270-298

Security and administration

SEC-01 — Authenticate users

Epic	Security and administration	Priority	Must
Evidence	Confirmed gap	Release	MVP 1 or 2

As an authorised user, I want to sign in and sign out securely, so that CRM information is not exposed to unauthorised people.

Acceptance criteria

- Unauthenticated users cannot access protected CRM data or actions.
- Credentials and sessions are handled using the selected framework’s secure mechanisms.
- Sign-out invalidates the active session or token.

Dependencies: None identified
Source trace: Transcript 202-208
Notes: For a local prototype, any temporary single-user mode must be explicitly approved and must not be used with real data.

SEC-02 — Authorise by role

Epic	Security and administration	Priority	Must
Evidence	Confirmed gap	Release	MVP 2

As a CRM administrator, I want to assign roles that control administrative and standard-user actions, so that users receive only the permissions needed for their work.

Acceptance criteria

- The product owner approves the initial role/permission matrix.
- Server-side checks enforce permission rules; hiding a button alone is insufficient.
- A denied action returns a clear, non-sensitive message and is auditable where appropriate.

Dependencies: SEC-01
Source trace: Transcript 196-208

SEC-03 — Manage user accounts

Epic	Security and administration	Priority	Should
Evidence	Confirmed need at concept level	Release	MVP 2

As a CRM administrator, I want to create, deactivate and assign roles to users, so that access remains current as the organisation changes.

Acceptance criteria

- An administrator can create and deactivate a user without deleting historical authorship.
- Role changes take effect according to the approved session policy.
- The system prevents removal of the final active administrator.

Dependencies: SEC-01 and SEC-02
Source trace: Transcript 192-208

SEC-04 — Audit data and workflow changes

Epic	Security and administration	Priority	Must
Evidence	Proposed quality requirement	Release	MVP 2

As an administrator or reviewer, I want to see who changed critical records or approved AI actions and when, so that the system is accountable and problems can be investigated.

Acceptance criteria

- The audit log records actor, timestamp, action, record/workflow identifier and outcome for agreed events.
- Sensitive values and secrets are not copied into audit messages.
- Ordinary users cannot alter audit records.

Dependencies: Authentication and AI workflow implementation

Source trace: Inferred from multi-user and AI requirements

SEC-05 — Control CRM data sent to AI services

Epic	Security and administration	Priority	Must
Evidence	Proposed safety requirement	Release	Before AI production use

As a product owner or administrator, I want to configure and document what CRM data may be processed by an AI provider, so that privacy, confidentiality and client expectations are respected.

Acceptance criteria

- The approved provider, data categories and retention assumptions are documented.
- The system sends only the minimum context needed for the selected AI task.
- Users are warned or blocked when a request would include data outside the approved policy.

Dependencies: Client/university privacy decision and model/provider selection

Source trace: Inferred from AI-enabled CRM objective

Quality attributes

NFR-01 — Use the CRM on common screen sizes

Epic	Quality attributes	Priority	Should
Evidence	Confirmed concern	Release	MVP 2

As a desktop or mobile user, I want to use core CRM workflows on common laptop, tablet and phone widths, so that field and office users can access the system without clipped or unusable layouts.

Acceptance criteria

- Core MVP pages have no horizontal clipping at agreed viewport widths.
- Forms, navigation and tables remain usable with keyboard and touch input.
- The team records supported browsers and viewport targets.

Dependencies: None identified

Source trace: Transcript 196-201 and 550-559

Extensions

EXT-01 — Create a quote from an opportunity

Epic	Extensions	Priority	Should
Evidence	Confirmed existing concept; not in initial schema brief	Release	Later or MVP 2

As a sales user, I want to create and maintain a quote linked to an opportunity, so that a qualified sale can progress to a priced proposal.

Acceptance criteria

- A quote links to an opportunity and relevant account/contact records.
- The quote stores an agreed date, status and amount fields.
- Related tasks, events and history are visible from the quote.

Dependencies: Product-owner confirmation that quotes are in scope

Source trace: Transcript 157-167

EXT-02 — Attach documents to CRM records

Epic	Extensions	Priority	Could
Evidence	Confirmed concept; implementation absent	Release	Later

As a CRM user, I want to upload and retrieve documents associated with supported records, so that proposals, service material and other evidence remain with the customer context.

Acceptance criteria

- The product owner confirms allowed record types, file types and size limits.
- Authorised users can upload, download and remove or supersede a document according to policy.
- Metadata records uploader, date, filename and related record.

Dependencies: Storage, security and malware-scanning decisions

Source trace: Transcript 192-205

EXT-03 — Run basic reports and exports

Epic	Extensions	Priority	Could
Evidence	Existing placeholders mentioned; requirements unclear	Release	Later

As a manager or CRM user, I want to review and export agreed CRM summaries, so that the organisation can monitor activity and pipeline data outside individual records.

Acceptance criteria

- The product owner selects a small set of report questions before implementation.
- Reports use authorised data and clearly state filters/date ranges.
- Exports use an agreed safe format and do not expose fields the user cannot view in the application.

Dependencies: Confirmed reporting questions and role model

Source trace: Transcript 186-201

EXT-04 — Manage cases or contracts

Epic	Extensions	Priority	Won't in initial MVP
Evidence	Optional future concept	Release	Future

As a future CRM user, I want to manage support cases or service contracts linked to customers, so that the CRM can later support post-sale service processes.

Acceptance criteria

- No implementation begins until a specific business process and product-owner priority are supplied.
- Any future design reuses the core account/contact/activity model where appropriate.

Dependencies: None identified

Source trace: Transcript 319-324

6. Agile delivery plan

Sprint 0 — discovery, architecture and delivery enablement

Sprint 0 goal

Create a validated, runnable and prioritised foundation so the first implementation sprint commits to evidence-based work rather than assumptions.

Outcome	Exit evidence
Product alignment	Product Owner/acceptance authority, reference context, MVP boundary and first AI use case are confirmed or explicitly deferred.

Outcome	Exit evidence
CRM research	Representative products are reviewed and a consolidated feature/gap matrix is agreed.
Starter audit	The public repository runs locally and every inherited capability is classified working, partial, placeholder or missing.
Architecture	Options are spiked and ADR-0001 records the selected approach and consequences.
Delivery system	GitHub workflow, CI baseline, issue templates, branches and project-memory conventions are in place.
Backlog readiness	Sprint 1 candidate stories meet Definition of Ready and are estimated.

Sprint 0 candidate work

- DISC-01 — Benchmark representative CRM products.
- DISC-02 — Audit the starter CRM repository.
- DISC-03 — Confirm product/MVP context.
- DISC-04 — Establish the domain glossary/data dictionary.
- DEL-01 — Establish GitHub, review and project-memory conventions.
- DEL-02 — Establish a reproducible local environment and CI baseline.
- DEL-03 — Create a safe synthetic demonstration dataset.
- DEL-04 — Select and document the architecture.

Sprint 0 review evidence

- Rerun the starter application from a clean checkout.
- Present the working/partial/placeholder/missing matrix.
- Walk through the validated business vocabulary and relationship model.
- Present the architecture decision with measured evidence.
- Show the prioritised backlog and candidate Sprint 1 slice.
- Obtain client decisions or record named owners/dates for remaining blockers.

Sprint 1 proposal — connected customer record

Proposed sprint goal

Demonstrate that a user can create an account, add a linked contact, create a related follow-up task and see the connected context in one record view.

Candidate committed stories

- ACC-01 — Create and maintain accounts.
- CON-01 — Create and maintain contacts.
- CON-02 — Link contacts to accounts.
- ACC-02 — Search accounts and contacts.
- ACC-03 — View a connected customer record, limited to implemented relationships.
- ACT-01 — Create and maintain related tasks.

Candidate stretch stories

- ACT-02 — Create and maintain related events.
- ACT-03 — Display a unified activity timeline.
- ACT-04 — Record interaction notes.

Example acceptance scenario

1. Enter the approved local prototype mode or sign in if authentication has been brought forward.
2. Create “Example Service Company” as an account.
3. Create “Alex Example” as a contact and link the contact to the account using lookup.
4. Create a high-priority follow-up task with a future due date and link it to the account/contact.
5. Open the account and see the contact and open task in context.
6. Edit the contact, complete the task and verify that the history remains available.

Technical/enabler work included

- Database migrations and synthetic seed fixtures.
- API/server validation and usable error handling.
- Automated tests for the selected success and failure paths.
- Responsive form/list/detail behaviour at agreed widths.
- Removal of remaining Salesforce-specific presentation from touched pages.
- Setup documentation and a repeatable sprint-review demo script.

Definition of Ready

- ☐ User/persona, need and value are clear.
- ☐ Acceptance criteria are testable and understood.
- ☐ Evidence status is known: confirmed, proposed or pending.
- ☐ Required fields, relationships and lifecycle rules are defined or deliberately constrained.
- ☐ Dependencies and external decisions are resolved or have an agreed fallback.
- ☐ UI, API, data, security and migration implications have been considered.
- ☐ AI stories state authorised context, structured output, uncertainty behaviour, approval and audit boundaries.
- ☐ Safe test data is available.
- ☐ The team has estimated the story and believes it fits the sprint.

Definition of Done

- ☐ Every acceptance criterion passes and the intended outcome can be demonstrated.
- ☐ Code is merged through a reviewed pull request; no unreviewed direct change is made to main.
- ☐ Automated tests cover important success and failure paths at the appropriate level.
- ☐ Schema changes include a tested migration and an appropriate forward/rollback strategy.
- ☐ Validation and error states are usable and do not expose sensitive implementation details.
- ☐ Server-side authorisation is applied where required.
- ☐ AI behaviour is bounded, auditable and compliant with approved human-control/data policy.
- ☐ Documentation, source trace and decision records are updated.
- ☐ The feature works with synthetic data and agreed browser/viewport baseline.
- ☐ No Salesforce branding, copied interface asset or secret is introduced.
- ☐ CI passes and no known critical defect remains in the delivered scenario.
- ☐ The Product Owner accepts it or records specific follow-up work.

Team working agreement

Area	Agreement
Communication	Use Slack for client-visible questions and weekly updates. Copy material decisions from internal chat into Slack and/or the repository.
Source of truth	Backlog/issues, decision log/ADRs, meeting notes, repository setup docs and member/agent memory files.
Git workflow	Protect main; use short-lived branches; one primary backlog item per PR where practical; link criteria/tests/evidence.
Scrum	Use a sprint goal, brief stand-ups, regular refinement, working-software review and a retrospective action with an owner.
AI-assisted development	A team member remains accountable for generated work; understand, test and review it; never submit unapproved real client data.

7. Architecture decision record — ADR-0001

Field	Value
Status	Proposed / decision pending
Decision owners	Student team, with Product Owner and lecturer input
Decision deadline	End of Sprint 0

Field	Value
Decision rule	Select against agreed evidence and delivery criteria, not technology preference alone

Context

The inherited system appears to combine PostgreSQL, Alembic migrations, Python server-side rendering and small client-side lookup components. The transcript references both FastAPI and Flask/Jinja-like rendering, so the repository must be inspected. React and Go were also raised as reimplementations options.

Options

Option	Potential advantages	Primary risks
A. Extend Python/server-rendered Bootstrap	Fastest reuse path if coherent; lower rewrite risk.	Mixed/incomplete inherited structure; incomplete API; interactive workflows may be harder.
B. React + Python/FastAPI API	Clearer UI/API boundary; reuses Python and possibly domain/API code.	More moving parts; likely front-end rebuild and API completion.
C. React + Go API	Clear service boundary and Go learning opportunity.	Highest rewrite, skill and schedule risk; little evidence that load requires it.

Decision criteria and suggested weights

Criterion	Weight
Ability to deliver agreed MVP on time	30%
Reuse of verified working code/data model	15%
Team capability and learning curve	15%
Testability and maintainability	15%
Support for AI/workflow integration	10%
Local deployment and CI simplicity	10%
Responsiveness and user experience	5%

Required spike tasks

- 1. Run the public starter repository from a clean checkout.
- 2. Trace one vertical flow: create account → contact lookup/link → related task.
- 3. Inventory endpoints, templates/components, migrations, tests and known gaps.
- 4. Implement or prototype the same smallest missing interaction in the leading options.
- 5. Score the options against the agreed criteria and retain evidence.
- 6. Record the decision, dissent, risks and consequences in ADR-0001.

Current status

No architecture option was selected in the discovery meeting. Any claim that the project must use Python, FastAPI, React or Go would overstate the supplied evidence.

8. Governance: actions, decisions, risks and questions

Decision log

ID	Decision / working position	Evidence	Status
D-001	Use the supplied brief and transcript as a discovery baseline, not a final specification.	Confirmed process direction	Accepted
D-002	Begin with CRM research, requirements/user stories and a starter-code gap analysis before major implementation.	Confirmed	Accepted
D-003	Initial domain baseline is accounts, contacts, leads, opportunities, tasks and events.	Confirmed	Accepted
D-004	Do not deliver Salesforce branding or copied look-and-feel.	Confirmed	Accepted
D-005	Start by evaluating Peter's starter code, while retaining the option to replace parts or all of it.	Confirmed	Accepted
D-006	Use GitHub and Markdown for durable planning/project memory; use Slack for client-visible history.	Confirmed	Accepted
D-007	Final application architecture is deferred to a time-boxed spike.	Decision pending	Open
D-008	The first embedded AI workflow is not yet selected.	Decision pending	Open
D-009	Use human approval for consequential AI actions.	Proposed	Proposed
D-010	Use synthetic data unless real-data use is explicitly approved.	Proposed	Proposed

RAID log

ID	Type	Description	Impact	Probability	Response / next step	Owner	Status
R-01	Risk	MVP and target vertical remain ambiguous.	High	High	Confirm with Product Owner in Sprint 0; maintain explicit in/out/later scope.	Product Owner + Scrum Master	Open
R-02	Risk	Starter repository may be delayed, incomplete or difficult to run.	High	Medium	Request access immediately; time-box audit; keep a clean-slate fallback.	Technical lead	Open
R-03	Risk	Inherited screens may look complete but contain placeholders or broken links.	High	High	Capability audit and automated end-to-end smoke tests before planning reuse.	Development team	Open
R-04	Risk	Salesforce branding/look-and-feel may create IP concerns.	High	Medium	Use public Bootstrap version; remove copied assets and avoid design cloning.	Repo steward	Open
R-05	Risk	A full React/Go rewrite could consume the schedule before user value is delivered.	High	Medium	Architecture spike with explicit delivery-risk criterion and vertical-slice proof.	Technical team	Open
R-06	Risk	"AI-enabled" may be interpreted as team-agent coordination rather than a product feature, or vice versa.	High	High	Separate both tracks and obtain Product Owner approval for the first embedded use case.	Product Owner + AI lead	Open
R-07	Risk	AI processing could expose personal or commercially sensitive CRM data.	High	Medium	Synthetic data; approved provider/policy; minimum context; human approval and audit.	Security/AI lead	Open
R-08	Risk	Communication is fragmented across WeChat, Slack, email and GitHub.	Medium	High	Define Slack/GitHub as durable source; copy decisions from informal chat.	Scrum Master	Open
R-09	Risk	Team skill gaps in Go, React or inherited Python stack may reduce velocity.	Medium	Medium	Skills inventory, pairing, spike and architecture decision based on evidence.	Technical team	Open
R-10	Risk	Route optimisation can become a separate complex optimisation product.	High	Medium	Keep it as an optional constrained pilot unless explicitly prioritised.	Product Owner	Open
R-11	Risk	Legacy data model may contain unnecessary fields and relationships.	Medium	High	Create a simplified data dictionary and migrate only approved fields.	Data lead	Open
R-12	Risk	Meeting transcript contains recognition and speaker-attribution errors.	Medium	High	Validate open questions; tag requirements by evidence; do not treat uncertain wording as fact.	Business analyst	Open
A-01	Assumption	Peter is the primary Product Owner and final acceptance authority.	High	N/A	Confirm explicitly.	Student team	Unconfirmed
A-02	Assumption	Synthetic data can be used for all development and demonstrations.	High	N/A	Confirm data expectations and import requirements.	Student team	Unconfirmed

ID	Type	Description	Impact	Probability	Response / next step	Owner	Status
A-03	Assumption	The initial MVP can focus on a sales CRM core even if demonstrated through a service business.	High	N/A	Confirm target context.	Product Owner	Unconfirmed
I-01	Issue	Exact repository URL, licence and current branch are not present in the transcript.	High	N/A	Obtain access and record repository metadata.	Repo steward	Open
I-02	Issue	Sprint duration, milestones and final delivery date are not documented.	High	N/A	Align with course calendar and client availability.	Scrum Master	Open
I-03	Issue	Exact workflow triggers/actions and AI provider are unspecified.	High	N/A	Select one use case and complete AI decision checklist.	AI lead + Product Owner	Open
D-01	Dependency	Peter's public Bootstrap repository and walkthrough.	High	N/A	Track action A-01/A-02.	Peter Harding	Open
D-02	Dependency	Product-owner answers to target context, MVP and AI workflow.	High	N/A	Review open-question register.	Product Owner	Open

Open Product Owner / client questions

ID	Area	Question	Why it matters
Q-01	Governance	Who is the Product Owner and who gives final story/release acceptance: Peter, Peter and William jointly, or another arrangement?	Blocks backlog ordering and acceptance.
Q-02	Product	Is the product a generic sales CRM, a service-business CRM, or a generic core demonstrated through a specific business such as organ maintenance or piano sales?	Determines fields, workflows and demo narrative.
Q-03	Delivery	What are the sprint duration, client-review cadence, course milestones and final demonstration date?	Required for release planning and scope control.
Q-04	Repository	What is the authoritative starter repository URL, branch, licence and access process?	Blocks code audit.
Q-05	Architecture	What is the actual current stack in the public repo, and which parts are expected to be reused?	Transcript references FastAPI, Flask/server-side templates, Bootstrap and embedded React.
Q-06	Architecture	Is React and/or Go a course learning objective, a client preference, or merely an option?	Prevents architecture novelty from overriding delivery.
Q-07	Data	What exact fields are required for each initial entity, and which legacy fields should be removed?	Required for schema and forms.
Q-08	Leads	What are the lead statuses, qualification criteria, disqualification reasons and conversion behaviour?	Required for lead workflow.
Q-09	Opportunities	What stages, probability/amount fields and close rules are required?	Required for pipeline workflow.
Q-10	Activities	Which records can tasks/events/notes relate to, and should activities use one polymorphic relationship or entity-specific links?	Affects schema and UI.
Q-11	AI	What is the first product-facing AI workflow: summary, follow-up generation, natural-language workflow setup, notification drafting, route planning, or another use case?	Critical MVP decision.
Q-12	AI	What does "set-up and implementation of workflows" mean in the expected demonstration: no-code configuration, natural-language drafting, execution, or all three?	Defines the central project feature.
Q-13	AI	Which AI provider/model may be used, what data may be sent, and what retention/privacy constraints apply?	Required before connecting CRM data.
Q-14	AI	Which actions may execute automatically, and which always require human approval?	Defines safety and acceptance tests.
Q-15	Security	Is authentication/RBAC required in the first demonstrable increment or only before deployment?	Affects Sprint 1/2 ordering.
Q-16	Security	Is the product single-organisation or multi-tenant, and what initial roles are needed?	Affects data model and authorisation.
Q-17	Extensions	Are quotes part of the MVP despite not appearing in the six-schema project brief?	Controls scope.
Q-18	Extensions	Are document attachments, reports/export and email notifications required?	Controls infrastructure and privacy work.
Q-19	Reference vertical	Is route optimisation a core deliverable, a stretch demonstration or only an illustrative example?	Avoids accidental optimisation-project scope.
Q-20	Data	Must the project import any existing CRM/Salesforce data, or will synthetic data be sufficient?	Affects migration, privacy and schedule.

ID	Area	Question	Why it matters
Q-21	Quality	What browsers, devices, hosting environment and availability expectations must be supported?	Defines non-functional acceptance.
Q-22	Communication	Who should be in the Slack channel and what is the agreed weekly update/review time?	Reduces communication risk.

9. Source traceability and interpretation notes

The table below maps major source statements to the resulting project artefacts. Transcript line numbers refer to the supplied text transcript, not audio timestamps.

ID	Source statement	Source location	Resulting artefact
TR-01	AI-enabled CRM integrating with agents for workflow setup/implementation.	Project background lines 1-2	Project vision; AI-01 to AI-06
TR-02	Initial schemas: accounts, contacts, leads, opportunities, tasks and events.	Project background line 4	DISC-04; core epics
TR-03	Research current CRMs, identify common features and compare with starter.	Transcript 51-71; 823-829	DISC-01; Sprint 0
TR-04	Accounts are organisations/entities; contacts are people; sole traders may blur distinction.	Transcript 625-642	ACC-01; CON-01; CON-02
TR-05	Lead may be new organisation or existing account and progresses through qualification.	Transcript 79-125	LEAD-01 to LEAD-04
TR-06	Opportunity is a specific potential sale; close date is expected order/closure date.	Transcript 95-125	OPP-01 to OPP-03
TR-07	Tasks/events are linked activities; interaction notes/history should be retained.	Transcript 126-180	ACT-01 to ACT-05
TR-08	Current app has placeholders, holes, missing history and incomplete functions.	Transcript 29-45; 142-208	DISC-02; risk R-03
TR-09	Real CRM needs users, authentication and roles.	Transcript 192-208	SEC-01 to SEC-03
TR-10	AI may support team coordination and be integrated into the CRM product.	Transcript 392-430	DEL-01; AI epic; Q-11/Q-12
TR-11	Start with Peter's code, but team may choose another implementation; several stacks discussed.	Transcript 431-450; 745-757	DEL-04; ADR-0001
TR-12	Public Bootstrap repo intended to remove Salesforce IP/look-and-feel.	Transcript 1-55; 456-473	DISC-02; D-004
TR-13	Service example needs location-aware scheduling, duration, notifications and job knowledge.	Transcript 270-298	ACT-06; AI-08; reference personas
TR-14	Leon requested documented requirements/user stories and CRM research before implementation.	Transcript 711-829	Entire kickoff pack
TR-15	Slack preferred for shared client communication history.	Transcript 845-865	Working agreement; action A-04

Interpretation cautions

- The meeting date is not supported by the supplied materials.
- FastAPI, Flask and server-rendered terminology conflict in the transcript; inspect the code before documenting the current stack as fact.
- “Jinja” may have been mistranscribed as “Ginger”, but this pack does not rely on that correction.
- The spoken contact detail is unreliable; use the separately supplied project-background record.
- Service route optimisation is a valuable scenario, not confirmed MVP scope.
- AI was discussed both as a development collaboration method and as a CRM capability; these are separate workstreams.
- Recommended security, audit and human-approval controls are added as professional safeguards and need explicit release prioritisation.

Product Owner approval checklist

- ☐ Stakeholder roles and final acceptance authority are correct.
- ☐ The product vision and reference business context are correct.
- ☐ The MVP in-scope/out-of-scope boundary is accepted.
- ☐ Domain definitions and lead/opportunity lifecycle assumptions are correct.
- ☐ Must-priority stories are correctly ordered.
- ☐ The first AI use case, autonomy level and data boundary are approved.
- ☐ Sprint cadence, review dates and delivery milestones are recorded.
- ☐ Architecture decision process and decision deadline are accepted.

Appendix A — Repo-ready companion pack

A companion ZIP contains Markdown and CSV files ready to add to a GitHub repository. It includes meeting notes, product documents, the complete backlog, Sprint 0/1 plans, Definition of Ready/Done, working agreement, RAID and decision logs, open questions, ADR-0001, project-memory templates and GitHub issue/pull-request templates.

Appendix B — Suggested first client update

Draft weekly update structure

Completed: repository access and initial requirements pack. Next: CRM comparison, starter-code audit and architecture spike. Risks/blockers: Product Owner, reference vertical, AI workflow and sprint dates require confirmation. Decisions requested: approve the six critical decisions listed in the executive brief.

End of document.