



Listing 16.2.11
Echocardiography (Safety analysis set)

Treatment

Subject identifier	Age/Sex/Race	Analysis visit	Collection day	Left ventricular ejection fraction(%)	LV end diastolic volume (mL)	LV end systolic volume (mL)	Overall ECHOC evaluation
E0001001	29/F/White	Cycle 1 Day 1 Pre Dose	18	xx	xxx	xxx	Abnormal

Treatment reflects actual treatment.
Study day is relative to first dose date. A negative study day indicates the measurement was collected before date of first dose.
F Female; M Male.

<<output program path>> <<output file name>> <<date/time>>



Study number D9802C00001 Clarity Gastric 01 - Dry Run 1, Dummy Treatment, <<Data cut-off ddmmyyyy>>

Appendix 16.2.12

Tumour assessment details by blinded independent central review (ITT analysis set)

Subject identifier: <<Exxxxxxx>>

G. Target lesion details

Reviewer: [[Radiologist 1|Radiologist 2]]*, Review identification number: <<xxxxxxx>>

Planned treatment group: <<AZD1 (low dose)>>, Duration of actual exposure (months) [a]: <<xx>>, Death study day [b]: <<xx>>

Study day [b]	Lesion number	Lesion location	Location within site specification	Method of assessment	Diameter (mm) [c]	Sum of diameters (mm) [d]
-21	1	Lung, right upper lobe		Multi-Slice Spiral CT	42	150
	2	Local lymph node	Right paratracheal node	Multi-Slice Spiral CT	20	
	3	Lung, left upper lobe		Multi-Slice Spiral CT	25	
	4	Liver-left lobe, segment IV	Segment 4 hepatic metastases	Multi-Slice Spiral CT	31	
	5	Spleen	Splenic metastasis	Multi-Slice Spiral CT	32	
46	1	Lung, right upper lobe		Multi-Slice Spiral CT	31	93
	2	Local lymph node	Right paratracheal node	Multi-Slice Spiral CT	10	
	3	Lung, left upper lobe		Multi-Slice Spiral CT	15	
	4	Liver-left lobe, segment IV	Segment 4 hepatic metastases	Multi-Slice Spiral CT	17	
	5	Spleen	Splenic metastasis	Multi-Slice Spiral CT	20	
86	1	Lung, right upper lobe		Multi-Slice Spiral CT	32	91
	2	Local lymph node	Right paratracheal node	Multi-Slice Spiral CT	12	
	3	Lung, left upper lobe		Multi-Slice Spiral CT	14	
	4	Liver-left lobe, segment IV	Segment 4 hepatic metastases	Multi-Slice Spiral CT	14	
	5	Spleen	Splenic metastasis	Multi-Slice Spiral CT	19	
128	1	Lung, right upper lobe		Multi-Slice Spiral CT	30	65
	2	Local lymph node	Right paratracheal node	Multi-Slice Spiral CT	5	
	3	Lung, left upper lobe		Multi-Slice Spiral CT	10	
	4	Liver-left lobe, segment IV	Segment 4 hepatic metastases	Multi-Slice Spiral CT	5	
	5	Spleen	Splenic metastasis	Multi-Slice Spiral CT	15	
xxx#	x	xxxxxxx	xxxxxxx			

* Reviewer who completed baseline first in the absence of an adjudicator, or the reviewer the adjudicator agreed with.

Study day of assessment has not been provided, visit day has been used instead.

[a] Duration of actual exposure is calculated as per statistical analysis plan.

[b] Study day is relative to randomisation date. A negative study day indicates the assessment/event occurred before date of randomisation.

[c] Non-nodal lesion longest diameter or nodal short axis diameter.

[d] Sum of non-nodal lesion longest diameters and nodal short axis diameters.

NA Not applicable; NE Not evaluable; RECIST Response evaluation criteria in solid tumors, Version 1.1.

<<output program path>> <<output file name>> <<date/time>>

Study number D9802C00001 Clarity Gastric 01 - Dry Run 1, Dummy Treatment, <<Data cut-off ddmmmyyyy>>

Appendix 16.2.12

Tumour assessment details by blinded independent central review (ITT analysis set)

Subject identifier: <<Exxxxxxx>>

G. Target lesion details

Reviewer: [[Radiologist 1|Radiologist 2]]*, Review identification number: <<xxxxxxx>>

Planned treatment group: <<AZD1 (low dose)>>, Duration of actual exposure (months) [a]: <<xx>>, Death study day [b]: <<xx>>

Study day [b]	Lesion number	Lesion location	Location within site specification	Reason lesion not measured	Assessment comments
-21	1	Lung, right upper lobe			
	2	Local lymph node	Right paratracheal node		
	3	Lung, left upper lobe			
	4	Liver-left lobe, segment IV	Segment 4 hepatic metastases		
	5	Spleen	Splenic metastasis		
46	1	Lung, right upper lobe			
	2	Local lymph node	Right paratracheal node		
	3	Lung, left upper lobe			
	4	Liver-left lobe, segment IV	Segment 4 hepatic metastases		
	5	Spleen	Splenic metastasis		
86	1	Lung, right upper lobe			
	2	Local lymph node	Right paratracheal node		
	3	Lung, left upper lobe			
	4	Liver-left lobe, segment IV	Segment 4 hepatic metastases		
	5	Spleen	Splenic metastasis		
128	1	Lung, right upper lobe			
	2	Local lymph node	Right paratracheal node	Too small to measure	
	3	Lung, left upper lobe			
	4	Liver-left lobe, segment IV	Segment 4 hepatic metastases	Too small to measure	
	5	Spleen	Splenic metastasis		
xxx#	x	xxxxxxx	xxxxxxx	Unknown	

* Reviewer who completed baseline first in the absence of an adjudicator, or the reviewer the adjudicator agreed with.

Study day of assessment has not been provided, visit day has been used instead.

[a] Duration of actual exposure is calculated as per statistical analysis plan.

[b] Study day is relative to randomisation date. A negative study day indicates the assessment/event occurred before date of randomisation.

[c] Non-nodal lesion longest diameter or nodal short axis diameter.

[d] Sum of non-nodal lesion longest diameters and nodal short axis diameters.

NA Not applicable; NE Not evaluable; RECIST Response evaluation criteria in solid tumors, Version 1.1.

<<output program path>> <<output file name>> <<date/time>>



Study number D9802C00001 Clarity Gastric 01 - Dry Run 1, Dummy Treatment, <<Data cut-off ddmmyyyy>>

Appendix 16.2.13

Tumour assessment details by blinded independent central review (ITT analysis set)

Subject identifier: <<xxxxxxx>>

H. Target lesion visit response

Reviewer: [[Radiologist 1|Radiologist 2]]*, Review identification number: <<xxxxxxx>>

Planned treatment group: <<AZD1 (low dose)>>, Duration of actual exposure (months) [a]: <<xx>>, Death study day [b]: <<xx>>

Study day [b]	Sum of diameters (mm) [c]	Percentage change from baseline	Percentage change from nadir	Absolute change from nadir	Previous minimum		TL visit response	TL comments	Not evaluable assessment comments
					Sum of diameters (mm) [c]	Occurred at study day			
-21	150^	NA			NA	NA	NA		
46	93	-38.0	-38.0	-57	150	-21	PR		
86	91	-39.3	-2.2	-2	93	46	PR		
128	65	-56.7	-28.6	-26	91	86	PR		
xxx#					xx	xx	NE		xxxxxxxxxxxxx

* Reviewer who completed baseline first in the absence of an adjudicator, or the reviewer the adjudicator agreed with.

^ indicates baseline sum of diameters.

Study day of assessment has not been provided, visit day has been used instead.

[a] Duration of actual exposure is calculated as per statistical analysis plan.

[b] Study day is relative to randomisation date. A negative study day indicates the assessment/event occurred before date of randomisation.

[c] Sum of non-nodal lesion longest diameters and nodal short axis diameters.

CR Complete response; NA Not applicable; NE Not evaluable; PD Progressive disease; PR Partial response; RECIST Response evaluation criteria in solid tumors, Version 1.1; SD Stable disease; TL Target lesion.

<<output program path>> <<output file name>> <<date/time>>