C:\Users\visres\Desktop\PERL\prqaproject_copy.xml - Notepad++

File Edit Search View Encoding Language Settings Macro Run TextFX Plugins Window ?

prqaproject_copy.xml

```xml
<?xml version='1.0' encoding='UTF-8'?>
<prqaproject xmlversion="2" qafversion="2.0.1">
  <!-- Config file information... -->
  <configuration>
   <root_paths>
    <root_path path="${PROJECT_ROOT}" name="SOURCE_ROOT"/>
   </root_paths>
   <languageFamily name="C_CPP"/>
   <baselinedSourceRoot baseline="OFF"/>
   <baselineSnapshot id="" name="" date=""/>
   <processMonitor>
    <includeOptionSyntax>
     <option string="-I"/>
     <option string="/I"/>
    </includeOptionSyntax>
    <defineOptionSyntax>
     <option string="-D"/>
     <option string="/D"/>
    </defineOptionSyntax>
    <settingsOptionSyntax>
     <option compiler="Visual Studio" string="@" quotes_escaped="yes" extension="rsp"/>
     <option compiler="Windriver" string=" -@" quotes_escaped="yes" extension=""/>
     <option compiler="Greenhills" string="--Via" quotes_escaped="yes" extension="__i"/>
    </settingsOptionSyntax>
    <excludeStrings/>
    <fileFilterStrings/>
   </processMonitor>
   <suppressIncludes active="no"/>
   <acf name="default.acf"/>
   <rcf name="m2cm-3_3_0-en_US.rcf"/>
   <ccts>
    <cct target="C" active="yes" name="MS_VC++_CL_16_x64_C.cct"/>
   </ccts>
  </configuration>
  <!-- Mapping of extension to target_language... -->
  <file_extensions>
   <language target="C">
    <extension ext=".c"/>
   </language>
   <language target="C">
    <extension ext=".C"/>
   </language>
   <language target="C++">
    <extension ext=".cpp"/>
   </language>
   <language target="C++">
    <extension ext=".cxx"/>
   </language>
   <language target="C++">
    <extension ext=".cc"/>
   </language>
   <language target="C++">
    <extension ext=".CPP"/>
   </language>
   <language target="C++">
    <extension ext=".CXX"/>
   </language>
   <language target="C++">
    <extension ext=".CC"/>
   </language>
  </file_extensions>
  <!-- Files in project... -->
  <files>
   <!-- Explicit files... -->
   <file target="C" name="Adc.c" folder="D:/usr/Task_01/QAC_Eval/Baseline/Code/Relevant"/>
```