

NAME

phosphor – display text like on a phosphorescent CRT terminal

SYNOPSIS

```
phosphor [ { -br | --blink-rate } delay ] [ { -bt | --blink-times } num ] [ { -c | --case } style ]
[ { -co | --color } colorname ] [ -d | --delay delay ] [ --demo ] [ filename [ filename ... ] ]
```

DESCRIPTION

phosphor displays text in a word-by-word animation as on a slow CRT terminal. Words are flashed extra bright/bold when first displayed. By default, the text is converted to uppercase.

Text can be read from files or from standard input.

OPTIONS

-br *delay*, **--blink-rate** *delay*

The delay in (fractional) seconds between cursor blinks after interpunction (default: 0.1).

-bt *num*, **--blink-times** *num*

The number of times the cursor will blink after a full stop, question mark, or exclamation mark. After a comma, the cursor will blink only once, or not at all if this parameter is zero.

-c *style*, **--case** *style*

Case mapping of letters. *style* can be one of:

l | lower

All characters are mapped to lowercase.

u | upper

All characters are mapped to uppercase. This is the default.

n | normal

No case conversion is done.

r | reverse

Uppercase characters are displayed in inverse; lowercase characters are mapped to uppercase.

s | underscore

Uppercase characters are underscored; lowercase characters are mapped to uppercase.

-co *colorname*, **--color** *colorname*

Select a color for the text and/or background.

For setting a text color, valid names are those listed in **Term::ANSIColor** (3pm): black, blue, red, magenta, green, cyan, yellow, white. In addition, the color 'amber' is recognized, but it may not be supported by your terminal.

For setting a background color, the names listed above can be combined with the prefix **on_**.

For setting both foreground and background color, use *e.g.* **--color 'green on_black'**.

-d *delay*, **--delay** *delay*

The delay in (fractional) seconds between printing words (default: 0.05)

--demo

Use a fixed demo text. No other input will be read.

filename [*filename* ...]

Files whose content should be displayed. If none are specified, read from standard input.

EXAMPLES

```
phosphor -d 0.1 --demo
```

```
phosphor -c s -br 0.2 --color 'green on_black' --demo
```

```
phosphor -c s -br 0.2 --color 'amber on_black' demo/Adamas-Journal-19-Experiment-in-Terra.txt
```

SEE ALSO

Term::ANSIColor (3pm).

For developers: **infocmp** (1), **tput** (1), **Term::Terminfo** (3pm).

VERSION

This manual pertains to **phosphor** version 0.94.

AUTHOR and COPYRIGHT

Copyright © 2020-2022, René Uittenbogaard (ruittenb@users.sourceforge.net) This program is free software; you can redistribute it and/or modify it under the terms described by the GNU General Public License version 3.

phosphor is distributed without any warranty, even without the implied warranties of merchantability or fitness for a particular purpose.