Evidencias

ID: IMGTestRun



Se selecciona el request o que se desea probar y se agrega el numero de iteraciones que se aplicarían y se selecciona Start Run

Pruebas Humo

ID: IMGTestHumo



Caso 01 Ping

Script

```
pm.test("Status 201", () => {
   pm.response.to.have.status(201);
});
pm.test("Tiempo menor a 1000ms", () => {
pm.expect(pm.response.responseTime).to.be.below(1000);
});
```

Resultado Prueba

ID: IMGCP01

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 101ms	20	0	103 ms

All 20 Passed 20 Failed 0 Skipped 0 Errors 0 Console log

Caso 02 Obtener Booking

Script

```
pm.test("Status 200", () => {
   pm.response.to.have.status(200);
});
pm.test("Retorna arreglo", () => {
   pm.expect(pm.response.json()).to.be.an("array");
});
```

Resultado Prueba

ID: IMGCP02

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 782ms	20	0	172 ms

All 20 Passed 20 Failed 0 Skipped 0 Errors 0 Console log

Caso 03 Obterner Booking ID

Script

```
pm.test("Status 200", function () {
   pm.response.to.have.status(200);
});
```

```
var json = pm.response.json();

pm.test("Respuesta es objeto JSON", function () {
   pm.expect(json).to.be.an("object");
});

pm.test("Tiene firstname", function () {
   pm.expect(json.firstname).to.exist;
});

pm.test("Tiene lastname", function () {
   pm.expect(json.lastname).to.exist;
});

pm.test("Tiene totalprice", function () {
   pm.expect(json.totalprice).to.exist;
});

pm.test("Tiempo menor a 1000 ms", function () {
   pm.expect(pm.response.responseTime).to.be.below(1000);
});
```

Resultado Prueba

ID: IMGCP03

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 642ms	60	0	150 ms

All 60 Passed 60 Failed 0 Skipped 0 Errors 0 Console log

Caso 04 Generar Token

Body

```
{
   "username": "admin",
   "password": "password123"
}
```

Script

```
pm.test("Status 200", () => {
```

```
    pm.response.to.have.status(200);
});
let json = pm.response.json();
pm.environment.set("token", json.token);
pm.test("Token creado", () => {
    pm.expect(json.token).to.exist;
});
```

Resultado Prueba

ID: IMGCP04

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 523ms	20	0	150 ms

All 20 Passed 20 Failed 0 Skipped 0 Errors 0 Console log

Pruebas CRUD

ID: IMGTestCRUD



Caso 05 CrearBooking

Body

```
{
  "firstname": "Juan",
  "lastname": "Perez",
  "totalprice": 250,
  "depositpaid": true,
  "bookingdates": {
    "checkin": "2026-05-10",
    "checkout": "2026-05-15"
  },
```

```
  "additionalneeds": "Breakfast"
}
```

Script

```
pm.test("Booking creado", () => {
   pm.response.to.have.status(200);
});

let json = pm.response.json();
pm.environment.set("bookingId", json.bookingid);
```

Resultado Prueba

ID: IMGCP05

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 550ms	10	0	150 ms

All 10 Passed 10 Failed 0 Skipped 0 Errors 0 Console log

Caso 06 Consultar Booking

Script

```
pm.test("Consulta exitosa", () => {
   pm.response.to.have.status(200);
});
pm.test("Nombre correcto", () => {
   pm.expect(pm.response.json().firstname).to.exist;
});
```

Resultado Prueba

ID: IMGCP06

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 88ms	20	0	104 ms

All 20 Passed 20 Failed 0 Skipped 0 Errors 0 Console log

Caso 07 Actualizar Booking

Body

```
{
  "firstname": "Carlos",
  "lastname": "Lopez",
  "totalprice": 500,
  "depositpaid": false,
  "bookingdates": {
    "checkin": "2026-06-01",
    "checkout": "2026-06-07"
  },
  "additionalneeds": "Lunch"
}
```

Script

```
pm.test("Actualizado correctamente", () => {
    pm.response.to.have.status(200);
});
```

Resultado Prueba

ID: IMGCP07

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 246ms	10	0	109 ms

All 10 Passed 10 Failed 0 Skipped 0 Errors 0 Console log

Caso 08 Eliminar Booking

Script

```
pm.test("Eliminado correctamente", function () {
    pm.response.to.have.status(201);
});
```

Resultado Prueba

ID: IMGCP08

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	4s 660ms	20	0	131 ms

All 20 Passed 20 Failed 0 Skipped 0 Errors 0 Console log

Pruebas Contrato

Pruebas Contrato
- GET ValidarSchemaBooking
- GET ValidarSchemaLista
- GET ValidarTiposDatos

Caso 09 Validar Schema Booking

Script

```
pm.test("Status 200", function () {
   pm.response.to.have.status(200);
});
const schema = {
   type: "object",
   properties: { firstname: {
      type: "string" },
      lastname: { type: "string" },
      totalprice: { type: "number" },
      depositpaid: { type: "boolean" },
      bookingdates: {
         type: "object",
         properties: {
            checkin: { type: "string" },
            checkout: { type: "string" }
            },
            required: ["checkin", "checkout"]
         },
         additionalneeds: { type: "string" }
         },
         required: [
            "firstname",
            "lastname",
            "totalprice",
```

```
            "depositpaid",
            "bookingdates"
        ]
    };
pm.test("Schema Booking válido", function () {
pm.response.to.have.jsonSchema(schema);
});
```

Resultado Prueba

ID: IMGCP09

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 153ms	20	0	107 ms

All 20 Passed 20 Failed 0 Skipped 0 Errors 0 Console log

Caso 10 Validar Schema Lista

Script

```
pm.test("Status 200", function () {
   pm.response.to.have.status(200);
});
let data = pm.response.json();

pm.test("Respuesta es arreglo", function () { pm.expect(data).to.be.an("array");
});
pm.test("Cada item tiene bookingid", function () {
pm.expect(data[0]).to.have.property("bookingid");
});
```

Resultado Prueba

ID: IMGCP10

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 537ms	30	0	148 ms

All 30 Passed 30 Failed 0 Skipped 0 Errors 0 Console log

Caso 11 Validar Tipos de Datos

Script

```
pm.test("Status 200", function () {
```

```
    pm.response.to.have.status(200);
});

if (pm.response.code === 200) {
    let json = pm.response.json();

    pm.test("firstname es string", function () {
        pm.expect(json.firstname).to.be.a("string");
    });

    pm.test("lastname es string", function () {
        pm.expect(json.lastname).to.be.a("string");
    });

    pm.test("totalprice es number", function () {
        pm.expect(json.totalprice).to.be.a("number");
    });
}
```

Resultado Prueba

ID: IMGCP11

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 184ms	40	0	107 ms

All 40 Passed 40 Failed 0 Skipped 0 Errors 0 Console log

Pruebas Negativas

ID: IMGTestNegativas



Caso 12 No Existe Booking ID

Url

{{baseUrl}}/booking/9999999

Script

```
pm.test("404 esperado", () => {
    pm.expect(pm.response.code).to.eql(404);
});
```

Resultado Prueba

ID: IMGCP12

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 596ms	10	0	151 ms

All 10 Passed 10 Failed 0 Skipped 0 Errors 0 Console log

Caso 13 Payload Invalido

Body

```
{
    "firstname": 123,
    "lastname": true
}
```

Script

```
pm.test("La API responde controladamente", function () {
    pm.expect(pm.response.code).to.be.oneOf([200,400,500]);
});
```

Resultado Prueba

ID: IMGCP13

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 76ms	10	0	104 ms

Caso 14 JSON Mal Formado

Body

```
{
   "firstname": "Juan",
   "lastname": "Perez",
```

Script

```
pm.test("Error por JSON inválido", function () {
   pm.expect(pm.response.code).to.be.oneOf([400,500]);
});
```

Resultado Prueba

ID: IMGCP14

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 657ms	10	0	157 ms

All 10 Passed 10 Failed 0 Skipped 0 Errors 0 Console log

Caso 15 PUT Sin Body

Script

```
pm.test("Método inválido rechazado", function () {
   pm.expect(pm.response.code).to.be.oneOf([404,405]);
});
```

Resultado Prueba

ID: IMGCP15

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 680ms	10	0	157 ms

All 10 Passed 10 Failed 0 Skipped 0 Errors 0 Console log

Caso 16 Método No Permitido

Script

```
pm.test("Método inválido rechazado", function () {
    pm.expect(pm.response.code).to.be.oneOf([404,405]);
});
```

Resultado Prueba

ID: IMGCP16

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 240ms	10	0	108 ms

All 10 Passed 10 Failed 0 Skipped 0 Errors 0 Console log

Caso 17 DELETE Sin Token

Script

```
pm.test("No autorizado", function () {
    pm.expect(pm.response.code).to.be.oneOf([401,403]);
});
```

Resultado Prueba

ID: IMGCP17

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 636ms	10	0	155 ms

All 10 Passed 10 Failed 0 Skipped 0 Errors 0 Console log

Pruebas Seguridad

ID: IMGTestSeguridad



Caso 18 PUT Sin Autenticacion

Body

```
{
   "firstname": "Intruso",
   "lastname": "Test",
   "totalprice": 111,
   "depositpaid": true,
   "bookingdates": {
      "checkin": "2026-01-01",
      "checkout": "2026-01-02"
      },
      "additionalneeds": "None"
}
```

Script

```
pm.test("Acceso no autorizado", function () {
   pm.expect(pm.response.code).to.be.oneOf([401,403]);
});
```

Resultado Prueba

ID: IMGCP18



Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 537ms	10	0	150 ms

All 10 Passed 10 Failed 0 Skipped 0 Errors 0 Console log

Caso 19 PATCH Sin Autenticacion

Body

```
{
   "firstname": "Hack"
}
```

Script

```
pm.test("PATCH bloqueado sin token", function () {
   pm.expect(pm.response.code).to.be.oneOf([401,403]);
});
```

Resultado Prueba

ID: IMGCP19

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 681ms	10	0	155 ms

All 10 Passed 10 Failed 0 Skipped 0 Errors 0 Console log

Caso 20 DELETE Sin Autenticacion

Script

```
pm.test("DELETE bloqueado sin token", function () {
   pm.expect(pm.response.code).to.be.oneOf([401,403]);
});
```

Resultado Prueba

ID: IMGCP20

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 643ms	10	0	155 ms

All 10 Passed 10 Failed 0 Skipped 0 Errors 0 Console log

Caso 21 PUT Token Invalido

Headers

	Key	Value
✓	Cookie	token=123456fake
✓	Content-Type	application/json

Body

```
{
   "firstname": "Intruso",
   "lastname": "Test",
   "totalprice": 111,
   "depositpaid": true,
   "bookingdates": {
      "checkin": "2026-01-01",
      "checkout": "2026-01-02"
      },
      "additionalneeds": "None"
}
```

Script

```
pm.test("Token rechazado", () => {
   pm.expect(pm.response.code).to.be.oneOf([401,403]);
});
```

Resultado Prueba

ID: IMGCP21

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 653ms	10	0	149 ms

All 10 Passed 10 Failed 0 Skipped 0 Errors 0 Console log

Caso 22 DELETE Token Invalido

Headers

	Key	Value
✓	Cookie	token=123456fake

Script

```
pm.test("DELETE con token inválido rechazado", function () {
```

```
    pm.expect(pm.response.code).to.be.oneOf([401,403]);
});
```

Resultado Prueba

ID: IMGCP22

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 568ms	10	0	150 ms

All 10 Passed 10 Failed 0 Skipped 0 Errors 0 Console log

Pruebas Rendimiento

ID: IMGTestRendimiento



Caso 23 GET Booking

Script

```
pm.test("Status correcto", function () {
    pm.expect(pm.response.code).to.eql(201);
});
pm.test("Tiempo menor a 1000 ms", function () {
    pm.expect(pm.response.responseTime).to.be.below(1000);
});
```

Resultado Prueba

ID: IMGCP23

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 114ms	20	0	106 ms

All 20 Passed 20 Failed 0 Skipped 0 Errors 0 Console log

Caso 24 GET Booking ID

Script

```
pm.test("Status 200", function () { pm.response.to.have.status(200);
});
pm.test("Tiempo aceptable", function () {
   pm.expect(pm.response.responseTime).to.be.below(1000);
});
```

Resultado Prueba

ID: IMGCP24

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 95ms	20	0	106 ms

All 20 Passed 20 Failed 0 Skipped 0 Errors 0 Console log

Caso 25 POST Booking

Body

```
{
   "firstname": "Perf",
   "lastname": "Test",
   "totalprice": 150,
   "depositpaid": true,
   "bookingdates": {
      "checkin": "2026-09-01",
      "checkout": "2026-09-03"
   },
   "additionalneeds": "None"
}
```

Script

```
pm.test("Status 200", function () {
   pm.response.to.have.status(200);
});
pm.test("POST menor a 1000 ms", function () {
   pm.expect(pm.response.responseTime).to.be.below(1000);
```

```
});
```

Resultado Prueba

ID: IMGCP25

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	2s 561ms	20	0	154 ms

All 20 Passed 20 Failed 0 Skipped 0 Errors 0 Console log

Prueba Integración

ID: IMGTestIntegracion



Caso 26 Comprobar Integracion de la API

Se generan los request vistos en la imagen y en el orden establecido para evaluar el funcionamiento

Resultado de prueba

ID: IMGCP26

Source	Environment	Iterations	Duration	All tests	Errors	Avg. Resp. Time
Runner	New Environment	10	14s 273ms	120	0	115 ms

All 120 Passed 120 Failed 0 Skipped 0 Errors 0 Console log