Table 1. Comparison of DeepDDG with Other Nonintegrated Methods

		training set		test set		test set (5% of outliers removed)	
	methods	R	MAE (kcal/mol)	R	MAE (kcal/mol)	R	MAE (kcal/mol)
	SCooP ⁴¹	NA ^a	NA ^a	0.078	6.44	0.180	4.35
	MUpro1.1 ³	0.551	1.10	0.190	1.06	0.310	0.93
	EASE-MM ⁴²	0.607	1.16	0.402	0.91	0.591	0.76
	PopMusic ⁶	NA ^a	NA ^a	0.443	0.91	0.619	0.77
	STRUM ⁴³	0.715	1.02	0.447	0.88	0.518	0.77
	I-Mutant3.0 ¹¹	0.565	1.17	0.453	0.91	0.538	0.79
	mCSM ⁹	0.630	1.14	0.467	0.90	0.572	0.78
	SDM^2	0.491	1.41	0.483	1.02	0.604	0.89
	DeepDDG	0.681 ± 0.019	1.04 ± 0.02	0.557 ± 0.015	0.86 ± 0.04	0.658 ± 0.014	0.74 ± 0.04
Conv2D (feature <mark>118</mark>)	CrossValid(train->test)	0.6548	1.0964	0.3514	1.049	10折实验平均结果AV	G(10)
		0.607	1.1511	0.3716	1.0064	10折实验最好测试结	果Best(10)
Conv1D (feature <mark>118</mark>)	CrossValid(train->test)	0.6698	1.0436	0.3485	1.0185	10折实验平均结果AV	G(10)
		0.4791	1.293	0.4151	1.0951	10折实验最好测试结	果Best(10)
SimpleConv1D (feature <mark>118</mark>)	CrossValid(train->test)	0.6272	1.1276	0.4471	0.897	10折实验平均结果AV	G(10)
		0.6496	1.1213	0.4885	0.8551	10折实验最好测试结	果Best(10)
	EpochBest=15(train+valid->test) Test	0.6808	1.069	0.4348		10次实验平均结果AV	
		0.6194	1.1364	0.4877		10次实验最好测试结	
	EpochValid(train+valid->test)	0.6459	1.1081	0.4288		10次实验平均结果AV	
		0.6243	(1.1317)	0.4708		10次实验最好测试结	
SimpleConv1D (feature <mark>158</mark>)	CrossValid(train->test)	0.6586	1.0863	0.4599	0.9058	10折实验平均结果AV	G(10)
		0.6186	1.1406	0.5129	0.8272	10折实验最好测试结	果Best(10)
	EpochBest=11(train+valid->test)	0.6242	1.1448	0.4671		10次实验平均结果AV	
		0.5957	1.1769	0.4987		10次实验最好测试结	
	Test	0.683	1.0594	0.4386		10次实验平均结果AV	
	EpochValid(train+valid->test)	0.6777	(1.0693)	0.4955	0.8335	10次实验最好测试结	Vai_po
		0.6485	1.1025	0.4533		10次实验平均结果AV	H 5 1/40)
		0.7028	(1.0413)	0.4913		10次实验最好测试结	果Best(10) val_los
	ensemble	0.7311 (0.7711)	1.0702 (0.9696)	0.5272 (0.5195)	0.9144 (0.8099	0	
	T	0.7599	1.0069	0.5279	0.8440	71	

10折交叉验证,每一折都有一个最好的Epoch, EpochBest是10个最好的Epoch中能够产生最好结果的那一个

EpochValid v.s. EpochBest矛盾

