

# Computer graphics project fract'ol

 $Summary: \ \ This \ project \ is \ meant \ to \ create \ graphically \ beautiful \ fractals.$ 

Version: 2

# Contents

Ι	Foreword	2
II	Introduction	3
III	Objectives	4
IV	General Instructions	5
V	Mandatory part - fractol	6
VI	Bonus part	8
VII	Submission and peer-evaluation	9

# Chapter I

### Foreword

Here's what Wikipedia has to say on hydraulic fracturing:

The "hydraulic fracturing," is the targeted disruption of geological formations with low permeability by means of injection under high pressure of a fluid to micro-cracking and crack the rock. This fracturing can be performed near the surface or at depth (over 1 km or more than 4 km in the case of shale gas) and from vertical wells, sloped or horizontal.

This relatively old technique (1947), developed for conventional oil deposits, is renewed by its association with horizontal drilling (developed from 1980). It is the gradual mastery of the economic viability of this association for non-conventional deposits, who guided the recent development of the operation of these: it made available formerly inaccessible resources, or which have been exploited at exorbitant costs and slowly.

It is carried out by fracturing the rock with a "stress" mécanique3 using a fluid injected under high pressure from a surface drilling, to increase the macro-porosity and the micro-porosity. The fluid could be the water, a slurry or a technical fluid whose viscosity was adjusted.

This project is not called fract'oil and accordingly has no relation to hydraulic fracturing.

#### Введение

Термин "фрактал" был впервые использован математиком Бенуа Мандельбротом в 1974 году. Он взял за основу латинское слово fractus, означающее "сломанный" или "раздробленный". Фрактал - это абстрактный математический объект, такой как кривая или поверхность, который имеет схожий рисунок независимо от масштаба.

Различные природные явления - например, капуста романеско - обладают некоторыми фрактальными свойствами.

Теперь ваша очередь создавать великолепные фракталы!

# Chapter II

### Introduction

The term fractal was first used by mathematician Benoit Mandelbrot in 1974, he based it on the Latin word fractus, meaning "broken" or "fractured". A fractal is an abstract mathematical object, like a curve or a surface, which has a similar pattern whatever the scale.

 $Various\ natural\ phenomena-like\ the\ romanesco\ cabbage-have\ some\ fractal\ features.$ 




Now, it's your turn to generate some magnificent fractals!

# Chapter III

# Objectives

Now that you took over your first graphical library: the miniLibX, it's time for you to light all the pixels of your screen at the same time!

This new project will be the opportunity for you to hone your miniLibX skills, to make you discover/use the mathematical notion of complex numbers and to take a peek at the concept of optimization in computer graphics.



Don't forget to watch the videos on e-learning!

#### Задачи

Теперь, когда вы взяли под контроль свою первую графическую библиотеку: miniLibX, пришло время осветить все пиксели вашего экрана одновременно!
Этот новый проект станет для вас возможностью отточить свои навыки работы с miniLibX, заставить вас открыть/использовать математическое понятие комплексных чисел и взглянуть на концепцию оптимизации в компьютерной графике.
Не забудьте посмотреть видеоролики по электронному обучению!

# Chapter IV

### General Instructions

- This project will be corrected by humans only. So, feel free to organize and name your files as you wish, but within the constraints listed here.
- You cannot use global variables.
- You must code in C.
- Your project must follow the Norm.
- You have to handle errors carefully. In no way can your program quit unexpectedly (Segmentation fault, bus error, double free, etc).
- Your program cannot have memory leaks.
- You must use the miniLibX. Either in the version that is available on the system, or from its sources. If you choose to work with the sources, you will need to apply the same rules for your libft as those written above.

#### Общие инструкции

- Этот проект будет корректироваться только людьми. Поэтому не стесняйтесь организовывать и называть свои файлы по своему усмотрению, но в рамках перечисленных здесь ограничений.
- Вы не можете использовать глобальные переменные.
- Вы должны писать на языке С.
- Ваш проект должен соответствовать нормам.
- Вы должны аккуратно работать с ошибками. Ваша программа ни в коем случае не может неожиданно завершиться (Segmentation fault, ошибка шины, double free и т.д.).
- В вашей программе не может быть утечек памяти.
- Вы должны использовать miniLibX. Либо в той версии, которая доступна в системе, либо из его исходников. Если вы решили работать с исходными текстами, вам нужно будет применить те же правила для вашей libft, которые были написаны выше.

### Chapter V

# Mandatory part - fractol

Program name	fractol
Turn in files	All your files
Makefile	all, clean, fclean, re, bonus
Arguments	
External functs.	<ul> <li>open, close, read, write, printf, malloc, free, perror, strerror, exit</li> <li>All functions of the math library (-lm man man 3 math)</li> <li>All functions of the MinilibX</li> </ul>
Libft authorized	Yes
Description	

This project's goal is to create a small fractal exploration program. Start by seeing what a fractal is.

The constraints are as follows:

- Your software should offer the Julia set and the Mandelbrot set.
- The mouse wheel zooms in and out, almost infinitely (within the limits of the computer). This is the very principle of fractals.
- You must use at least a few colors to show the depth of each fractal. It's even better if you hack away on psychedelic effects.
- A parameter is passed on the command line to define what type of fractal will be viewed. If no parameter is provided, or if the parameter is invalid, the program displays a list of available parameters and exits properly.
- More parameters must be used for fractal parameters or ignored.

• You must be able to create different Julia set with the parameters of the program.

As for the graphic representation:

- ESC will exit the program.
- The use of images of the minilibX is strongly recommended.

Цель этого проекта - создать небольшую программу исследования фракталов. Начнем с того, что узнаем, что такое фрактал.

#### Ограничения следующие:

- Ваша программа должна предлагать множество Жюлиа и множество Мандельброта.
- Колесико мыши увеличивает и уменьшает масштаб практически бесконечно (в пределах возможностей компьютера). Это сам принцип фракталов.
- Вы должны использовать хотя бы несколько цветов, чтобы показать глубину каждого фрактала. Будет еще лучше, если вы создадите психоделические эффекты.
- В командной строке передается параметр, определяющий, какой тип фрактала будет просматриваться. Если параметр не указан или если параметр недействителен, программа выводит список доступных параметров и завершает работу.
- Дополнительные параметры должны использоваться для параметров фрактала или игнорироваться.
- Вы должны уметь создавать различные наборы Джулии с параметрами программы.

Что касается графического представления:


- ESC приведет к выходу из программы.
- Настоятельно рекомендуется использовать изображения minilibX.

# Chapter VI

# Bonus part

Here are some interesting ideas for the bonuses.

- One more different fractal (there are more than a hundred different types of fractals referenced online).
- The zoom follows the actual mouse position.
- In addition to the zoom: moving with the arrows.
- Make the color range shift.



#### Бонусная часть

Вот несколько интересных идей для бонусов.

- Еще один различный фрактал (в Интернете можно найти более сотни различных типов фракталов).
- Зум следует за фактическим положением мыши.
- В дополнение к масштабированию: перемещение с помощью стрелок.
- Сделать смещение цветовой гаммы.

# Chapter VII

# Submission and peer-evaluation

Submit your work on your GiT repository as usual. Only the work on your repository will be evaluated.

#### Представление и экспертная оценка

Отправляйте свои работы в свой репозиторий GiT как обычно. Оцениваться будут только те работы, которые находятся в вашем репозитории.

