Api Documentation

API and SDK Documentation

Version: 1.0

Api Documentation

BasicErrorController

errorHtmlUsingDELETE

errorHtml

DELETE

/error

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

contentType: string

}

curl -X DELETE\
-H "Accept: text/html"\
"http://localhost:8080/error"

Parameters

Responses

Status: 200 - OK

Schema

```
▼ ModelAndView { []
  empty:
             boolean
  model:
              ▼ { []
  modelMap: ▼ { []
  reference: boolean
  status:
                Enum:
                            ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT ,
                 CONFLICT, CONTINUE, CREATED, DESTINATION_LOCKED, EXPECTATION_FAILED, FAILED_DEPENDENCY, FORBIDDEN, FOUND,
                 GATEWAY_TIMEOUT , GONE , HTTP_VERSION_NOT_SUPPORTED , IM_USED , INSUFFICIENT_SPACE_ON_RESOURCE ,
                 INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                 METHOD_FAILURE, METHOD_NOT_ALLOWED, MOVED_PERMANENTLY, MOVED_TEMPORARILY, MULTIPLE_CHOICES, MULTI_STATUS,
                 NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION , NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND ,
                 NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE , PAYMENT_REQUIRED ,
                 PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                 REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                 REQUEST_URI_TOO_LONG, RESET_CONTENT, SEE_OTHER, SERVICE_UNAVAILABLE, SWITCHING_PROTOCOLS, TEMPORARY_REDIRECT,
                 TOO_EARLY , TOO_MANY_REQUESTS , UNAUTHORIZED , UNAVAILABLE_FOR_LEGAL_REASONS , UNPROCESSABLE_ENTITY ,
                 UNSUPPORTED_MEDIA_TYPE , UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
  view:
              ▼ View { []
```

```
viewName: string
}
```

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

errorHtmlUsingGET

errorHtml

GET

/error

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X GET\
-H "Accept: text/html"\
"http://localhost:8080/error"
```

Parameters

Responses

Status: 200 - OK

Schema

```
▼ ModelAndView { []
   empty:
              boolean
   model:
               ▼ { []
              }
   modelMap: ▼ { []
   reference: boolean
   status:
              string
                 Enum:
                             ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT ,
                  CONFLICT, CONTINUE, CREATED, DESTINATION_LOCKED, EXPECTATION_FAILED, FAILED_DEPENDENCY, FORBIDDEN, FOUND,
                  GATEWAY_TIMEOUT , GONE , HTTP_VERSION_NOT_SUPPORTED , IM_USED , INSUFFICIENT_SPACE_ON_RESOURCE ,
                  INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                  METHOD_FAILURE , METHOD_NOT_ALLOWED , MOVED_PERMANENTLY , MOVED_TEMPORARILY , MULTIPLE_CHOICES , MULTI_STATUS ,
                  NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION , NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND ,
                  NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE , PAYMENT_REQUIRED ,
                  PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                  REQUESTED_RANGE_NOT_SATISFIABLE, REQUEST_ENTITY_TOO_LARGE, REQUEST_HEADER_FIELDS_TOO_LARGE, REQUEST_TIMEOUT,
                  REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT ,
                  TOO_EARLY, TOO_MANY_REQUESTS, UNAUTHORIZED, UNAVAILABLE_FOR_LEGAL_REASONS, UNPROCESSABLE_ENTITY,
                  UNSUPPORTED_MEDIA_TYPE , UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
               ▼ View { []
   view:
                 contentType: string
              }
   viewName: string
}
```

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

errorHtmlUsingHEAD

errorHtml

HEAD

/error

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X HEAD\
-H "Accept: text/html"\
"http://localhost:8080/error"
```

Parameters

Responses

Status: 200 - OK

Schema

```
▼ ModelAndView { []
   empty:
              boolean
   model:
               ▼ { []
   modelMap: ▼ { []
   reference: boolean
   status:
              string
                            ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT ,
                  CONFLICT, CONTINUE, CREATED, DESTINATION_LOCKED, EXPECTATION_FAILED, FAILED_DEPENDENCY, FORBIDDEN, FOUND,
                  GATEWAY_TIMEOUT , GONE , HTTP_VERSION_NOT_SUPPORTED , IM_USED , INSUFFICIENT_SPACE_ON_RESOURCE ,
                  INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                  METHOD_FAILURE , METHOD_NOT_ALLOWED , MOVED_PERMANENTLY , MOVED_TEMPORARILY , MULTIPLE_CHOICES , MULTI_STATUS ,
                  NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION , NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND ,
                  NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE , PAYMENT_REQUIRED ,
                  PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                  REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                  REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT ,
                  TOO_EARLY, TOO_MANY_REQUESTS, UNAUTHORIZED, UNAVAILABLE_FOR_LEGAL_REASONS, UNPROCESSABLE_ENTITY,
                  UNSUPPORTED_MEDIA_TYPE , UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
   view:
               ▼ View { []
                 contentType: string
   viewName: string
}
```

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

errorHtmlUsingOPTIONS

errorHtml

OPTIONS

/error

```
Usage and SDK Samples
```

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X OPTIONS\
-H "Accept: text/html"\
"http://localhost:8080/error"
```

Parameters

Responses

Status: 200 - OK

Schema

```
▼ ModelAndView { []
   empty:
              boolean
   model:
               ▼ { []
   modelMap: ▼ { []
   reference: boolean
   status:
              string
                            ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT ,
                 Enum:
                  CONFLICT , CONTINUE , CREATED , DESTINATION_LOCKED , EXPECTATION_FAILED , FAILED_DEPENDENCY , FORBIDDEN , FOUND ,
                  GATEWAY_TIMEOUT, GONE, HTTP_VERSION_NOT_SUPPORTED, IM_USED, INSUFFICIENT_SPACE_ON_RESOURCE,
                  INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                  METHOD_FAILURE , METHOD_NOT_ALLOWED , MOVED_PERMANENTLY , MOVED_TEMPORARILY , MULTIPLE_CHOICES , MULTI_STATUS ,
                  NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION , NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND ,
                  NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE , PAYMENT_REQUIRED ,
                  PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                  REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                  REQUEST_URI_TOO_LONG, RESET_CONTENT, SEE_OTHER, SERVICE_UNAVAILABLE, SWITCHING_PROTOCOLS, TEMPORARY_REDIRECT,
                  TOO_EARLY, TOO_MANY_REQUESTS, UNAUTHORIZED, UNAVAILABLE_FOR_LEGAL_REASONS, UNPROCESSABLE_ENTITY,
                  UNSUPPORTED_MEDIA_TYPE , UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
   view:
               ▼ View { []
                 contentType: string
   viewName: string
}
```

Status: 204 - No Content

Status: 401 - Unauthorized

errorHtmlUsingPATCH

errorHtml

PATCH

/error

Usage and SDK Samples

```
Curl Java Android Obj-C JavaScript C# PHP Perl Python
```

```
curl -X PATCH\
-H "Accept: text/html"\
"http://localhost:8080/error"
```

Parameters

Responses

Status: 200 - OK

Schema

```
▼ ModelAndView { []
   empty:
              boolean
   model:
               ▼ { []
   modelMap: ▼ { []
   reference: boolean
   status:
              string
                 Enum:
                             ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT ,
                  CONFLICT , CONTINUE , CREATED , DESTINATION_LOCKED , EXPECTATION_FAILED , FAILED_DEPENDENCY , FORBIDDEN , FOUND ,
                  GATEWAY_TIMEOUT, GONE, HTTP_VERSION_NOT_SUPPORTED, IM_USED, INSUFFICIENT_SPACE_ON_RESOURCE,
                  INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                  METHOD_FAILURE , METHOD_NOT_ALLOWED , MOVED_PERMANENTLY , MOVED_TEMPORARILY , MULTIPLE_CHOICES , MULTI_STATUS ,
                  NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION , NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND ,
                  NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE , PAYMENT_REQUIRED ,
                  PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                  REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                  REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT ,
                  TOO_EARLY, TOO_MANY_REQUESTS, UNAUTHORIZED, UNAVAILABLE_FOR_LEGAL_REASONS, UNPROCESSABLE_ENTITY,
                  UNSUPPORTED_MEDIA_TYPE , UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
   view:
               ▼ View { []
                 contentType: string
   viewName: string
}
```

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

errorHtmlUsingPOST

errorHtml

POST

/error

Usage and SDK Samples

```
Curl Java Android Obj-C JavaScript C# PHP Perl Python
```

```
curl -X POST\
-H "Accept: text/html"\
"http://localhost:8080/error"
```

Parameters

Responses

Status: 200 - OK

Schema

```
▼ ModelAndView { []
              boolean
   empty:
   model:
               ▼ { []
   modelMap: ▼ { []
   reference: boolean
   status:
              string
                             ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT ,
                  CONFLICT , CONTINUE , CREATED , DESTINATION_LOCKED , EXPECTATION_FAILED , FAILED_DEPENDENCY , FORBIDDEN , FOUND ,
                  GATEWAY_TIMEOUT, GONE, HTTP_VERSION_NOT_SUPPORTED, IM_USED, INSUFFICIENT_SPACE_ON_RESOURCE,
                  INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                  METHOD FAILURE, METHOD NOT ALLOWED, MOVED PERMANENTLY, MOVED TEMPORARILY, MULTIPLE CHOICES, MULTI STATUS,
                  NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION , NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND ,
                  NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE , PAYMENT_REQUIRED ,
                  PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                  REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                  REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT ,
                  TOO_EARLY, TOO_MANY_REQUESTS, UNAUTHORIZED, UNAVAILABLE_FOR_LEGAL_REASONS, UNPROCESSABLE_ENTITY,
                  UNSUPPORTED_MEDIA_TYPE , UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
               ▼ View { []
   view:
                 contentType: string
              }
   viewName: string
}
```

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

errorHtmlUsingPUT

errorHtml

PUT

/error

Usage and SDK Samples

```
Curl Java Android Obj-C JavaScript C# PHP Perl Python
```

```
curl -X PUT\
-H "Accept: text/html"\
"http://localhost:8080/error"
```

Parameters

Responses

Status: 200 - OK

Schema

```
▼ ModelAndView { []
              boolean
   empty:
   model:
               ▼ { []
   modelMap: ▼ { []
   reference: boolean
              string
   status:
                 Enum:
                             ACCEPTED , ALREADY_REPORTED , BAD_GATEWAY , BAD_REQUEST , BANDWIDTH_LIMIT_EXCEEDED , CHECKPOINT ,
                  CONFLICT , CONTINUE , CREATED , DESTINATION_LOCKED , EXPECTATION_FAILED , FAILED_DEPENDENCY , FORBIDDEN , FOUND ,
                  GATEWAY_TIMEOUT, GONE, HTTP_VERSION_NOT_SUPPORTED, IM_USED, INSUFFICIENT_SPACE_ON_RESOURCE,
                  INSUFFICIENT_STORAGE , INTERNAL_SERVER_ERROR , I_AM_A_TEAPOT , LENGTH_REQUIRED , LOCKED , LOOP_DETECTED ,
                  METHOD_FAILURE , METHOD_NOT_ALLOWED , MOVED_PERMANENTLY , MOVED_TEMPORARILY , MULTIPLE_CHOICES , MULTI_STATUS ,
                  NETWORK_AUTHENTICATION_REQUIRED , NON_AUTHORITATIVE_INFORMATION , NOT_ACCEPTABLE , NOT_EXTENDED , NOT_FOUND ,
                  NOT_IMPLEMENTED , NOT_MODIFIED , NO_CONTENT , OK , PARTIAL_CONTENT , PAYLOAD_TOO_LARGE , PAYMENT_REQUIRED ,
                  PERMANENT_REDIRECT , PRECONDITION_FAILED , PRECONDITION_REQUIRED , PROCESSING , PROXY_AUTHENTICATION_REQUIRED ,
                  REQUESTED_RANGE_NOT_SATISFIABLE , REQUEST_ENTITY_TOO_LARGE , REQUEST_HEADER_FIELDS_TOO_LARGE , REQUEST_TIMEOUT ,
                  REQUEST_URI_TOO_LONG , RESET_CONTENT , SEE_OTHER , SERVICE_UNAVAILABLE , SWITCHING_PROTOCOLS , TEMPORARY_REDIRECT ,
                  TOO_EARLY, TOO_MANY_REQUESTS, UNAUTHORIZED, UNAVAILABLE_FOR_LEGAL_REASONS, UNPROCESSABLE_ENTITY,
                  UNSUPPORTED_MEDIA_TYPE , UPGRADE_REQUIRED , URI_TOO_LONG , USE_PROXY , VARIANT_ALSO_NEGOTIATES
               ▼ View { []
   view:
                 contentType: string
              }
   viewName: string
}
```

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

PostagemController

atualizaPostagemUsingPUT

atualizaPostagem

PUT

/postagens/atualizar/{id}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X PUT\
-H "Accept: */*"\
-H "Content-Type: application/json"\
"http://localhost:8080/postagens/atualizar/{id}"

Parameters

Path parameters

Name	Description
id*	Long (int64) id
	Required

Body parameters

Name	Description	
body	▼ Postagem { []
	Required: tex	to,titulo
	date:	string (date-time)
	id:	integer (int64)
	tema:	▼ Tema { []
		descricao: string
		id: integer
		postagem: ▶[] []
		}
	texto:	string minLength:10 maxLength:500
	titulo:	string minLength:5 maxLength:100
	usuarioPostage	em: ▼ Usuario { []
		Required: email,nome,senha
		email: string
		idUsuario: integer
		nome: string
		postagens: ►[] []
		senha: string
		}
	}	

Responses

Status: 200 - OK

Schema

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

deletaPostagemUsingDELETE

deletaPostagem

DELETE

/postagens/deletar/{id}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X DELETE\
-H "Accept: */*"\

"http://localhost:8080/postagens/deletar/{id}"

Parameters

Path parameters

Name	Description		
id*	Long (int64) id Required		

Responses

Status: 200 - OK

Schema

string

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

getAllUsingGET

GetAll

/postagens/todos

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X GET\

-H "Accept: */*"\

"http://localhost:8080/postagens/todos"

Parameters

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

getByldUsingGET

GetByld

GET

/postagens/id/{id}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X GET\

-H "Accept: */*"\

"http://localhost:8080/postagens/id/{id}"

Parameters

Path parameters

Name	Description
d*	Long (int64) id
d*	

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

getByTituloUsingGET

GetByTitulo

GET

/postagens/titulo/{titulo}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X GET\
-H "Accept: */*"\

"http://localhost:8080/postagens/titulo/{titulo}"

Parameters

Path parameters

Name	Description
titulo*	String
	titulo
	Required

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

salvarPostagemUsingPOST

salvarPostagem

POST

/postagens/salvar/{idUsuario}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X POST\
-H "Accept: */*"\
-H "Content-Type: application/json"\
"http://localhost:8080/postagens/salvar/{idUsuario}"
```

Parameters

Path parameters

Name	Description
idUsuario*	Long (int64) idUsuario Required

Body parameters

Name	Description	
body	▼ Postagem {	(0
	Required: te	exto,titulo
	date:	string (date-time)
	id:	integer (int64)
	tema:	▼ Tema { []
		descricao: string
		id: integer
		postagem: ▶[] []
		}
	texto:	string minLength:10 maxLength:500
	titulo:	string minLength:5 maxLength:100
	usuarioPosta	gem: ▼ Usuario { []
		Required: email,nome,senha
		email: string
		idUsuario: integer
		nome: string
		postagens: ▶[] []
		senha: string
		}
	}	

Responses

Status: 200 - OK

Schema

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

TemaController

deleteUsingDELETE

DELETE

/temas/deletar/{id}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X DELETE\

-H "Accept: */*"\

"http://localhost:8080/temas/deletar/{id}"

Parameters

Path parameters

Name	Description
id*	Long (int64) id
	Required

Responses

Status: 200 - OK

Schema

string

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

getAllUsingGET

getAll

GET

/temas/todos

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X GET\

-H "Accept: */*"\

"http://localhost:8080/temas/todos"

Parameters

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

getByldUsingGET

getByld

GET

/temas/id/{id}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X GET\
-H "Accept: */*"\

"http://localhost:8080/temas/id/{id}"

Parameters

Path parameters

au parametere				
Name	Description			
id*	Long (int64) id Required			

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

getByNameUsingGET

getByName

/temas/nome/{nome}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X GET\

-H "Accept: */*"\

"http://localhost:8080/temas/nome/{nome}"

Parameters

Path parameters

Name	Description
nome*	String
	nome
	Required

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

postUsingPOST

post

POST

/temas/cadastrar

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X POST\

-H "Accept: */*"\

-H "Content-Type: application/json"\

"http://localhost:8080/temas/cadastrar"

Parameters

Body parameters

Name	Description
body	

Responses

Status: 200 - OK

\sim	_ I_	_		_
			m	

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

putUsingPUT

put

PUT

/temas/atualizar/{id}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X PUT\

-H "Accept: */*"\

-H "Content-Type: application/json"\
"http://localhost:8080/temas/atualizar/{id}"

Parameters

Path parameters

Name	Description
id*	Long (int64) id Required

Body parameters

Name	Description
body	

Responses

Status: 200 - OK

Schema

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

UsuarioController

atualizarUsuarioUsingPUT

atualizarUsuario

PUT

/usuarios/atualizar/{id_usuario}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X PUT\

-H "Accept: */*"\

-H "Content-Type: application/json"\

"http://localhost:8080/usuarios/atualizar/{id_usuario}"

Parameters

Path parameters

Name	Description
id_usuario*	Long (int64) id_usuario Required

Body parameters

Name	Description
body	

Responses

Status: 200 - OK

Schema

string

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

authenticationUsingPOST

Authentication

/usuarios/logar

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X POST\
-H "Accept: */*"\
-H "Content-Type: application/json"\
"http://localhost:8080/usuarios/logar"
```

Parameters

Body parameters

Name	Description
body	▼ UsuarioLogin { []
	email: string
	nome: string
	senha: string
	token: string
	}

Responses

Status: 200 - OK

Schema

```
v UsuarioLogin { []
email: string
nome: string
senha: string
token: string
}
```

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

buscar Porld Using GET

buscarPorld

GET

/usuarios/id/{id}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X GET\
-H "Accept: */*"\
"http://localhost:8080/usuarios/id/{id}"

Parameters

Path parameters

Name	Description
id*	Long (int64) id Required

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

buscarPorNomeUsingGET

buscarPorNome

GET

/usuarios/nome/pesquisar

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X GET\
-H "Accept: */*"\

"http://localhost:8080/usuarios/nome/pesquisar?nome="

Parameters

Query parameters

Query parameters		
Name	Description	
nome	String	
	nome	

Responses

Status: 200 - OK

Schema

```
▼ { []
```

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

buscar To des Using GET

buscarTodes

GET

/usuarios/todes

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X GET\

-H "Accept: */*"\

"http://localhost:8080/usuarios/todes"

Parameters

Responses

Status: 200 - OK

Schema

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

cada strar Usuario Using POST

cadastrarUsuario

POST

/usuarios/cadastrar

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X POST\

-H "Accept: */*"\

-H "Content-Type: application/json"\

"http://localhost:8080/usuarios/cadastrar"

Parameters

Body parameters

Name	Description
body	

Responses

Status: 200 - OK

Schema

string

Status: 201 - Created

Status: 401 - Unauthorized

Status: 403 - Forbidden

Status: 404 - Not Found

deletarUsuarioUsingDELETE

deletarUsuario

DELETE

/usuarios/deletar/{id_usuario}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X DELETE\

-H "Accept: */*"\

"http://localhost:8080/usuarios/deletar/{id_usuario}"

Parameters

Path parameters

Name	Description	
id_usuario*	Long (int64) id_usuario Required	

Responses

Status: 200 - OK

Schema

string

Status: 204 - No Content

Status: 401 - Unauthorized

Status: 403 - Forbidden

Suggestions, contact, support and error reporting;

Information URL: https://helloreverb.com (https://helloreverb.com) Contact Info: hello@helloreverb.com (hello@helloreverb.com)

Apache 2.0

http://www.apache.org/licenses/LICENSE-2.0