

# HTML Tables



ASSOC. PROF. ELİF KARTAL (PH.D.)

Istanbul University, Faculty of Economics  
Department of MIS

[elifk@istanbul.edu.tr](mailto:elifk@istanbul.edu.tr)

# Content

---


- Introduction to HTML Tables
- Basic Structure of HTML Tables
- Creating a Simple HTML Table
- Adding Table Headers
- Spanning Rows and Columns
- Styling HTML Tables
- Advanced Table Features

# Introduction to HTML Tables

---

HTML tables are used to display data in a structured format using rows and columns.

Commonly used for tabular data, schedules, and reports.



# Basic Structure of HTML Tables

---

An HTML table is defined with the **<table>** tag.

Rows are defined with the **<tr>** (table row) tag.

Data cells are defined with the **<td>** (table data) tag.

Table headers are defined with the **<th>** (table header) tag.

**<caption>**

Configures a description of the table

# Basic Structure of HTML Tables

---

`<table>`

`<caption>My Table for HTML page</caption>`

`<tr>`

`<td>Cell 1</td>`

`<td>Cell 2</td>`

`</tr>`

`<tr>`

`<td>Cell 3</td>`

`<td>Cell 4</td>`

`</tr>`

`</table>`

# Table Header

---

```
table border="1">
  <tr>
    <th>Name</th>
    <th>Surname</th>
  </tr>
  <tr>
    <td>Elif</td>
    <td>Kartal</td>
  </tr>
  <tr>
    <td>Enrique</td>
    <td>Iglesias</td>
  </tr>
  <tr>
    <td>Mustafa</td>
    <td>Sandal</td>
  </tr>
</table>
```

Headers can be added to rows or columns.

# In-Class Exercise - 1

---

1. Create a simple HTML page.
2. Add a **table** element to the body of the page.
3. The table should contain **two columns** and **at least four rows of data**.
4. Use the following tags correctly:
  - `<table>`, `<tr>` (table row), `<th>` (table header), `<td>` (table data)
5. Add a **border** to the table using the border attribute.
6. Use meaningful column names (for example: **Name**, **Surname**, **Department**, **Country**, etc.).
7. Add at least **four different people** to the table.
8. Modify the example by adding **one additional column** (e.g. *University*). Also add necessary links for each University.

```
<table border="1" width="60%" align="center" bgcolor="lightgray">
```

# HTML Table Attributes

---

**align:** Specifies the horizontal alignment of the table on the page.

- Example values: left, center, right.

**bgcolor:** Sets the background color of the table or a table row.

- Example: bgcolor="lightblue".

**border:** Defines the thickness of the table border.

- Example: border="1" or border="2".

**cellpadding:** Specifies the space between the cell content and the cell border (inside the cell).

**cellspacing:** Specifies the space between table cells (distance between adjacent cells).

**width:** Defines the width of the table. It can be written as a percentage or pixels.

- Example: width="60%" or width="600".

**summary:** Provides a short description of the table content. It is mainly used for accessibility tools such as screen readers.



# In-Class Exercise - 2

---

1. Your table must include the following attributes:
  - align, bgcolor, border, cellpadding, cellspacing, width, and summary.
2. The table should include:
  - One header row
  - At least three data rows
3. Choose column titles such as Name, Department, Country or similar.
4. Make sure the table is center aligned and has a visible background color.

```
<td colspan="2" align="center" bgcolor="lightblue">
```

# HTML Common Table Cell Attributes

---

**align:** Specifies the horizontal alignment of the table or content inside a cell.

- Common values: left, center, right.

**bgcolor:** Defines the background color of the table, row (tr), or cell (td / th).

- Example: bgcolor="lightyellow".

**colspan:** Allows a cell to span across multiple columns.

- For example, colspan="2" means the cell will cover two columns.

**rowspan:** Allows a cell to span across multiple rows.

- For example, rowspan="2" means the cell will extend vertically across two rows.

**valign:** Specifies the vertical alignment of content inside a table cell.

- Common values: top, middle, bottom.

**height:** Defines the height of a table row or cell.

**width:** Defines the width of a table or table cell.

# Spanning Rows and Columns

---

**colspan** attribute to span a cell across multiple columns.

**rowspan** attribute to span a cell across multiple rows.

```
<table border="1">
  <tr>
    <th colspan="2">Header spanning 2 columns</th>
  </tr>
  <tr>
    <td rowspan="2">Cell spanning 2 rows</td>
    <td>Data 1</td>
  </tr>
  <tr>
    <td>Data 2</td>
  </tr>
</table>
```

| NAME |  |  |
|------|--|--|
|      |  |  |
|      |  |  |
|      |  |  |
|      |  |  |

|       |  |  |
|-------|--|--|
| APRIL |  |  |
|       |  |  |
|       |  |  |
|       |  |  |

# Styling HTML Tables

```
<table border="1" style="border-collapse: collapse; width: 100%;">
  <tr style="background-color: #f2f2f2;"
    <th style="padding: 8px;">Header 1</th>
    <th style="padding: 8px;">Header 2</th>
  </tr>
  <tr>
    <td style="padding: 8px;">Data 1</td>
    <td style="padding: 8px;">Data 2</td>
  </tr>
</table>
```

With Padding

|       |       |       |
|-------|-------|-------|
| hello | hello | hello |
| hello | hello | hello |
| hello | hello | hello |

With Spacing

|       |       |       |
|-------|-------|-------|
| hello | hello | hello |
| hello | hello | hello |
| hello | hello | hello |

# In-Class Exercise - 3

---

1. Add a table with a border.
2. Your table should contain at least 4 columns and 5 rows.
3. Use the following attributes in your table:
  - colspan and rowspan
4. Create one cell that spans two columns using colspan.
5. Create one cell that spans two rows using rowspan.
6. Add column titles such as:
  - Name, Department, Country, Year
7. Use colspan to create a title row that spans all columns (for example: *Student Information Table*).
8. Use rowspan to show that one student belongs to multiple departments or courses.
9. Add at least four students to your table.

# Advanced Table Features

The **<caption>** tag defines the title or description of the table.

- It usually appears above the table.
- It helps users understand what the table represents.

The **<thead>** tag groups the header section of the table.

- It usually contains column titles.
- It typically includes **<th>** elements.

The **<tbody>** tag contains the main body of the table, where the actual data is placed.


- Most table rows are usually located here.

The **<tfoot>** tag defines the footer section of the table.

- It is commonly used for totals, summaries, or notes.

The **<th>** tag defines a table header cell.

- Used for column or row headings.
- Text is usually bold and centered by default.



```

<table border="1" width="60%" align="center">

  <caption>Student Course Information</caption>

  <thead>
    <tr>
      <th>Name</th>
      <th>Department</th>
      <th>Course</th>
      <th>Country</th>
    </tr>
  </thead>

  <tbody>

    <tr>
      <td rowspan="2">Elif Kartal</td>
      <td>MIS</td>
      <td>Web Design</td>
      <td>Turkey</td>
    </tr>

    <tr>
      <td>MIS</td>
      <td>Machine Learning</td>
      <td>Turkey</td>
    </tr>

    <tr>
      <td>Enrique Iglesias</td>
      <td>Music</td>
      <td>Performance</td>
      <td>Spain</td>
    </tr>

```

```

    <tr>
      <td>Mustafa Sandal</td>
      <td>Business</td>
      <td>Marketing</td>
      <td>Turkey</td>
    </tr>

    <tr>
      <td colspan="4" align="center">
        Exchange Students
      </td>
    </tr>

  </tbody>

  <tfoot>
    <tr>
      <td colspan="4" align="center">
        Total Students: 4
      </td>
    </tr>
  </tfoot>

</table>

```

# References

---

Felke-Morris, T. (2017). *Web development and design foundations with HTML5* (8th Edition). Pearson, USA. ISBN 978-0-13-432275-9.

Robbins, J. N. (2012). *Learning web design: A beginner's guide to HTML, CSS, JavaScript, and web graphics*. O'Reilly Media, Inc. ISBN: 978-1-449-31927-4.

W3Schools HTML Tables: [https://www.w3schools.com/html/html\\_tables.asp](https://www.w3schools.com/html/html_tables.asp)





# Thanks!

---

QUESTIONS: [elifk@istanbul.edu.tr](mailto:elifk@istanbul.edu.tr)