

I wasn't present in class the day we did this coding practice, so I had a bit of trouble following along. This was the best I understood from the slides.

Thon



rumi_jawad_PY-1.py <untitled> * x

```
1 #set values
2 B = 4
3 C = 1
4
5 #Compute A
6 A = B + C
7
8 #Check condition - if true stand up; if false, do nothing at all
9 if A>= 3:
10     print("Stand up")
11 #set values
12 B = 2
13 C = 2
14
15 # Add B and C together and store the result in A.
16 A = B + C
17
18 # Check whether A is greater than or equal to 5.
19 if A >= 5:
20     # Display "Stand Up" if the condition is true.
21     print("Stand Up")
22 else:
23     # Display "Turn around" if the condition is false.
24     print("Turn around")
```

Shell x

```
>>> %Run -c $EDITOR_CONTENT

Stand up
Turn around

>>>
```

Thor




rumi_jawad_PY-1.py <untitled> *

```
1 #IF/ELSEIF/ELSE - only the first true branch runs
2 #Rumi, 10-6-26
3 #SET values
4 B = 5
5 C = -3
6
7 # Compute A
8 A = B + C
9
10 # Check conditions in order
11 if A <= 1:
12     print("Sit Down")
13
14 elif A == 2:
15     print("Do I Jumping Jack")
16
17 elif A >= 4:
18     print("Stand Up")
19
20 else:
21     print("FREEZE")
```

Shell

```
>>> %Run -c $EDITOR_CONTENT
Do I Jumping Jack
>>>
```



The image shows a Thonny Python IDE window. The top toolbar contains icons for file operations, running, and debugging. The editor window has two tabs: 'rumi_jawad_PY-1.py' and '<untitled> *'. The Python script in the editor is as follows:

```
1 """This program outputs whether a number is even or odd.
2 It uses an if-else statement."""
3
4 # Assign a value to number.
5 number = 8
6
7 # Calculate the remainder when number is divided by 2.
8 remainder = number % 2
9
10 # Check if the remainder equals 0.
11 if remainder == 0:
12     # Print that the number is even.
13     print(number, "is even!")
14 else:
15     # Print that the number is odd.
16     print(number, "is odd!")
17
18 # Print a goodbye message.
19 print("Good bye!")
```

Below the editor is a 'Shell' window. It shows the command to run the script and its output:

```
>>> %Run -c $EDITOR_CONTENT
8 is even!
Good bye!
>>>
```