Teaching computing using git and GitHub


TLMSCO, Sept 2020

Dr. Colin Rundel

bit.ly/tlmsco_rundel

Teaching Reproducible Workflows


Reproducible vs Replicable



Reproducibility in practice

- Can you recreate the tables and figures reproducible from the code and data?
- Does the code actually do what you think it does?
- In addition to what was done, is it clear why it was done? (e.g. how were hyper / tuning parameters chosen?)
- Can the code be used for other data?
- Can you hand the code off to someone else and expect it to work?

Core pieces




Context

- I am the course organizer for Math 11176 Statistical Programming
 - Course with ~200 Maths MSC students enrolled
- 100% coursework, multiple marked assignments (individual and team based)
- For each assignment we distribute:
 - Instruction document
 - Template Rmd for solutions
 - Data and other support files
- Need to collect:
 - Completed template Rmd
 - Rendered output (pdf, html, md, etc.)


GitHub Organization

- 1 organization / course
- Students are added (anonymously) members of the organization
- 1 template repository / assignment
- 1 private repository / assignment / (team | individual)
- Automate the distribution, collection, and feedback using GitHub's API (ghclass)

GitHub Organization



Template Example - hw1



ghclass

An R package that enables instructors to automate the management of courses on GitHub.

Key features:

- Repository creation, mirroring, updating, collecting, etc.
- Organization management (members, teams, etc.)
- Summary statistics (e.g. commits) by repo or over the org
- Many other common tasks (issues, PR, etc.)


For more details see the package website - https://rundel.github.io/ghclass/

Creating a team assignment

```
org create assignment(
   org = "ghclass-demo",
  repo = c("hw01-team01", "hw01-team01", "hw01-team02", "hw01-team02"),
  user = c("ghclass-anya", "ghclass-bruno", "ghclass-celine", "ghclass-diego"),
  team = c("hw01-team01", "hw01-team01", "hw01-team02", "hw01-team02"),
  source repo = "statprog-s1-2019/hw1"
## / Mirrored repo 'statprog-s1-2019/hw1' to repo 'ghclass-demo/hw01-team01'.
## / Mirrored repo 'statprog-s1-2019/hw1' to repo 'ghclass-demo/hw01-team02'.
## / Created team 'hw01-team01' in org 'ghclass-demo'.
## / Created team 'hw01-team02' in org 'ghclass-demo'.
## / Added user 'ghclass-anya' to team 'hw01-team01'.
## / Added user 'ghclass-bruno' to team 'hw01-team01'.
## / Added user 'ghclass-celine' to team 'hw01-team02'.
## / Added user 'ghclass-diego' to team 'hw01-team02'.
## / Added team 'hw01-team01' to repo 'ghclass-demo/hw01-team01' with 'push' access.
## / Added team 'hw01-team02' to repo 'ghclass-demo/hw01-team02' with 'push' access.
```

Collecting student work


- ## / Cloned 'ghclass-demo/hw01-team01'.
- ## / Cloned 'ghclass-demo/hw01-team02'.




Contributor statistics

```
repo_contributors(repo = "statprog-s1-2019/hw02-lab01-team03") %>%
   mutate(username = LETTERS[1:4]) %>%
   arrange(desc(commits))
## # A tibble: 4 x 3
                                         username commits
##
     repo
     <chr>
                                         <chr>>
                                                    <int>
## 1 statprog-s1-2019/hw02-lab01-team03 D
## 2 statprog-s1-2019/hw02-lab01-team03 B
## 3 statprog-s1-2019/hw02-lab01-team03 C
## 4 statprog-s1-2019/hw02-lab01-team03 A
 repo_contributors(repo = "statprog-s1-2019/hw02-lab01-team10") %>%
   mutate(username = LETTERS[12+1:5]) %>%
   arrange(desc(commits))
## # A tibble: 5 x 3
                                         username commits
##
     repo
##
     <chr>
                                         <chr>
                                                    <int>
## 1 statprog-s1-2019/hw02-lab01-team10 Q
                                                       17
## 2 statprog-s1-2019/hw02-lab01-team10 P
## 3 statprog-s1-2019/hw02-lab01-team10 0
## 4 statprog-s1-2019/hw02-lab01-team10 M
## 5 statprog-s1-2019/hw02-lab01-team10 N
```


Automated feedback



Automated feedback



Automated feedback



Related ongoing work

- Peer evaluation (Mine Cetinkaya-Rundel and Therese Anders)
- Simplifying the automated feedback process:
 - checklist R package for simplifying automated checks
 https://github.com/rundel/checklist
 - parsermd R package for programmatic interaction with R markdown documents

https://rundel.github.io/parsermd/

Additional Resources

- Happy Git and GitHyb for the useR Jenny Bryan, Jim Hester
- Excuse me, do you have a moment to talk about version control? Jenny Bryan (2018), The American Statistician.
- Using GitHub Classroom To Teach Statistics
 Jacob Fiksel, Leah Jager, Johannna Hardin, and Margaret Taub (2019),
 Journal of Statistics Education.
- Implementing version control with Git as a learning objective in statistics courses
 - Matthew Beckman, Mine Çetinkaya-Rundel, Nicholas Horton, Colin Rundel, Adam Sullivan, Maria Tackett (2020), Journal of Statistics Education (in review)
- Teaching Statistics and Data Science Online Workshops
 Mine Çetinkaya-Rundel, Colin Rundel (2020), Centre for Statistics Online
 Workshop

Thank you!



rundel@gmail.com colin.rundel@ed.ac.uk



@rundel



bit.ly/tlmsco_rundel



statprog-s1-2019.github.io/