



# Organic nitrogen application on algal growth for biodiesel applications

Shivani Saklani<sup>a</sup>, Bindiya Barsola<sup>a</sup>, Priyanka Kumari<sup>a</sup>, Diksha Pathania<sup>b,\*</sup>

<sup>a</sup>School of Biological and Environmental Sciences, Shoolini University of Biotechnology and Management Sciences, Solan 173229, India

<sup>b</sup>Animal Nutrition Division, ICAR-National Dairy Research Institute, Karnal 132001, India

## ARTICLE INFO

### Article history:

Available online 25 October 2022

### Keywords:

Biofuel  
Green house  
Microalgae biomass  
Organic Nitrogen

## ABSTRACT

Development in science and technology has led to many innovations and made human life better in every aspect. With the increasing rate of human development, there has been a tremendous increase in environmental pollution and over-exploited natural resources. The hunt for innovative and ecologically sound renewable energy sources has been sparked by the global energy crisis and rising greenhouse gas emissions. Modern humankind is experiencing a number of issues, many of which are the results of rapid industrialization, increased population expansion, and usage of fossil fuels which boosts atmospheric CO<sub>2</sub>. Biofuels made from algae are both technically and financially feasible. They are cost-effective, require no new lands, use very little water, and reduce atmospheric CO<sub>2</sub>. Biofuels can be one of the finest alternatives to conventional fuel sources.

© 2022 Elsevier Ltd. All rights reserved.

Selection and peer-review under responsibility of the scientific committee of the “Vasudhev Kutumbkam- 3: Third International Conference on Entrepreneurship, Research and Innovations for Environmental Sustainability and Planetary Health”.

## 1. Introduction

The viability of microalgae as a source of clean energy has attracted a lot of attention. Microalgae -based biofuel production aims to be sustainable and profitable, additional mass culture optimization is necessary. Despite a sevenfold increase in global biofuel output since 2000, only 2.3 % of total liquid fuel demand has been satisfied [1]. The estimated rise in global energy consumption in 2007 from 522 exajoules (EJ) to 780 EJ in 2035 is 49 %. Microalgae have caught the interest of the scientific society on a global scale, since they are nearly carbon neutral, have an elevated lipid content, and are favourable to alternative biofuel sources [2]. Highly effective wastewater treatment technologies are now required because of the escalating wastewater pollution caused by the rapidly increasing population, quick industry, and rapid urbanization [3].

Microalgae are practical resources that can be used to create a circular green economy, because of their rapid growth rate, great resistance to a variety of abiotic stimuli, and sophisticated metabolic capabilities [4,5]. Autotrophic microalgae break down carbon dioxide to create lipids, proteins, and carbohydrates that can be

used as a feedstock for biofuels like butanol, biodiesel, biogas, biohydrogen, bioethanol, bio-oil, char, and even electricity [6–8]. It is also helpful in maintaining ecological balance as microbe-based degradation and sophisticated oxidation processes, may be used to remove contaminants in the ecosystem [9]. Biofuel from combustible sources is now acknowledged as a substitute and environmentally friendly renewable fuel for the generation of sustainable energy in the near future (including biodiesel, bioethanol, and biogas) [10]. The photosynthetic microorganisms known as microalgae are piquing the interest of researchers, the government, and both domestic and foreign businesspeople. The usage of liquid biofuels has significantly increased recently, especially in the transportation industry [11].

Greener methods are essential from an economic and environmental perspective [12]. Although there has been a lot of interest in the potential of microalgae as a renewable energy source and is both financially viable and sustainable, further its culture optimization is necessary [10,13]. The function of DON (dissolved organic nitrogen) in many aquatic systems and its increasing study interest. The significance of DON as a possible source of accessible Nitrogen for bacteria and algae in estuarine and coastal environments has recently been highlighted by various research. In addition to the fundamental issues causing a discrepancy between theoretical forecasts, empirical assessments, commercialization

\* Corresponding author.

E-mail address: [dikshapathania198@gmail.com](mailto:dikshapathania198@gmail.com) (D. Pathania).

can be achieved by addressing laboratory testing, profitability, their possible solutions, and field-deployable possibilities, ensuring the capacity for future generations to uphold sustainable communities [14].

## 2. Production of microalgae biomass and biofuel

There are two main ways upstream and downstream processes for the production of biofuels (Fig. 1) [15]. To increase biomass quality and quantity, many cultivation techniques are used in the upstream phase like cultivation strategies, molecular analysis, and relations between microalgae and bacteria whereas the development of sustainable biofuels and harvesting technologies for example collecting and drying, removing impurities, purifying, and converting biochemically are highlighted in the downstream stage (Fig. 2).

## 3. Algal growth effectiveness in wastewater

Numerous factors affect how effectively microalgae grow in wastewater. The growth medium's pH and temperature, as well as the level of vital elements like N, P, and organic carbon (and the ratios of these components), as well as the availability of light, oxygen, and carbon dioxide, are all crucial factors [17]. The elevated levels of micronutrients, such as N and P, in wastewater, make it significantly different from conventional growth media. Ammonia, which can hinder algae development at high concentrations, makes up a significant portion of the N [18]. Pathogenic bacteria and predatory zooplankton are two examples of biological elements that may have a deleterious effect on algae growth. Another important element for the growth of microalgae in wastewater is the existence of toxins like cadmium or mercury or organic compounds [18]. The growth medium's concentration, temperature, and pH of vital nutrients, such as N, P, and organic carbon, are all crucial factors in any growth media.

## 4. Algal species

Some common microalgal species can grow to high concentrations of desired biofuels as mentioned in Table 1. For instance, *Chlorella protothecoides* are regarded as the ideal feedstock for bio-diesel since they can collect 55 % of lipids when grown heterotrophically with nitrogen limitation [19]. Species, like *Spirulina* sp., have the ability to create biomethanol by gasification or fermenting anaerobically [20]. Researchers have found the suitability of *S. obliquus* to produce biohydrogen [21]. Additionally, it was discovered that the algal consortia may use wastewater effluent as a nutrient broth in open ponds, and the obtained biomass can be used as a feedstock for biochar [24].

## 5. Role of organic nitrogen

Waste water is the major source of nitrogen in microalgae propagation. Algae has the potential to absorb nitrogen and phosphorus from water [26,27]. Since the production of their proteins requires a lot of nitrogen and phosphorus (which make up 45–60 % of their dry weight), phospholipids and nucleic acids for which microalgae are an effective way to extract considerable amounts of nutrients [28]. While at least 50 % of the phosphorus in sewage effluent comes from synthetic detergents, the majority of the nitrogen comes from biochemical interconversions of other derived chemicals [29].

## 6. Possibility of producing biofuels sustainably

In contrast to many plant-based biofuel crops, microalgae may be successfully cultivated in conditions requiring little freshwater input, and they can be grown on land that would otherwise be unsuitable for growing crops, which makes the process potentially more efficient [30,31]. [32] explained that microalgae are an incredibly appealing option for environmentally friendly and inexpensive wastewater treatment due to their capacity to grow well in to effectively absorb nutrients and metals from wastewater and flourish in nutrient-rich environments.

## 7. Benefits of microalgae as a biofuel resource

If compared to conventional crops like soybeans and maize, microalgae possess a higher level of areal biomass productivity, and their oil content can surpass 80 % of their dry weight in biomass [33]. The manufacturing of superior chemicals, wastewater treatment, and the generation of biofuels using algae can all be combined. There are numerous microalgae species that produce a substantial amount of lipid that can be transesterified into biofuel [34,35]. Traditional methods of generic seasonal toxic chemical spraying have a detrimental impact on the environment and people's health [36]. Microalgae help in reducing the toxicity of wastewater [37]. In addition, residual algal biomass, which is primarily made up of proteins and carbohydrates, can be transformed into a range of biofuels, such as fuels made of alcohol and hydrocarbons, as well as other non-fuel byproducts that can be recovered and turned into high-value goods like nutraceuticals, pharmacology, and livestock feed [36–39]. Biofuels are environment friendly and have a number of other benefits (Fig. 3.).

## 8. Discussion

Concerns over the creation of ecologically friendly fuels, such as biofuels, have grown as a result of the rapid processes of economic development and energy consumption, as well as the crisis of scarce fossil fuel resources and the ever-rising demand for environ-




Fig. 1. Biofuel production [15].




Fig. 2. Process for biomass conversion [16].

**Table 1**  
Different microalgal species are used for biofuel production.

S.No.	Algal species	Produced Biofuels	References
1.	<i>Chlorella protothecoides</i>	Biodiesel	[19]
2.	<i>Spirulina</i> sp.	Bioethanol	[20]
3.	<i>Scenedesmus obliquus</i>	Biohydrogen	[21]
4.	<i>Chlorococum</i> sp.	Bioethanol	[22]
5.	<i>Microalgal consortium</i>	Biochar	[23]
6.	<i>Nannochloropsis salina</i>	Biogas	[25]

production of biofuels during the hydrothermal liquefaction of wastewater and into bio-crude oil as the capacity to consume nutrients more than once to develop numerous rounds of algal biomass, increasing the amount of bioenergy that can be produced.

#### CRediT authorship contribution statement

**Shivani Saklani:** Conceptualization, Data curation, Project administration, Writing – review & editing. **Bindiya Barsola:** Data curation, Formal analysis, Writing – original draft. **Priyanka Kumari:** Conceptualization, Data curation, Formal analysis, Project administration, Writing – review & editing. **Diksha Pathania:** Project administration, Writing – review & editing.

#### Data availability

No data was used for the research described in the article.

#### Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

#### References

- [1] N. Fatima, V. Bahuguna, V. Kumar, A Review on Microalgae Application in Bioenergy Generation & Integrated Wastewater Management, in international Conference on New Horizons in Green Chemistry & Technology (ICGCT), 2018.
- [2] N.C. Bhatt, A. Panwar, T.S. Bisht, S. Tamta, Coupling of algal biofuel production with wastewater, Sci. World J. 2014 (2014) 1–10, <https://doi.org/10.1155/2014/210504>.
- [3] S. Kishore, S. Malik, M.P. Shah, J. Bora, V. Chaudhary, L. Kumar, R.Z. Sayyed, A. Ranjan, A comprehensive review on removal of pollutants from wastewater through microbial nanobiotechnology-based solutions, Biotechnol. Genet. Eng. Rev. (2022:) 1–26, <https://doi.org/10.1080/02648725.2022.2106014>.
- [4] Malik S, Kishore S, Bora J, Chaudhary V, Kumari A, Kumari P, Kumar L, Bhardwaj AA. A Comprehensive Review on Microalgae-based Biorefinery as Two-way Source of Wastewater Treatment and Bioresource Recovery. CLEAN–Soil, Air, Water.:2200044. <https://doi.org/10.1002/clean.202200044>.
- [5] D. Pathania, M. Sharma, P. Thakur, V. Chaudhary, A. Kaushik, H. Furukawa, A. Khosla, Exploring phytochemical composition, photocatalytic, antibacterial, and antifungal efficacies of Au NPs supported by Cymbopogon flexuosus essential oil, Scient. Rep. 12 (1) (2022) 1–5, <https://doi.org/10.1038/s41598-022-15899-9>.




Fig. 3. Advantages of Algae-based biofuels.

mental protection. This study also examined an innovative algae E2–Energy system. Algal biomass production is integrated into the

- [6] H.H. Cheng, L.M. Whang, K.C. Chan, M.C. Chung, S.H. Wu, C.P. Liu, S.Y. Tien, S.Y. Chen, W.J. Lee, Biological butanol production from microalgae-based biodiesel residues by *Clostridium acetobutylicum*, *Bioresour. Technol.* 184 (2015) 379–385, <https://doi.org/10.1016/j.biortech.2014.11.017>.
- [7] M. Francavilla, P. Kamaterou, S. Intini, M. Monteleone, A. Zabanitout, Cascading microalgae biorefinery: fast pyrolysis of *Dunaliella tertiolecta* lipid extracted-residue, *Algal Res.* 11 (2015) 184–193, <https://doi.org/10.1016/j.algal.2015.06.017>.
- [8] A. Khandelwal, A. Vijay, A. Dixit, M. Chhabra, Microbial fuel cell powered by lipid extracted algae: a promising system for algal lipids and power generation, *Bioresour. Technol.* 247 (2018) 520–527, <https://doi.org/10.1016/j.biortech.2017.09.119>.
- [9] M. Nehra, N. Dilbaghi, G. Marrazza, A. Kaushik, C. Sonne, K.H. Kim, S. Kumar, Emerging nanobiotechnology in agriculture for the management of pesticide residues, *J. Hazard. Mater.* 401 (2021), <https://doi.org/10.1016/j.jhazmat.2020.123369>.
- [10] M. Tabatabaei, M. Tohidfar, G.S. Jouzani, M. Safarnejad, M. Pazouki, Biodiesel production from genetically engineered microalgae: future of bioenergy in Iran, *Renew. Sustain. Energ. Rev.* 15 (2011) 1918–1927, <https://doi.org/10.1016/j.rser.2010.12.004>.
- [11] J.K. Pittman, A.P. Dean, O. Osundeko, The potential of sustainable algal biofuel production using wastewater resources, *Bioresour. Technol.* 102 (1) (2011) 17–25.
- [12] D. Pathania, S. Kumar, P. Thakur, V. Chaudhary, A. Kaushik, R.S. Varma, H. Furukawa, M. Sharma, A. Khosla, Essential oil-mediated biocompatible magnesium nanoparticles with enhanced antibacterial, antifungal, and photocatalytic efficacies, *Scient. Rep.* 12 (1) (2022) 1–3, <https://doi.org/10.1038/s41598-022-14984-3>.
- [13] D.A. Bronk, J.H. See, P. Bradley, L. Killberg, DON as a source of bioavailable nitrogen for phytoplankton, *Biogeochemistry* 4 (3) (2007) 283–296.
- [14] V. Chaudhary, A.K. Kaushik, H. Furukawa, A. Khosla, Towards 5th generation ai and iot driven sustainable intelligent sensors based on 2d mxenes and borophene, *ECS Sensors Plus* 1 (2022).
- [15] J. Rupperecht, From systems biology to fuel—*Chlamydomonas reinhardtii* as a model for a systems biology approach to improve biohydrogen production, *J. Biotechnol.* 142 (2009) 10–20, <https://doi.org/10.1016/j.jbiotec.2009.02.008>.
- [16] S.R. Medipally, F.M. Yusoff, S. Banerjee, M. Shariff, Microalgae as sustainable renewable energy feedstock for biofuel production, *BioMed. Res. Int.* 2015 (2015) 1–13.
- [17] Jia H, Yuan Q. Removal of nitrogen from wastewater using microalgae and microalgae-bacteria consortia, *Cogent Environ. Sci.* 2016; 2: 1275089. <https://doi.org/10.1080/23311843.2016.1275089>.
- [18] S.Y. Ip, J.S. Bridger, C.T. Chin, W.R. Martin, W.G. Raper, Algal growth in primary settled sewage: the effects of five key variables, *Water Res.* 16 (1982) 621–632, [https://doi.org/10.1016/0043-1354\(82\)90083-5](https://doi.org/10.1016/0043-1354(82)90083-5).
- [19] P.S. Lau, N.F. Tam, Y.S. Wong, Effect of algal density on nutrient removal from primary settled wastewater, *Environ. Pollut.* 89 (1) (1995) 59–66, [https://doi.org/10.1016/0269-7491\(94\)00044-E](https://doi.org/10.1016/0269-7491(94)00044-E).
- [20] H. Xu, X. Miao, Q. Wu, High quality biodiesel production from a microalga *Chlorella protothecoides* by heterotrophic growth in fermenters, *J. Biotechnol.* 126 (4) (2006) 499–507.
- [21] M.V. Rodionova, R.S. Poudyal, I. Tiwari, R.A. Voloshin, S.K. Zharmukhamedov, H.G. Nam, B.K. Zayadan, B.D. Bruce, H.J. Hou, S.I. Allakhverdiev, Biofuel production: challenges and opportunities, *Int. J. Hydrog. Energy* 42 (12) (2017) 8450–8461, <https://doi.org/10.1016/j.ijhydene.2016.11.125>.
- [22] Appel J, Schulz R. Hydrogen metabolism in organisms with oxygenic photosynthesis: hydrogenases as important regulatory devices for a proper redox poising? *J. Photochem. Photobiol. B, Biol.* 1998; 47(1):1–1. [https://doi.org/10.1016/S1011-1344\(98\)00179-1](https://doi.org/10.1016/S1011-1344(98)00179-1).
- [23] J. Singh, S. Gu, Commercialization potential of microalgae for biofuels production, *Renew. Sustain. Energ. Rev.* 14 (9) (2010 Dec 1) 2596–2610, <https://doi.org/10.1016/j.rser.2010.06.014>.
- [24] G.W. Roberts, M.O. Fortier, B.S. Sturm, S.M. Stagg-Williams, Promising pathway for algal biofuels through wastewater cultivation and hydrothermal conversion, *Energy & Fuels* 27 (2) (2013) 857–867, <https://doi.org/10.1021/ef3020603>.
- [25] L. Peng, D. Fu, H. Chu, Z. Wang, H. Qi, Biofuel production from microalgae: a review, *Environ Chem Lett.* 18 (2) (2020) 285–297.
- [26] J.C. Quinn, A. Hanif, S. Sharville, T.H. Bradley, Microalgae to biofuels: life cycle impacts of methane production of anaerobically digested lipid extracted algae, *Bioresour. Technol.* 171 (2014) 37–43, <https://doi.org/10.1016/j.biortech.2014.08.037>.
- [27] S. Aslan, I.K. Kapdan, Batch kinetics of nitrogen and phosphorus removal from synthetic wastewater by algae, *Ecol. Eng.* 28 (2006) 64–70, <https://doi.org/10.1016/j.ecoleng.2006.04.003>.
- [28] J. García, B.F. Green, T. Lundquist, R. Mujeriego, M. Hernández-Maríné, W.J. Oswald, Long term diurnal variations in contaminant removal in high rate ponds treating urban wastewater, *Bioresour. Technol.* 97 (2006) 1709–1715, <https://doi.org/10.1016/j.biortech.2005.07.019>.
- [29] I. Rawat, R. Ranjith Kumar, T. Mutanda, F. Bux, Dual role of microalgae: phycoremediation of domestic wastewater and biomass production for sustainable biofuels production, *Appl. Energy* 88 (10) (2011) 3411–3424.
- [30] Sonu S, Chaudhary V. A Paradigm of Internet-of-Nano-Things Inspired Intelligent Plant Pathogen-Diagnostic Biosensors. *ECS Sens. Plus.* 2022
- [31] Pathania D, Sharma M, Kumar S, Thakur P, Torino E, Janas D, Thakur S. Essential oil derived biosynthesis of metallic nano-particles: Implementations above essence. *Sustainable Materials and Technologies.* 2021 ;30:e00352. <https://doi.org/10.1016/j.susmat.2021.e00352>.
- [32] N. Abdel-Raouf, A.A. Al-Homaidan, I.B.M. Ibraheem, Microalgae and wastewater treatment, *Saudi J. Biol. Sci.* 19 (3) (2012) 257–275.
- [33] V. Dutta, S. Sonu, P. Raizada, V.K. Thakur, T. Ahamad, S. Thakur, P.K. Verma, H. H.P. Quang, V.H. Nguyen, P. Singh, Prism-like integrated Bi<sub>2</sub>WO<sub>6</sub> with Ag-CuBi<sub>2</sub>O<sub>4</sub> on carbon nanotubes (CNTs) as an efficient and robust S-scheme interfacial charge transfer photocatalyst for the removal of organic pollutants from wastewater, *Environ. Sci. Pollut. Res.* (2022), <https://doi.org/10.1007/s11356-022-20743-8>.
- [34] L. Rodolfi, G. Chini Zittelli, N. Bassi, G. Padovani, N. Biondi, G. Bonini, M.R. Tredici, Microalgae for oil: Strain selection, induction of lipid synthesis and outdoor mass cultivation in a low-cost photobioreactor, *Biotechnol. Bioeng.* 102 (2009) 100–112, <https://doi.org/10.1002/bit.22033>.
- [35] H.J. Choi, Dairy wastewater treatment using microalgae for potential biodiesel application, *Environ. Eng. Res.* 21 (2016) 393–400, <https://doi.org/10.4491/eer.2015.151>.
- [36] Y. Chisti, Biodiesel from microalgae, *Biotechnol. ad.* 25 (3) (2007) 294–306.
- [37] Benemann JR, Van Olst JC, Massingill MJ, Carlberg JA, Weissman JC, Brune DE. The controlled eutrophication process: using microalgae for CO<sub>2</sub> utilization and agricultural fertilizer recycling. In Greenhouse gas control technologies-6th international conference 2003 p. 1433-1438. <https://doi.org/10.1016/B978-008044276-1/50227-0>.
- [38] A. Demirbas, Use of algae as biofuel sources, *Energy Convers. Manag.* 51 (12) (2010) 2738–2749.
- [39] P.J. McGinn, K.E. Dickinson, S. Bhatti, J.C. Frigon, S.R. Guiot, S.J. O'Leary, Integration of microalgae cultivation with industrial waste remediation for biofuel and bioenergy production: opportunities and limitations, *Photosynth Res.* 109 (2011) 231–247, <https://doi.org/10.1007/s1120-011-9638-0>.