

Lab Anim Res 2015: 31(3), 153 http://dx.doi.org/10.5625/lar.2015.31.3.153

Erratum



Lab Anim Res 2012: 28(2), 91-97 http://dx.doi.org/10.5625/lar.2012.28.2.91

Synergistic anti-inflammatory effects of *Laminaria japonica* fucoidan and *Cistanche tubulosa* extract

Jangbeen Kyung^{1,#}, Dajeong Kim^{1,#}, Dongsun Park¹, Yun-Hui Yang¹, Ehn-Kyoung Choi¹, Sung-Pyo Lee², Tae-Su Kim², Yoon-Bok Lee³, Yun-Bae Kim^{1,*}

¹College of Veterinary Medicine, Chungbuk National University, Cheongju, Korea ²Misuba RTech Co., Ltd., Asan, Korea ³Central Research Institute, Dr. Chung's Food Co., Ltd., Cheongju, Korea

As the request of the authors, the following information has been changed.

Materials

Laminaria japonica (LJ) fucoidan and CT water extract were obtained from Misuba RTech Co., Ltd. (Asan, Korea). Fucoidan and CT extract were kept at 4°C, mixed (1:3) and dissolved in purified water before use, and orally administered in a volume of 5 mL/kg.

^{*}These two authors equally contributed to this work

^{*}Corresponding author: Yun-Bae Kim, College of Veterinary Medicine and Research Institute of Veterinary Medicine, Chungbuk National University, 52 Naesudongro (Gaesin-dong), Cheongju, Chungbuk 361-763, Korea Tel: +82-43-261-3358; Fax: +82-43-271-3246; E-mail: solar93@cbu.ac.kr