

Ugreen NAS Admin – Complete manual for the app and usage

This edition is tab-centered: Description, buttons, operation, workflows and error cases are directly together for each area - without scattered addendums at the end.

1. Purpose of this manual

From the area: 1. Purpose of this manual

This manual is written as a complete user guide for the **current app version**. It explains operation **tab by tab**, including input fields, buttons, typical processes, error patterns and sensible procedures in everyday life. It is **not a short description** and not a marketing text, but rather a working instruction for real operations.

Important: The app works directly on your NAS in many areas. Changes are not "simulated" but directly affect files, services, containers and schedules. That's why this manual always describes **what a button actually triggers** and **when you shouldn't use it**.

2. App logic and security principle

From the area: 2. App logic and security principle

The app has a modular structure: Dashboard, Scripts, Explorer, NAS↔NAS, Devices, Docker, Health, Storage, ACL, Snapshots, Backup, Settings. Almost all functions access the NAS via SSH. Without a valid connection, many actions are meaningless.

A central point is the protection mode:

- In Restricted Mode, risky actions are blocked.
- With `Full Rights` critical buttons are released.
- With 'Restrict' you activate the protection again.

The standard for productive environments is:

1. Analyze in normal mode. 2. Only activate full rights for specific interventions. 3. Restrict again after the procedure.

3. Header complete (all in one place)

From the area: 3. Header area (header) – current version

Important to classify: The extensive connection fields are in the current UI `Settings`-Tab. The header **no longer** contains the old large connection block.

3.1 Header elements and effect

- `Full Rights` / `Restrict`

Toggles risk mode. Critical buttons in multiple tabs depend on this.

- Theme button (☐ Light` / ☐ Dark`)

Changes the color scheme of the interface.

- ☐ Info`

Opens the info dialog with document buttons (README`, Handbuch`, CHANGELOG`) and contact area.

- ☐ Screenshot`

Takes a screenshot of the app. Destination folder comes out Settings -> Pfade -> Screenshot-Pfad`.

- ☐ Coffee`

Opens the support link.

- SSH status badge

Shows whether the SSH connection is active.

- Model display

Shows the recognized NAS model as soon as it can be read via SSH.

3.2 What you shouldn't do in the header

- Do not start critical actions if SSH badge is not connected.
- Do not work permanently with full rights.

From range: 22. Full reference: Header buttons (current UI)

22.1 `Full Rights` / `Restrict`

****Purpose:**** Security clearance for critical actions. ****Prerequisite:**** conscious confirmation. ****Effect:**** Switches many `danger`-marked buttons free or closed again. ****Typical Error:**** Permanently released and later accidental deletion/system action.

22.2 Theme button

****Purpose:**** Switch light/dark theme. ****Effect:**** purely visual, no NAS change. ****Typical error:**** none, just display preference.

22.3 `Info`

****Purpose:**** Open documentation and contact dialog. ****Effect:**** No NAS action, only UI dialog.

22.4 `Screenshot`

****Purpose:**** Save current app screen. ****Requirement:**** Screenshot target path set sensibly in Settings. ****Effect:**** PNG file in the target folder. ****Typical error:**** empty/invalid destination path.

22.5 "Coffee".

****Purpose:**** Open support link. ****Effect:**** Browser call.

From the area: 64. Detailed catalog header: every visible button in the context

64.1 Coffee

Lightweight action button in the header. Depending on the app logic, it is usually integrated as a quick trigger or utility function.

64.2 Screenshot

Instantly creates a snapshot of the app interface. Storage location follows that set in Settings`screenshot\_dir`.

64.3 Info

Opens the info dialog with:

- Document links (README/Manual/Changelog),
- Project/support links,
- Version/note text.

64.4 Theme / Language

Change appearance and text background. Please note special dashboard rule after language change (German only).`de`, otherwise English).

64.5 Model display

Updates on connected SSH status and shows the detected NAS model.

4. Sidebar and navigation complete

From the area: 4. Sidebar and navigation

On the left is the fixed navigation with all main tabs.

4.1 Navigation points

- Dashboard
- Scripts
- Explorer
- NAS ↔ NAS
- Devices
- docker
- System Health
- memory
- user
- Snapshots
- Backup
- Settings

4.2 Tool buttons at the bottom of the sidebar

- `Update everything`

Starts an overall refresh of several areas.

- `Health Snapshot`

Saves the current health status as a report.

From area: 41. Full navigation explanation

The sidebar is not just “tab switching”, but a workflow:

1. `Settings` for basics. 2. `Dashboard` for a quick current overview. 3. `Health` for diagnosis. 4. `Docker` / `Scripts` / `Backup` for operational changes. 5. `Storage` / `ACL` / `Snapshots` for deep file and rights work. 6. `NAS↔NAS` for transfers.

Below:

- `Update All`: synchronizes multiple areas.
- `Health Snapshot`: documents state.

Both are very valuable before/after changes.

5. Tab Settings complete (fields, buttons, setup, Telegram, SMTP)

From section: 23. Full reference: Settings tab (fields and buttons)

23.1 Main buttons above

- **Load**: resets form to saved status.
- **Apply to current UI**: applies form data directly to the running app.
- **Save**: persists all settings.

23.2 Language area

- **Dropdown language**: Selection of the UI language.
- **Apply language**: activates selected language.

23.3 Connection fields

- `NAS IP`, `Port`, `User`, `Password`
- `Use SSH key`
- `SSH key path`
- `passphrase`

23.4 Connection buttons (including new SSH features)

- **Save connection**: saves all connection fields permanently in config.
- **PW Safe**: stores the current SSH password in the system keyring (safer than plain text in the form).
- **Create SSH key pair**: creates a new key pair on your PC (`ugreen\_nas\_admin` + `ugreen\_nas\_admin.pub`), copies the public key to clipboard, and can directly apply the private key path to the form.
- **Install public key on NAS**: does a one-time password-based SSH login to the selected target and appends the public key to `~/ssh/authorized\_keys`.
- **Profile +/x**: create/delete profile.

23.4.1 Why this SSH key workflow matters

- Key login removes repeated password entry for day-to-day operations.

- The same private key on your PC can be reused for UGREEN, QNAP, and other Linux systems.
- Automations (script tests, transfers, NAS↔NAS tools) become more stable and faster.
- The password is only needed for initial key installation.

23.4.2 Exact step-by-step flow (UGREEN + second NAS/QNAP)

1. In `Settings -> Connection`, first enter correct host/IP, port, user, and password. 2. Click `Create SSH key pair` and pick a target folder. 3. Optionally set a passphrase:

- with passphrase: RSA 4096 (maximum compatibility),
- without passphrase: preferred Ed25519 (modern/fast).

4. When prompted, apply the private key path into the form and enable `SSH key`. 5. Click `Save connection` so key path and options are persisted. 6. Click `Install public key on NAS` and select target:

- ****UGREEN:**** uses the upper connection fields (IP/port/user/password),
- ****Second NAS/QNAP:**** uses the second NAS profile below; SSH port is prompted.

7. After successful installation, the app uses the private key for later SSH logins.

23.4.3 What happens technically

- The app installs ****only the public key**** on the target system.
- The private key stays on your PC and is never copied to NAS.
- During installation, the app intentionally uses a one-time password SSH session (without key auth).
- On target, one key line is added to `~/.ssh/authorized\_keys` (or detected as already present).

23.4.4 What to avoid

- Do not share the private key or copy it to NAS/cloud folders.
- After switching to key auth, do not keep outdated/wrong passwords in the form.
- For QNAP, enter the actual SSH port (not always 22).
- If anything fails, check in order: SSH service enabled, correct user, writable home directory.

23.5 SMB Secondary Profile

Fields:

- Profile name
- Host
- users
- password
- Save password (checkbox)

Buttons:

- Add profile
- Delete profile

23.6 Telegram

- Token + Chat ID fields
- Button for secret privacy (visible/hidden)

23.7 Email

- Host, Port, User, Password, From, To fields
- Checkboxes STARTTLS and SSL
- Secret privacy button

23.8 Paths

- Scripts path
- Compose path
- Explorer Root
- Screenshot destination path
- `Select folder` for screenshot path

23.9 Script Notify

Fields:

- script
- channel
- Trigger time

Buttons:

- Refresh
- Add
- Delete
- Sync

23.10 Create and install SSH key (complete guide)

This section explains the two new SSH buttons under `Settings -> Connection` so you can complete the full workflow inside the app.

****Button: `Create SSH key pair`****

- Creates a new SSH key pair on your PC (`ugreen\_nas\_admin` and `ugreen\_nas\_admin.pub`).
- Optionally asks for a passphrase:
 - with passphrase: RSA 4096 (very compatible),
 - without passphrase: Ed25519 (modern, fast).
- Copies the public key to clipboard.
- Can immediately apply the private key path into the connection fields and enable `SSH key`.

****Button: `Install public key on NAS`****

- Performs a one-time password SSH login (intentionally without key auth for this step).
- Appends the public key to `~/ssh/authorized\_keys` on the target.
- Offers target selection:
 - `UGREEN` via top fields (IP/port/user/password),
 - `Second NAS / QNAP` via SMB profile below (with separate SSH port prompt).

****Why this matters****

- After setup, app logins use key auth instead of entering passwords repeatedly.

- The same key pair can be reused across systems (UGREEN, QNAP, other Linux hosts).
- Automations like script tests, transfers, and NAS↔NAS operations become more stable.

****Recommended procedure (exact)**** 1. In `Settings -> Connection`, enter host/IP, port, user, and password correctly. 2. Click `Create SSH key pair` and choose a folder. 3. Optionally set passphrase and confirm key creation. 4. When prompted, apply the private key path into the UI. 5. Click `Save connection`. 6. Click `Install public key on NAS` and choose target system. 7. Confirm success output; later SSH actions run via your private key.

****Important rules****

- Never share the private key or upload it to NAS.
- Only the public key belongs on target systems.
- For QNAP, always use the actual SSH port (do not assume 22).

From the area: 39. Completely set up Telegram (from zero)

This section fully explains the Telegram setup so that Watcher, Tests and Daily Report work properly.

39.1 Requirements

You need:

- a Telegram account on mobile or desktop,
- Internet access from NAS (for outgoing connections to Telegram API),
- Access the Settings tab in the app.

39.2 Create a bot with BotFather

1. Open Telegram and search for `@BotFather`. 2. Start the chat and send `/start`. 3. Send `/newbot`. 4. Assign a display name for your bot (can be freely chosen). 5. Assign a unique username that ends in `bot` (e.g. `my\_nas\_alarm\_bot`). 6. BotFather responds with a token in the format `123456789:AA...`.

This token is your API key. No shipping without tokens.

39.3 Determine chat ID (easy way)

Variant A (individual chat):

1. Open the chat with your new bot. 2. Send him a message (e.g. `test`) once for the chat to exist. 3. Open in browser: `https://api.telegram.org/bot<TOKEN>/getUpdates` 4. Search for `"chat":{"id":...}` in the JSON response. 5. This number is the chat ID.

Variant B (group):

1. Create or use a group. 2. Add the bot to the group. 3. Send a message to the group. 4. Call `getUpdates` again. 5. Group ID is usually negative (e.g. `-100...`).

39.4 Enter token and chat ID in the app

Settings -> Telegram:

- `Bot Token`: Token from BotFather
- `Chat ID`: from `getUpdates`

Thereafter `Speichern`.

39.5 Test Telegram in Health

Health tab -> Telegram area:

- Press `Telegram test`.
- Check in the target chat whether the test message arrives.

If no message comes:

1. Check token (typo? old token?). 2. Check chat ID (real chat? Group instead of individual chat?). 3. Check NAS internet access (DNS/Firewall). 4. Look for HTTP error text in logs.

39.6 Typical Telegram errors

- **`chat not found`**

Bot hasn't received message from chat yet or wrong chat ID.

- **`Unauthorized`**

Token incorrect or revoked.

- **Message only comes sometimes**

Check cooldown/thresholds in the watcher.

- **Group chat doesn't work**

Bot not in group or missing group chat ID.

From the range: 40. Complete email/SMTP setup (from zero)

40.1 Minimum values

Settings -> Email:

- SMTP host
- port
- users
- password
- From
- To
- STARTTLS or SSL suitable for the provider

40.2 Typical provider logic

- Port 587: mostly STARTTLS
- Port 465: mostly SSL/SMTPS

Don't activate both blindly. Always set appropriately for the provider.

40.3 Testing

- Run watcher test on NAS (if channel `email` or `both`).
- Send daily report test.

If shipping fails:

1. Check DNS resolution on the NAS. 2. Check SMTP credentials. 3. Check port/TLS/SSL combination. 4. Sender address allowed by provider?

From the area: 65. Detailed catalog Settings: every field explained

65.1 Connection block

- Host/IP: Target address of the NAS
- Port: SSH port
- User: SSH user
- Password/Key: Authentication
- Sudo: required for privileged actions

65.2 Notification block

- Telegram tokens
- Telegram Chat ID
- SMTP Host/Port/User/Pass
- Transmitter/receiver
- TLS/SSL selection

65.3 Path/Tooling Block

- Screenshot directory
- local working directories
- optional tool paths

65.4 Second NAS profile

- Host
- users
- password
- Share/Path information

Benefits: Backup destination and NAS↔NAS.

6. Tab Dashboard complete (display, fan, operation)

From Area: 24. Full Reference: Dashboard Tab

24.1 Elements

- Dashboard title
- Live notice
- Webcam button
- Metric tiles
- Fan control
- Docker Live
- scheduled script jobs

24.2 Fan control buttons

- **Silent / Standard / Max / Manual**

- ****Take over****
- ****Return UGOS control****

****Important process:**** Select mode -> Apply -> Observe behavior -> return if necessary.

From the area: 42. Dashboard complete: All visible functions in operation

42.1 CPU/RAM cards

Purpose: quick load diagnosis.

Interpretation:

- Short peaks are normal.
- permanently high load + high RAM pressure = check deeper in Docker/Health.

42.2 Volume Cards

Show occupancy and help early in "plate full" scenarios.

When occupancy increases:

1. Open Storage tab. 2. Determine top consumption. 3. Check backup/log/container paths.

42.3 Network

Throughput display per interface. Useful for backup windows, NAS↔NAS transfers and Docker downloads.

42.4 Docker tile

Shows running containers as a leading indicator. If there is a discrepancy, switch to the Docker tab and check the list/logs.

42.5 Script Jobs tile

Shows scheduled jobs and ongoing activities. Helps with correlation "load increase <-> cron job time".

42.6 Fan control area (complete)

Buttons/Modes:

- Silent
- standard
- Max
- manual %
- Take over
- Return UGOS control

Recommended process:

1. Select mode. 2. Take over. 3. Observe for 1-2 minutes. 4. Return UGOS control in case of conflicts.

From the area: 62. Practical instructions: Fan control including return to UGOS

1. Open dashboard. 2. Read fan area (system on the left, CPU on the right). 3. Select the desired mode. 4. Click "Apply". 5. 1-2 minutes observation. 6. If manual control is to be ended: `Return UGOS control`. 7. Optionally switch to the UGOS app profile (standard/silent) to validate the handover.

Error case "UGOS does not respond":

- Execute the return button again.
- Check health/service status.
- Plan for a short waiting time, as the control does not always start visually immediately.

7. Tab Scripts complete (editor, test, operating sequence)

From range: 25. Full reference: Scripts tab

25.1 Left action buttons

- Backup scripts locally
- Update
- TestHost
- Test Docker
- New file
- Delete
- Schedules
- PowerShell/SSH

25.2 Editor buttons

- Template `rsync`
- Template `restic`
- Template `rclone`
- Save (root)
- Save (user)

25.3 Fields

- filename
- Editor content

25.4 Log

- Runtime/error output for test and save.

From the area: 43. Scripts tab complete: Every action in detail

43.1 `Backup` (back up scripts locally)

Purpose: local copy of NAS scripts.

To use:

- Version backup before changes.
- quick recovery.

43.2 `Update`

Reloads script list from NAS.

Always press before editing if changes could have been made at the same time.

43.3 `Testing (Host)`

Executes selected script directly on the NAS.

To use:

- realistic running test without cron.
- fastest way for syntax/path errors.

43.4 `Testing (Docker)`

Tests script in Docker test context.

Useful if the script is actually supposed to run as a Docker job later.

43.5 `New File`

Empties processing state for new script start.

43.6 `Delete`

Removes script. Critical.

Previously:

1. Check file name. 2. If necessary, make a local backup.

43.7 `Schedules`

Opens scheduler drawer and applies target script.

43.8 `PowerShell/SSH`

Manual debug/admin access.

43.9 Templates (`rsync`, `restic`, `rclone`)

Quick start for typical backup scripts.

Always check parameters after inserting:

- Source path
- Target path
- Credentials
- Excludes

43.10 Save (root/user)

`root`:

- for system-level paths if rights are necessary.

`user`:

- for less privileged processes.

Never save unclearly. Understand the target path and rights context beforehand.

8. Scheduler complete (all fields, cron, practice)

From range: 26. Full reference: Scheduler Drawer

26.1 Input fields

- minute
- Hour
- day
- Month
- weekday
- First week (checkbox)

26.2 Execution buttons

- As a host job
- As a Docker job

26.3 Display

- Plain text time description
- Target script info

From the area: 44. Scheduler complete: fields, interpretation, best practice

Cron fields:

- minute
- Hour
- day
- Month
- weekday

Option:

- first week (for specific monthly logic)

Buttons:

- Host job
- Docker job

Best practices:

1. First define the time technically ("3:30 a.m. daily"). 2. Set fields. 3. Plain text control in the drawer. 4. Write a job. 5. Note cron post check.

From the area: 63. Practical instructions: Create and check the cron job properly

1. Scripts tab, open target shell script. 2. Open `Schedules`. 3. Set cron fields. 4. Read plain text. 5. Write `Host-Job` or `Docker-Job`. 6. Evaluate cron post check. 7. Check job list. 8. Test manually once.

If job doesn't run:

- Check path permissions.
- Check interpreter (`#!/bin/bash` or `python3`).
- Set environment variables explicitly.

9. Tab NAS Explorer complete

From area: 27. Full reference: Explorer tab

27.1 Toolbar

- Scan NAS
- Upload
- Perms 755
- Delete NAS
- Delete PC
- PC->NAS
- NAS->PC
- Search

27.2 NAS context menu

- Load into editor
- Perms 755
- Copy path
- Upload files
- Upload folder
- Delete

27.3 PC context menu

- Open in Explorer
- Copy path
- Delete

27.4 Additional PC buttons

- drives
- High
- Select folder
- Update locally

From the area: 45. Explorer complete: Work safely

45.1 `Scan NAS`

Reloads NAS file tree.

45.2 `Upload`

Loads local files to NAS.

Actively select the target folder on the left beforehand.

45.3 `Perms 755`

Sets rights to target path.

Only use if it is clear why.

45.4 `Delete NAS`

Deletes selected NAS objects.

Critical: Double check focus and selection.

45.5 `Delete PC`

Deletes selected local files.

45.6 `PC -> NAS` and `NAS -> PC`

Transfer between right and left side.

Always check both paths visually before transferring.

45.7 Search

Searches in the current NAS context.

45.8 Context menus

The context menus are equivalent action triggers to toolbar buttons, not just ads.

10. Tab NAS↔NAS complete

From range: 28. Full reference: NAS↔NAS tab

28.1 Top buttons

- Scan Ugreen
- (Windows) SMB scan

28.2 Profile/Status Area

- SMB profile combo
- SMB status label

28.3 Context menus

- Upload to the other side
- Delete on current page

From the range: 46. NAS↔NAS complete: SMB workflow

46.1 Requirements

- Second NAS profile in Settings complete.
- (Windows) SMB mechanism available.

46.2 Process

1. Scan Ugreen. 2. Scan SMB/Shares. 3. Select target paths left/right. 4. Trigger transfer via context menu. 5. Check result/error.

46.3 typical errors

- Host not reachable.
- Auth wrong.
- Share hidden/not shared.
- Rights for target path are missing.

11. Network devices tab complete

From area: 29. Full reference: Device tab

29.1 Action

- Search devices

29.2 Result

- Table with child/name/IP/detail
- Status label (`scanning`, `empty`, error text)

From the area: 47. Device tab complete

`Geräte suchen` starts Discovery via NAS-SSH. Display contains LAN/USB information.

Error case:

- without SSH no data.
- If there is a discovery error, status output appears.

12. Tab Docker complete (buttons + operation directly together)

From range: 30. Full reference: Docker tab

30.1 Creation/Catalog Group

- Build Docker
- Docker catalog
- New Docker
- Docker update

30.2 Management Group

- Exclusion list
- list
- Stop all containers
- start
- Stop

- Restart
- List (second position in the layout)

30.3 Diagnostic group

- Stats
- Inspect
- Delete
- Fix 777

30.4 Log/Compose area

- Live log start
- Live Log Stop
- Compose config
- Compose ps
- Compose up -d

30.5 fields

- Compose file path
- Container treeview selection

From the area: 48. Docker complete: operation, updates, diagnostics

48.1 Create/Catalog

- Build Docker
- Docker catalog
- New Docker

Use catalog for image research, creation for concrete definition.

48.2 Update and mass actions

- Docker update (selective)
- list
- Exclusion list
- Stop everything

Selective updates are more production-safe than global.

48.3 Runtime Control

- start
- Stop
- Restart

Always work with a fresh list.

48.4 Diagnosis

- Stats (resources)

- Inspect (structure)
- Logs (historical/live)

48.5 Compose

- Enter compose file
- check config
- ps check
- run up -d

Before `up -d` always double check config.

48.6 Critical action `Delete`

Clarify beforehand:

- Where is persistent data located?
- Recovery path available?
- dependent services affected?

From the range: 60. Practical guide: Safely update Docker service

Goal: An existing container should be updated without uncontrolled side effects.

1. Open Docker tab. 2. Click on 'List'. 3. Mark target container. 4. Call `Inspect` and note critical information (volumes, ports, Env). 5. Open `Logs` and note the baseline. 6. Run `Docker Update`. 7. Check the status again with `List` and `Inspect`. 8. Carry out functional testing from an application perspective. 9. In case of errors: stop/start container; if necessary, go back to the previous image.

Why this order is important:

Without a baseline from Inspect/Logs, it is often unclear later whether the error came from the update or was already there before.

13. Tab System & Health complete

From area: 31. Full reference: Health-Tab

31.1 Main buttons

- Refresh Health
- Check RAID
- Check SMART
- Storage
- Scheduler inventory
- Save report
- Restart
- Shutdown

31.2 UGOS panel

- Title + refresh
- Service status label

Note:

- `Refresh UGOS services` reloads the current state of core NAS services.
- This panel speeds up troubleshooting (for example, quickly seeing if a core service is down before going deeper into Docker/scripts).

31.3 Telegram block

Fields:

- Enabled
- interval
- Disk warn/crit
- Temp
- Cooldown
- Fan min

Buttons:

- Telegram test
- Manual check

31.4 Watcher Block

Channel:

- Telegram / Email / Both

Checkboxes:

- Disc
- RAID
- Network ready
- Temp
- docker
- SMART service
- SMB/NFS services
- Maintenance timer
- systemd failed
- fan
- Login failures

Fields:

- Fan min
- Login window
- Login min
- Require containers

- Ignore patterns
- Auto restart names

Buttons:

- Save locally
- Install on NAS
- Test on NAS

31.5 Daily Report Block

- Enabled checkbox
- Save locally
- Install on NAS
- test

From the area: 49. Health complete: All blocks working together

Health is a diagnostic center, not just a display.

49.1 Main buttons

- Refresh = overall condition
- RAID/SMART/Storage = partial analysis
- Scheduler inventory = quick check of scheduled jobs and status
- Save report = documentation

49.2 System buttons

- Restart
- Shutdown

Only during the scheduled maintenance window.

49.3 UGOS Dashboard

Quick look at core services.

49.4 Telegram Instant Monitor

Useful for local testing without full watcher deployment.

49.5 NAS Watcher

Configuration + Deploy + Test in the same area.

49.6 Daily Report

Daily status report (not an alarm replacement, but a history).

From the area: 59. Practical instructions: Telegram alerting really robust

Many setups fail not because of the bot, but because of peripheral conditions. This complete sequence ensures a robust result:

1. Create bot (`@BotFather`, `/newbot`). 2. Secure tokens (do not post in screenshots). 3. Define target chat (individual chat or group). 4. Determine chat ID via `getUpdates`. 5. Enter token/chat ID in Settings.

6. Save. 7. Run Telegram test in the Health tab. 8. Confirm test message. 9. Deploy NAS Watcher. 10. Send watcher test. 11. Send Daily Report Test. 12. Check in the next 24 hours whether periodic messages arrive.

If individual steps fail, never do everything again immediately. Always keep the latest working version as a reference.

From the area: 66. Detailed catalog Health-Watcher switch

Each switch defines whether a specific check should be active in the Watcher.

- UPS check: NUT status
- UGOS core services: core services
- SMART daemon: smartd active/enabled
- Network ready: wait-online service
- File services: SMB/NFS/wsdd2
- Maintenance timers: trim/sysstat/logrotate/backups
- RAID checks: mdstat/mdcheck
- Docker runtime checks

Recommendation:

First activate the security and availability critical checks. Then expand gradually to avoid a flood of alarms.

14. Tab Storage & Sharing complete

From range: 32. Full reference: Storage tab

Buttons:

- Volumes/df
- Shares
- Refresh all
- Top20
- Disk scan
- Image to PC
- Image to NAS
- Restore from PC
- Restore from NAS

Fields:

- Top path
- Device combo
- Remote Image Path

From the range: 50. Storage complete

50.1 Volumes/Shares

Row of buttons for status recording.

50.2 Top20

Find the largest directories based on paths.

50.3 Disk Image Operations

Strong tool for special cases.

Before each image/restore action:

1. Clearly select device. 2. Check target path. 3. plan enough memory/time.

15. Tab ACL complete

From range: 33. Full reference: ACL tab

Buttons:

- Ads (stat)
- UGACL info
- chmod 755
- chmod 777 rec
- Apply chmod
- apply chown
- Users
- Groups

Fields:

- Target path
- chmod mode
- chown value

From the range: 51. ACL complete

51.1 Diagnosis first

- Show
- UGACL info

51.2 Changes thereafter

- chmod 755 / 777 rec / custom
- chown apply

Rule:

- First test small, then roll out large.

16. Snapshots tab complete

From range: 34. Full reference: Snapshots tab

Buttons:

- detect backend
- btrfs list
- zfs list
- snapper list
- btrfs create
- zfs create
- snapper create
- btrfs delete
- zfs delete
- snapper delete

Field:

- Base path

From the range: 52. Snapshots complete

52.1 Detect backend

Necessary to select appropriate commands.

52.2 Lists and Creating

Before creating:

- Check base path.

52.3 Delete

Only with clear identification of the snapshot and fallback plan.

17. Tab Backup complete (Backup + Restore + Schedules together)

From Range: 35. Full Reference: Backup Tab

35.1 Backup Block Buttons

- Docker+Scripts Backup
- User data backup
- All data backup

- Refresh Lists

35.2 Backup Fields

- Scope combo
- Volume combo
- User combo
- Dest mode combo
- NAS profile combo
- PCpath
- USB combo
- optional remove-on-copy checkbox

35.3 Restore block

Fields:

- Source mode (`nas`/^`pc`)
- Archive path
- Target path

Buttons:

- Select file
- Start restore

35.4 Scheduled Backup

Buttons:

- Load from NAS
- Save to NAS
- Remove
- Create/Update

Fields:

- Job label
- Job type
- Cron fields
- Additional options

From the range: 53. Backup complete

53.1 Scope/Volume/User

Controls what is backed up.

53.2 Target mode

- NAS
- PC

- USB
- second NAS profile

53.3 Backup buttons

- Docker+Scripts
- User Data
- All Data

53.4 Restore

Fields:

- source mode
- source archive
- target path

Buttons:

- file picker
- restore start

53.5 Scheduled Backup

Complete job management with cron logic.

From the area: 61. Practical instructions: Backup and restore with verification

61.1 Create a full backup

1. Open backup tab. 2. Filter Scope/Volume/User. 3. Set target mode (NAS/PC/USB/second NAS). 4. Choose the appropriate backup button. 5. Check run. 6. Document archive path.

61.2 Perform a restore

1. Set source mode. 2. Select Source Archive. 3. Set target path. 4. Click 'Start Restore'. 5. Result check:

- do files exist?
- Are rights correct?
- are services running again?

61.3 Follow-up inspection

- Health Refresh
- Test the affected app/container
- optional snapshot for a new stable stand

From the area: 67. Detailed catalog backup-restore fields

67.1 Source Mode

Defines from which context the archive source comes:

- NAS file system
- local file system
- USB medium

67.2 Source Archives

Path to the specific backup file (e.g. tar.gz). Must be accessible for the selected source mode.

67.3 Target Path

Restore target on NAS.

Important:

- Rights available?
- enough space?
- Target empty/overwritable?

From the area: 76. Full workflow D: Backup strategy for multiple targets

The goal is to not just have a backup, but a usable recovery concept.

Strategy:

1. Primary target NAS internal (fast). 2. Secondary objective second NAS (risk separation). 3. Optional USB/offline for emergencies.

Implementation in the app:

1. Complete settings with second NAS. 2. Backup tab Select target mode for each run. 3. Set daily/weekly jobs in the scheduler. 4. Monthly restore test on test path.

Rule for real security:

A backup is only considered reliable once a restore has been tested successfully.

18. Info dialog complete

From the area: 54. Info dialog complete

Document buttons:

- README
- manual
- CHANGELOG

Other elements:

- YouTube
- Support link
- Email contact
- About text

19. Overall operations, checklists, troubleshooting

From the range: 19. Complete operation order (recommended)

1. Settings complete. 2. Check connection. 3. Dashboard + Health. 4. Building Docker services. 5. Test scripts, then scheduler. 6. Set backup targets. 7. Restore test in test path. 8. Deploy Watcher and Daily.

From area: 20. Bug fixes by area

20.1 Connection

- SSH badge red: Check IP/Port/User/Auth.
- Key active, but password in the field: standardize auth path.

20.2 Docker

- List empty despite expected container: `List` first.
- Start fails: Check Inspect + Logs + Runtime in Health.

20.3 Backup/Restore

- Target profile missing: Check settings second profile.
- Restore without effect: Check archive path/mode/destination path.

20.4 Watcher/Daily

- Deploy ok, but no messages: check channel credentials and triggers.
- Too many messages: Adjust thresholds/checkboxes.

20.5 ACL/Explorer

- Unexpected rights effects: first read Stat/UGACL, then specifically change it.
- Deletion error: Check focus tree and path.

From the area: 55. Checklists (operational)

55.1 Before critical change

1. Health Refresh 2. Snapshot/Backup 3. Individual change 4. Check logs/status 5. if necessary next change

55.2 Before Docker update

1. Current list 2. Check selection 3. Logs baseline 4. Update 5. Functional test

55.3 Before Restore

1. Check archive 2. Check target path 3. Save previous state 4. Restore 5. Check integrity

From the range: 56. Large error patterns and clean response

56.1 "Everything seems broken"

Don't click everywhere. Sequence:

1. SSH 2. Health Refresh 3. Core Services 4. Storage 5. Docker Runtime

56.2 "Just one service broken"

1. Open the affected tab 2. Update list/status 3. Logs/Inspect 4. targeted correction

56.3 "Notifications are not coming"

1. Settings Credentials 2. Channel selection 3. Test buttons 4. NAS network

From the area: 58. Practical instructions: First commissioning without gaps

These instructions will take you from the first start to the stable basic configuration without skipping any areas.

1. Start the app and select the theme/language so that you can immediately see the interface in your work context. 2. Open Settings and enter the connection data to the UGREEN NAS. 3. Test the SSH connection so that it is clear that the base is up and running. 4. Set a screenshot directory so that you can create documentation immediately if necessary. 5. Enter Telegram and/or SMTP and check with test. 6. Enter a second NAS profile if you want to use NAS-to-NAS transfers or second destinations for backups. 7. Save and then refresh the relevant tabs immediately afterwards. 8. Open the Health tab and run "Refresh" completely. 9. Check dashboard: load, volumes, docker, fan status. 10. Open the Scripts tab and make a backup of an existing script base.

If these ten points have been completed properly, the app is usually ready for everyday use and maintenance.

From the area: 68. Safety rules for productive operation

1. Always take a health snapshot before major changes. 2. Always backup/snapshot before delete/restore actions. 3. Never touch multiple critical areas at the same time (e.g. Docker + ACL + Storage in one step). 4. Make changes sequentially and verifiably. 5. If you are unsure, test in a smaller scope first.

These rules reduce downtime and make sources of errors traceable.

From the range: 69. Complete troubleshooting matrix

69.1 SSH does not connect

Symptom:

- No data in Dashboard/Health.

Test:

- Host/port correct?
- Network accessible?
- User/pass correct?
- SSH active on NAS?

69.2 Docker shows nothing

Symptom:

- Empty list or error text.

Test:

- Docker service running?
- User has necessary rights?
- Host communication stable?

69.3 Backup to second NAS missing

Symptom:

- No profile in selection.

Test:

- Settings saved for second NAS?
- Fields complete?
- Backup sources updated?

69.4 Telegram does not report

Symptom:

- No message during test.

Test:

- Token/Chat ID
- Network outbound
- Channel selection in Watcher/Daily

69.5 Fan profile reacts unexpectedly

Symptom:

- RPM does not jump as expected.

Test:

- selected mode correct?
- Pressed apply?
- UGOS return executed if conflict?

From the range: 70. Maintenance plan for stable long-term use

Daily:

- Dashboard quick check
- Read alerts

Weekly:

- Health full refresh
- Check Docker/Storage abnormalities

Monthly:

- Backup-restore test in a small scope
- Review cron jobs and script versions
- Test notification channels

Quarterly:

- Clean up rights/ACL concept
- Update snapshot/backup strategy
- Compare documentation with current status

From the area: 71. Glossary in operational language

- **UGOS**: UGREEN NAS operating system.
- **Watcher**: Running test process with alarm output.
- **Daily Report**: Daily summary.
- **Cron**: Scheduled job execution.
- **SMART**: Drive diagnostics.
- **mdcheck**: RAID checking mechanism.
- **NUT**: UPS management service.
- **SMB/NFS**: File sharing protocols.
- **Inspect**: Detailed container configuration.
- **Snapshot**: Snapshot of the file system state.

From the area: 73. Full workflow A: Completely set up the new NAS

This workflow describes a complete initial commissioning including monitoring and backup.

Phase 1 - Connection:

1. Fill out the settings (SSH, User, Auth, Sudo). 2. Test connection. 3. Save.

Phase 2 - Visibility:

1. Load dashboard. 2. Health Refresh. 3. Check model display.

Phase 3 - Notification:

1. Set up Telegram (token/chat ID). 2. Set up SMTP (optional additionally). 3. Send test from Health.

Phase 4 - Operational Functions:

1. Save scripts. 2. Create scheduler test job. 3. Check Docker list. 4. Capture storage/ACL snapshot.

Phase 5 - Data Backup:

1. Set backup destination. 2. Start initial backup. 3. Check restore in small scope.

Phase 6 - continuous operation:

1. Deploy Watcher. 2. Enable Daily Report. 3. Apply maintenance plan according to Chapter 70.

From the area: 74. Full workflow B: Resolve disruptions in production in a structured manner

Example: Services react with a delay, load increases, users report failures.

Step 1 - Situation picture:

- Read dashboard (CPU, RAM, network, volumes).
- Health Refresh.

Step 2 - Limitation:

- Check Docker Runtime status.
- Check core services.
- Check RAID/SMART.

Step 3 - Verification:

- For Docker problems: Logs + Inspect.
- For storage problems: Top20 + Volumes + Shares.
- For script problems: last cron jobs, test run manually.

Step 4 - Correction:

- Just one change at a time.
- Check the direct effect after each change.

Step 5 - Hedging:

- Snapshot/backup after stabilization.
- Document the cause briefly (internally or in the changelog).

This process prevents activism and reduces secondary errors.

From the range: 75. Full workflow C: Planned maintenance without surprise failures

Preparation:

1. Define maintenance windows. 2. Capture affected services/containers. 3. Create backup/snapshot.

Implementation:

1. Selectively update Docker. 2. Check scripts/cron jobs. 3. Rights adjustments only targeted. 4. Update health after every big step.

Acceptance:

1. Core function test (user view). 2. Telegram/email test message. 3. Check performance baseline.

Rework:

1. note open points. 2. naechstes Wartungsfenster vorbereiten.

20. Graduation

From the area: 21. End

This manual is intended as a complete operating basis for the current app. If you use the sequences described and work with the respective safety rules for each area, you can use the app productively in a stable and controlled manner.

From the range: 38. End note

This reference is intentionally complete and formulated specifically for each area. If you use it as a workflow, the app can be operated in a stable and reproducible manner.

From the area: 57. Graduation

This manual maps the current UI and functional logic and describes the app as a complete operational workflow. Use it as a reference when working, not just in case of errors. This means that operation and

changes remain comprehensible and stable.

From the area: 72. Conclusion

The app is designed as an operations center: configure, check, change, verify. This manual is therefore not short, but written as a complete working reference. If you consistently apply the processes described, you will get reproducible results, fewer failures and significantly faster troubleshooting.
