

DJANGO

ILLUSTRATIVE SAMPLE • Upstream reference: django/django

A teaching overlay, not upstream Django policy or a claim of tested behavior.

PURPOSE Database-backed web applications using models, URLs, views and templates. [D1]

BOUNDARY The sample governs no upstream project. Deployment, business rules and production proof remain outside this illustration.

FOUR SQUARES

01 SPEC / spec-vN Owns binding intent, scope and contracts. Gate: stable clauses + scoped acceptance criteria.	02 CODE / code-vN Owns framework code and its executable checks. Gate: the declared deliverable passes its checks.
03 DOCS / docs-vN Owns developer guidance aligned with code. Gate: usable, aligned and independently checked.	04 MEMORY / memory-vN Owns recall, decisions, examples and evidence links. Gate: understandable; no new law outside SPEC.

SPEC + MEMORY are fixed; the two middle lanes are project-defined. Branch suffix vN follows the project, not the FSL template version.

BINDING CONTRACT

MUST / **MUST NOT** = binding • **SHOULD** / **SHOULD NOT** = guidance • **MAY** = permission

STABLE CLAUSE ID	REQUIREMENT / PROMISE	VERIFICATION
LAW-DJANGO-001	Public behavior MUST have scoped code evidence and aligned guidance.	Code test + relevant guidance
GUARD-DJANGO-002	DOCS MUST NOT describe behavior unsupported by accepted CODE.	Documentation review
CONTRACT-DJANGO-004	Release evidence MUST separate tested behavior from illustration and state scope.	Scoped release review

SPEC governs. Binding requirements **MUST NOT** be silently weakened; missing evidence is **NOT YET PROVEN**.

DEV STRATEGY / INITIAL ITERATION

I-001: one request → URL → view → one stored record → HTML response → prove → grow.

Parallel E2E / E2M / M2E **MAY** be used. M = named midpoint contract. Partial or component proof is not E2E. No full iteration plan is required.

TECHNOLOGIES, LIBRARIES & REFERENCES

ITEM	INTENT / USE	SOURCE
Django facilities	SHOULD REUSE for the initial slice	[D1] Overview
Django test tools	SHOULD REUSE for scoped checks	[D2] Testing
Django shortcuts	MAY REUSE for view responses	[D3] Shortcuts

Only essential choices belong here. A category or link alone creates no obligation; a binding choice needs a SPEC clause ID.

RELEASE CHECK / ONE VERSION, FOUR SQUARES, ALL GREEN

[] SPEC stable [] CODE verified [] DOCS usable and aligned [] MEMORY understandable

Status: **NOT YET PROVEN** | Evidence / exact four-commit snapshot: not supplied; example only.

main1 = this repository's first commit, fixed. Four lane branches vN → matching lanes vN+1. main = accepted integration after gates.

DJANGO

ILLUSTRATIVE SAMPLE • Upstream reference: [django/django](#)

DJANGO / SCOPED ILLUSTRATION

Sample edition v1.5. Reference baseline: Django 5.2 documentation, not an asserted upstream release or executed test environment.

ONE SMALL PATH; A CLEAR CLAIM

Illustrative intent: expose one stored article through one URL and return its title in an HTML response. Django's overview demonstrates URL routing, views, model access and template rendering. [D1]

TOUCHPOINTS	TINY BEHAVIOR	PLANNED CHECK
URL + view	Route the request to the article view.	Correct view and arguments [D1]
Model + database	Read one known article record.	Expected stored title [D1]
Template + response	Render the title into the returned HTML.	Expected response content [D1, D3]

This is an example design, not execution evidence. The chosen claim ends at the HTML response. Browser rendering, JavaScript, hosting and production integration remain unproven.

MIDPOINT & PARALLEL WORK

M = the view's response contract: known request, expected status and article title. The request-to-view side and the view-to-HTML side **MAY** develop separately. Neither side alone proves their integrated path.

An unrelated second E2E path **MAY** proceed in parallel. Keep its proof separate; passing one path does not establish another. No later-iteration schedule is prescribed here.

REFERENCE INTENT

Django facilities [D1]	REUSE for models, URL handling, views and templates in this example. This does not import an upstream governance policy.
Testing [D2]	REFERENCE the documented test runner and database-aware tests when writing checks. A planned test is not a passed test.
Shortcuts [D3]	REFERENCE the documented response helpers; using a helper does not establish browser or deployment proof.

PROOF RECORD / CURRENT STATE

Claim: one stored article is returned in HTML. Scope: the illustrative request-to-response path. Environment: not executed. Evidence: no runtime test supplied. Result: **NOT YET PROVEN**.

Release snapshot: none. No SPEC / CODE / DOCS / MEMORY commits or upstream release status are asserted. The sample's own page-layout checks are separate from product conformance.

CANONICAL SOURCES

- [D1] [Django 5.2 overview](#) · docs.djangoproject.com/en/5.2/intro/overview/
[D2] [Django 5.2 testing](#) · docs.djangoproject.com/en/5.2/topics/testing/overview/
[D3] [Django 5.2 shortcuts](#) · docs.djangoproject.com/en/5.2/topics/http/shortcuts/

Source baseline consulted 8 September 2026. The proposed workflow and all binding sample clauses are FSL-authored illustration, not Django's own policy.