



CONTENTS

• SPOT LIGHTS -----	P1 – P7
• MODULE -----	P7
• GIMBAL DOWNLIGHT -----	P8
• ZOOM LIGHT -----	P9
• PANEL -----	P10
• TRACK LIGHT -----	P11 - 12
• SURFACE COB -----	P13 - 14
• HANGING LIGHT-----	P15
• 2 X2 PANEL -----	P16
• LASER / LINEA -----	P17
• WEATHER PROOF / LED STRIP -----	P18
• UP & DOWN LIGHTS -----	P19
• SPIKE/BULKHEAD -----	P20
• BOLLARD -----	P21
• STREET LIGHT -----	P22
• FLOOD LIGHT -----	P23
• HIGHBAY LIGHTS-----	P24
• POST TOP LIGHTS -----	P25 - P27
• DRIVERS & LUMINARIES -----	P28










DELTA SPOT LIGHT

SPECIFICATIONS

LED	PHILIPS / CREE / BRIDGELUX
DRIVER	FULHAM / PHILIPS / OSRAM
COLOUR TEMP	3000 / 4000 / 6500 K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
REFLECTOR	SHINLAND
MATERIAL	ALUMINUM DIE CASTING

MODEL	CHD 8	CHD 12	CHD 18
WATTAGE	7W	12W	18W
SIZE (OD X H)	69 X 70 mm	83 X 80 mm	100 x 95mm
CUT OUT SIZE	65 mm	75 mm	90 mm



BODY COVER COLOUR

WHITE / SILVER / GOLDEN / ROSE GOLD / CHROME / SHINING BLACK ETC.

BODY COLOUR

WHITE / BLACK

HEATSINK COLOUR

GREY

TRI COLOUR WITH REMOTE & DIMMING AVAILABLE IN ALL TYPES OF DOWN LIGHT








DEEP CONE SPOT LIGHT

SPECIFICATIONS

LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM
COLOUR TEMP	3000 / 4000 / 6500 K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
REFLECTOR	SHINLAND
MATERIAL	ALUMINUM DIE CASTING

Model	CHC7	CHC12	CHC18
Wattage	6 Watts	12 Watts	18 Watts
Size (OD X H)	40 X 55 mm	59 X 82 mm	74 X 93 mm
Cut Out Size	35 mm	55 mm	70 mm



BODY COVER COLOR

White/Black/Grey/Electroplating Rose Gold/
White Gold/White Grey

HEATSINK COLOUR

Black Oxide/Painting gray


TRI COLOUR WITH REMOTE & DIMMING AVAILABLE IN ALL TYPES OF DOWN LIGHT



EXTRA DEEP CONE




WATTAGE	12W
SIZE (OD X H)	90 X 95 mm
CUT OUT SIZE	75 mm
REFLECTOR	SHINLAND
LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
COLOUR TEMP	3000 / 4000 / 6500 K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
BODY COLOUR	WHITE / BLACK
HEATSINK COLOUR	GREY / BLACK
MATERIAL	ALUMINUM DIE CASTING



CUBE SPOT LIGHT




WATTAGE	12W
SIZE (OD X H)	80 X 85 mm
CUT OUT SIZE	75 mm
REFLECTOR	SHINLAND
LED MAKE	PHILIPS / CREE / BRIDGELUX
DRIVER MAKE	PHILIPS / FULHAM / OSRAM
COLOUR TEMP	3000 / 4000 / 6500 K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
BODY COLOUR	WHITE / BLACK
HEATSINK COLOUR	GREY / BLACK
MATERIAL	ALUMINUM DIE CASTING



TRI COLOUR WITH REMOTE & DIMMING AVAILABLE IN ALL TYPES OF DOWN LIGHT




CURVE SPOT LIGHT



WATTAGE	7W / 12W / 18W
LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
COLOUR TEMP	3000 / 4000 / 6500 K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
BODY COLOUR	WHITE / BLACK
HEATSINK COLOUR	GREY / BLACK
MATERIAL	ALUMINUM DIE CASTING
REFLECTOR	SHINLAND

VALUE SPOT LIGHT





WATTAGE	7W / 12W / 18W
LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
COLOUR TEMP	3000 / 4000 / 6500 K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
BODY COLOUR	WHITE / BLACK
HEATSINK COLOUR	GREY / BLACK
MATERIAL	ALUMINUM DIE CASTING
REFLECTOR	SHINLAND

TRI COLOUR WITH REMOTE & DIMMING AVAILABLE IN ALL TYPES OF DOWN LIGHT





FB CURVE SPOT LIGHT



WATTAGE	7W / 12W / 18W
LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM
COLOUR TEMP	3000 / 4000 / 6500 K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
BODY COLOUR	WHITE / BLACK
HEATSINK COLOUR	GREY / BLACK
MATERIAL	ALUMINUM DIE CASTING
REFLECTOR	SHINLAND

7W	12W	18W
75mm	85mm	95mm
57mm	65mm	82mm
65mm	75mm	85mm


FB VALUE SPOT LIGHT




WATTAGE	7W / 12W / 18W
LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM
COLOUR TEMP	3000 / 4000 / 6500 K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
BODY COLOUR	WHITE / BLACK
HEATSINK COLOUR	GREY / BLACK
MATERIAL	ALUMINUM DIE CASTING
REFLECTOR	SHINLAND

7W	12W	18W
75mm	85mm	95mm
65mm	74mm	93mm
65mm	75mm	85mm

FB MOVEABLE LIGHT



WATTAGE	7W / 12W / 18W
LED	PHILIPS / CREE / BRIDGELUX
DRIVER MAKE	PHILIPS / FULHAM
COLOUR TEMP	3000 / 4000 / 6500 K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
BODY COLOUR	WHITE / BLACK
HEATSINK COLOUR	GREY / BLACK
MATERIAL	ALUMINUM DIE CASTING
REFLECTOR	SHINLAND





MOVEABLE DOWN LIGHT



ROUND MOVEABLE DOWN LIGHT

MODEL NO	MO3	MO8	MO12	MO18	MO25	MO35	MO40
WATTAGE	3-4W	6-8W	10-12W	15-18W	20-25W	30-35W	40-50W
DIAMETER	70mm	58mm	102mm	125mm	148mm	148mm	170mm
HEIGHT	40mm	102mm	70mm	70mm	85mm	85mm	85mm
CUTOUT	62mm	86mm	86mm	110mm	132mm	132mm	154mm

SQUARE MOVEABLE DOWN LIGHT

MODEL NO	MO3	MO8	MO12	MO18	MO25	MO35	MO40
WATTAGE	3-4W	6-8W	10-12W	15-18W	20-25W	30-35W	40-50W
W X L	62mm	102mm	102mm	125mm	148mm	148mm	170mm
HEIGHT	40mm	58mm	70mm	70mm	85mm	85mm	85mm
CUTOUT	55mm	86mm	86mm	110mm	132mm	132mm	54mm

LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
REFLECTOR	DARKOO
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
MATERIAL	ALUMINUM DIE CASTING

FIXED COB DOWN LIGHT



MODEL NO	F1515	F1520	F1525	F1530	F1540	F1550
WATTAGE	15W	20W	25W	30W	40W	50W
DIAMETER	120mm	138mm	165mm	165mm	195mm	185mm
HEIGHT	90mm	95mm	115mm	115mm	120mm	120mm
CUTOUT	95mm	105mm	145mm	145mm	175mm	175mm

LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
REFLECTOR	DARKOO
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
MATERIAL	ALUMINUM DIE CASTING

TRI COLOUR WITH REMOTE & DIMMING AVAILABLE IN ALL TYPES OF DOWN LIGHT

DOWN LIGHTS



MODEL NO	LE111 - RTD
WATTAGE	11W
LED	PHILIPS LED DISK
CUTOUT	135mm
DIAMETER	160mm
HEIGHT	115mm
MATERIAL	ALUMINIUM
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN	800/850/900LM



MODEL NO	LE111 - SS
WATTAGE	11W
LED	PHILIPS LED DISK
CUTOUT	135mm
DIAMETER	160mm
HEIGHT	115mm
MATERIAL	ALUMINIUM
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN	800/850/900LM



MODEL NO	LE222 - SQ-SS
WATTAGE	11W
LED	PHILIPS LED DISK
CUT OUT	135MM
DIAMETER	160MM
HEIGHT	115MM
MATERIAL	ALUMINIUM
COLOUR TEMP	2700K/ 4000K / 6500K
LUMEN	800/850/900LM



MODEL NO	LE008 - CD-MR
WATTAGE	7W
LED SOURCE	PHILIPS JUIPTER
CUTOUT	98mm
DIAMETER	103mm
HEIGHT	115mm
MATERIAL	ALUMINIUM
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN	800/850/900LM




MODEL NO	FB 25 / 36
WATTAGE	25W / 36W
BODY TYPE	MOVEABLE / FIXED
LED	CREE / LUMILEDS / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
CUTOUT	110mm
DIAMETER	125mm
HEIGHT	100mm
MATERIAL	ALUMINIUM
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN	2500LM / 3600LM




MODEL NO	DLM FS
WATTAGE	14W
BODY TYPE	FIXED
LED SOURCE	PHILIPS
DRIVER	PHILIPS
DIAMETER	114mm
MATERIAL	ALUMINIUM
COLOUR TEMP	5000K
LUMEN	1000LM

MODULES



MODEL NO	HM 1 / HM 2
WATTAGE	4W - 6W / 12W - 15W
LED	CREE / LUMILEDS / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
DIAMETER	50 X 65 mm H / 50 X 85mm H
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN	130LM / W



MODEL NO	HM 3 / HM 4
WATTAGE	8W - 10W / 12W
LED	CREE / LUMILEDS / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
DIAMETER	50 X 70 mm H / 50 X 75mm H
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN	130LM / W



GIMBAL DOWN LIGHT




MODEL NO	GB25	GB30
WATTAGE	25W	30W
HEIGHT	96mm	96mm
CUTOUT	156X156mm	156X156mm

LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
REFLECTOR	DARKOO
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°

MODEL NO	GB50	GB60
WATTAGE	25 X 25W	30 X 30W
HEIGHT	98mm	98mm
CUTOUT	156X309mm	156X309mm

LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
REFLECTOR	DARKOO
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
BODY COLOUR	WHITE / BLACK



MODEL NO	GBP25	GBP36
WATTAGE	25W	36W
CUTOUT	117X117	117X117mm

LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
REFLECTOR	DARKOO
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
BODY COLOUR	WHITE / BLACK

MODEL NO	GBP50	GBP72
WATTAGE	25X25W	36X 36W
CUTOUT	117X238mm	117X238mm

LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
REFLECTOR	DARKOO
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
BODY COLOUR	WHITE / BLACK



ZOOM LIGHT



MODEL NO

WATTAGE

DIAMETER

HEIGHT

LED

DRIVER

REFLECTOR

COLOUR TEMP

LED BEAM ANGLE

INPUT VOLTAGE

POWER FACTOR

DRIVER EFFICIENCY

LUMEN EFFICIENCY

CRI

INGRESS PROTECTION

CHZ18

18W

113mm

90mm

CHZ25

25W

135mm

100mm

CHZ30

30W

135mm

100mm

CHZ40

40W

165mm

120mm

CHZ50

50W

165mm

120mm

PHILIPS / CREE / BRIDGELUX

PHILIPS / FULHAM / OSRAM

DARKOO & SHINLAND

3000K / 4000K / 6500K

24° / 36° / 60°

220 - 240

>0.95

>0.85

130 LM / W

>80


IP20



TRI COLOUR WITH REMOTE & DIMMING AVAILABLE IN ALL TYPES OF DOWN LIGHT



SQUARE PANEL LIGHTS



MODEL NO
WATTAGE
DIAMETER
CUTOUT

SQ8	SQ12	SQ18	SQ24
8W	12W	18W	24W
120mm	145mm	170mm	195mm
100X100mm	125X125mm	150X150mm	175X175mm

LED
DRIVER
COLOUR TEMP
LUMEN EFFICIENCY
MATERIAL
BACKLIGHT LED PANEL

PHILIPS / CREE / BRIDGELUX
PHILIPS / FULHAM / OSRAM
3000K / 4000K / 6500K
100 LM / W
ALUMINUM DIE CASTING

ROUND PANEL LIGHTS



MODEL NO
WATTAGE
DIAMETER
CUTOUT

RO8	RO12	RO18	RO24
8W	12W	18W	24W
120mm	145mm	170mm	195mm
100mm	125mm	150mm	175mm

LED
DRIVER
COLOUR
LUMEN EFFICIENCY
MATERIAL
BACKLIGHT LED PANEL

PHILIPS / CREE / BRIDGELUX
PHILIPS / FULHAM / OSRAM
3000K / 4000K / 6500K
100 LM / W
ALUMINUM DIE CASTING

SURFACE PANEL LIGHTS



MODEL NO
WATTAGE
OUTER SIZE
CUTOUT

HSP 4	HSP 8	HSP 12	HSP 15	HSP 22	HSP 30
4W	8W	12W	15W	22W	30W
80 X 80mm	101 X 101mm	143 X 143mm	167 X 167mm	205 X 205mm	300 X 300mm
40mm	40mm	40mm	40mm	40mm	50mm

LED
DRIVER
COLOUR
LUMEN EFFICIENCY
MATERIAL

PHILIPS / CREE / BRIDGELUX
PHILIPS / FULHAM / OSRAM
3000K / 4000K / 6500K
100 LM / W
ALUMINUM DIE CASTING



TRACKLIGHT



MODEL NO	CHT 008 / 009
WATTAGE	24W / 36W
DIAMETER	80MM / 90MM
HEIGHT	125MM / 140MM
BODY COLOUR	WHITE / BLACK
LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
CHANNEL	3 WIRE
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
MATERIAL	ALUMINUM DIE CASTING



MODEL NO	CHT 001
WATTAGE	40W / 50W
DIAMETER	98MM
HEIGHT	140MM
BODY COLOUR	WHITE / BLACK
LED MAKE	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
CHANNEL	3 WIRE
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
MATERIAL	ALUMINUM DIE CASTING



MODEL NO	2120
WATTAGE	15W / 30W
DIAMETER	68MM / 90MM
HEIGHT	140MM / 170MM
BODY COLOUR	WHITE / BLACK
LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
CHANNEL	2 WIRE
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
MATERIAL	ALUMINUM DIE CASTING

TRI COLOUR WITH REMOTE & DIMMING AVAILABLE



MODEL NO	2022
WATTAGE	10W / 20W / 30W
DIAMETER	50MM / 65MM / 75MM
HEIGHT	135MM / 160MM / 185MM
BODY COLOUR	WHITE / BLACK
LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
CHANNEL	2 WIRE
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
MATERIAL	ALUMINUM DIE CASTING



MODEL NO	2010
WATTAGE	10W / 20W / 30W / 40W
DIAMETER	68MM / 90MM
HEIGHT	140MM / 170MM
BODY COLOUR	WHITE / BLACK
LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
CHANNEL	2 WIRE
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
MATERIAL	ALUMINUM DIE CASTING



MODEL NO	1324
WATTAGE	10W / 20W / 30W
DIAMETER	63MM / 90MM / 95MM
HEIGHT	106MM / 120MM / 135MM
BODY COLOUR	WHITE / BLACK
LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
CHANNEL	2 WIRE
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
MATERIAL	ALUMINUM DIE CASTING



MODEL NO	FB TRACK
WATTAGE	25W / 35W
HEIGHT	140MM / 170MM
BODY COLOUR	WHITE / BLACK
LED	PHILIPS / CREE / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W
LED BEAM ANGLE	24° / 36° / 60°
MATERIAL	ALUMINUM DIE CASTING



SURFACE (SQUARE) COB



Black



Gold



Copper



Silver



White

MODEL NO

WATTAGE

DIAMETER

HEIGHT

LED

DRIVER

COLOUR TEMP

LUMEN EFFICIENCY

LED BEAM ANGLE

BODY COLOUR

LUMINARIES MATERIAL

SQ10	SQ12	SQ15	SQ18	SQ20	SQ25
10W	12W	15W	18W	20W	25W
74mm	90mm	76mm	96mm	96mm	116mm
95mm	110mm	150mm	150mm	150mm	150mm

PHILIPS / CREE / BRIDGELUX

PHILIPS / FULHAM / OSRAM

3000K / 4000K / 6500K

130 LM / W

24° / 36° / 60°

WHITE / BLACK

ALUMINUM

SURFACE (ROUND) COB



MODEL NO

WATTAGE

DIAMETER

HEIGHT

LED

DRIVER

COLOUR TEMP

LUMEN EFFICIENCY

LED BEAM ANGLE

RING COLOUR

BODY COLOUR

MATERIAL

SFR7	SFR10	SFR12	SFR15	SFR18
7W	10W	12W	15W	18W
80mm	80mm	80mm	80mm	80mm
110mm	150mm	150mm	180mm	180mm

PHILIPS / CREE / BRIDGELUX

PHILIPS / FULHAM / OSRAM

3000K / 4000K / 6500K

130 LM / W

24° / 36° / 60°

WHITE / BLACK / ROSE GOLD / GOLDEN

WHITE / BLACK

ALUMINUM



SURFACE COB



MODEL NO
WATTAGE
DIAMETER
HEIGHT

SF10	SF12	SF15	SF18	SF25	SF30	SF35
10W	12W	15W	18W	25W	30W	35W
87mm	90mm	90mm	90mm	127mm	127mm	127mm
80mm	110mm	110mm	110mm	137mm	137mm	137mm

LED MAKE
DRIVER MAKE
COLOUR TEMP
LUMEN EFFICIENCY
LED BEAM ANGLE
BODY COLOUR
MATERIAL


PHILIPS / CREE / BRIDGELUX
PHILIPS / FULHAM / OSRAM
3000K / 4000K / 6500 K
130 LM / W
24° / 36° / 60°
WHITE / BLACK
ALUMINUM



LE666

Model No. : **LE666**
Wattage : 11 W
Light Source : Philips Ledisk
CCT : 3000K / 4000K / 5000K
Lumen Output: 900 lm
LED Beam Angle : 85°
Power Factor : > 0.95
IP Rating : IP20

LLM SURFACE



SFLLM21

Model No. : **SFLLM21**
Wattage : 21 W
Light Source : Philips LLM
CCT : 4000K
Lumen Output: 1800 lm
LED Beam Angle : 160°
Power Factor : > 0.95
IP Rating : IP20



HANGING LIGHT



Diameter : 145mm
Height : 295mm
Inner Finish : Gold / Silver

CONE

Model No. : **CONE**
Wattage : 7 W
Light Source : Philips Jupiter
CCT : 2700K / 4000K
Lumen Output: 300 lm
LED Beam Angle : 36°
Power Factor : > 0.95
IP Rating : IP20



Diameter : 145mm
Height : 285mm
Inner Finish : Gold / Silver

PRO

Model No. : **PRO**
Wattage : 11 W
Light Source : Philips Ledis
CCT : 3000K / 4000K / 5000K
Lumen Output: 900 lm
LED Beam Angle : 85°
Power Factor : > 0.95
IP Rating : IP20



Diameter : 165mm
Height : 285mm
Inner Finish : Gold / Silver

RIO

Model No. : **RIO**
Wattage : 11 W
Light Source : Philips Ledis
CCT : 3000K / 4000K / 5000K
Lumen Output: 900 lm
LED Beam Angle : 85°
Power Factor : > 0.95
IP Rating : IP20



HANGING LIGHT





LED PANEL



MODEL NO	001
WATTAGE	36W / 40W
LED	BRIDGELUX
DRIVER	PHILIPS / FULHAM
LUMENS	3200 Lm / 3400 Lm
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 20
SIZE	2 X 2



MODEL NO	002
WATTAGE	32W / 40W
LED	PHILIPS
DRIVER	PHILIPS
LUMENS	2300 Lm / 3400 Lm
COLOUR TEMP	4000K / 6500K
IP RATING	IP 20
SIZE	2 X 2



MODEL NO	003
WATTAGE	40W
LED	BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
LUMENS	3400 Lm
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 20
HEIGHT	70mm
SIZE	2 X 2



MODEL NO	004
WATTAGE	36W / 45W
LED	BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
LUMENS	3400 Lm
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 20
HEIGHT	70mm
SIZE	1 X 4



LASER



MODEL NO	LZ 01
WATTAGE	2W
LED	BRIDGELUX / PHILIPS / CREE
DRIVER	PHILIPS / FULHAM
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 23
SIZE	OUTER TRIM 45 X 45mm
CUTOUT	37 X 37mm



MODEL NO	LZ 02
WATTAGE	4W
LED	BRIDGELUX / PHILIPS / CREE
DRIVER	PHILIPS / FULHAM
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 23
SIZE	OUTER TRIM 75 X 45mm
CUTOUT	68 X 37mm



MODEL NO	LZ 05
WATTAGE	10W
LED	BRIDGELUX / PHILIPS / CREE
DRIVER	PHILIPS / FULHAM
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 23
SIZE	OUTER TRIM 147 X 45mm
CUTOUT	140 X 37mm

LINEA



MODEL NO	HL 5275
INSTALLATION	RECESSED / ARMSTRONG CELLING
WATTAGE	36W / 50W / 60W
DIMENSIONS	1195X145.0X81mm HT
DIFFUSER	PMMA
LED	BRIDGELUX
DRIVER	PHILIPS / FULHAM
LUMENS	CC100 Lm/W, CV80 Lm/W
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 20
MATERIAL	ALUMINUM
WEIGHT	3.2 KG
RANGE	2FT / 4FT / 8FT



MODEL NO	HL 5035 (50mm)
INSTALLATION	SUSPENDED / SURFACE MOUNTED
WATTAGE	30W / 40W / 50W
DIMENSIONS	1180X50.0X80mm HT
DIFFUSER	PMMA
LED	BRIDGELUX
DRIVER	PHILIPS / FULHAM
LUMENS	CC100 Lm/W, CV80 Lm/W
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 20
MATERIAL	ALUMINUM
WEIGHT	2.8 KG
RANGE	2FT / 4FT / 8FT



MODEL NO	HL 7070 (70mm)
INSTALLATION	SUSPENDED / SURFACE MOUNTED
WATTAGE	30W / 40W / 50W
DIMENSIONS	1180X50.0X80mm HT
DIFFUSER	PMMA
LED	BRIDGELUX
DRIVER	PHILIPS / FULHAM
LUMENS	CC100 Lm/W, CV80 Lm/W
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 20
MATERIAL	ALUMINUM
WEIGHT	2.8 KG
RANGE	2FT / 4FT / 8FT





WEATHER PROOF



MODEL NO	DS2 / DS4 - T5 / T8
WATTAGE	12 - 18W / 24-36W
LED	OSRAM / BRIDGELUX
LED TYPE	LED MODULE / T8
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	POLYCARBONATE MOULDED
COLOUR TEMP	3000K / 4000K / 6500K
DS2 DIMENSIONS	L X W X H 590X65X71
DS4 DIMENSIONS	L X W X H 1190X65X71
DIMENSIONS	1195X145.0X81mm HT

MODEL NO	FL06 T5/T8
WATTAGE	12 - 18W / 24-36W
LED	OSRAM / BRIDGELUX
LED TYPE	LED MODULE / T8
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	POLYCARBONATE MOULDED
COLOUR TEMP	3000K / 4000K / 6500K
DS2 DIMENSIONS	L X W X H 590X65X71
DS4 DIMENSIONS	L X W X H 1190X65X71
DIMENSIONS	1195X145.0X81mm HT

Model	L(mm)	W(mm)	H1(mm)	A(mm)	H2(mm)		
FL06D-06S	680	66.5	63	410±10	67		
FL06D-12S	1285	66.5	63	1015±10	67		
FL06D-15S	1585	66.5	63	1315±10	67		
FL06D-06	680	112.5	63	410±10	67		
FL06D-12	1285	112.5	63	1015±10	67		
FL06D-15	1585	112.5	63	1315±10	67		

LED STRIPS



MODEL NO	HS 01
WATTAGE	5 - 30W
COLOUR TEMP	2700K / 4000K / 6500K / RGB
LED TYPE	3030 / 5050
IP RATING	IP33 , IP65 , IP67
IR REMOTE CONTROLLABLE	
DIMMING / NON DIMMING	
INPUT 12V DC/24V DC	

LED STRIPS





UP / DOWN



Diameter : 62mm
Width : 95mm
Length : 210mm
Outer Finish : Black / SS

UP7

Model No. : **UP7**
Wattage : 7 W
Light Source : Philips Jupiter
CCT : 2700K / 4000K
Lumen Output: 300 lm
LED Beam Angle : 36°
Power Factor : > 0.95
IP Rating : IP20



Diameter : 88mm
Width : 130mm
Length : 95mm
Outer Finish : Black / SS

UP11

Model No. : **UP11**
Wattage : 11 W
Light Source : Philips Ledis
CCT : 3000K / 4000K / 5000K
Lumen Output: 900 lm
LED Beam Angle : 85°
Power Factor : > 0.95
IP Rating : IP20



Diameter : 62mm
Width : 95mm
Length : 210mm
Outer Finish : Black / SS

UP DOWN 14

Model No. : **UP DOWN 14**
Wattage : 14 W
Light Source : Philips Jupiter
CCT : 2700K / 4000K
Lumen Output: 600 lm
LED Beam Angle : 36°
Power Factor : > 0.95
IP Rating : IP20



Diameter : 88mm
Width : 130mm
Length : 95mm
Outer Finish : Black / SS

UP DOWN 22

Model No. : **UP DOWN 22**
Wattage : 22 W
Input Voltage : 180V to 300V, 50Hz
Light Source : Philips Ledis
CCT : 3000K / 4000K / 5000K
Lumen Output: 1800 lm
Beam Angle : 85°
Power Factor : > 0.95
IP Rating : IP20





SPIKE GARDEN LIGHTS



MODEL NO	SP8 / 15
WATTAGE	8W - 15W
LED	PHILIPS / OSRAM / BRIDGELUX
DRIVER	PHILIPS / FULHAM / OSRAM
REFLECTOR / LENS	
BEAM ANGLE	24° / 36°
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65



MODEL NO	LAWN LITE
WATTAGE	7W
LIGHT SOURCE	PHILIPS JUPITER LED
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65



MODEL NO	SPOT
WATTAGE	7W
LIGHT SOURCE	PHILIPS JUPITER LED
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65



BULKHEAD LIGHT



MODEL	BK 5
WATTAGE	5W
LED	BRIDGELUX
DRIVER	PHILIPS
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W




MODEL	BK 10
WATTAGE	10W
LED	BRIDGELUX
DRIVER	PHILIPS
COLOUR TEMP	3000K / 4000K / 6500K
LUMEN EFFICIENCY	130 LM / W




BOLLARDS



TENCLIENT



TRIANGULAR



COBRA



TOWER




LASER



RECTANGLE



MARK II



LASER



FREEDOM

STREET LIGHTS



MODEL NO	BOAT 24
WATTAGE	18W - 24W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65
DRIVER AREA	110X6X35mm
PCB AREA	105X67mm



MODEL NO	BOAT 45
WATTAGE	30W - 45W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65
DRIVER AREA	110X60X35mm
PCB AREA	140X67mm

MODEL NO	FH 150
WATTAGE	120W - 150W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65



MODEL NO	BOAT 60
WATTAGE	50W - 60W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65
DRIVER AREA	100X120X36mm
PCB AREA	195X67mm



MODEL NO	FH 100
WATTAGE	60W - 120W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65



FLOOD LIGHTS



MODEL NO	HFS 50
WATTAGE	30W - 50W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65



MODEL NO	HFS 120
WATTAGE	80W - 120W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65




MODEL NO	HF 60
WATTAGE	40W - 60W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65



MODEL NO	HF 120
WATTAGE	80W - 120W
LED MAKE	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65



MODEL NO	HF 200
WATTAGE	150W - 200W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65



MODEL NO	HF 400
WATTAGE	350W - 400W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65

HIGHBAY



MODEL NO	HH 503
WATTAGE	50W - 75W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65



APPLICATION : STREET, WARE HOUSE, FACTORIES, INDUSTRIES.



MODEL NO	HH 150
WATTAGE	85W - 150W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
LUMINARIES MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65



MODEL NO	HH V204
WATTAGE	200W - 300W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
LUMINARIES MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65



MODEL NO	HH 110 LENS
WATTAGE	80 - 110W
LED	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65

MODEL NO	HH 200 UFO
WATTAGE	150 - 200W
LED MAKE	PHILIPS / OSRAM / BRIDGELUX
LED TYPE	SMD HIGH / MID POWER
DRIVER	PHILIPS / FULHAM / OSRAM
MATERIAL	ALUMINUM DIECASTING
COLOUR TEMP	3000K / 4000K / 6500K
IP RATING	IP 65



POST TOP



MODEL : HL050
WATTAGE 50W / 60W
LED BRIDGELUX
DRIVER PHILIPS / FULHAM / OSRAM
COLOUR 3000K / 4000K / 6500K
LUMEN EFFICIENCY 130 LM / W
IP RATING IP 65
SIZE 560 X 320 X 65MM



MODEL : HL030
WATTAGE 50W / 60W
LED BRIDGELUX
DRIVER PHILIPS / FULHAM / OSRAM
COLOUR TEMP 3000K / 4000K / 6500K
LUMEN EFFICIENCY 130 LM / W
IP RATING IP 65
SIZE 440 X 440MM



MODEL : HL040
WATTAGE 100W / 160W
LED BRIDGELUX
DRIVER PHILIPS / FULHAM / OSRAM
COLOUR TEMP 3000K / 4000K / 6500K
LUMEN EFFICIENCY 130 LM / W
IP RATING IP 65
SIZE 560 X 65MM



MODEL : NEO
WATTAGE 7W
LED SOURCE PHILIPS JUPITER
COLOUR TEMP 2700K / 4000K / 5000K
LUMEN EFFICIENCY 130 LM / W
IP RATING IP 65
SIZE 410 X 350 X 160MM




POST TOP



MODEL : HL040
WATTAGE 90W/ 100W
LED BRIDGELUX
DRIVER PHILIPS / FULHAM / OSRAM
COLOUR TEMP 3000K / 4000K / 6500K
LUMEN EFFICIENCY 130 LM / W
IP RATING IP 65
SIZE 560 X 65 MM



MODEL : HANSPOST
WATTAGE 33W
LIGHT SOURCE PHILIPS MODULE
COLOUR TEMP 3000K / 4000K / 6500K
LUMEN EFFICIENCY 130 LM / W
IP RATING IP 65
SIZE 535 X 745MM



MODEL : HL020
WATTAGE 50W / 60W
LED BRIDGELUX
DRIVER PHILIPS / FULHAM / OSRAM
COLOUR TEMP 3000K / 4000K / 6500K
LUMEN EFFICIENCY 130 LM / W
IP RATING IP 65
SIZE 450 X 450 X 65MM



MODEL : ANTILLA
WATTAGE 110W
LIGHT SOURCE PHILIPS MODULE
DRIVER PHILIPS / FULHAM / OSRAM
COLOUR TEMP 3000K / 4000K / 6500K
LUMEN EFFICIENCY 130 LM / W
IP RATING IP 65
SIZE 450 X 450 X 65MM



POST TOPS




MODEL : HL080
WATTAGE 50W
LED BRIDGELUX
DRIVER PHILIPS / FULHAM / OSRAM
COLOUR TEMP 3000K / 4000K / 6500K
LUMEN EFFICIENCY 130 LM / W
IP RATING IP 65
SIZE 550 X 360 X 300MM



MODEL : VILLA
WATTAGE 11W
LED MAKE PHILIPS LED DISK
COLOUR TEMP 3000K / 4000K / 6500K
LUMEN EFFICIENCY 130 LM / W
IP RATING IP 65
SIZE 370 X 160MM



MODEL : HL011
WATTAGE 150W
LED BRIDGELUX / PHILIPS / OSARAM
DRIVER PHILIPS / OSARAM / FULHAM
COLOUR TEMP 3000K / 4000K / 6500K
LUMEN EFFICIENCY 130 LM / W
IP RATING IP65
SIZE 600 X 300



MODEL : HL090
WATTAGE 100W
LED BRIDGELUX / PHILIPS / OSARAM
DRIVER PHILIPS / OSARAM / FULHAM
COLOUR TEMP 3000K / 4000K / 6500K
LUMEN EFFICIENCY 130 LM / W
IP RATING IP65
SIZE 550 X 360 X 300



LED DRIVERS

PHILIPS
OEM PRODUCTS



FULHAM
THOROLED



OSRAM




LED Drivers Constant Current/Voltage, Dimmable, Analogue, Dali, Phase cut
Also Available LED Core Strip & LED Disk

LUMINARES



Fortimo 11w Led Disk



Fortimo 7w Led Disk



Fortimo 25w/27w/28w DLM



Philips LED Line



Fortimo LLM

ACCESSORIES

Shinland Optics | DARKOO® Optics | CREE
LUMILEDS | KHATOD® Optics Solutions for LED Lighting | bridgelux

