Distant Close Reading: Technical Appendix

This appendix documents every rule, prompt, run and measure behind the Stage 1 proposal, in the order the pipeline runs. It uses the proposal's terms; where the code uses a different name, the code name is given once in quotation marks. Full prompt text, code, extracted claims and measures are in the anonymized repository (https://anonymous.4open.science/r/distant-close-reading-EDA9/).

A1. Corpus Selection

Documents were selected by a fixed rule run against OpenAlex (`select_corpus.py`), written and committed before any reading. A candidate must (1) cite at least one anchor work, (2) be an article in one of six journals, (3) contain an include term in its title or abstract, and (4) contain no exclude term. Candidates are ranked by total citations and the top N selected; anchors are added where specified.

Journals (by ISSN): *Academy of Management Review* (0363-7425), *Academy of Management Journal* (0001-4273), *Administrative Science Quarterly* (0001-8392), *Organization Science* (1047-7039), *Strategic Management Journal* (0143-2095), *Journal of Management Studies* (0022-2380).

Corpus	Anchors (OpenAlex ID)	Include terms	Exclude terms	Citing articles	Pass rule	Selected
Legitimacy	Suchman 1995 (W2162412465); Deephouse & Suchman 2008 (W2496218594); Suddaby, Bitektine & Haack 2017 (W4240547422)	legitimacy	none	511	181	20 + 3 anchors
Transaction cost economics (TCE)	Williamson 1975 (W1973308529), 1981 (W1972698480), 1985 (W1684540946), 1991 (W2109280325)	transaction cost; make-or-buy; make or buy	none	1,136	172	15 + 4 anchors
Manipulation check: corporate governance ("splice")	Jensen & Meckling 1976 (W2752617332)	corporate governance; board(s) of directors	transaction cost	804	140	5

No anchor reached the cap of 1,000 citing articles, so every candidate pool is complete. Anchor IDs were resolved once, checked by hand and then locked. The two Williamson books are indexed in OpenAlex as review records that carry the books' citations; these records were used for the citation lookup, and the books themselves were read.

The manipulation-check set. Its five agency-theory papers use "governance" for how owners and boards control managers; TCE uses the term for how transactions are organized, across markets, hybrids and hierarchies and within them. The set is added to the TCE corpus as a test with a known answer: a literature whose key term is used in two senses should be measured as less coherent. The exclude term keeps papers that also discuss transaction costs out of the set.

Version log.

- *v1 (adopted, frozen 2026-10-21):* the rule above.
- *v2 (considered and rejected the same day, before any reading):* title-only matching, with the Williamson books used for lookup only. It was prompted by the v1 TCE list containing many critics

and rival theories. It was rejected because contestation is not incoherence: critics who characterize a construct the same way are evidence of coherence, and papers that merely invoke a construct show how it is used. The rejection and its reason are recorded in the script.

Out of scope. Granovetter (1985) and other critiques published outside the six journals; adding journals after the rule was fixed would have changed all three corpora.

Document sources. PDFs were obtained through JSTOR, Google Scholar links and ResearchGate (author uploads). Copies from different sources can differ (cover pages, scans, preprint versus published versions), so the extraction manifest stores a hash of each document's extracted text, letting a replicator check whether their copy matches. One article (W2124927217) was replaced with a JSTOR copy with its cover page removed; see A2.

A2. Passage Extraction

Passages were selected by a fixed rule (`extract_passages.py`, PyMuPDF), identical for every document:

1. Extract text block by block; join hyphenated line breaks; drop blocks under 40 words (headers, footers, captions).
2. Drop everything from the first "References" or "Bibliography" heading in the second half of the document.
3. Keep paragraphs that match at least one construct term for the corpus.
4. Rank by number of term matches (ties: earlier first) and keep at most 8 per document, so no document dominates.

Corpus	Construct terms (regular expressions)
Legitimacy	`legitim\w*`
TCE and manipulation-check papers	`transaction[- ]cost`, `asset specificit`, `specific assets?`, `opportunis`, `bounded(ly)? rational`, `governance`, `hierarch`, `make[- ]or[- ]buy`, `vertical(ly)? integrat`, `hybrid`

Manipulation-check papers use the TCE terms because they are read as part of the TCE corpus; "governance" is the term they share with TCE in a different sense.

Books. For the two Williamson books, the rule takes the original preface or introduction plus Chapter 1, cut between two marker phrases recorded in the script and manifest. Later prefaces (paperback and college editions) are excluded. *Markets and Hierarchies* was available only as a scanned-book text file without paragraph breaks, so its passages are whole pages (about 400 words, against 80–160 elsewhere); page markers in the file supply page numbers.

Text checks. Documents with under 2,000 characters are flagged as likely scans. After the main run, one article (Zaheer & Venkatraman, 1995) turned out to be a first-page preview: 4,675 characters, one 107-word passage, effectively the abstract. Its claims scored as unusually coherent, which is how it surfaced. It was replaced with the full article from JSTOR (20 pages, 81,618 characters, cover page removed) and re-extracted (8 passages), and every result that depended on it was rerun (A4). Extraction now also flags PDFs averaging under 1,000 characters per page.

Totals. 368 passages: legitimacy 184 (23 documents), TCE 148 (19), manipulation-check papers 36 (5). Re-extraction after the fix changed no other document's passages.

The repository stores passage IDs, pages, character offsets and SHA-256 hashes (`passage_index.csv`), never passage text. Anyone with the same PDFs regenerates identical text, and the hashes in `manifest_extraction.json` let them check.

A3. Readers, Reworded Readers, Claim Extraction and Editors

All prompts live in `prompts/` and were committed before any reading run. Every reader shares one template; only the method block and output schema differ, so each comparison changes one thing. The construct term is "legitimacy" for the legitimacy corpus and "governance" for TCE and the manipulation-check papers.

Shared reader instructions (summary). You are one of several independent readers using different methods; you do not see the others' work. Read only the passages given, cite passage IDs for every point, and do not use outside knowledge of the document, its authors or the literature. Say where the passages are silent. Readers see a document ID, its year and its passages, never authors or titles.

The three reader personas (method blocks, verbatim).

- *Structural:* "For each claim this document makes about <construct>, ask what must be true for the claim to hold. Reconstruct the argument's architecture: the claims; the premises each claim depends on, whether stated or unstated; how the claims depend on one another; the scope conditions under which they are meant to hold; and any gaps, circularities, or unsupported steps. Do not judge whether the claims are empirically true…"
- *Operational:* "For each claim this document makes about <construct>, ask what one would observe if the claim were true. State the claims as testable propositions; identify the observable indicators each implies; describe the measurement strategy the document uses or implies; state what evidence would falsify each proposition; and note where <construct> cannot be observed or measured as the document states it…"
- *Genealogical:* "Ask how this document's understanding of <construct> came to be what it is. Identify the earlier formulations, authors, or traditions it draws on, revises, opposes, or replaces, as far as the passages show; what it retains from them; what it drops; what term or idea it puts in place of an earlier one; and what tensions inherited from earlier usage remain in it…"

Each persona returns its own JSON object (premises and dependencies; propositions, indicators and falsifiers; lineage and substitutions) plus a reading of at most 150 words.

Reworded readers ("shams" in the code). Two rewordings of the structural method with the same task and output schema: one plain-spoken ("Your job is to look at how the argument is put together…"), one formal and Latinate ("Adopt the posture of an analyst reconstructing argumentative architecture…"). Any divergence between them can come only from wording, so they test whether method, not wording, drives divergence.

Claim extraction (one prompt for every reader). Reduces a reading to 3–7 *characterization* claims (definition, components, mechanism, level of analysis, scope, and what the construct is distinguished from) and one *stance*. Each claim is one standalone declarative sentence of at most 25 words, in plain language, with no hedges and no method vocabulary (premise, proposition, falsify, indicator, lineage, substitution, reading, argument), carrying the passage IDs the reader cited. Stance labels: endorse, extend, modify, contest, reject, invoke; plus the account targeted.

Editors. Both editors receive, for every document, each persona's stance, characterization claims and summary reading. They are told that disagreement in stance is not incoherence in characterization, and they are never told the hypotheses or which papers form the manipulation check. Their roles differ in one paragraph:

- *Synthesizing:* "Build the most coherent account of the literature that the readings support… record a point as contested only when it cannot be reconciled."

- *Adversarial:* “Find where the documents and readers genuinely disagree… Record a characterization as stable only if it survives a serious attempt to find documents or readers that depart from it.”

The output schema is fixed: positions (sets of documents that characterize the construct in materially the same way; number left open), stable and contested characterizations with drivers (substantive, terminological, method, scope, unclear), reader disagreements, stance pattern, and an overall judgment: settled, coherent contestation, incoherent consensus or fragmentation.

A4. Runs

All model calls were made by `run_dcr.py` through the Claude Code command-line interface (`claude -p`) with Claude Sonnet 5.5 (`claude-sonnet-5-5`, passed with `--model`). A test call with the same flag returned a usage report naming that model; the runner logged the requested model for each call but not Claude Code’s per-call usage report, which Stage 2 will record. Each call replaced Claude Code’s system prompt with ours (`--system-prompt`), was limited to one turn, and ran from an empty temporary folder, so the model had no files to read. Claude Code does not expose sampling parameters, so all calls used its defaults; the temperatures configured in `experiment.yaml` (1.0 for readers and editors, 0 for extraction) were not applied. This departure from the frozen configuration is recorded in `prompts/CHANGELOG.md`. Four calls ran in parallel; the runner resumes after interruption and never repeats a completed call.

Stage	Calls	Design
Reading	1,125	47 documents × 3 personas × 5 repetitions, plus 42 legitimacy and TCE documents × 2 reworded readers × 5
Claim extraction	1,125	One per reading
Editing	42	2 editors × 3 conditions (legitimacy, TCE, TCE with the manipulation-check set) × 5 reader repetitions (30), plus 2 editors × 2 conditions × 3 repeats on repetition-1 input (12)

Outcomes. All 2,292 calls succeeded. Nine readings (0.8%) were not valid JSON and were passed to extraction as raw text. An audit (`repair_runs.py --report`) confirmed all nine were complete readings of 2,000–3,000 tokens with malformed JSON, not error messages, and that no call was recorded twice. Four extractions (0.4%) did not parse; those readings have no claims and are excluded from the measures. Output totaled about 3.6 million tokens.

Pilot. A 15-call pilot (two legitimacy documents, all three stages) preceded the full run; every response parsed, and the personas produced method-distinct outputs.

Targeted rerun. After the corpus fix (A2), `invalidate_doc.py` moved every record that depended on the replaced document into `superseded.jsonl` (25 readings, 25 extractions, and the 26 editor runs for the two TCE conditions), and the runner redid exactly those 76 calls. Original records remain in the private repository and in Git history.

Sensitivity run repair. The construct-sensitivity run (A6) was interrupted and restarted at higher parallelism, and Claude Code then returned rate-limit errors inside otherwise successful responses, which the runner at first saved as readings. The runner now treats such responses as failures and retries them; `repair_runs.py` set aside 110 duplicate or empty records, and the affected calls were redone at 4 in parallel, leaving one record per call and one parse failure (a complete reading). The same audit found no such records in the main run.

Logging. For each call, `runs_cc/requests/` records the model settings, SHA-256 hashes of both prompts and the Git commit, but not the prompt text, which contains copyrighted passages. `runs_cc/outputs/` records every response, its token usage and the parsed JSON.

A5. Measures

All measures are computed on characterization claims by `compute_measures.py`. Stance is analyzed separately and never counted as incoherence. Natural language inference (NLI) uses `microsoft/deberta-large-mnli` (He et al., 2021), scored in both directions; embeddings use `BAAI/bge-large-en-v1.5`, normalized.

Claim-pair score. For claims a and b, with entailment and contradiction probabilities averaged over both directions:

$$\mathrm{m}(\mathrm{a},\,\mathrm{b}) = \tfrac{1}{2}\,[\mathrm{P_e}(\mathrm{a}\to\mathrm{b}) + \mathrm{P_e}(\mathrm{b}\to\mathrm{a})] - \tfrac{1}{2}\,[\mathrm{P_c}(\mathrm{a}\to\mathrm{b}) + \mathrm{P_c}(\mathrm{b}\to\mathrm{a})]$$

Agreement between claim sets A and B (two readings, or two documents), ranging from −1 to 1:

$$\mathrm{S}(\mathrm{A},\,\mathrm{B}) = \tfrac{1}{2}\,[\mathrm{mean}_{\mathrm{a}\in\mathrm{A}}\,\mathrm{max}_{\mathrm{b}\in\mathrm{B}}\,\mathrm{m}(\mathrm{a},\,\mathrm{b}) + \mathrm{mean}_{\mathrm{b}\in\mathrm{B}}\,\mathrm{max}_{\mathrm{a}\in\mathrm{A}}\,\mathrm{m}(\mathrm{a},\,\mathrm{b})], \qquad \mathrm{D} = 1 - \mathrm{S}$$

Conflict ratio. Contradiction pairs ÷ (contradiction + entailment pairs), counting a pair when its averaged probability exceeds 0.5. Neutral pairs, usually claims about different topics, are ignored.

Comparisons.

- *Noise floor:* same reader, same document, every pair of the 5 repetitions.
- *Divergence between personas:* different personas, same document, same repetition.
- *Reworded-reader control:* reworded vs. reworded, and reworded vs. structural, same document and repetition.
- *Corpus coherence:* for each pair of documents within a corpus, S between their pooled persona claims, computed separately for each repetition. Each claim is compared with its 3 nearest claims in the other document by embedding similarity: cosine retrieves topically related claims, and NLI judges them. Reported per condition (legitimacy, TCE, TCE with the manipulation-check set), with mixed TCE–governance pairs broken out.
- *Editors:* judgment counts, positions, contested drivers, and agreement across the repeats on fixed input.
- *Citation baseline:* Spearman correlation between a document pair's mean S and its bibliographic coupling (Jaccard overlap of OpenAlex reference lists).

Within-document agreement uses all claim pairs. Confidence intervals resample documents with replacement (1,000 draws). Cosine versions of every agreement measure are reported as a secondary measure.

Choosing the agreement measure (run before any reading). Sixteen constructed claim pairs were vetted by the author before scoring: 8 theoretically opposed but similarly worded, 8 equivalent but differently worded. In vetting, O4 (individual judgments vs. collective consensus) was dropped as compatible across levels of analysis, and O2 (property vs. perception) was sharpened into an explicit contradiction, leaving 15 pairs.

Measure	Separation (AUC; chance is 0.5)	Notes
NLI	1.00	14 of 15 labels correct; E7 ("bounded rationality" vs. "people cannot foresee every contingency") labeled neutral
Embedding cosine	0.18	Inverted: opposed pairs averaged 0.825, equivalent pairs 0.737

NLI diagnostic (prespecified, run after the main analysis). The gold set contained no pairs that are compatible but about different aspects of a construct. Ten such pairs (`prompts/diagnostic_pairs.yaml`, `nli_diagnostic.py`), committed before scoring, were labeled 8

neutral, 2 contradictory and none entailment (mean P(contradiction) 0.20). Both misreadings contrast sibling categories in parallel wording: cognitive vs. pragmatic legitimacy (P = 0.67) and hierarchies vs. markets (0.58); perception vs. process came close (0.43). Because distinct but compatible claims almost never entail each other, even occasional misreadings dominate the conflict ratio, which explains its value of about 0.65 within the noise floor.

A6. Results

Final measures after the targeted rerun (`results/report.md`). S is NLI agreement (−1 to 1); intervals resample documents.

Reader agreement within documents

Comparison	Pairs	S [95% CI]	Cosine	Conflict ratio
Noise floor, personas (same reader, repeated)	1,394	0.325 [0.305, 0.343]	0.843	0.648
Noise floor, reworded readers	840	0.323 [0.300, 0.344]	0.845	0.627
Reworded vs. structural (same method)	420	0.319 [0.293, 0.342]	0.843	0.644
Reworded vs. reworded (same method)	210	0.309 [0.281, 0.337]	0.840	0.659
Reworded vs. operational or genealogical	832	0.257 [0.236, 0.278]	0.813	0.737
Persona vs. persona (different methods)	697	0.256 [0.236, 0.277]	0.811	0.743

By pair of personas: operational–structural 0.281 [0.258, 0.303]; genealogical–structural 0.251 [0.231, 0.271]; genealogical–operational 0.238 [0.215, 0.260]. By corpus (noise floor / persona vs. persona): legitimacy 0.338 / 0.270; TCE 0.301 / 0.230; manipulation-check papers 0.352 / 0.292.

Corpus coherence (agreement between documents, persona claims pooled)

Condition	Document pairs	S (sd over 5 repetitions)	Cosine	Conflict ratio
Legitimacy	253	0.072 (0.003)	0.720	0.928
TCE	171	0.017 (0.004)	0.725	0.974
Manipulation-check papers among themselves	10	0.042 (0.009)	0.722	0.978
TCE with the manipulation-check set (all pairs)	276	−0.004 (0.004)	0.714	0.983
Mixed TCE–governance pairs only	95	−0.045 (0.005)	0.692	0.998

Structure within each literature (groupings identified after seeing the results). Mean agreement per document pair, averaged over repetitions:

Group or pair	Documents	Mean S
Williamson core	Williamson 1981, 1985, 1991, 1999; David & Han 2003 (10 pairs)	0.128
Relational-governance camp	Ring & Van de Ven 1994; Zaheer & Venkatraman 1995; Jones et al. 1997 (3 pairs)	0.109
Between the two camps	15 pairs	0.011
All TCE pairs	171 pairs	0.017

Group or pair	Documents	Mean S
Williamson 1991 vs. Ring & Van de Ven 1994	1 pair	0.045
Williamson 1991 vs. Eisenhardt & Schoonhoven 1996	1 pair	−0.104

In legitimacy, agreement is highest for documents that theorize the construct (Suchman 1995: mean agreement with the other documents 0.138) and lowest for documents that invoke it as a motive (Marquis & Qian 2014: 0.012). These groupings describe structure; they were not prespecified, and testing them is the Stage 2 cluster-count test.

Stance (genealogical persona; modal label per document): legitimacy: modify 18, extend 5. TCE: extend 9, modify 7, contest 2, endorse 1. Manipulation-check papers: modify 3, extend 2.

Editors (5 reader repetitions per cell)

Editor	Condition	Judgments	Positions, mean (sd)	Contested drivers
Adversarial	Legitimacy	Coherent contestation 5	5.4 (0.5)	Substantive 18, scope 10
Adversarial	TCE	Coherent contestation 5	5.0 (0.0)	Substantive 20, scope 5, terminological 3
Adversarial	TCE with manipulation-check set	Coherent contestation 5	6.2 (0.7)	Substantive 18, scope 8, terminological 2, method 1
Synthesizing	Legitimacy	Coherent contestation 4, settled 1	3.2 (1.8)	Substantive 8, scope 4, unclear 2, terminological 1
Synthesizing	TCE	Coherent contestation 5	5.2 (0.4)	Substantive 15, scope 7, terminological 4
Synthesizing	TCE with manipulation-check set	Coherent contestation 5	5.6 (0.5)	Substantive 17, scope 8, terminological 1

On fixed input (4 runs per editor and corpus), every editor repeated its judgment in all runs; positions varied by sd 0.43.

Citation baseline. Spearman ρ between document-pair agreement and bibliographic coupling = 0.43 (legitimacy, 253 pairs) and 0.26 (TCE with the manipulation-check set, 275 pairs).

Construct-Sensitivity Check

The TCE result could reflect the construct term rather than the literature: papers might use "governance" differently without differing about TCE. We therefore reran the three personas on the 19 TCE documents with the construct term "transaction cost economics" (`prompts/experiment_sensitivity.yaml`; 3 repetitions, 171 readings; no reworded readers or editors; prompts and models otherwise unchanged). The configuration and its predictions were committed before the run: if the split were an artifact of the term, coherence would rise toward legitimacy's 0.072; if not, it would stay near 0.017.

TCE construct term	Between-document S (sd over repetitions)	Within-document: noise floor / persona vs. persona
"governance" (main run, 5 repetitions)	0.017 (0.004)	0.301 / 0.230
"transaction cost economics" (3	0.025 (0.004)	0.332 / 0.229 [0.201, 0.259]

TCE construct term	Between-document S (sd over repetitions)	Within-document: noise floor / persona vs. persona
repetitions)		

Coherence rose by 0.008, about two standard deviations, and stayed far below legitimacy (0.072): the split is not an artifact of the term. The method's core effect also replicated under the new term: personas agreed below the noise floor, and the genealogical persona again agreed least with the others (0.211–0.215, vs. 0.262 for operational–structural). Two further observations, reported without interpretation: stance was similar (modify 9, extend 8, contest 1, endorse 1), and the correlation between document-pair agreement and bibliographic coupling fell to ρ = −0.06.

A7. Reproducibility, Data and Ethics

Order of commitments. Git timestamps show each rule fixed before the results it governs. Changes after a freeze are logged in `prompts/CHANGELOG.md` with date and reason.

Date	Commit
2026-10-22	Inclusion rule and anchors frozen before the corpus build
2026-10-22	Corpus built and frozen (rule v1)
2026-10-24	Copyrighted text excluded from the repository
2026-10-25	PDF and extraction scripts; rule v2 logged as considered and rejected
2026-10-25	Corpus complete (47 of 47); passages extracted; book excerpts trimmed
2026-10-25	Gold pairs vetted (O4 dropped, O2 sharpened), before scoring
2026-10-25	Environment pinned; gold-pair check run (NLI AUC 1.00, cosine 0.18)
2026-10-25	Prompts, schemas and configuration frozen (TCE construct: governance)
2026-10-25	Runner committed
2026-10-26	Full run: 1,125 readings, 1,125 extractions, 42 editor runs
2026-10-26	Preview PDF replaced; targeted rerun; measures recomputed

Later commits prespecified and then ran the NLI diagnostic (A5) and the construct-sensitivity check (A6), each committed with its predictions before it ran; fixed and documented the runner's handling of Claude Code errors (A4); and recorded every post-freeze change in the changelog.

What the repository holds.

Path	Contents
`select_corpus.py`, `fetch_pdfs.py`, `extract_passages.py`, `run_dcr.py`, `invalidate_doc.py`, `repair_runs.py`, `check_gold_pairs.py`, `nli_diagnostic.py`, `compute_measures.py`	The full pipeline
`prompts/`	Persona, reworded-reader, extraction and editor prompts; `experiment.yaml` and `experiment_sensitivity.yaml`; gold and diagnostic pairs; changelog
`corpus/`	Selected and candidate lists with DOIs, reference lists, passage index with offsets and hashes, selection and

Path	Contents
	extraction manifests
`runs_cc/`, `runs_sens/`	Request logs (prompt hashes, settings, commits); extracted claims, stances and editor judgments
`results/`, `results_sens/`	Gold-pair check, NLI diagnostic, reports, per-pair CSVs, NLI cache
Root folder	`README.md`, `LICENSE`, `requirements.txt` (Python 3.11, PyTorch 2.14.1 with CUDA 12.6), and the submitted proposal and appendix

Not included. Article PDFs, extracted text and passage text, which are copyrighted. A replicator obtains the PDFs by DOI, regenerates passages with `extract_passages.py`, and checks them against the stored hashes. Every measure can be recomputed from the included claims without PDFs or model calls. Measures were computed on one laptop GPU (NVIDIA RTX 4070, 8 GB).

Release. The public repository holds the extracted claims, stances, editor judgments and all measures, which suffice to audit every reported number. Full reader outputs can quote short phrases from copyrighted passages, so they are kept in a private repository with the complete commit history and are available to the editors on request. Code is released under the MIT license; derived data (claims, judgments and measures) under CC BY 4.0.

Ethics. The study uses published scholarship only; there are no human participants. Readers were blinded to authors and titles to limit reputation effects.

Use of AI in the research and writing. Large language models are the study's instrument: Claude Sonnet 5.5 performed all readings, claim extractions and editor judgments, as described in A3 and A4. Separately, AI assistance (Claude) was used to help develop the analysis code and to draft and edit the proposal and this appendix. The authors designed the study, vetted the gold-standard pairs, made all methodological and interpretive decisions, reviewed all text and results, and take full responsibility for the content.

Anonymity for review. Reviewers receive the repository through an anonymized mirror (link above). Its commits carry a neutral author identity, and the submitted files carry no author metadata.

A8. Known Issues and Stage 2 Responses

Issue	Effect on results	Response
One model family, Claude Code defaults; temperature not controlled	Measured stability may partly reflect this model and its default sampling	Stage 2: rerun with set temperatures on other closed and open-weights models
NLI sometimes reads contrast between related categories as contradiction	Lowers absolute agreement. Comparisons are more robust because all conditions are scored alike, but TCE claims often contrast markets and hierarchies, so the bias may not affect both literatures equally	Diagnosed (A5): 2 of 10 compatible pairs misread. Stage 2: calibrate or replace the NLI model, and test whether the bias differs by literature
Claim extraction normalizes voice	Could make readings converge artificially	Bounded by the reworded-reader control and the noise floor; Stage 2: compare against measures on raw readings

Issue	Effect on results	Response
Stance is reliable mainly when a reader names the account engaged	Stance taken mainly from the genealogical persona	Stage 2: a short stance field for every reader
One PDF was a first-page preview	Its single-passage readings looked unusually coherent	Fixed and rerun (A2, A4); per-page text check added
Markets and Hierarchies passages are whole pages	Longer passages for one book	Accepted and noted
Editors label almost every condition "coherent contestation"	Editor judgments are reliable but do not discriminate between literatures	Stage 2: finer editor categories, or editors anchored to the measures
Within-literature groupings were identified after the results	Camps in TCE and the gradient in legitimacy are descriptive, not tested	Stage 2: the cluster-count test (rival positions vs. balkanized camps)
General-purpose NLI misses domain inferences (gold pair E7)	Some equivalent claims read as neutral	Stage 2: expert-labeled organizational-theory pairs
Readers may recognize famous papers despite blinding	Possible recall from memory	Stage 2: compare blinded readings of paraphrased passages
Small, curated corpus (47 documents)	Results are checkable, not general	Stage 2: 200 or more documents per literature, more literatures